



Universiteit
Leiden
The Netherlands

Contents

Brinkkemper, O.


Citation

Brinkkemper, O. (1991). Contents. In *Analecta Praehistorica Leidensia 24 : Wetland Farming in the area to the south of the Meuse estuary during the iron age and roman period. An environmental and palaeo-economic reconstruction* (Vol. 24, p. 10). Leiden University Press. Retrieved from <https://hdl.handle.net/1887/27879>


Version: Not Applicable (or Unknown)
License: [Leiden University Non-exclusive license](#)
Downloaded from: <https://hdl.handle.net/1887/27879>

Note: To cite this publication please use the final published version (if applicable).

ANALECTA
PRAEHISTORICA
LEIDENSIA



1991



ANALECTA
PRAEHISTORICA
LEIDENSIA

24

PUBLICATIONS OF THE INSTITUTE OF PREHISTORY

O. Brinkkemper

WETLAND FARMING
IN THE AREA TO THE SOUTH OF THE MEUSE ESTUARY
DURING THE IRON AGE AND ROMAN PERIOD.
AN ENVIRONMENTAL AND PALAEO-ECONOMIC RECONSTRUCTION.



UNIVERSITY OF LEIDEN 1991

redaction committee: L.P. Louwe Kooijmans/ C.C. Bakels

redaction of this volume: O. Brinkkemper/ M. Wanders

design and cover: H.A. de Lorm

copyright 1992 by the Institute of Prehistory Leiden

ISSN 0169-7447

ISBN 90-73368-04-9

Also appeared as doctorate thesis, Leiden, January 27, 1993.

Subscriptions to the series *Analecta Praehistorica Leidensia* and single volumes can be ordered exclusively at:

Institute of Prehistory
P.O.Box 9515
2300 RA Leiden
the Netherlands.

contents

1	Introduction	1
1.1	The problem	1
1.2	Geology	1
1.2.1	The geological development of Voorne-Putten during the Iron Age and the Roman Period	4
1.3	Archaeology	8
1.3.1	The archaeological sites	12
1.3.1.1	<i>The Early Iron Age</i>	13
1.3.1.2	<i>The Middle Iron Age</i>	13
1.3.1.3	<i>The Late Iron Age</i>	13
1.3.1.4	<i>The Roman Period</i>	14
2	Palynological investigations on Voorne-Putten	17
2.1	Introduction	17
2.2	Previous investigations	17
2.3	Methods used in the present research	17
2.4	Pollen diagrams	19
2.4.1	The pollen diagram of Spijkenisse 17-30	21
2.4.2	The pollen diagram of Spijkenisse 17-34	26
2.4.3	The pollen diagram of Heenvliet	26
2.4.4	The pollen diagram of Simonshaven	27
2.4.5	A pollen spectrum from Zuidland	28
2.4.6	The pollen diagram of Rockanje II	28
2.4.7	Eight pollen spectra from Nieuwenhoorn	29
2.4.8	The pollen diagram of Rockanje 08-52	29
2.5	Reconstruction of the Early and Middle Iron Age environment	32
2.5.1	The local environment around the Iron Age sites	32
2.5.2	The location of upland forests	33
2.5.3	Results and conclusions	34
2.6	Environmental reconstructions for the Roman Period	37
2.7	Conclusions	39
3	Wood-remains in constructions dating to the Iron Age and Roman Period	41
3.1	The sites on Voorne-Putten	41
3.1.1	Rotterdam-Hartelkanaal 10-69	41
3.1.2	Spijkenisse 17-30	41
3.1.3	Spijkenisse 17-35	41
3.1.4	Spijkenisse 17-34	42
3.1.5	Simonshaven 17-24	42
3.1.6	Nieuwenhoorn 09-89	42
3.1.7	Rockanje II	43
3.1.8	Preference of particular species for certain construction elements	43
3.2	The origin of the wood	43

3.3	Comparison with investigations concerning wood on other sites	45
3.4	Comparison of the wood and pollen data	46
3.5	Conclusions	46
4	Botanical macroremains	47
4.1	Introduction	47
4.1.1	Methods	47
4.2	Previous studies of botanical macroremains from Voorne-Putten	48
4.3	The present study of botanical macroremains	48
4.4	Cultivated plants	49
4.4.1	<i>Hordeum vulgare vulgare</i> (hulled barley)	50
4.4.2	<i>Triticum</i> div. spec (wheat)	50
4.4.3	<i>Panicum miliaceum</i> (broomcorn millet)	54
4.4.4	<i>Linum usitatissimum</i> (linseed or flax)	54
4.4.5	<i>Camelina sativa</i> (gold of pleasure, false flax)	56
4.4.6	<i>Brassica rapa</i> (= <i>B. campestris</i> , turnip)	57
4.4.7	<i>Vicia faba</i> (Celtic bean)	57
4.5	Gathered wild plants	57
4.5.1	<i>Rubus caesius</i> and <i>R. fruticosus</i> (blackberries)	58
4.5.2	<i>Prunus spinosa</i> (sloe)	58
4.5.3	<i>Rosa</i> spec. (rose)	59
4.5.4	<i>Sambucus</i> cf <i>nigra</i> (elderberry)	59
4.5.5	<i>Glyceria fluitans</i> (floating sweetgrass, manna-grass)	59
4.5.6	Conspicuously absent gathered plants	60
4.6	Macroremains of other wild plants	60
4.6.1	Ecological notes on some actual plant communities	60
4.6.1.1	<i>Arable weeds</i>	60
4.6.1.2	<i>Plant communities of pastures and meadows</i>	61
4.6.1.3	<i>Plant communities of salt environments</i>	62
4.6.1.4	<i>Waterside vegetation types</i>	62
4.6.1.5	<i>Vegetation types of environments disturbed by man</i>	62
4.6.2	The macroremains of Rotterdam-Hartelkanaal 10-69	62
4.6.3	The macroremains of Spijkenisse 17-30	63
4.6.4	The macroremains of Spijkenisse 17-35	63
4.6.5	The macroremains of Spijkenisse 17-34	69
4.6.6	The macroremains of Geervliet 17-55	76
4.6.7	The macroremains of the Late Iron Age sites near Abbenbroek and Zuidland	76
4.6.8	Rockanje 08-52	79
4.6.9	The macroremains of Nieuwenhoorn 09-89	80
4.6.10	Rockanje II	94
4.6.11	Conspicuously absent wild plants	94
4.7	A comparison of the sites on Voorne-Putten	96
4.7.1	Multivariate analyses	96
4.7.2	Cluster analyses of the samples on the basis of waterlogged botanical macroremains	97
4.7.3	Cluster analysis of the samples on the basis of crop plants	98
4.7.4	Cluster analyses of the taxa	98
4.7.5	Cluster analysis of the samples on the basis of carbonized botanical macroremains	99
4.8	The nature of differences and similarities between the sites	99
4.8.1	Ratios of syntaxonomical classes	100
4.8.2	Conspicuously absent classes	102

4.8.3	Salt marsh plants versus freshwater plants	102
4.8.4	Crop weeds versus meadow plants	106
4.9	The use of indicator values	106
4.9.1	Moisture values	111
4.9.2	pH values	111
4.9.3	Nitrogen values	113
4.9.4	Light values	113
4.9.5	Salinity	115
4.10	Summary	117
5	The faunal remains	119
5.1	Results	119
5.2	The Iron Age	119
5.2.1	Domesticates	119
5.2.2	Wild animals	122
5.3	The Roman Period	122
6	Towards a reconstruction of the economies of the sites	125
6.1	Introduction	125
6.2	Characteristics of crop plants found in the present study	125
6.2.1	Hulled, four-row barley (<i>Hordeum vulgare</i> ssp. <i>vulgare</i> fo. <i>tetrastichum</i>)	125
6.2.2	Wheat (<i>Triticum</i> spec.)	125
6.2.3	Broomcorn millet (<i>Panicum miliaceum</i>)	127
6.2.4	Oats (<i>Avena sativa</i>)	127
6.2.5	Linseed or flax (<i>Linum usitatissimum</i>)	127
6.2.6	Gold of pleasure (<i>Camelina sativa</i>)	127
6.2.7	Rape (<i>Brassica rapa</i>)	128
6.2.8	Celtic beans (<i>Vicia faba</i> var. <i>minor</i>)	128
6.3	Characteristics of livestock	128
6.3.1	Cattle (<i>Bos taurus</i>)	128
6.3.2	Sheep and goats (<i>Ovis aries</i> and <i>Capra hircus</i>)	130
6.3.3	Pigs (<i>Sus domesticus</i>)	131
6.4	The evidence for the cultivation of crops on Voorne-Putten during the Iron Age and the Roman Period	131
6.4.1	The location of the arable fields	131
6.4.2	Evidence for local cultivation provided by the cereal remains	132
6.4.3	Harvesting methods	136
6.4.4	The evidence for local cultivation provided by non-cereal crop remains	137
6.5	Implications of the botanical investigations on the reconstruction of agricultural economies of the sites	137
6.5.1	The Early Iron Age	137
6.5.2	The Middle Iron Age	140
6.5.3	The Late Iron Age	141
6.5.4	The Roman Period	141
6.6	The consumption side of the economy	142
6.6.1	Sizes of households and population density	142
6.6.2	The area available for arable and pastoral farming	145
6.6.3	The subsistence pattern of the single farms	146
6.6.3.1	The Iron Age	146
6.6.3.2	The Roman Period	149
6.6.4	The feasibility of the models for food consumption	150
6.6.4.1	The area of land required	150
6.6.4.2	The amount of labour required	152

6.7	The influence of the Roman occupation	154
6.7.1	Introduction	154
6.7.2	Nieuwenhoorn 09-89: a native Roman settlement during the early phase of the Roman occupation	155
6.7.3	Rockanje II: a native Roman settlement during the consolidation phase of the Roman occupation	155
6.8	Summary	156

Identification criteria of botanical macroremains occurring in the investigated sites. 159

Acknowledgements 183

References 185

Summary 207

Samenvatting 213

List of abbreviations 219

Index 221

Enclosures containing figures 13, 14, 16-19, 21, 25, 43, 45-52