



Universiteit  
Leiden  
The Netherlands

## Set of images

Brinkkemper, O.

## Citation

Brinkkemper, O. (1991). Set of images. In *Analecta Praehistorica Leidensia 24 : Wetland Farming in the area to the south of the Meuse estuary during the iron age and roman period. An environmental and palaeo-economic reconstruction* (Vol. 24, p. 19). Leiden University Press. Retrieved from <https://hdl.handle.net/1887/28018>

Version: Not Applicable (or Unknown)

License: [Leiden University Non-exclusive license](#)

Downloaded from: <https://hdl.handle.net/1887/28018>






Fig. 13 The relative pollen diagram of Spijkenisse 17-30.





PLOT IVA INFLUX  
ANALYSIS

Fig. 14 The pollen influx diagram of Spijkenisse 17-30.




Fig. 16 The relative pollen diagram of Spijkenisse 17-34 (first part).






Fig. 16 The relative pollen diagram of Spijkenisse 17-34 (continued).







Fig. 17 The relative pollen diagram of Heenvliet.






Fig. 18 The relative pollen diagram of Simonshaven.




Fig. 19 The relative pollen diagram of Rockanje II (first part).






Fig. 19 The relative pollen diagram of Rockanje II (continued).




Fig. 25 The relative pollen diagram of Heenvliet by the R.G.D. (first part).





FIG. 21 The relative pollen diagram of Rockanje 08-52.






Fig. 25 The relative pollen diagram of Heenvliet by the R.G.D. (continued).




Fig. 43 Seed diagram from Nieuwenhoorn 06-89. Densities per litre of sediment.






Fig. 45 Dendrogram of the cluster analysis based on uncarbonized plant remains from the sites on Putten.




Fig. 46 Dendrogram of the cluster analysis based on uncarbonized plant remains from the sites on Voorne.






Fig. 47 Dendrogram of the cluster analysis based on uncarbonized plant remains from 80 samples from Voorne and Putten.




Fig. 48 Dendrogram of the cluster analysis based on all crop plant remains.






Fig. 49 Dendrogram of the cluster analysis based on crop weeds.




Fig. 50 Dendrogram of the cluster analysis of the uncarbonized taxa from Nieuwenhoorn 09-89.




Fig. 51 Dendrogram of the cluster analysis of the uncarbonized taxa from Rockanje II.






Fig. 52 Dendrogram of the cluster analysis based on all carbonized plant remains.