



Universiteit
Leiden
The Netherlands

Advances in multidimensional unfolding

Busing, F.M.T.A.

Citation

Busing, F. M. T. A. (2010, April 21). *Advances in multidimensional unfolding*. Retrieved from <https://hdl.handle.net/1887/15279>

Version: Not Applicable (or Unknown)

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/15279>

Note: To cite this publication please use the final published version (if applicable).

REFERENCES

- Albers, S., & Brockhoff, K. (1977). A procedure for new product positioning in an attribute space. *European Journal of Operational Research*, 1, 230–238.
- Allen, D. M. (1974). The relationship between variable selection and data augmentation and a method for prediction. *Technometrics*, 16, 125–127.
- Andrich, D. (1988). The application of an unfolding model of the PIRT type to the measurement of attitude. *Applied Psychological Measurement*, 12, 33–51.
- Andrich, D. (1989). A probabilistic IRT model for unfolding preference data. *Applied Psychological Measurement*, 13(2), 193–216.
- Arditti, S. (1997). Preference mapping: A case study. *Food Quality and Preference*, 8(5/6), 323–327.
- Arnold, G. M., & Williams, A. A. (1986). The use of Generalized Procrustes analysis in sensory analysis. In J. R. Piggott (Ed.), *Statistical procedures in food research* (pp. 233–253). London: Elsevier Applied Science.
- Ayer, M., Brunk, H. D., Ewing, G. M., Reid, W. T., & Silverman, E. (1955). An empirical distribution function for sampling with incomplete information. *Annals of Mathematical Statistics*, 26, 641–647.
- Baier, D., & Gaul, W. (1999). Optimal product positioning based on paired comparison data. *Journal of Econometrics*, 89, 365–392.
- Balabanis, G., & Diamantopoulos, A. (2004). Domestic country bias, country-of-origin effects, and consumer ethnocentrism: A multidimensional unfolding approach. *Journal of the Academy of Marketing Science*, 32(1), 80–95.
- Barlow, R. E., Bartholomew, D. J., Bremner, J. M., & Brunk, H. D. (1972). *Statistical inference under order restrictions*. New York: Wiley.
- Barnard, F. R. (1921, December 8). *One look is worth a thousand words*. Advertisement in Printers' Ink.
- Barnard, F. R. (1927, March 10). *Make a cake for bobby*. Advertisement in Printers' Ink. (Chinese Proverb: One Picture is Worth Ten Thousand Words)
- Bartholomew, D. J. (1959). A test of homogeneity for ordered alternatives. *Biometrika*, 45, 36–48.
- Bartholomew, D. J. (1961). A test of homogeneity of means under restricted alternatives (with discussion). *Journal of the Royal Statistics Society, Series B*, 23, 239–281.

- Barton, D. E., & Mallows, C. L. (1961). The randomization bases of the amalgamation of weighted means. *Journal of the Royal Statistics Society, Series B*, 23, 423–433.
- Batschelet, E. (1981). *Circular statistics in biology*. New York: Academic Press.
- Bedall, F. K., & Zimmermann, H. (1979). Algorithm AS143: The mediancentre. *Applied Statistics*, 28, 325–328.
- Ben-Israel, A., & Iyigun, C. (2007). Probabilistic d-clustering. *Journal of Classification*, 25, 5–26.
- Bennett, J. F., & Hays, W. L. (1960). Multidimensional unfolding: Determining the dimensionality of ranked preference data. *Psychometrika*, 25, 27–43.
- Bergamo, G. C., dos Santos Dias, C. T., & Krzanowski, W. J. (2008, July/August). Distribution-free multiple imputation in an interaction matrix through singular value decomposition. *Scientia Agricola*, 65(4), 422–427.
- Bernaards, C. A., & Sijtsma, K. (2000). Influence of imputation and EM methods on factor analysis when item nonresponse in questionnaire data is nonignorable. *Multivariate Behavioral Research*, 35, 321–364.
- Bezembinder, T. (1997). In memoriam Eddy Roskam (1932–1997). *Nederlands Tijdschrift voor de Psychologie*, 52, 149–150.
- Bijleveld, C. C. J. H., & Commandeur, J. J. F. (1987). *The extension of analysis of angular variation to m-way designs* (Leiden Psychological Reports No. PRM-8703). Leiden: Department of Psychology, Leiden University.
- Blumenthal, D. (2004). How to obtain the sensory scores of the optimal product according to external preference mapping. In *Proceedings of the seventh sensometrics meeting*. Davis, California: The Sensometric Society.
- Borg, I., & Bergermaier, R. (1982). Degenerationsprobleme im Unfolding und Ihre Lösung. *Zeitschrift für Sozialpsychologie*, 13, 287–299.
- Borg, I., & Groenen, P. J. F. (1997). *Modern multidimensional scaling: Theory and applications*. New York: Springer-Verlag.
- Borg, I., & Groenen, P. J. F. (2005). *Modern multidimensional scaling: Theory and applications* (second ed.). New York: Springer-Verlag.
- Borg, I., & Lingoes, J. C. (1987). *Multidimensional similarity structure analysis*. Berlin: Springer.
- Bringhurst, R. (2005). *The elements of typographic style* (3rd ed.). Vancouver, Canada: Hartley and Marks.
- Brown, B. M. (1985). Spatial median. In S. Kotz, C. B. Read, & D. Banks (Eds.), *Encyclopedia of statistical sciences* (Vol. 8, pp. 574–575). New York: Wiley.
- Burt, C. (1948a). Factor analysis and canonical correlations. *British Journal of Psychology (Statistical Section)*, 1, 95–106.
- Burt, C. (1948b). The factorial study of temperamental traits. *British Journal of Psychology (Statistical Section)*, 1, 178–203.

- Busing, F. M. T. A. (2006). Avoiding degeneracy in metric unfolding by penalizing the intercept. *British Journal of Mathematical and Statistical Psychology*, 59, 419–427.
- Busing, F. M. T. A. (2010). *Advances in multidimensional unfolding*. Unpublished doctoral dissertation, Leiden University, Leiden, the Netherlands.
- Busing, F. M. T. A., Commandeur, J. J. F., & Heiser, W. J. (1997). PROXSCAL: A multidimensional scaling program for individual differences scaling with constraints. In W. Bandilla & F. Faulbaum (Eds.), *Softstat '97 advances in statistical software* (pp. 237–258). Stuttgart, Germany: Lucius.
- Busing, F. M. T. A., & de Rooij, M. (2009). Unfolding incomplete data: Guidelines for unfolding row-conditional rank order data with random missings. *Journal of Classification*, 26, 329–360.
- Busing, F. M. T. A., Groenen, P. J. F., & Heiser, W. J. (2005). Avoiding degeneracy in multidimensional unfolding by penalizing on the coefficient of variation. *Psychometrika*, 70(1), 71–98.
- Busing, F. M. T. A., Heiser, W. J., & Eilers, P. (in preparation). *Avoiding degeneracies in unfolding using smooth monotone spline transformations*.
- Busing, F. M. T. A., Heiser, W. J., Neufeglise, P., & Meulman, J. J. (2005). *PREFSCAL. Program for metric and nonmetric multidimensional unfolding, including individual differences modeling and fixed coordinates*. SPSS Inc. Chicago, IL. (Version 14.0)
- Cailliez, F. (1983). The analytical solution of the additive constant problem. *Psychometrika*, 48(2), 305–308.
- Calinski, R. B., & Harabasz, J. (1974). A dendrite method for cluster analysis. *Communications in Statistics*, 3, 1–27.
- Carroll, J. D. (1972). Individual differences and multidimensional scaling. In R. N. Shepard, A. K. Romney, & S. B. Nerlove (Eds.), *Multidimensional scaling: Theory and applications in the behavioral sciences* (Vol. 1, pp. 105–155). New York: Seminar Press.
- Carroll, J. D. (1980). Models and methods for multidimensional analysis of preferential choice (or other dominance) data. In E. Lantermann & H. Feger (Eds.), *Similarity and choice* (pp. 234–289). Bern: Hans Huber.
- Carroll, J. D., & Arabie, P. (1980). Multidimensional scaling. *Annual Review of Psychology*, 31, 607–649.
- Carroll, J. D., & Chang, J. J. (1964a). A general index of nonlinear correlation and its application to the problem of relating physical and psychological dimensions. *American Psychologist*, 19(7), 540. (Abstract)
- Carroll, J. D., & Chang, J. J. (1964b). *A general index of non-linear correlation and its application to the problem of relating physical and psychological dimensions* (Tech. Rep.). Murray Hill, NJ: Bell Telephone Laboratories. (Unpublished Manuscript)

- Carroll, J. D., & Chang, J. J. (1967). *Relating preference data to multidimensional scaling solutions via a generalization of Coombs' unfolding model*. Bell Telephone Laboratories. (Unpublished Manuscript)
- Carroll, J. D., & Chang, J. J. (1970). Analysis of individual differences in multidimensional scaling via an N-way generalization of 'Eckart-Young' decomposition. *Psychometrika*, 35, 283–319.
- Carroll, J. D., & Chang, J. J. (1972). *IDIOSCAL (individual differences in orientation scaling): a generalization of INDSCAL allowing idiosyncratic reference systems*. Paper presented at Psychometric Meeting, Princeton, NJ.
- Carroll, J. D., & Wish, M. (1974). Models and methods for three-way multidimensional scaling. In D. H. Krantz, R. L. Atkinson, R. D. Luce, & P. Suppes (Eds.), *Contemporary developments in mathematical psychology* (Vol. 2). San Francisco: W. H. Freeman.
- Cattell, R. B. (1966). The scree test for the number of factors. *Multivariate Behavioral Research*, 1, 245–276.
- Chang, J. J., & Carroll, J. D. (1968). *How to use PROFIT, a computer program for property fitting by optimizing nonlinear or linear correlation* (Tech. Rep.). Murray Hill, NJ: Bell Telephone Laboratories. (Unpublished Manuscript)
- Chang, J. J., & Carroll, J. D. (1969). *How to use MDPREF, a computer program for multidimensional analysis of preference data* (Tech. Rep.). Murray Hill, NJ: Bell Telephone Laboratories.
- Chatterjee, R., & DeSarbo, W. S. (1992). Accommodating the effects of brand unfamiliarity in the multidimensional scaling of preference data. *Marketing Letters*, 3(1), 85–99.
- Chaudhuri, P. (1996). On a geometric notion of quantiles for multivariate data. *Journal of the American Statistical Association*, 91, 862–872.
- Clatworthy, H. W. (1973). Tables of two-associate-class partially balanced designs. In *Applied mathematics series 63*. Washington: National Bureau of Standards.
- Cliff, N. (1966). Orthogonal rotation to congruence. *Psychometrika*, 31, 33–42.
- Cochran, W. G., & Cox, G. M. (1957). *Experimental designs* (2nd ed.). New York: Wiley.
- Cohen, J. (1960). A coefficient of agreement for nominal scales. *Educational and Psychological Measurement*, 20(1), 37–46.
- Cohen, J. (1968). Weighted kappa: Nominal scale agreement with provision for scaled disagreement or partial credit. *Psychological Bulletin*, 70, 213–220.
- Cohen, J. (1988). *Statistical power analysis for the behavioral sciences* (second ed.). New York: Academic Press.
- Commandeur, J. J. F. (1991). *Matching configurations*. Unpublished doctoral dissertation, Leiden University, Department of Psychometrics and Research Methodology, Leiden University.

- Commandeur, J. J. F. (1994, december). *The PROXSCAL program book*. (Implementation note for J. J. F. Commandeur and W. J. Heiser (1993).)
- Commandeur, J. J. F., & Heiser, W. J. (1993). *Mathematical derivations in the proximity scaling (PROXSCAL) of symmetric data matrices* (Tech. Rep. No. RR-93-04). Leiden, The Netherlands: Leiden University, Department of Data Theory.
- Coombs, C. H. (1950). Psychological scaling without a unit of measurement. *Psychological Review*, 57, 148–158.
- Coombs, C. H. (1964). *A theory of data*. New York: Wiley.
- Coombs, C. H., & Kao, R. C. (1960). On a connection between factor analysis and multidimensional unfolding. *Psychometrika*, 25, 219–231.
- Coxon, A. P. M. (1982). *The user's guide to multidimensional scaling. with special reference to the mds(x) library of computer programs*. London: Heinemann Educational Books. (hardcover)
- Coxon, A. P. M., & Jones, C. L. (1974). Occupational similarities: subjective aspects of social stratification. *Quality and Quantity*, 8, 139–157.
- Coxon, A. P. M., & Jones, C. L. (1978). *The images of occupational prestige*. London: Macmillan.
- Cureton, E. E., & D'Agostino, R. B. (1983). *Factor analysis: An applied approach*. Hillsdale, NJ: Lawrence Erlbaum.
- Dagpunar, A. (1988). *Principles of random variate generation*. Oxford: Clarendon Press.
- Daillant-Spinnler, B., MacFie, H. J. H., Beyts, P. K., & Hedderley, D. (1996). Relationships between perceived sensory properties and major preference directions of 12 varieties of apples from the southern hemisphere. *Food Quality and Preference*, 7(2), 113–126.
- Danzart, M., Sieffermann, J.-M., & Delarue, J. (2004). New developments in preference mapping techniques: Finding out a consumer optimal product, its sensory profile and the key sensory attributes. In *Proceedings of the seventh sensometrics meeting*. Davis, California: The Sensometric Society.
- Davison, A. C., Hinkley, D. V., & Schechtman, E. (1986). Efficient bootstrap simulation. *Biometrika*, 73(3), 555–566.
- de Leeuw, J. (1977a). Applications of convex analysis to multidimensional scaling. In J. R. Barra, F. Brodeau, G. Romier, & B. van Cutsem (Eds.), *Recent developments in statistics* (pp. 133–145). Amsterdam, The Netherlands: North-Holland.
- de Leeuw, J. (1977b). Correctness of Kruskal's algorithms for monotone regression with ties. *Psychometrika*, 42(1), 141–144.
- de Leeuw, J. (1983). *On degenerate nonmetric unfolding solutions* (Tech. Rep.). Leiden, The Netherlands: Department of Data Theory, FSW/RUL.
- de Leeuw, J. (1988). Convergence of the majorization method for multidimensional scaling. *Journal of Classification*, 5, 163–180.

- de Leeuw, J., & Heiser, W. J. (1977). Convergence of correction-matrix algorithms for multidimensional scaling. In J. C. Lingoes, E. E. C. I. Roskam, & I. Borg (Eds.), *Geometric representations of relational data* (pp. 735–752). Ann Arbor, MI: Mathesis Press.
- de Leeuw, J., & Heiser, W. J. (1980). Multidimensional scaling with restrictions on the configuration. In P. R. Krishnaiah (Ed.), *Multivariate analysis* (Vol. 5, pp. 501–522). Amsterdam, The Netherlands: North-Holland Publishing Company.
- de Leeuw, J., & Heiser, W. J. (1982). Theory of multidimensional scaling. In L. Kanal & P. Krishnaiah (Eds.), *Handbook of statistics* (Vol. II, pp. 285–317). Amsterdam: North-Holland.
- de Leeuw, J., & Meulman, J. J. (1986). A special jackknife for multidimensional scaling. *Journal of Classification*, 3, 97–112.
- de Soete, G., Carroll, J. D., & DeSarbo, W. S. (1986). The wandering ideal point model: A probabilistic multidimensional unfolding model for paired comparison data. *Journal of Mathematical Psychology*, 30(1), 28–41.
- de Soete, G., & Heiser, W. J. (1993). A latent class unfolding model for analyzing single stimulus preference ratings. *Psychometrika*, 58, 545–565.
- Delbeke, L. (1968). *Construction of preference spaces: an investigation into the applicability of multidimensional scaling models*. Unpublished doctoral dissertation, Leuven. (University Press)
- Dempster, A. P., Laird, N. M., & Rubin, D. B. (1977). Maximum likelihood estimation from incomplete data via the EM algorithm (with discussion). *Journal of the Royal Statistical Society*, B39, 1–38.
- Dennis, J. E., & Schnabel, R. B. (1983). *Numerical methods for unconstrained optimization and nonlinear equations*. Englewood Cliffs, New Jersey: Prentice-Hall. (Republished by SIAM, Philadelphia, in 1996 as Volume 16 of Classics in Applied Mathematics)
- Derbaix, C., & Sjöberg, L. (1994). Movie stars in space: A comparison of preferences and similarity judgements. *International Journal of Research in Marketing*, 11, 261–274.
- DeSarbo, W. S. (1978). *Three-way unfolding and situational dependence in consumer preference analysis*. Unpublished doctoral dissertation, University of Pennsylvania, Philadelphia.
- DeSarbo, W. S., & Carroll, J. D. (1980). Three-way unfolding and situational dependence in consumer preference analysis. In K. Bernhardt, I. Dolich, M. Etzel, T. Kinnear, W. Perreault, & R. Roering (Eds.), *The changing marketing environment: New theories and applications* (pp. 321–325). Chicago: American Marketing Association.
- DeSarbo, W. S., & Carroll, J. D. (1983). *Three-way unfolding via weighted least-squares*. (Unpublished Memorandum, AT&T Bell Laboratories: Murray Hill, N.J.)

- DeSarbo, W. S., & Carroll, J. D. (1985). Three-way metric unfolding via alternating weighted least squares. *Psychometrika*, 50(3), 275–300.
- DeSarbo, W. S., & Cho, J. (1989, Mar). A stochastic multidimensional scaling vector threshold model for the spatial representation of 'pick any/n' data. *Psychometrika*, 54(1), 105–129.
- DeSarbo, W. S., de Soete, G., & Eliashberg, J. (1987). A new stochastic multidimensional unfolding model for the investigation of paired comparison consumer preference/choice data. *Journal of Economic Psychology*, 8, 357–384.
- DeSarbo, W. S., & Hoffman, D. L. (1987, Feb). Constructing MDS joint spaces from binary choice data: A multidimensional unfolding threshold model for marketing research. *Journal of Marketing Research*, 24(1), 40–54.
- DeSarbo, W. S., Kim, J., Choi, S. C., & Spaulding, M. (2002). A gravity-based multidimensional scaling model for deriving spatial structures underlying consumer preference/choice judgments. *Journal of Consumer Research*, 29, 91–100.
- DeSarbo, W. S., & Rao, V. R. (1984). GENFOLD2: A set of models and algorithms for the GENERAL UNFOLDING analysis of preference/dominance data. *Journal of Classification*, 1, 147–186.
- DeSarbo, W. S., & Rao, V. R. (1986). A constrained unfolding methodology for product positioning. *Marketing Science*, 5, 1–19.
- DeSarbo, W. S., Young, M. R., & Rangaswamy, A. (1997). A parametric multidimensional unfolding procedure for incomplete nonmetric preference/choice set data in marketing research. *Journal of Marketing Research*, 34(4), 499–516.
- Dijksterhuis, G. B., & Gower, J. C. (1991). The interpretation of generalized procrustes analysis and allied methods. *Food Quality and Preference*, 3, 67–87.
- Dinkelbach, W. (1967). On nonlinear fractional programming. *Management Science*, 13, 492–498.
- Eckart, C., & Young, G. (1936). Approximation of one matrix by another of lower rank. *Psychometrika*(1), 211–218.
- Efron, B. (1982). *The jackknife, the bootstrap and other resampling plans*. Philadelphia: SIAM.
- Efron, B., & Gong, G. (1983). A leisurely look at the bootstrap, the jackknife, and cross-validation. *The American Statistician*, 37, 36–48.
- Elam, K. (2007). *Typographic systems*. New York: Princeton Architectural Press.
- Ennis, D. M. (1993). A single multidimensional model for discrimination, identification, and preferential choice. *Acta Psychologica*, 84, 17–27.
- Ennis, D. M. (1999). Multivariate preference mapping. *IFPress*, 2(2), 2–3.

- Ennis, D. M. (2005). Analytic approaches to accounting for individual ideal points. *IFPress*, 8(2), 2–3.
- Ennis, D. M., Palen, J., & Mullen, K. (1988). A multidimensional stochastic theory of similarity. *Journal of Mathematical Psychology*, 32, 449–465.
- Ennis, D. M., & Rousseau, B. (2004). Motivations for product consumption: Application of a probabilistic model to adolescent smoking. *Journal of Sensory Studies*, 19, 107–117.
- Fluess, J. L., & Cohen, J. (1973). The equivalence of weighted kappa and the intraclass correlation coefficient as measure of reliability. *Educational and Psychological Measurement*, 33(3), 613–619.
- Galton, F. (1892). *Finger prints*. London: Macmillan.
- Gleason, T. C. (1967). *A general model for nonmetric multidimensional scaling* (Tech. Rep.). Michigan: University of Michigan: MMPP 67-3.
- Gold, M. (1958). Power in the classroom. *Sociometry*, 21, 50–60.
- Gower, J. C. (1966). Some distance properties of latent root and vector methods used in multivariate analysis. *Biometrika*, 53, 325–338.
- Gower, J. C. (1974). Algorithm AS78: The mediancentre. *Applied Statistics*, 23, 466–470. (Corrigendum in *Applied Statistics*, 24(3), 390)
- Gower, J. C. (1975). Generalized procrustes analysis. *Psychometrika*, 40(1), 33–51.
- Gower, J. C., & Hand, D. J. (1996). *Biplots*. London: Chapman and Hall.
- Gower, J. C., Meulman, J. J., & Arnold, G. M. (1999). Nonmetric linear biplots. *Journal of Classification*, 16, 181–196.
- Graham, J. W., & Schafer, J. L. (1999). On the performance of multiple imputation for multivariate data with small sample size. In R. Hoyle (Ed.), *Statistical strategies for small sample research* (pp. 1–29). Thousand Oaks, CA: Sage.
- Green, P. E., Carroll, J. D., & Goldberg, S. M. (1981). A general approach to product design optimization via conjoint analysis. *Journal of Marketing*, 45, 17–37.
- Green, P. E., & Krieger, A. M. (1989). Recent contributions to optimal product positioning and buyer segmentation. *European Journal of Operational Research*, 41, 127–141.
- Green, P. E., & Rao, V. R. (1972). *Applied multidimensional scaling*. Hinsdale, IL: Dryden Press.
- Green, P. J., & Silverman, B. W. (1979). Constructing the convex hull of a set of points in the plane. *The Computer Journal*, 22(3), 262–266.
- Greenacre, M. J., & Browne, M. W. (1986, June). An efficient alternating least-squares algorithm to perform multidimensional unfolding. *Psychometrika*, 51(2), 241–250.
- Groenen, P. J. F. (1993). *The majorization approach to multidimensional scaling: Some problems and extensions*. Leiden, The Netherlands: DSWO Press.

- Groenen, P. J. F. (2002, July, 16–19). *Iterative majorization algorithms for minimizing loss functions in classification*. Krakau.
- Groenen, P. J. F., & Heiser, W. J. (1996). The tunneling method for global optimization in multidimensional scaling. *Psychometrika*, *61*, 529–550.
- Groenen, P. J. F., Mathar, R., & Heiser, W. J. (1995). The majorization approach to multidimensional scaling for Minkowski distances. *Journal of Classification*, *12*, 3–19.
- Guttman, L. (1944). A basis for scaling qualitative data. *American Sociological Review*, *9*, 139–150.
- Guttman, L. (1946). An approach for quantifying paired comparisons and rank order. *Annals of mathematical statistics*, *17*, 144–163.
- Guttman, L. (1968). A general nonmetric technique for finding the smallest coordinate space for a configuration of points. *Psychometrika*, *33*, 469–506.
- Guttman, L. (1981). Multidimensional data representations: When and why. In I. Borg (Ed.), (pp. 1–10). Ann Arbor, MI: Mathesis.
- Hardy, G. H., Littlewood, J. E., & Polya, G. (1952). *Inequalities*. Cambridge: Cambridge University Press.
- Harshman, R. A. (1972). *Determination and proof of minimum uniqueness conditions for PARAFAC-1* (UCLA Working Papers in Phonetics). Los Angeles: UCLA.
- Hayford, J. F. (1902). What is the center of an area, or the center of a population? *Journal of the American Statistical Association*, *8*, 47–58.
- Hays, W. L., & Bennett, J. F. (1961). Multidimensional unfolding: Determining configuration from complete rank order preference data. *Psychometrika*, *26*, 221–238.
- Hedderley, D., & Wakeling, I. N. (1995). A comparison of imputation techniques for internal preference mapping, using monte carlo simulation. *Food Quality and Preference*, *6*, 281–297.
- Heiser, W. J. (1981). *Unfolding analysis of proximity data*. Unpublished doctoral dissertation, Leiden University.
- Heiser, W. J. (1985). *Multidimensional scaling by optimizing goodness-of-fit to a smoothness hypothesis* (Tech. Rep. No. RR-85-07). Leiden: Leiden University, Department of Data Theory.
- Heiser, W. J. (1986). *Order invariant unfolding analysis under smoothness restrictions* (Tech. Rep. No. RR-86-07). Leiden: Leiden University, Department of Data Theory.
- Heiser, W. J. (1987a). Joint ordination of species and sites: The unfolding technique. In P. Legendre & L. Legendre (Eds.), *Developments in numerical ecology* (pp. 189–221). Berlin, Heidelberg: Springer-Verlag.
- Heiser, W. J. (1987b). Reihenfolgeninvariante entfaltungsanalyse unter glät-tebedingungen. *Zeitschrift für Sozialpsychologie*, *18*, 220–235.

- Heiser, W. J. (1988). Multidimensional scaling with least absolute residuals. In H.-H. Bock (Ed.), *Classification and related methods of data analysis* (pp. 455–462). Amsterdam: North-Holland.
- Heiser, W. J. (1989). Order invariant unfolding analysis under smoothness restrictions. In G. De Soete, H. Feger, & K. C. Klauer (Eds.), *New developments in psychological choice modeling* (pp. 3–31). Amsterdam: Elsevier Science Publisher B.V. (North-Holland).
- Heiser, W. J. (1991). A generalized majorization method for least squares multidimensional scaling of pseudodistances that may be negative. *Psychometrika*, 55, 7–27.
- Heiser, W. J. (1995). Convergent computation by iterative majorization: Theory and applications in multidimensional data analysis. In W. J. Krzanowski (Ed.), *Recent advances in descriptive multivariate analysis* (pp. 157–189). Oxford: Oxford University Press.
- Heiser, W. J., & Busing, F. M. T. A. (2004). Multidimensional scaling and unfolding of symmetric and asymmetric proximity relations. In D. Kaplan (Ed.), *The Sage handbook of quantitative methodology for the social sciences* (pp. 25–48). Thousand Oaks, CA: Sage Publications, Inc.
- Heiser, W. J., & de Leeuw, J. (1979a). *How to use SMACOF-III: A program for metric multidimensional unfolding* (Tech. Rep.). Leiden, The Netherlands: Leiden University, Department of Data Theory.
- Heiser, W. J., & de Leeuw, J. (1979b). Metric multidimensional unfolding. *Methoden en Data Nieuwsbrief van de Sociaal Wetenschappelijke Sectie van de Vereniging voor Statistiek*, 4, 26–50.
- Heiser, W. J., & Groenen, P. J. F. (1997). Cluster differences scaling with a within-clusters loss component and a fuzzy successive approximation strategy to avoid local minima. *Psychometrika*, 62, 63–83.
- Heiser, W. J., & Meulman, J. J. (1983a). Constrained multidimensional scaling, including confirmation. *Applied Psychological Measurement*, 7(4), 381–404.
- Heiser, W. J., & Meulman, J. J. (1983b, July). *Smoothed monotone regression*. Handout. (Workshop on Nonmetric Data Analysis, Paris)
- Heiser, W. J., & Stoop, I. (1986). *Explicit smacof algorithms for individual differences scaling* (Tech. Rep. No. RR-86-14). Leiden: Leiden University, Department of Data Theory. (PROXSCAL Progress Report)
- Hinich, M. J. (2005). A new method for statistical multidimensional unfolding. *Communications in Statistics: Theory and Methods*, 34(12), 2299–2310.
- Hinkley, D. V. (1988). Bootstrap methods. *Journal of the Royal Statistical Society. Series B (Methodological)*, 50(3), 321–337.
- Hoerl, A. E., & Kennard, R. W. (1970). Ridge regression: Biased estimation for nonorthogonal problems. *Technometrics*, 12(3), 55–67.

- Hojo, H. (1997). A marginalization model for the multidimensional unfolding analysis of ranking data. *Japanese Psychological Research*, 39(1), 33–42.
- Horst, P. (1941). *Prediction of personal adjustment* (Bulletin No. 48). New York: Social Science Research Council.
- Iyigun, C. (2007). *Probabilistic distance clustering adjusted for cluster size*. Unpublished doctoral dissertation, Rutgers University, New Brunswick, NJ.
- Iyigun, C., & Ben-Israel, A. (2008). Probabilistic distance clustering adjusted for cluster size. *Probability in the Engineering and Informational Sciences*, 22, 603–621.
- Jeffrey, A. (2007). *Fontinst* [Type Software]. <http://www.tug.org/application/fontinst/>.
- Jones, C. L. (1983). A note on the use of directional statistics in weighted Euclidean distances multidimensional scaling models. *Psychometrika*, 48(3), 473–476.
- Kaiser, H. F. (1958). The varimax criterion for analytic rotation in factor analysis. *Psychometrika*, 23(3), 187–200.
- Katsnelson, J., & Kotz, S. (1957). On the upper limits of some measures of variability. *Archiv. f. Meteor., Geophys. u. Bioklimat. (B)*, 8, 103.
- Kelly, G. A. (1955). *The psychology of personal constructs: theory of personality*. New York: Norton.
- Kendall, M. G. (1938). A new measure of rank correlation. *Biometrika*, 30, 81–89.
- Kendall, M. G. (1948). *Rank correlation methods*. London: Charles Griffin and Company Limited.
- Kiers, H. A. L. (2000). Towards a standardized notation and terminology in multiway analysis. *Journal of Chemometrics*, 14(3), 105–122.
- Kiers, H. A. L., & Groenen, P. J. F. (1996). A monotonically convergent algorithm for orthogonal congruence rotation. *Psychometrika*, 61, 375–389.
- Kim, C. (1990). *NEWFOLD: A new unfolding methodology*. Unpublished doctoral dissertation, Department of Marketing, The Wharton School, University of Pennsylvania.
- Kim, C., Rangaswamy, A., & DeSarbo, W. S. (1999). A quasi-metric approach to multidimensional unfolding for reducing the occurrence of degenerate solutions. *Multivariate Behavioral Research*, 34, 143–180.
- Kohler, E. (2008). *LCDF typetools* [Type Software].
- Kruskal, J. B. (1964a). Multidimensional scaling by optimizing goodness-of-fit to a nonmetric hypothesis. *Psychometrika*, 29, 1–27.
- Kruskal, J. B. (1964b). Nonmetric multidimensional scaling: A numerical method. *Psychometrika*, 29, 115–129.

- Kruskal, J. B. (1965). Analysis of factorial experiments by estimating monotone transformations of the data. *Journal of the Royal Statistical Society B*, 27, 251–563.
- Kruskal, J. B. (1971). Monotone regression: Continuity and differentiability properties. *Psychometrika*, 36(1), 57–62.
- Kruskal, J. B. (1977). Multidimensional scaling and other methods for discovering structure. In K. Enslein, A. Ralston, & H. S. Wilf (Eds.), *Mathematical methods for digital computers* (Vol. 2, pp. 296–339). New York: Wiley.
- Kruskal, J. B., & Carmone, F. J. (1969). *How to use M-D-SCAL (Version 5M) and other useful information* (Tech. Rep.). Murray Hill, N. J.: Bell Telephone Laboratories.
- Kruskal, J. B., & Carroll, J. D. (1969). Geometrical models and badness-of-fit functions. In P. R. Krishnaiah (Ed.), *Multivariate analysis* (Vol. 2, pp. 639–671). New York: Academic Press.
- Kruskal, J. B., & Shepard, R. N. (1974). A nonmetric variety of linear factor analysis. *Psychometrika*, 39, 123–157.
- Kruskal, J. B., Young, F. W., & Seery, J. B. (1978). *How to use KYST, a very flexible program to do multidimensional scaling and unfolding* (Tech. Rep.). Murray Hill, NJ: Bell Laboratories.
- Krzanowski, W. J. (1988). Missing value imputation in multivariate data using the singular value decomposition of a matrix. *Biometrical Letters*, 25, 31–39.
- Kuga, N., & Mayekawa, S. (2008). New analytic solution to metric unfolding. In K. Shigemasa, A. Okada, T. Imaizumi, & T. Hoshino (Eds.), *New trends in psychometrics* (pp. 189–198). Tokyo: Universal Academic Press.
- Lachenbruch, P. A. (1965). *Estimation of error rates in discriminant analysis*. PhD. Dissertation, University of California, Los Angeles.
- Lachenbruch, P. A. (1968). Estimation of error rates in discriminant analysis. *Technometrics*, 10(1), 1–11.
- Larson, S. C. (1931). The shrinkage of the coefficient of multiple correlation. *Journal of Educational Psychology*, 22, 45–55.
- Lawson, C. L., & Hanson, R. J. (1974). *Solving least squares problems*. Englewood Cliffs, NJ: Prentice Hall.
- L'Ecuyer, P. (1999). Tables of maximally equidistributed combined LFSR generators. *Mathematics of Computing*, 68, 261–269.
- Lee, K.-Y. M., Paterson, A., Piggott, J. R., & Richardson, G. D. (2001). Sensory discrimination of blended scotch whiskies of different product categories. *Food Quality and Preference*, 12, 109–117.
- Lepš, J., & Šmilauer, P. (1999). *Multivariate analysis of ecological data [Computer software manual]*. České Budejovice. (Course textbook)
- Lingoes, J. C. (1966). An IBM-7090 program for Guttman-Lingoes smallest space Analysis-II. *Behavioral Science*, 11, 322.

- Lingoes, J. C. (1970). A general nonparametric model for representing objects and attributes in a joint metric space. In J. C. Gardin (Ed.), *Archéologie et calculateurs*. Paris: Centre National de la Recherche Scientifique.
- Lingoes, J. C. (1977). A general nonparametric model for representing objects and attributes in a joint metric space. In J. C. Lingoes (Ed.), *Geometric representations of relational data* (pp. 475–496). Ann Arbor, Michigan: Mathesis Press.
- Lingoes, J. C., & Roskam, E. E. Ch. I. (1973). A mathematical and empirical analysis of two multidimensional scaling algorithms. *Psychometrika*, 38. (Monograph Supplement)
- Linting, M., Meulman, J. J., Groenen, P. J. F., & van der Kooij, A. J. (2007). Nonlinear principal components analysis: Introduction and application. *Psychological Methods*, 12(3), 336–358.
- Little, R. J. A., & Rubin, D. B. (1987). *Statistical analysis with missing data*. New York: J. Wiley & Sons.
- MacCallum, R. C. (1977). Effects of conditionality on INDSCAL and ALSCAL weights. *Psychometrika*, 42, 297–305.
- MacKay, D. B. (2001). Probabilistic unfolding models for sensory data. *Food Quality and Preference*, 12, 427–436.
- MacKay, D. B., & Zinnes, J. L. (1995). Probabilistic multidimensional unfolding: An anisotropic model for preference ratio judgements. *Journal of mathematical Psychology*, 39, 99–111.
- MacKay, D. B., & Zinnes, J. L. (2008, May). PROSCAL: A program for probabilistic scaling (5.0 ed.) [Computer software manual]. Kelley School of Business, Indiana University.
- Magnus, J. R., & Neudecker, H. (1988). *Matrix differential calculus with applications in statistics and econometrics*. New York: Wiley.
- Manly, B. E. J. (1991). *Randomization and monte carlo methods in biology*. London: Chapman and Hall.
- Marden, J. I. (1995). *Analyzing and modeling rank data*. London: Chapman and Hall.
- Mardia, K. V. (1972). *Statistics of directional data*. New York: Academic Press.
- Matsumoto, M., & Nishimura, T. (1998). Mersenne twister: A 623-dimensionally equidistributed uniform pseudo-random number generator. *ACM Transactions on Modeling and Computer Simulation*, 8(1), 3–30.
- McClelland, G. H., & Coombs, C. H. (1975). ORDMET: A general algorithm for constructing all numerical solutions to ordered metric solutions. *Psychometrika*, 40, 269–290.
- McEwan, J. A., & Thomson, D. M. H. (1989). The repertory grid method and preference mapping in market research: A case study on chocolate confectionery. *Food Quality and Preference*, 1(2), 59–68.

- McGee, V. C. (1968). Multidimensional scaling of n sets of similarity measures: A nonmetric individual differences approach. *Multivariate Behavioral Research*, 3, 233–248.
- Meulenet, J.-F., Lovely, C., Threlfall, R., Morris, J. R., & Striegler, R. K. (2008). An ideal point density plot method for determining an optimal sensory profile for Muscadine grape juice. *Food Quality and Preference*, 19, 210–219.
- Meulman, J. J., & Heiser, W. J. (1983). *The display of bootstrap solutions in multidimensional scaling* (Tech. Rep.). Leiden, The Netherlands: Leiden University, Department of Data Theory.
- Meulman, J. J., & Heiser, W. J. (1984). Constrained multidimensional scaling: More directions than dimensions. In *Compstat 1984, proceedings in computational statistics* (pp. 137–142). Vienna: Physica Verlag.
- Meulman, J. J., Heiser, W. J., & Carroll, J. D. (1986). PREFMAP-3 user's guide [Computer software manual].
- Meulman, J. J., Heiser, W. J., & SPSS. (1999). *SPSS Categories 10.0*. Chicago, IL: SPSS Inc.
- Meulman, J. J., Heiser, W. J., & SPSS. (2005). *SPSS Categories 14.0*. Chicago, IL: SPSS Inc.
- Meulman, J. J., van der Kooij, A. J., & Heiser, W. J. (2004). Principal components analysis with nonlinear optimal scaling transformations for ordinal and nominal data. In D. Kaplan (Ed.), *The Sage handbook of quantitative methodology for the social sciences* (pp. 49–70). Thousand Oaks, CA: Sage Publications, Inc.
- Meyers, J. H., & Shocker, A. D. (1981). The nature of product-related attributes. *Research in Marketing*, 5, 211–236.
- Miles, R. E. (1959). The complete amalgamation into blocks, by weighted means, of a finite set of real numbers. *Biometrika*, 45, 317–327.
- Miller, A. (1987). *A simple but efficient routine for finding 2d convex hulls, i.e. in finding the minimum polygon to enclose a set of points*. Internet publication.
- Miller, A. (2002). *Subset selection in regression* (second ed.). Boca Roton, Florida: Chapman & Hall.
- Miller, J. E., Shepard, R. N., & Chang, J. J. (1964). An analytical approach to the interpretation of multidimensional scaling solutions. *American Psychologist*, 19(7), 579–580. (abstract)
- Mosteller, F., & Tukey, J. W. (1968). Data analysis, including statistics. In G. Lindzey & E. Aronson (Eds.), *Handbook of social psychology* (Vol. 2). Reading, Massachusetts: Addison-Wesley.
- Mulaik, S. A. (1972). *The foundations of factor analysis*. New York: McGraw-Hill.

- Mullen, K., & Ennis, D. M. (1991). A simple multivariate probabilistic model for preferential and triadic choices. *Psychometrika*, 56, 69–75.
- Murray, J. M., & Delahunty, C. M. (2000). Mapping consumer preference for the sensory and packaging attributes of Cheddar cheese. *Food Quality and Preference*, 11, 419–435.
- Nakanishi, M., & Cooper, L. G. (2003). *Metric unfolding revisited: Straight answers to basic questions* (eScholarship Repository No. 2003010112). Los Angeles, CA: University of California.
- Nguyen, N. (1993). An algorithm for constructing optimal resolvable incomplete block designs. *Communications in Statistics, Simulation & Computation*, 22, 911–923.
- Nguyen, N. (1994). Construction of optimal block design by computer. *Technometrics*, 36, 300–307.
- Oreskovich, D. C., Klein, B. P., & Sutherland, J. W. (1991). Procrustes analysis and its applications to free-choice and other sensory profiling. In H. T. Lawless & B. P. Klein (Eds.), *Sensory science: Theory and applications in foods* (pp. 353–393). New York: Marcel Dekker.
- Pearson, K. (1896). Regression, heredity, and panmixia. *Philosophical Transactions of the Royal Society of London, Ser. A*, 187, 253–318.
- Prestwich, S. D. (2001). Balanced incomplete block design as satisfiability. In D. O'Donoghue (Ed.), *Proceedings of the 12th Irish conference on ai and cognitive science (AICS 2001)*. NUI Maynooth, Ireland: AICS.
- Price, R. H., & Bouffard, D. L. (1974). Behavioral appropriateness and situational constraints as dimensions of social behavior. *Journal of Personality and Social Psychology*, 30, 579–586.
- Pruzansky, S. (1975). How to use SINDSCAL: A computer program for individual differences in multidimensional scaling [Computer software manual]. Murray Hill, NJ.
- Rabinowitz, G. (1976). A procedure for ordering object pairs consistent with the multidimensional unfolding model. *Psychometrika*, 41(3), 349–373.
- Ramsay, J. O. (1988). Monotone regression splines in action. *Statistical Science*, 3(4), 425–441.
- Roberts, J. S., Donoghue, J. R., & Laughlin, J. E. (2000). A general item response theory model for unfolding unidimensional polytomous responses. *Applied Psychological Measurement*, 24(1), 3–32.
- Roberts, J. S., & Laughlin, J. E. (1996). A unidimensional item response model for unfolding responses from a graded disagree–agree response scale. *Applied Psychological Measurement*, 20, 231–255.
- Roskam, E. E. Ch. I. (1968). *Metric analysis of ordinal data*. Voorschoten: VAM.
- Roskam, E. E. Ch. I., & Lingoes, J. C. (1970). MINISSA-I: a FORTRAN IV (G)

- program for the smallest space analysis of square symmetric matrices. *Behavioral Sciences*, 15, 204–205.
- Ross, J., & Cliff, N. (1964). A generalization of the interpoint distance model. *Psychometrika*, 29, 167–176.
- Rousseau, B., & Ennis, D. M. (2008). An application of landscape segmentation analysis to blind and branded data. *IFPress*, 11(3), 2–3.
- Rowe, G., Lambert, N., Bowling, A., Ebrahim, S., Wakeling, I. N., & Thomson, R. (2005). Assessing patients' preferences for treatments for angina using a modified repertory grid method. *Social Science & Medicine*, 60, 2585–2595.
- Saito, T. (1978). The problem of the additive constant and eigenvalues in metric multidimensional scaling. *Psychometrika*, 43(2).
- Schiffman, S. S., Reynolds, M. L., & Young, F. W. (1981). *Introduction to multidimensional scaling*. New York: Academic Press Inc.
- Schönemann, P. H. (1970). On metric multidimensional unfolding. *Psychometrika*, 35, 349–366.
- Shao, J., & Tu, D. (1995). *The jackknife and bootstrap*. New York: Springer-Verlag.
- Shepard, R. N. (1957). Stimulus and response generalization: A stochastic model for relating generalization to distance in psychological space. *Psychometrika*, 22, 325–345.
- Shepard, R. N. (1962a). The analysis of proximities: Multidimensional scaling with an unknown distance function. I. *Psychometrika*, 27, 125–140.
- Shepard, R. N. (1962b). The analysis of proximities: Multidimensional scaling with an unknown distance function. II. *Psychometrika*, 27, 219–246.
- Shepard, R. N. (1972). A taxonomy of some principal types of data and of multidimensional methods for their analysis. In R. N. Shepard, A. K. Romney, & S. B. Nerlove (Eds.), *Multidimensional scaling: Theory and applications in the behavioral sciences* (Vol. 1, pp. 21–47). New York: Seminar Press.
- Shepard, R. N. (1974). Representation of structure in similarity data: Problems and prospects. *Psychometrika*, 39(4), 373–421.
- Sherif, C. W., Sherif, M., & Nebergall, R. E. (1965). *Attitude and attitude change; the social judgement-involvement approach*. Philadelphia: W. B. Saunders Company.
- Shocker, A. D., Ben-Akiva, M., Boccara, B., & Nedungadi, P. (1991). Consideration set influences on consumer decision-making and choice: Issues, models, and suggestions. *Marketing Letters*, 2(3), 181–197.
- Shocker, A. D., & Srinivasan, V. (1974). A consumer-based methodology for the identification of new product ideas. *Management Science*, 20(6), 921–937.
- Sixtl, F. (1973). Probabilistic unfolding. *Psychometrika*, 38(2), 235–248.

- SPSS. (2006). *SPSS for WINDOWS, Release 15.0* [Computer Software]. Chicago, IL.
- Stevens, S. S. (1946). On the theory of scales of measurement. *Science*, *103*, 677–680.
- Steverink, M. H. M., Heiser, W. J., & van der Kloot, W. A. (2002). *Avoiding degenerate solutions in multidimensional unfolding by using additional distance information* (Tech. Rep. No. RR-02-01). Leiden, The Netherlands: Leiden University, Department of Psychology.
- Stone, M. (1974). Cross-validation choice and assessment of statistical predictions. *Journal of the Royal Statistical Society, Series B*, *36*, 111–147.
- Sviatlovsky, E. E., & Eells, W. C. (1937). The centrographical method and regional analysis. *Geographical review*, *27*(2), 240–254.
- Takane, Y., Bozdogan, H., & Shibayama, T. (1987). Ideal point discriminant analysis. *Psychometrika*, *52*(3), 371–392.
- Takane, Y., Young, F. W., & de Leeuw, J. (1977). Nonmetric individual differences MDS: An alternating least squares method with optimal scaling features. *Psychometrika*, *42*, 7–67.
- ter Braak, C. J. F. (1986). Canonical correspondence analysis: a new eigenvecor technique for multivariate direct gradient analysis. *Ecology*, *67*, 1167–1179.
- ter Braak, C. J. F. (1992a). Multidimensional scaling and regression. *Statistica Applicata (Italian Journal of Applied Statistics)*, *4*, 577–586.
- ter Braak, C. J. F. (1992b). Permutation vs. bootstrap significance tests in multiple regression and ANOVA. In K. H. Jockel, G. Rothe, & W. Sendler (Eds.), *Bootstrapping and related techniques* (pp. 79–86). Berlin, Germany: Springer.
- ter Braak, C. J. F., & Prentice, I. C. (1988). A theory of gradient analysis. *Advances in Ecological Research*, *18*, 271–319.
- ter Braak, C. J. F., & Šmilauer, P. (1998). Canoco reference manual and user's guide to canoco for windows: Software for canonical community ordination (4th ed.) [Computer software manual]. Ithaca, NY.
- Thompson, J. L., Drake, M. A., Lopetcharat, K., & Yates, M. D. (2004). Preference mapping of commercial chocolate milks. *Journal of Food Science*, *69*(9), 406–413.
- Thurstone, L. L. (1947). *Multiple-factor analysis*. Chicago: University Chicago Press.
- Tibshirani, R. (1996). Regression shrinkage and selection via the lasso. *Journal of the Royal Statistical Society. Series B (Methodological)*, *58*(1), 267–288.
- Tikhonov, A. N., & Arsenin, V. Y. (1977). *Solutions of ill-posed problems*. Washington: Winston.
- Torgerson, W. S. (1952). Multidimensional scaling: I. Theory and method. *Psychometrika*, *17*, 401–419.
- Torgerson, W. S. (1958). *Theory and methods of scaling*. New York: Wiley.

- Trosset, M. W. (1998). A new formulation of the nonmetric STRAIN problem in multidimensional scaling. *Journal of Classification*, 15, 15–35.
- Tschichold, J. (1991). *The form of the book: Essays on the morality of good design* (R. Bringhurst, Ed.). London: Lund Humphries. (Translated by Hajo Hader. Originally published as *Ausgewählte Aufsätze über Fragen der Gestalt des Buches und der Typographie*. Basel: Birkhäuser Verlag, 1975)
- Tucker, L. R. (1951). *A method for synthesis of factor analysis studies* (Tech. Rep.). Washington, D. C.: Department of the Army.
- Tucker, L. R. (1972). Relations between multidimensional scaling and three-mode factor analysis. *Psychometrika*, 37, 3–27.
- Tufte, E. R. (2001). *The visual display of quantitative information* (2nd ed.). Cheshire, CT: Graphics Press.
- Turgenev, I. S. (1867). *Fathers and sons*. New York: Leypoldt & Holt. (Translated from the Russian, with approval of the author, by E. Schuyler, Ph. D.)
- van Blokland-Vogeesang, A. W. (1989). Unfolding and consensus ranking: A prestige ladder for technical occupations. In G. De Soete, H. Feger, & K. C. Klauer (Eds.), *New developments in psychological choice modeling* (pp. 237–258). Amsterdam, The Netherlands: North-Holland.
- van Blokland-Vogeesang, A. W. (1993). A nonparametric distance model for unidimensional unfolding. In M. A. Fligner & J. S. Verducci (Eds.), *Probability models and statistical analyses for ranking data* (pp. 241–276). New York: Springer-Verlag.
- van de Graaf, J. A. (1946). Nieuwe berekening voor de vormgeving. *Tété*, 95–100.
- van de Velden, M., de Beuckelaer, A., Groenen, P. J. F., & Busing, F. M. T. A. (2010). Visualizing preferences using penalized nonmetric unfolding: Stability and parameter selection. *Journal of Marketing Research*. (Manuscript submitted for publication)
- van der Kloot, W. A., Bijleveld, C. C. J. H., & Commandeur, J. J. F. (1990). *Two approaches to the extension of analysis of angular variation to multi-way classifications* (Leiden Psychological Reports No. PRM 01-90). Leiden: Psychometrics and Research Methodology, Department of psychology, University of Leiden.
- van der Kooij, A. J. (2007). *Prediction accuracy and stability of regression with optimal scaling transformations*. Unpublished doctoral dissertation, Leiden University.
- van der Kooij, A. J., & Meulman, J. J. (2004). Regression with optimal scaling. In J. J. Meulman, W. J. Heiser, & SPSS (Eds.), *SPSS categories 13.0* (pp. 1–10, 107–157). Chicago, IL: SPSS Inc.
- van Deun, K. (2005). *Degeneracies in multidimensional unfolding*. Unpublished doctoral dissertation, Catholic University Leuven.

- van Deun, K., Groenen, P. J. F., & Delbeke, L. (2005). *VIPSCAL: A combined vector ideal point model for preference data* (Econometric Institute Report No. EI 2005-03). Rotterdam: Erasmus University Rotterdam.
- van Deun, K., Groenen, P. J. F., & Delbeke, L. (2006). *VIPSCAL: A combined vector ideal point model for preference data*. Manuscript submitted for publication.
- van Deun, K., Groenen, P. J. F., Heiser, W. J., Busing, F. M. T. A., & Delbeke, L. (2005). Interpreting degenerate solutions in unfolding by use of the vector model and the compensatory distance model. *Psychometrika*, *70*(1), 23–47.
- van Deun, K., Heiser, W. J., & Delbeke, L. (2007). Multidimensional unfolding by nonmetric multidimensional scaling of Spearman distances in the extended permutation polytope. *Multivariate Behavioral Research*, *42*(1), 103–132.
- van Deun, K., Marchal, K., Heiser, W. J., Engelen, K., & van Mechelen, I. (2008). Joint mapping of genes and conditions via multidimensional unfolding analysis. *BMC Bioinformatics*, *8*(1), 181.
- van Ginkel, J. R., van der Ark, L. A., & Sijtsma, K. (2007). Multiple imputation of item scores in test and questionnaire data, and influence on psychometric results. *Multivariate Behavioral Research*, *42*(2), 387–414.
- van Kleef, E., van Trijp, H., & Luning, P. (2006). Internal versus external preference analysis: An exploratory study on end-user evaluation. *Food Quality and Preference*, *17*, 387–399.
- van Waning, E. (1976). *A set of programs to perform a Kruskal-type monotone regression*. Unpublished master's thesis, Leiden University.
- Velderman, M. J. (2005). *Unfolding with incomplete data*. Unpublished master's thesis, Leiden University.
- Wagenaar, W. A., & Padmos, P. (1971). Quantitative interpretation of stress in Kruskal's method multidimensional scaling technique. *British Journal of Mathematical and Statistical Psychology*, *24*, 101–110.
- Wakeling, I. N., Raats, M. M., & MacFie, H. J. H. (1992). A new significance test for consensus in generalized procrustes analysis. *Journal of Sensory Studies*, *7*(2), 91–96.
- Watson, G. S., & Williams, E. J. (1956). On the construction of significance tests on the circle and the sphere. *Biometrika*, *43*, 344–352.
- Weber, A. (1909). *Über den standort der industrien* (English translation by C. J. Freidrich (1929). *Alfred Weber's Theory of Location of Industries*). Chicago: University of Chicago Press.
- Weeks, D. G., & Bentler, P. M. (1982). Restricted multidimensional scaling models for asymmetric matrices. *Psychometrika*, *47*, 201–208.
- Weinberg, S. L., Carroll, J. D., & Cohen, H. S. (1984). Confidence regions for

- INDSCAL using the jackknife and bootstrap techniques. *Psychometrika*, 49(4), 475–491.
- Weinberg, S. L., & Menil, V. C. (1993). The recovery of structure in linear and ordinal data: INDSCAL versus ALSCAL. *Multivariate Behavioral Research*, 28(2), 215–233.
- Weiszfeld, E. (1937). Sur le point par lequel la somme des distances de n points donnés est minimum. *Tohoku Mathematical Journal*, 43, 355–386.
- Wemelsfelder, F., Hunter, E. A., Mendl, M. T., & Lawrence, A. B. (2000). The spontaneous qualitative assessment of behavioural expressions in pigs: first explorations of a novel methodology for integrative animal welfare measurement. *Applied Animal Behaviour Science*, 67, 193–215.
- Wheeler, S., & Watson, G. S. (1964). A distribution-free two sample test on a circle. *Biometrika*, 51, 256–257.
- Wilkinson, L. (1999). *Systat 9.0 for windows*. Chicago, IL: SPSS Inc.
- Wilks, S. S. (1932). Moments and distribution of estimates of population parameters from fragmentary samples. *Annals of Mathematical Statistics*, 3, 163–195.
- Wilson, P. (2008). *The memoir class for configurable typesetting; user guide* [L^AT_EX 2_ε Document Class]. The Herries Press, Normandy Park, WA.
- Winsberg, S., & Carroll, J. D. (1989). A quasi-nonmetric method for multidimensional scaling via an extended Euclidean model. *Psychometrika*, 54, 217–229.
- Winsberg, S., & Ramsay, J. O. (1983). Monotone spline transformations for dimension reduction. *Psychometrika*, 48(4), 575–595.
- Wrigley, C., & Neuhaus, J. O. (1955). *The matching of two sets of factors* (Tech. Rep.). Urbana: University of Illinois Press.
- Young, F. W. (1972). A model for polynomial conjoint analysis algorithms. In R. N. Shepard, A. K. Romney, & S. B. Nerlove (Eds.), *Multidimensional scaling, theory* (Vol. I, pp. 69–104). New York: Seminar Press.
- Young, F. W. (1982). Enhancements in ALSCAL-82. In *Proceedings of the seventh annual SAS users group* (pp. 633–642). Cary, NC: The SAS Institute.
- Young, F. W. (1987). *Multidimensional scaling: History, theory, and applications* (R. M. Hamer, Ed.). Hillsdale, NJ: Lawrence Erlbaum Associates.
- Young, F. W., & Harris, D. F. (1997). Multidimensional scaling. In M. J. Norušis (Ed.), *SPSS professional statistics 7.5* (pp. 155–222). Chicago, IL: SPSS Inc.
- Young, F. W., & Lewycky, R. (1979). *ALSCAL-4 USERS GUIDE, 2nd edition*. Data Analysis and Theory Associates.
- Young, F. W., & Torgerson, W. S. (1967). TORSCA, a FORTRAN IV program for Shepard-Kruskal multidimensional scaling analysis. *Behavioral Science*, 12, 498.
- Young, G., & Householder, A. S. (1938). Discussion of a set of points in terms of their mutual distances. *Psychometrika*, 3(1), 19–22.

- Zhang, B. (2000). *Generalized k-harmonic means – boosting in unsupervised learning* (Hewlett Packard Technical Report No. HPL-2000-137). Palo Alto, CA: Hewlett Packard Laboratories.
- Zhang, B., Hsu, M., & Dayal, U. (1999). *K-harmonic means – a data clustering algorithm* (Hewlett Packard Technical Report No. HPL-1999-124). Palo Alto, CA: Hewlett Packard Laboratories.
- Zinnes, J. L., & Griggs, R. A. (1974). Probabilistic, multidimensional unfolding analysis. *Psychometrika*, 39(3), 327–350.

