

Cover Page



Universiteit Leiden





The handle <http://hdl.handle.net/1887/40122> holds various files of this Leiden University dissertation.

Author: Lamers, A.

Title: Towards a strong parent-team alliance for improved treatment outcomes in child residential psychiatry

Issue Date: 2016-06-16





References

**Nederlandse Samenvatting
(Summary in Dutch)**

**Dankwoord
(Acknowledgements in Dutch)**

Curriculum Vitae

REFERENCES

- Accurso, E. C., Hawley, K. M., & Garland, A. F. (2013). Psychometric properties of the Therapeutic Alliance Scale for Caregivers and Parents. *Psychological Assessment, 25*(1), 244.
- Ackerman, S. J., & Hilsenroth, M. J. (2003). A review of therapist characteristics and techniques positively impacting the therapeutic alliance. *Clinical Psychology Review, 23*(1), 1-33.
- Ainsworth, F. (1991). A “no blame” approach to work with families of children and adolescents in residential care. *Child and Youth Care Forum, 20*(5), 301-311.
- Alexander, L. B., & Dore, M. M. (1999). Making the parents as partners principle a reality: The role of the alliance. *Journal of Child and Family Studies, 8*(3), 255-270.
- Allen, K. D., & Warzak, W. J. (2000). The problem of parental nonadherence in clinical behavior analysis: effective treatment is not enough. *Journal of Applied Behavior Analysis, 33*(3), 373.
- Andrusyna, T. P., Tang, T. Z., DeRubeis, R. J., & Luborsky, L. (2001). The factor structure of the Working Alliance Inventory in cognitive-behavioral therapy. *The Journal of Psychotherapy Practice and Research, 10*(3), 173.
- Anglin, J. P. (2004). Creating “well-functioning” residential care and defining its place in a system of care. *Child and Youth Care Forum, 33*(3), 175-192.
- Bachelor, A. (2011). Clients’ and therapists’ views of the therapeutic alliance: Similarities, differences and relationship to therapy outcome. *Clinical Psychology & Psychotherapy, 20*, 118-135.
- Bacher, F. (1987). Les modèles structuraux en psychologie présentation d’un modèle: Lisrel première partie. *Le Travail Humain, 347*-370.
- Barker, C., Pistrang, N., & Elliot, R. (1994). *Research methods in clinical and counselling psychology*. Chichester, UK: John Wiley & Sons.
- Batty, M. J., Moldavsky, M., Foroushani, P. S., Pass, S., Marriott, M., Sayal, K., & Hollis, C. (2013). Implementing routine outcome measures in child and adolescent mental health services: from present to future practice. *Child and Adolescent Mental Health, 18*(2), 82-87.
- Bentler, P. M. (1995). *EQS structural equations program manual*: Multivariate Software.
- Bhui, K., & Bhugra, D. (2002). Explanatory models for mental distress: implications for clinical practice and research. *The British Journal of Psychiatry, 187*(1), 6-7.
- Bickman, L. (2008). A measurement feedback system (MFS) is necessary to improve mental health outcomes. *Journal of the American Academy of Child and Adolescent Psychiatry, 47*(10), 1114.

- Bickman, L., de Andrade, A. R. V., Athay, M. M., Chen, J. I., De Nadai, A. S., Jordan-Arthur, B. L., & Karver, M. S. (2012). The relationship between change in therapeutic alliance ratings and improvement in youth symptom severity: whose ratings matter the most? *Administration and Policy in Mental Health and Mental Health Services Research*, 39(1-2), 78-89.
- Bickman, L., Kelley, S. D., Breda, C., de Andrade, A. R., & Riemer, M. (2011). Effects of routine feedback to clinicians on mental health outcomes of youths: Results of a randomized trial. *Psychiatric Services*, 62(12), 1423-1429.
- Bickman, L., Nurcombe, B., Townsend, C., Belle, M., Schut, J., & Karver, M. (2000). Consumer measurement systems and child and adolescent mental health. *Canberra, Australia: Department of Health and Family Services*.
- Bilenerg, N. (2003). Health of the Nation Outcome Scales for Children and Adolescents (HoNOSCA). *European Child and Adolescent Psychiatry*, 12, 298-302.
- Blader, J. C. (2006). Which family factors predict children's externalizing behaviors following discharge from psychiatric inpatient treatment? *Journal of Child Psychology and Psychiatry*, 47(11), 1133-1142.
- Blais, M. A. (2004). Development of an inpatient treatment alliance scale. *The Journal of nervous and mental disease*, 192(7), 487-493.
- Blanz, B., & Schmidt, M. H. (2000). Practitioner review: Preconditions and outcome of inpatient treatment in child and adolescent psychiatry. *Journal of Child Psychology and Psychiatry*, 41(06), 703-712.
- Boer, F., Markus, M. T., & Vermeiren, R. (2012). Zeg niet: 'Sta stil, anders kan ik je niet meten!' ROM in de kinder-en jeugdpsychiatrie. *Tijdschrift voor Psychiatrie*, 54(2), 167-171.
- Bordin, E. S. (1979). The generalizability of the psychoanalytic concept of the working alliance. *Psychotherapy: Theory, research & practice*, 16(3), 252.
- Brann, P., & Coleman, G. (2010). On the meaning of change in a clinician's routine measure of outcome: HoNOSCA. *Australian and New Zealand Journal of Psychiatry*, 44(12), 1097-1104.
- Brann, P., Coleman, G., & Luk, E. (2001). Routine outcome measurement in a child and adolescent mental health service: An evaluation of HoNOSCA. *Australian and New Zealand Journal of Psychiatry*, 35(3), 370-376.
- Brown, R. C., Parker, K. M., McLeod, B. D., & Southam-Gerow, M. A. (2014). Building a Positive Therapeutic Relationship with the Child or Adolescent and Parent. *Evidence-Based CBT for Anxiety and Depression in Children and Adolescents: A Competencies-Based Approach*, 63-78.

References

- Burgess, P., Trauer, T., Coombs, T., McKay, R., & Pirkis, J. (2009). What does 'clinical significance' mean in the context of the Health of the Nation Outcome Scales? *Australasian Psychiatry*, 17(2), 141-148.
- Busseri, M. A., & Tyler, J. D. (2003). Interchangeability of the Working Alliance Inventory and Working Alliance Inventory, Short Form. *Psychological Assessment*, 15(2), 193-197.
- Byers, A. N., & Lutz, D. J. (2015). Therapeutic Alliance With Youth in Residential Care: Challenges and Recommendations. *Residential Treatment for Children & Youth*, 32(1), 1-18.
- Byrne, M. K., & Deane, F. P. (2011). Enhancing patient adherence: outcomes of medication alliance training on therapeutic alliance, insight, adherence, and psychopathology with mental health patients. *International Journal of Mental Health Nursing*, 20(4), 284-295.
- Callan, A., & Littlewood, R. (1998). Patient satisfaction: ethnic origin or explanatory model? *International Journal of Social Psychiatry*, 44(1), 1-11.
- Carlier, I. V., Meuldijk, D., Van Vliet, I. M., Van Fenema, E., Van der Wee, N. J., & Zitman, F. G. (2012). Routine outcome monitoring and feedback on physical or mental health status: Evidence and theory. *Journal of Evaluation in Clinical Practice*, 18(1), 104-110.
- Cartwright, J., Cox, M., & R Psych, M. (2010). Do the Health of the Nation Outcome Scales measure outcome? *Canadian Journal of Psychiatry*, 55(7), 431.
- Catty, J. (2004). 'The vehicle of success': Theoretical and empirical perspectives on the therapeutic alliance in psychotherapy and psychiatry. *Psychology and Psychotherapy: Theory, Research and Practice*, 77(2), 255-272.
- Catty, J., Cowan, N., Poole, Z., Ellis, G., Geyer, C., Lissouba, P., . . . Burns, T. (2012). Attachment to the clinical team and its association with therapeutic relationships, social networks, and clinical well-being. *Psychology and Psychotherapy: Theory, Research and Practice*, 85(1), 17-35.
- CBS Statline. (2012). Bevolking; generatie, geslacht, leeftijd en herkomstgroepering. from <http://statline.cbs.nl/StatWeb/publication/?DM=SLNL&PA=37325&D1=a&D2=0&D3=101-103,131&D4=0&D5=0-4&D6=l&HDR=T&STB=G1,G2,G3,G4,G5&VW=T>
- Christ, A. E., & Griffiths, R. (1965). Parent-nurse therapeutic contact on a child psychiatry unit. *American Journal of Orthopsychiatry*, 35(3), 589-593.
- Clemence, A. J., Hilsenroth, M. J., Ackerman, S. J., Strassle, C. G., & Handler, L. (2005). Facets of the therapeutic alliance and perceived progress in psychotherapy: Relationship between patient and therapist perspectives. *Clinical Psychology & Psychotherapy*, 12(6), 443-454.
- Cohen, J. (1988). *Statistical power analysis for the behavioral sciences*. London: Routledge.

- Coole, R. L., & Jansma, J. (1986). Dagbehandeling voor kind en gezin: Deventer: Van Loghum Slaterus.
- Corbella, S., & Botella, L. (2004). Psychometric properties of the Spanish version of the Working Alliance Theory of Change Inventory (WATOCI). *Psicothema, 16*(4), 702-705.
- Corbière, M., Bisson, J., Lauzon, S., & Ricard, N. (2006). Factorial validation of a French short-form of the Working Alliance Inventory. *International Journal of Methods in Psychiatric Research, 15*(1), 36-45.
- Costello, A., & Osborne, J. (2011). Best practices in exploratory factor analysis: four recommendations for getting the most from your analysis. *Pract Assess Res Eval 2005; 10. Practical Assessment, Research & Evaluation, 10*(7), 1-9.
- Creed, T. A., & Kendall, P. C. (2005). Therapist alliance-building behavior within a cognitive-behavioral treatment for anxiety in youth. *Journal of Consulting and Clinical Psychology, 73*(3), 498.
- Crits-Christoph, P., Gibbons, M. B. C., & Hearon, B. (2006). Does the alliance cause good outcome? Recommendations for future research on the alliance. *Psychotherapy: Theory, Research, Practice, Training, 43*(3), 280.
- Curry, J. F. (2004). Future directions in residential treatment outcome research. *Child and Adolescent Psychiatric Clinics of North America, 13*(2), 429-440.
- de Beurs, E., den Hollander-Gijsman, M. E., van Rood, Y. R., Van der Wee, N. J., Giltay, E. J., van Noorden, M. S., . . . Zitman, F. G. (2011). Routine outcome monitoring in the Netherlands: practical experiences with a web-based strategy for the assessment of treatment outcome in clinical practice. *Clinical Psychology & Psychotherapy, 18*(1), 1-12.
- de Haan, A. M., Boon, A. E., de Jong, J. T., Hoeve, M., & Vermeiren, R. R. (2013). A meta-analytic review on treatment dropout in child and adolescent outpatient mental health care. *Clinical Psychology Review, 33*(5), 698-711.
- de Jong, K., & van't Spijker, A. (2013). Routine Outcome Monitoring: 'love it or leave it'? *Tijdschrift voor Psychotherapie, 39*(3), 190-194.
- de Jonge, A., De Beer, F., Van Oortmerssen, K., & Doreleijers, T. (2003). Kinder- en Jeugdpsychiatrische dagbehandeling. *Tijdschrift voor Orthopedagogiek, Kinderpsychiatrie en Klinische Kinderpsychologie, 28*, 63-72.
- de Vet, H. C., Terwee, C. B., Knol, D. L., & Bouter, L. M. (2006). When to use agreement versus reliability measures. *Journal of Clinical Epidemiology, 59*(10), 1033-1039.
- Delespaul, P. A. (2015). Routine outcome measurement in the Netherlands-A focus on benchmarking. *International Review of Psychiatry, 27*(4), 320-328.

References

- Diamond, G. M., Liddle, H. A., Hogue, A., & Dakof, G. A. (1999). Alliance-building interventions with adolescents in family therapy: A process study. *Psychotherapy: Theory, Research, Practice, Training*, 36(4), 355.
- Dunn, G., & Bentall, R. (2007). Modelling treatment-effect heterogeneity in randomized controlled trials of complex interventions (psychological treatments). *Statistics in medicine*, 26(26), 4719-4745.
- Eggleston, M. J., & Watkins, W. G. (2008). Mental health services for children and adolescents in New Zealand, outcomes, and the Health of the Nation Outcome Scale for Children and Adolescents (HoNOSCA). *The New Zealand Medical Journal (Online)*, 121(1271).
- Ellwood, P. M. (1988). Outcomes management. *New England Journal of Medicine*, 318(23), 1549-1556.
- Elvins, R., & Green, J. (2008). The conceptualization and measurement of therapeutic alliance: An empirical review. *Clinical Psychology Review*, 28(7), 1167-1187.
- Eubanks-Carter, C., Muran, J. C., & Safran, J. D. (2015). Alliance-focused training. *Psychotherapy*, 52(2), 169.
- Fan, X., Thompson, B., & Wang, L. (1999). Effects of sample size, estimation methods, and model specification on structural equation modeling fit indexes. *Structural Equation Modeling: A Multidisciplinary Journal*, 6(1), 56-83.
- Faw, L., Hogue, A., Johnson, S., Diamond, G. M., & Liddle, H. A. (2005). The Adolescent Therapeutic Alliance Scale (ATAS): Initial psychometrics and prediction of outcome in family-based substance abuse prevention counseling. *Psychotherapy Research*, 15(1-2), 141-154.
- Fjerestedad, K. W., McLeod, B. D., Heiervang, E. R., Havik, O. E., Öst, L.-G., & Haugland, B. S. (2012). Factor Structure and Validity of the Therapy Process Observational Coding System for Child Psychotherapy-Alliance Scale. *Journal of Clinical Child and Adolescent Psychology*, 41(2), 246-254.
- Fleiss, J. L. (1981). *Statistical methods for rates and proportions* (2 ed.). New York: John Wiley & Sons.
- Florsheim, P., Shotorbani, S., Guest-Warnick, G., Barratt, T., & Hwang, W.-C. (2000). Role of the working alliance in the treatment of delinquent boys in community-based programs. *Journal of Clinical Child Psychology*, 29(1), 94-107.
- Flückiger, C., Del Re, A., Wampold, B. E., Znoj, H., Caspar, F., & Jörg, U. (2012). Valuing clients' perspective and the effects on the therapeutic alliance: A randomized controlled study of an adjunctive instruction. *Journal of Counseling Psychology*, 59(1), 18.

- Ford, C. A., Davenport, A. F., Meier, A., & McRee, A.-L. (2011). Partnerships between parents and health care professionals to improve adolescent health. *Journal of Adolescent Health, 49*(1), 53-57.
- Ford, T., Tingay, K., & Wolpert, M. (2006). CORC's survey of routine outcome monitoring and national CAMHS dataset developments: A response to johnston and gower. *Child and Adolescent Mental Health, 11*(1), 50-52.
- Fowler, C., Rossiter, C., Bigsby, M., Hopwood, N., Lee, A., & Dunston, R. (2012). Working in partnership with parents: the experience and challenge of practice innovation in child and family health nursing. *Journal of Clinical Nursing, 21*(21-22), 3306-3314.
- Freud, S. (1914). Remembering, repeating and working-through (Further recommendations on the technique of psycho-analysis II). *Standard edition, 12*, 145-156.
- Gallop, R., Kennedy, S. H., & Stern, D. (1994). Therapeutic alliance on an inpatient unit for eating disorders. *International Journal of Eating Disorders, 16*(4), 405-410.
- Gavidia-Payne, S., & Hudson, A. (2002). Behavioural supports for parents of children with an intellectual disability and problem behaviours: an overview of the literature. *Journal of Intellectual and Developmental Disability, 27*(1), 31-55.
- Gavidia-Payne, S., Littlefield, L., Hallgren, M., Jenkins, P., & Coventry, N. (2003). Outcome evaluation of a statewide child inpatient mental health unit. *Australian and New Zealand Journal of Psychiatry, 37*(2), 204-211.
- Geraghty, K., McCann, K., King, R., & Eichmann, K. (2011). Sharing the load: Parents and carers talk to consumer consultants at a child and youth mental health inpatient unit. *International Journal of Mental Health Nursing, 20*(4), 253-262.
- Goodman, R. (2001). Psychometric properties of the strengths and difficulties questionnaire. *Journal of the American Academy of Child and Adolescent Psychiatry, 40*(11), 1337-1345.
- Goodman, R., Ford, T., Richards, H., Gatward, R., & Meltzer, H. (2000). The Development and Well-Being Assessment: description and initial validation of an integrated assessment of child and adolescent psychopathology. *Journal of Child Psychology and Psychiatry, 41*(05), 645-655.
- Gowers, S., Harrington, R., Whitton, A., Lelliott, P., Beevor, A., Wing, J., & Jezzard, R. (1999). Brief scale for measuring the outcomes of emotional and behavioural disorders in children. Health of the Nation Outcome Scales for children and Adolescents (HoNOSCA). *The British Journal of Psychiatry, 174*(5), 413-416.
- Green, J. (2006). Annotation: The therapeutic alliance – a significant but neglected variable in child mental health treatment studies. *Journal of Child Psychology and Psychiatry, 47*(5), 425-435.

References

- Green, J. (2009). The therapeutic alliance. *Child: Care, Health and Development*, 35(3), 298-301.
- Green, J., Jacobs, B., Beecham, J., Dunn, G., Kroll, L., Tobias, C., & Briskman, J. (2007). Inpatient treatment in child and adolescent psychiatry—a prospective study of health gain and costs. *Journal of Child Psychology and Psychiatry*, 48(12), 1259-1267.
- Green, J., Kroll, L., Imrie, D., Frances, F., Begum, K., Harrison, L., & Anson, R. (2001). Health gain and outcome predictors during inpatient and related day treatment in child and adolescent psychiatry. *Journal of the American Academy of Child and Adolescent Psychiatry*, 40(3), 325-332.
- Green, J. M. (1996). Engagement and empathy: A pilot study of the therapeutic alliance in outpatient child psychiatry. *Child and Adolescent Mental Health*, 1(4), 130-138.
- Gross, V., & Goldin, J. (2008). Dynamics and dilemmas in working with families in inpatient CAMH services. *Clinical Child Psychology and Psychiatry*, 13(3), 449-461.
- Guédene, N., Fermanian, J., Curt, F., & Bifulco, A. (2005). Testing the Working Alliance Inventory (WAI) in a French primary care setting. *Social Psychiatry and Psychiatric Epidemiology*, 40(10), 844-852.
- Guzder, J., Bond, S., Rabiau, M., Zelkowitz, P., & Rohar, S. (2011). The Relationship between Alliance, Attachment and Outcome in a Child Multi-Modal Treatment Population: Pilot Study. *Journal of the Canadian Academy of Child and Adolescent Psychiatry*, 20(3), 196.
- Hair, H. J. (2005). Outcomes for children and adolescents after residential treatment: A review of research from 1993 to 2003. *Journal of Child and Family Studies*, 14(4), 551-575.
- Hall, C., Moldavsky, M., Taylor, J., Sayal, K., Marriott, M., Batty, M., . . . Hollis, C. (2014). Implementation of routine outcome measurement in child and adolescent mental health services in the United Kingdom: a critical perspective. *European child & adolescent psychiatry*, 23(4), 239-242.
- Hall, C. L., Moldavsky, M., Baldwin, L., Marriott, M., Newell, K., Taylor, J., . . . Hollis, C. (2013). The use of routine outcome measures in two child and adolescent mental health services: a completed audit cycle. *BMC Psychiatry*, 13(1), 270.
- Hall, C. L., Taylor, J., Moldavsky, M., Marriott, M., Pass, S., Newell, K., . . . Hollis, C. (2014). A qualitative process evaluation of electronic session-by-session outcome measurement in child and adolescent mental health services. *BMC Psychiatry*, 14(1), 113.
- Hanssen-Bauer, K., Gowers, S., Aalen, O. O., Bilenberg, N., Brann, P., Garralda, E., . . . Heyerdahl, S. (2007). Cross-national reliability of clinician-rated outcome measures in child and adolescent mental health services. *Administration and Policy in Mental Health and Mental Health Services Research*, 34(6), 513-518.
- Harder, A. T., & Knorth, E. J. (2009). 2.345 Jeugdigen (z) onder dak. *Kind en adolescent*, 30(4), 210-230.

- Harper, G., Cotton, N., & Sederer, L. (1991). Child and adolescent treatment. *Inpatient psychiatry: Diagnosis and treatment*, 320-337.
- Hatfield, D. R., & Ogles, B. M. (2006). The influence of outcome measures in assessing client change and treatment decisions. *Journal of Clinical Psychology*, 62(3), 325-337.
- Hawkins, E. J., Lambert, M. J., Vermeersch, D. A., Slade, K. L., & Tuttle, K. C. (2004). The therapeutic effects of providing patient progress information to therapists and patients. *Psychotherapy Research*, 14(3), 308-327.
- Hawley, K. M., & Garland, A. F. (2008). Working alliance in adolescent outpatient therapy: Youth, parent and therapist reports and associations with therapy outcomes. *Child & Youth Care Forum*, 37(2), 59-74.
- Hawley, K. M., & Weisz, J. R. (2005). Youth versus parent working alliance in usual clinical care: Distinctive associations with retention, satisfaction, and treatment outcome. *Journal of Clinical Child and Adolescent Psychology*, 34(1), 117-128.
- Hawthorne, G., & Elliott, P. (2005). Imputing cross-sectional missing data: comparison of common techniques. *Australian and New Zealand Journal of Psychiatry*, 39(7), 583-590.
- Hintikka, U., Laukkanen, E., Marttunen, M., & Lehtonen, J. (2006). Good working alliance and psychotherapy are associated with positive changes in cognitive performance among adolescent psychiatric inpatients. *Bulletin of the Menninger Clinic*, 70(4), 316-335.
- Hogue, A., Dauber, S., Stambaugh, L. F., Cecero, J. J., & Liddle, H. A. (2006). Early therapeutic alliance and treatment outcome in individual and family therapy for adolescent behavior problems. *Journal of Consulting and Clinical Psychology*, 74(1), 121.
- Holmes, D. S., & Urie, R. G. (1975). Effects of preparing children for psychotherapy. *Journal of Consulting and Clinical Psychology*, 43(3), 311.
- Horvath, & Greenberg, L. (1986). The development of the Working Alliance Inventory. In L. S. Greenberg & W. M. Pinsof (Eds.), *The psychotherapeutic process: A research handbook* (pp. 529-556). New York: Guilford Press.
- Horvath, A., & Bedi, R. (2002). The alliance. In]. C. Norcross (Ed.), *Psychotherapy relationships that work: Therapist contributions and responsiveness to patients* (pp. 37-69): London: Oxford University Press.
- Horvath, A. O. (2006). The alliance in context: Accomplishments, challenges, and future directions. *Psychotherapy: Theory, Research, Practice, Training*, 43(3), 258.
- Horvath, A. O., Del Re, A., Flückiger, C., & Symonds, D. (2011). Alliance in individual psychotherapy. *Psychotherapy*, 48(1), 9.

References

- Horvath, A. O., & Greenberg, L. S. (1989). Development and validation of the Working Alliance Inventory. *Journal of Counseling Psychology, 36*(2), 223-233.
- Horvath, A. O., & Luborsky, L. (1993). The role of the therapeutic alliance in psychotherapy. *Journal of Consulting and Clinical Psychology, 61*(4), 561.
- Hougaard, E. (1994). The therapeutic alliance—A conceptual analysis. *Scandinavian Journal of Psychology, 35*(1), 67-85.
- Hu, L. T., & Bentler, P. M. (1999). Cutoff criteria for fit indexes in covariance structure analysis: Conventional criteria versus new alternatives. *Structural Equation Modeling: A Multidisciplinary Journal, 6*(1), 1-55.
- Jakobsen, E., & Severinsson, E. (2006). Parents' experiences of collaboration with community healthcare professionals. *Journal of Psychiatric and Mental Health Nursing, 13*(5), 498-505.
- James, S., Leslie, L. K., Hurlburt, M. S., Slymen, D. J., Landsverk, J., Davis, I., . . . Zhang, J. (2006). Children in out-of-home care: Entry into intensive or restrictive mental health and residential care placements. *Journal of Emotional and Behavioral Disorders, 14*(4), 196-208.
- Johnston, C., & Gowers, S. (2005). Routine outcome measurement: a survey of UK child and adolescent mental health services. *Child and Adolescent Mental Health, 10*(3), 133-139.
- Jungbluth, N. J., & Shirk, S. R. (2009). Therapist strategies for building involvement in cognitive-behavioral therapy for adolescent depression. *Journal of Consulting and Clinical Psychology, 77*(6), 1179.
- Kabuth, B., De Tyche, C., & Vidailhet, C. (2005). Alliance thérapeutique avec les mères et évolution clinique des enfants d'un hôpital de jour *Annales Médico-psychologiques, revue psychiatrique, 163*, 486-492.
- Karver, M., Shirk, S., Handelsman, J. B., Fields, S., Crisp, H., Gudmundsen, G., & McMakin, D. (2008). Relationship processes in youth psychotherapy: Measuring alliance, alliance-building behaviors, and client involvement. *Journal of Emotional and Behavioral Disorders, 16*(1), 15-28.
- Karver, M. S., Handelsman, J. B., Fields, S., & Bickman, L. (2005). A theoretical model of common process factors in youth and family therapy. *Mental Health Services Research, 7*(1), 35-51.
- Karver, M. S., Handelsman, J. B., Fields, S., & Bickman, L. (2006). Meta-analysis of therapeutic relationship variables in youth and family therapy: The evidence for different relationship variables in the child and adolescent treatment outcome literature. *Clinical Psychology Review, 26*(1), 50-65.

- Kazdin, A. E., Marciano, P. L., & Whitley, M. K. (2005). The therapeutic alliance in cognitive-behavioral treatment of children referred for oppositional, aggressive, and antisocial behavior. *Journal of Consulting and Clinical Psychology, 73*(4), 726.
- Kazdin, A. E., & Nock, M. K. (2003). Delineating mechanisms of change in child and adolescent therapy: Methodological issues and research recommendations. *Journal of Child Psychology and Psychiatry, 44*(8), 1116-1129.
- Kazdin, A. E., Whitley, M., & Marciano, P. L. (2006). Child-therapist and parent-therapist alliance and therapeutic change in the treatment of children referred for oppositional, aggressive, and antisocial behavior. *Journal of Child Psychology and Psychiatry, 47*(5), 436-445.
- Kazdin, A. E., & Whitley, M. K. (2006). Pretreatment social relations, therapeutic alliance, and improvements in parenting practices in parent management training. *Journal of Consulting and Clinical Psychology, 74*(2), 346-355.
- Keeley, M. L., Geffken, G. R., Ricketts, E., McNamara, J. P., & Storch, E. A. (2011). The therapeutic alliance in the cognitive behavioral treatment of pediatric obsessive-compulsive disorder. *Journal of Anxiety Disorders, 25*(7), 855-863.
- Kelley, S. D., & Bickman, L. (2009). Beyond outcomes monitoring: Measurement feedback systems (MFS) in child and adolescent clinical practice. *Current Opinion in Psychiatry, 22*(4), 363.
- Kerkorian, D., Bannon, W. M., & McKay, M. (2006). Seeking help a second time: Parents' / caregivers' characterizations of previous experiences with mental health services for their children and perceptions of barriers to future use. *American Journal of Orthopsychiatry, 76*(2), 161-166.
- Kline, R. B. (2005). Principles and Practice of Structural Equation Modeling. 2005. New York, NY: Guilford.
- Knorth, E. J., Harder, A. T., Zandberg, T., & Kendrick, A. J. (2008). Under one roof: A review and selective meta-analysis on the outcomes of residential child and youth care. *Children and Youth Services Review, 30*(2), 123-140.
- Kottner, J., Audigé, L., Brorson, S., Donner, A., Gajewski, B. J., Hróbjartsson, A., . . . Streiner, D. L. (2011). Guidelines for reporting reliability and agreement studies (GRRAS) were proposed. *International Journal of Nursing Studies, 48*(6), 661-671.
- Kroll, L., & Green, J. (1997). The therapeutic alliance in child inpatient treatment: Development and initial validation of a family engagement questionnaire. *Clinical Child Psychology and Psychiatry, 2*(3), 431-447.

References

- Labouliere, C. D., Reyes, J., Shirk, S., & Karver, M. (2015). Therapeutic Alliance With Depressed Adolescents: Predictor or Outcome? Disentangling Temporal Confounds to Understand Early Improvement. *Journal of Clinical Child & Adolescent Psychology*(a-head-of-print), 1-11.
- Lambert, M. J., & Simon, W. (2008). 2 The Therapeutic Relationship. *Mindfulness and the Therapeutic Relationship*, 19.
- Lamers, A., Delsing, M. J., van Widenfelt, B. M., & Vermeiren, R. R. (2015). A Measure of the Parent-Team Alliance in Youth Residential Psychiatry: The Revised Short Working Alliance Inventory. *Child & Youth Care Forum*, 44(6), 801-817.
- Lamers, A., van Nieuwenhuizen, C., Siebelink, B., Blaauw, T., & Vermeiren, R. (2015). The use of routine outcome monitoring in child semi-residential psychiatry: predicting parents' completion rates. *Child and Adolescent Psychiatry and Mental Health*, 9(1), 18.
- Lamers, A., & Vermeiren, R. R. (2014). Assessment of the therapeutic alliance of youth and parents with team members in youth residential psychiatry. *Clinical Child Psychology and Psychiatry*, 20(4), 640-656.
- Lerner, M. D., Mikami, A. Y., & McLeod, B. D. (2011). The alliance in a friendship coaching intervention for parents of children with ADHD. *Behavior Therapy*, 42(3), 449-461.
- Lesinskiene, S., Senina, J., & Ranceva, N. (2007). Use of the HoNOSCA scale in the teamwork of inpatient child psychiatry unit. *Journal of Psychiatric and Mental Health Nursing*, 14(8), 727-733.
- Marker, C. D., Comer, J. S., Abramova, V., & Kendall, P. C. (2013). The reciprocal relationship between alliance and symptom improvement across the treatment of childhood anxiety. *Journal of Clinical Child & Adolescent Psychology*, 42(1), 22-33.
- Martin, A.-M., Fishman, R., Baxter, L., & Ford, T. (2011). Practitioners' attitudes towards the use of standardized diagnostic assessment in routine practice: a qualitative study in two child and adolescent mental health services. *Clinical child psychology and psychiatry*, 16(3), 407-420.
- Martin, D. J., Garske, J. P., & Davis, M. K. (2000). Relation of the therapeutic alliance with outcome and other variables: a meta-analytic review. *Journal of Consulting and Clinical Psychology*, 68(3), 438-450.
- Mayes, S. D., Calhoun, S. L., Krecko, V. F., Vesell, H. P., & Hu, J. (2001). Outcome following child psychiatric hospitalization. *The journal of behavioral health services & research*, 28(1), 96-103.
- McCabe, R., & Priebe, S. (2004). The therapeutic relationship in the treatment of severe mental illness: A review of methods and findings. *International Journal of Social Psychiatry*, 50(2), 115-128.

- McCabe, R., & Quayle, E. (2002). Knowing your own mind. *The Psychologist*.
- McLeod, B. D. (2011). Relation of the alliance with outcomes in youth psychotherapy: A meta-analysis. *Clinical Psychology Review*, 31(4), 603-616.
- McLeod, B. D., & Weisz, J. R. (2005). The therapy process observational coding system-aliance scale: Measure characteristics and prediction of outcome in usual clinical practice. *Journal of Consulting and Clinical Psychology*, 73(2), 323-333.
- Mohr, W. K., & Regan-Kubinski, M. J. (2001). Living in the fallout: Parents' experiences when their child becomes mentally ill. *Archives of Psychiatric Nursing*, 15(2), 69-77.
- Moran, P., Kelesidi, K., Guglani, S., Davidson, S., & Ford, T. (2011). What do parents and carers think about routine outcome measures and their use? A focus group study of CAMHS attenders. *Clinical Child Psychology and Psychiatry*, 17(1), 65-79.
- Morrissey-Kane, E., & Prinz, R. J. (1999). Engagement in child and adolescent treatment: The role of parental cognitions and attributions. *Clinical Child and Family Psychology Review*, 2(3), 183-198.
- Munder, T., Wilmers, F., Leonhart, R., Linster, H. W., & Barth, J. (2010). Working Alliance Inventory-Short Revised (WAI-SR): psychometric properties in outpatients and inpatients. *Clinical Psychology & Psychotherapy*, 17(3), 231-239.
- Murphy, J. M., Blais, M., Baer, L., McCarthy, A., Kamin, H., Masek, B., & Jellinek, M. (2013). Measuring outcomes in outpatient child psychiatry: Reliable improvement, deterioration, and clinically significant improvement. *Clinical Child Psychology and Psychiatry*. DOI: 1359104513494872.
- Murphy, M., Kamin, H., Masek, B., Vogeli, C., Caggiano, R., Sklar, K., . . . Gold, J. (2012). Using brief clinician and parent measures to track outcomes in outpatient child psychiatry: longer term follow-up and comparative effectiveness. *Child and Adolescent Mental Health*, 17(4), 222-230.
- Muthén, L. K., & Muthén, B. O. (1998). *Statistical analysis with latent variables*. Los Angeles, CA: Muthén & Muthén.
- Nederlands Jeugd Instituut. (2013). Dossier: Eenoudergezin. from <http://www.nji.nl/eCache/DEF/1/24/751.html>.
- Nock, M. K., & Ferriter, C. (2005). Parent management of attendance and adherence in child and adolescent therapy: A conceptual and empirical review. *Clinical Child and Family Psychology Review*, 8(2), 149-166.
- Norman, S., Dean, S., Hansford, L., & Ford, T. (2013). Clinical practitioner's attitudes towards the use of Routine Outcome Monitoring within Child and Adolescent Mental Health Services: A qualitative study of two Child and Adolescent Mental Health Services. *Clinical Child Psychology and Psychiatry*. DOI: 1359104513492348.

References

- Nunnally, J. C., & Bernstein, I. H. (1991). *Psychometric theory*. New York: McGraw.
- Ormhaug, S. M., Jensen, T. K., Wentzel-Larsen, T., & Shirk, S. R. (2014). The therapeutic alliance in treatment of traumatized youths: Relation to outcome in a randomized clinical trial. *Journal of consulting and clinical psychology*, 82(1), 52.
- Perepletchikova, F. (2011). On the topic of treatment integrity. *Clinical Psychology: Science and Practice*, 18(2), 148-153.
- Perepletchikova, F., Treat, T. A., & Kazdin, A. E. (2007). Treatment integrity in psychotherapy research: analysis of the studies and examination of the associated factors. *Journal of Consulting and Clinical Psychology*, 75(6), 829.
- Priebe, S., & McCabe, R. (2006). The therapeutic relationship in psychiatric settings. *Acta Psychiatrica Scandinavica*, 113(s429), 69-72.
- Puotiniemi, T., Kyngäs, H., & Nikkonen, M. (2001). Factors associated with the coping of parents with a child in psychiatric inpatient care. *International journal of nursing practice*, 7(5), 298-305.
- Puotiniemi, T., Kyngäs, H., & Nikkonen, M. (2002). The resources of parents with a child in psychiatric inpatient care. *Journal of Psychiatric and Mental Health Nursing*, 9(1), 15-22.
- Rasbash, J., Browne, W., Goldstein, H., Yang, M., Plewis, I., Healy, M., . . . Lewis, T. (2000). A user's guide to MLwiN.
- Remschmidt, H., & Mattejat, F. (2006). Wie erfolgreich sind stationäre kinder-und jugend-psychiatrische Behandlungen? Erste Ergebnisse aus dem Marburger Evaluationsprojekt. *Zeitschrift fur Kinder- und Jugendpsychiatrie und Psychotherapie*, 34(6), 455-464.
- Rimelhaug, T., Berg-Nielsen, T. S., & Wallander, J. (2012). Change in self-reported emotional distress and parenting among parents referred to inpatient child psychiatric family treatment. *Nordic journal of psychiatry*, 66(4), 260-267.
- Robertson, B., & Friedberg, S. (1979). Follow-up study of children admitted to a psychiatric day centre. *South African Medical Journal*, 56, 1129-1131.
- Robst, J., Rohrer, L., Armstrong, M., Dollard, N., Sharrock, P., Batsche, C., & Reader, S. (2013). Family involvement and changes in child behavior during residential mental health treatment. *Child & Youth Care Forum*, 42(3), 225-238.
- Roest, J., van der Helm, P., Strijbosch, E., van Brandenburg, M., & Stams, G. J. (2014). Measuring Therapeutic Alliance With Children in Residential Treatment and Therapeutic Day Care A Validation Study of the Children's Alliance Questionnaire. *Research on Social Work Practice*. DOI: 1049731514540478.

- Ross, E. C., Polaschek, D. L., & Wilson, M. (2011). Shifting Perspectives A Confirmatory Factor Analysis of the Working Alliance Inventory (Short Form) With High-Risk Violent Offenders. *International journal of offender therapy and comparative criminology*, 55(8), 1308-1323.
- Sarajärvi, A., Haapamäki, M. L., & Paavilainen, E. (2006). Emotional and informational support for families during their child's illness. *International Nursing Review*, 53(3), 205-210.
- Scharer, K. (1999). Nurse-Parent Relationship Building in Child Psychiatric Units. *Journal of Child and Adolescent Psychiatric Nursing*, 12(4), 153-167.
- Scharer, K. (2000). Admission: A crucial point in relationship building between parents and staff in child psychiatric units. *Issues in Mental Health Nursing*, 21(8), 723-744.
- Scharer, K. (2002). What parents of mentally ill children need and want from mental health professionals. *Issues in Mental Health Nursing*, 23(6), 617-640.
- Schimmelmann, B., Schulte-Markwort, M., & Richter, R. (2001). [Day clinic treatment in child and adolescent psychiatry]. *Zeitschrift fur Kinder-und Jugendpsychiatrie und Psychotherapie*, 29(3), 178-188.
- Schmidt, F., Chomycz, S., Houlding, C., Kruse, A., & Franks, J. (2013). The association between therapeutic alliance and treatment outcomes in a group triple P intervention. *Journal of Child and Family Studies*, 1-14.
- Setoya, Y., Saito, K., Kasahara, M., Watanabe, K., Kodaira, M., & Usami, M. (2011). Evaluating outcomes of the child and adolescent psychiatric unit: A prospective study. *International journal of mental health systems*, 5(1), 1-8.
- Shelef, K., & Diamond, G. M. (2008). Short form of the revised Vanderbilt Therapeutic Alliance Scale: Development, reliability, and validity. *Psychotherapy Research*, 18(4), 433-443.
- Shelef, K., Diamond, G. M., Diamond, G. S., & Liddle, H. A. (2005). Adolescent and parent alliance and treatment outcome in multidimensional family therapy. *Journal of Consulting and Clinical Psychology*, 73(4), 689.
- Shirk, S. R., & Karver, M. (2003). Prediction of treatment outcome from relationship variables in child and adolescent therapy: a meta-analytic review. *Journal of Consulting and Clinical Psychology*, 71(3), 452.
- Shirk, S. R., Karver, M. S., & Brown, R. (2011). The alliance in child and adolescent psychotherapy. *Psychotherapy*, 48(1), 17.
- Shirk, S. R., & Saiz, C. C. (1992). Clinical, empirical, and developmental perspectives on the therapeutic relationship in child psychotherapy. *Development and Psychopathology*, 4, 713-713.

References

- Smith, M., McKay, E., & Chakrabarti, M. (2004). What Works for us – Boys' Views of Their Experiences in a Former List D School. *British Journal of Special Education*, 31(2), 89-93.
- Soygüt, G., & Uluc, S. (2009). Psychometric properties of the Turkish working alliance inventory-observer form. *Türk Psikiyatri Dergisi*, 20(4), 367-375.
- StataCorp, L. (2010). Stata/IC (Version 11.1). College Station, TX: Author.
- Steiger, J. H. (1990). Structural model evaluation and modification: An interval estimation approach. *Multivariate Behavioral Research*, 25(2), 173-180.
- Stinckens, N., Ulburghs, A., & Claes, L. (2009a). De werkalliantie als sleutelelement in het therapietraject: Meting met behulp van de WAV-12, de Nederlandstalige verkorte versie van de Working Alliance Inventory. *Tijdschrift Klinische Psychologie*, 39(1), 44-60.
- Summers, R., & Barber, J. (2003). Therapeutic Alliance as a measurable Psychotherapy Skill. *Academic Psychiatry*, 27(3), 160-165.
- Timimi, S., Tetley, D., Burgoine, W., & Walker, G. (2012). Outcome orientated child and adolescent mental health services (OO-CAMHS): A whole service model. *Clinical Child Psychology and Psychiatry*, 18(2), 169-184.
- Tracey, T. J., & Kokotovic, A. M. (1989). Factor structure of the Working Alliance Inventory. *Journal of Consulting and Clinical Psychology*, 1(3), 207-210.
- van Dijk, S., Knispel, A., & Nuijen, J. (2011). *GGZ in tabellen 2010*. Utrecht: Trimbos-instituut.
- van Sonsbeek, M. A., Hutschemaekers, G. G., Veerman, J. W., & Tiemens, B. B. (2014). Effective components of feedback from Routine Outcome Monitoring (ROM) in youth mental health care: study protocol of a three-arm parallel-group randomized controlled trial. *BMC psychiatry*, 14(1), 3.
- Van Widenfelt, B. M., Goedhart, A. W., Treffers, P. D., & Goodman, R. (2003). Dutch version of the Strengths and Difficulties Questionnaire (SDQ). *European Child and Adolescent Psychiatry*, 12(6), 281-289.
- Van Widenfelt, B. M., Treffers, P. D., de Beurs, E., Siebelink, B. M., & Koudijs, E. (2005). Translation and cross-cultural adaptation of assessment instruments used in psychological research with children and families. *Clinical Child and Family Psychology Review*, 8(2), 135-147.
- Verheij, F., & Van Loon, H. (1989). *Intensieve residentiële behandeling van kinderen: Een kinderpsychiatrische kliniek ten voorbeeld*. Assen: Van Gorcum.
- Vermulst, A., Kroes, G., De Meyer, R., Nguyen, L., & Veerman, J. W. (2012). *Opvoedingsbeleidingsvragenlijst (OBVL) Handleiding*. Nijmegen: Praktikon.

- Vertommen, G., & Vervaeke, H. (1996). De Werkalliantievragenlijst. *Gedragstherapie*, 29, 139-144.
- Wampold, B. E. (2005). Establishing specificity in psychotherapy scientifically: Design and evidence issues. *Clinical Psychology: Science and Practice*, 12(2), 194-197.
- Weisz, J. R., Doss, A. J., & Hawley, K. M. (2005). Youth psychotherapy outcome research: A review and critique of the evidence base. *Annual Review of Psychology*, 56, 337-363.
- Whipple, J. L., Lambert, M. J., Vermeersch, D. A., Smart, D. W., Nielsen, S. L., & Hawkins, E. J. (2003). Improving the effects of psychotherapy: The use of early identification of treatment and problem-solving strategies in routine practice. *Journal of Counseling Psychology*, 50(1), 59.
- Wolpert, M., Fugard, A. J., Deighton, J., & Görzig, A. (2012). Routine outcomes monitoring as part of children and young people's Improving Access to Psychological Therapies (CYP IAPT)-improving care or unhelpful burden? *Child and Adolescent Mental Health*, 17(3), 129-130.
- Zack, S. E., Castonguay, L. G., & Boswell, J. F. (2007). Youth working alliance: a core clinical construct in need of empirical maturity. *Harvard Review of Psychiatry*, 15(6), 278-288.
- Zakriski, A. L., Wright, J. C., & Cardoos, S. L. (2011). Peer-nominated deviant talk within residential treatment: Individual and group influences on treatment response. *Journal of Abnormal Child Psychology*, 39(7), 989-1000.