



Universiteit
Leiden
The Netherlands

The trichodysplasia spinulosa-associated polyomavirus : discovery - prevalence - infection - expression

Meijden, P.Z. van der

Citation

Meijden, P. Z. van der. (2016, June 21). *The trichodysplasia spinulosa-associated polyomavirus : discovery - prevalence - infection - expression*. Retrieved from <https://hdl.handle.net/1887/41204>

Version: Not Applicable (or Unknown)

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/41204>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/41204> holds various files of this Leiden University dissertation

Author: Meijden, Els van der

Title: The trichodysplasia spinulosa-associated polyomavirus : discovery - prevalence - infection - expression

Issue Date: 2016-06-21

9

REFERENCES

1. **Izakovic J, Buchner SA, Duggelin M, Guggenheim R, Itin PH.** [Hair-like hyperkeratoses in patients with kidney transplants. A new cyclosporin side-effect]. *Der Hautarzt; Zeitschrift für Dermatologie, Venerologie, und verwandte Gebiete*. 1995;46(12):841-846.
2. **Haycox CL, Kim S, Fleckman P, Smith LT, Piepkorn M, Sundberg JP, Howell DN, Miller SE.** Trichodysplasia spinulosa newly described folliculocentric viral infection in an immunocompromised host. *J Investig Dermatol Symp Proc* 1999;4(3):268-271.
3. **Moktefi A, Laude H, Brady Gulphe L, Rozenberg F, Vacher Lavenu MC, Dupin N, Carlotti A.** Trichodysplasia spinulosa associated with lupus. *The American Journal of dermatopathology*. 2014;36(3):e70-74.
4. **Richey JD, Graham TA, Katona T, Travers JB.** Development of trichodysplasia spinulosa: case report of a patient with Gorlin syndrome treated with vismodegib. *JAMA Dermatol*. 2014;150(9):1016-1018.
5. **Benoit T, Bacelieri R, Morrell DS, Metcalf J.** Viral-associated trichodysplasia of immunosuppression: report of a pediatric patient with response to oral valganciclovir. *Arch Dermatol* 2010;146(8):871-874.
6. **Berk DR, Lu D, Bayliss SJ.** Trichodysplasia spinulosa in an adolescent with cystic fibrosis and lung transplantation. *International journal of dermatology*. 2013;52(12):1586-1588.
7. **Blake BP, Marathe KS, Mohr MR, Jones N, Novosel T.** Viral-associated trichodysplasia of immunosuppression in a renal transplant patient. *Journal of drugs in dermatology : JDD*. 2011;10(4):422-424.
8. **Brimhall CL, Malone JC.** Viral-associated trichodysplasia spinulosa in a renal transplant patient. *Arch Dermatol*. 2012;148(7):863-864.
9. **Burns A, Arnason T, Fraser R, Murray S, Walsh N.** Keratotic "spiny" papules in an immunosuppressed child. Trichodysplasia spinulosa (TS). *Arch Dermatol*. 2011;147(10):1215-1220.
10. **Campbell RM, Ney A, Gohh R, Robinson-Bostom L.** Spiny hyperkeratotic projections on the face and extremities of a kidney transplant recipient. *Arch Dermatol*. 2006;142(12):1643-1648.
11. **Celeiro-Munoz C, Gonzalez-Vilas D, Sanchez-Aguilar D, Suarez-Penaranda JM.** Viral-associated trichodysplasia secondary to antineoplastic treatment in a patient with lymphoblastic leukemia. *The American Journal of dermatopathology*. 2014;36(6):e105-107.
12. **Chastain MA, Millikan LE.** Pilomatrix dysplasia in an immunosuppressed patient. *J Am Acad Dermatol* 2000;43(1 Pt 1):118-122.
13. **Elaba Z, Hughey L, Isayeva T, Weeks B, Solovan C, Solovastru L, Andea A.** Ultrastructural and molecular confirmation of the trichodysplasia spinulosa-associated polyomavirus in biopsies of patients with trichodysplasia spinulosa. *J Cutan Pathol*. 2012;39(11):1004-1009.
14. **Fischer MK, Kao GF, Nguyen HP, Drachenberg CB, Rady PL, Tyring SK, Gaspari AA.** Specific Detection of Trichodysplasia Spinulosa-Associated Polyomavirus DNA in Skin and Renal Allograft Tissues in a Patient With Trichodysplasia Spinulosa. *Arch Dermatol* 2012.
15. **Ghosn S, Abboud M, Kurban M, Abbas O.** Spiny follicular hyperkeratotic papules on the face. *JAMA pediatrics*. 2013;167(9):867-868.
16. **Heaphy MR, Jr., Shamma HN, Hickmann M, White MJ.** Cyclosporine-induced folliculodystrophy. *J Am Acad Dermatol* 2004;50(2):310-315.
17. **Holzer AM, Hughey LC.** Trichodysplasia of immunosuppression treated with oral valganciclovir. *J Am Acad Dermatol* 2009;60(1):169-172.
18. **Jawa P, Jain K, Allen R, Bradauskaita G, Kung SC.** Trichodysplasia spinulosa. *Kidney Int*. 2014;85(3):715.
19. **Kirchhof MG, Shojania K, Hull MW, Crawford RI, Au S.** Trichodysplasia spinulosa: rare presentation of polyomavirus infection in immunocompromised patients. *Journal of cutaneous medicine and surgery*. 2014;18(6):430-435.
20. **Lee JS, Frederiksen P, Kossard S.** Progressive trichodysplasia spinulosa in a patient with chronic lymphocytic leukaemia in remission. *Australas J Dermatol* 2008;49(1):57-60.

21. Lee YY, Tucker SC, Prow NA, Setoh YX, Banney LA. Trichodysplasia spinulosa: a benign adnexal proliferation with follicular differentiation associated with polyomavirus. *Australas J Dermatol*. 2014;55(2):e33-36.
22. Matthews MR, Wang RC, Reddick RL, Saldivar VA, Browning JC. Viral-associated trichodysplasia spinulosa: a case with electron microscopic and molecular detection of the trichodysplasia spinulosa-associated human polyomavirus. *J Cutan Pathol* 2011;38(5):420-431.
23. Osswald SS, Kulick KB, Tomaszewski MM, Sperling LC. Viral-associated trichodysplasia in a patient with lymphoma: a case report and review. *J Cutan Pathol* 2007;34(9):721-725.
24. Sadler GM, Halbert AR, Smith N, Rogers M. Trichodysplasia spinulosa associated with chemotherapy for acute lymphocytic leukaemia. *Australas J Dermatol* 2007;48(2):110-114.
25. Schwieger-Briel A, Balma-Mena A, Ngan B, Dipchand A, Pope E. Trichodysplasia Spinulosa Rare Complication in Immunosuppressed Patients. *Pediatr Dermatol* 2010.
26. Sperling LC, Tomaszewski MM, Thomas DA. Viral-associated trichodysplasia in patients who are immunocompromised. *J Am Acad Dermatol* 2004;50(2):318-322.
27. Urbano PR, Pannuti CS, Pierrotti LC, David-Neto E, Romano CM. Rapid detection of trichodysplasia spinulosa-associated polyomavirus in skin biopsy specimen. *Genome announcements*. 2014;2(4).
28. van der Meijden E, Janssens RW, Lauber C, Bouwes Bavinck JN, Gorbalyena AE, Feltkamp MC. Discovery of a new human polyomavirus associated with trichodysplasia spinulosa in an immunocompromized patient. *PLoS Pathog* 2010;6(7):e1001024.
29. Wanat KA, Holler PD, Dentchev T, Simbiri K, Robertson E, Seykora JT, Rosenbach M. Viral-associated trichodysplasia: characterization of a novel polyomavirus infection with therapeutic insights. *Arch Dermatol*. 2012;148(2):219-223.
30. Wyatt AJ, Sachs DL, Shia J, Delgado R, Busam KJ. Virus-associated trichodysplasia spinulosa. *Am J Surg Pathol* 2005;29(2):241-246.
31. Kazem S, van der Meijden E, Wang RC, Rosenberg AS, Pope E, Benoit T, Fleckman P, Feltkamp MC. Polyomavirus-associated Trichodysplasia spinulosa involves hyperproliferation, pRB phosphorylation and upregulation of p16 and p21. *PLoS One* 2014;9(10):e108947.
32. Kazem S, van der Meijden E, Feltkamp MC. The trichodysplasia spinulosa-associated polyomavirus: virological background and clinical implications. *APMIS: acta pathologica, microbiologica, et immunologica Scandinavica*. 2013;121(8):770-782.
33. John R, Muller H, Rector A, van Ranst M, Stevens H. Rolling-circle amplification of viral DNA genomes using phi29 polymerase. *Trends Microbiol* 2009;17(5):205-211.
34. Rector A, Tachezy R, van Ranst M. A sequence-independent strategy for detection and cloning of circular DNA virus genomes by using multiply primed rolling-circle amplification. *J Virol* 2004;78(10):4993-4998.
35. Paez JG, Lin M, Beroukhim R, Lee JC, Zhao X, Richter DJ, Gabriel S, Herman P, Sasaki H, Altshuler D, Li C, Meyerson M, Sellers WR. Genome coverage and sequence fidelity of phi29 polymerase-based multiple strand displacement whole genome amplification. *Nucleic Acids Res* 2004;32(9):e71.
36. Nelson JR, Cai YC, Giesler TL, Farchaus JW, Sundaram ST, Ortiz-Rivera M, Hosta LP, Hewitt PL, Mamone JA, Palaniappan C, Fuller CW. TempliPhi, phi29 DNA polymerase based rolling circle amplification of templates for DNA sequencing. *Biotechniques*. 2002;Suppl:44-47.
37. Schowalter RM, Pastrana DV, Pumphrey KA, Moyer AL, Buck CB. Merkel cell polyomavirus and two previously unknown polyomaviruses are chronically shed from human skin. *Cell Host Microbe*. 2010;7(6):509-515.
38. Norkin LC, Allander T., Atwood, W. J., Buck, C. B., Garcea, R. L., Imperiale, M. J., Johne, R., Major, E.O., Pipas, J. M. and Ramqvist, T. Family Polyomaviridae. In *Virus Taxonomy, Ninth Report of the International Committee on Taxonomy of Viruses*. 2012:279–290.

39. **Eddy BE, Borman GS, Grubbs GE, Young RD.** Identification of the oncogenic substance in rhesus monkey kidney cell culture as simian virus 40. *Virology*. 1962;17:65-75.
40. **Girardi AJ, Sweet BH, Slotnick VB, Hilleman MR.** Development of tumors in hamsters inoculated in the neonatal period with vacuolating virus, SV-40. *Proceedings of the Society for Experimental Biology and Medicine. Society for Experimental Biology and Medicine*. 1962;109:649-660.
41. **Gross L.** A filterable agent, recovered from Ak leukemic extracts, causing salivary gland carcinomas in C3H mice. *Proceedings of the Society for Experimental Biology and Medicine. Society for Experimental Biology and Medicine*. 1953;83(2):414-421.
42. **Padgett BL, Walker DL, ZuRhein GM, Eckroade RJ, Dessel BH.** Cultivation of papova-like virus from human brain with progressive multifocal leucoencephalopathy. *Lancet*. 1971;1(7712):1257-1260.
43. **Gardner SD, Field AM, Coleman DV, Hulme B.** New human papovavirus (B.K.) isolated from urine after renal transplantation. *Lancet*. 1971;1(7712):1253-1257.
44. **John R, Buck CB, Allander T, Atwood WJ, Garcea RL, Imperiale MJ, Major EO, Ramqvist T, Norkin LC.** Taxonomical developments in the family Polyomaviridae. *Arch Virol* 2011.
45. **Cinque P, Koralnik IJ, Gerevini S, Miro JM, Price RW.** Progressive multifocal leukoencephalopathy in HIV-1 infection. *Lancet Infect Dis*. 2009;9(10):625-636.
46. **Mateen FJ, Muralidharan R, Carone M, van de Beek D, Harrison DM, Aksamit AJ, Gould MS, Clifford DB, Nath A.** Progressive multifocal leukoencephalopathy in transplant recipients. *Annals of neurology*. 2011;70(2):305-322.
47. **Reid CE, Li H, Sur G, Carmillo P, Bushnell S, Tizard R, McAuliffe M, Tonkin C, Simon K, Goelz S, Cinque P, Gorelik L, Carulli JP.** Sequencing and analysis of JC virus DNA from natalizumab-treated PML patients. *J Infect Dis*. 2011;204(2):237-244.
48. **Carter JJ, Paulson KG, Wipf GC, Miranda D, Madeleine MM, Johnson LG, Lemos BD, Lee S, Warcola AH, Iyer JG, Nghiem P, Galloway DA.** Association of Merkel cell polyomavirus-specific antibodies with Merkel cell carcinoma. *J Natl Cancer Inst* 2009;101(21):1510-1522.
49. **Egli A, Infanti L, Dumoulin A, Buser A, Samaridis J, Stebler C, Gosert R, Hirsch HH.** Prevalence of polyomavirus BK and JC infection and replication in 400 healthy blood donors. *J Infect Dis* 2009;199(6):837-846.
50. **Kean JM, Rao S, Wang M, Garcea RL.** Seroepidemiology of human polyomaviruses. *PLoS Pathog* 2009;5(3):e1000363.
51. **Kjaerheim K, Roe OD, Waterboer T, Sehr P, Rizk R, Dai HY, Sandeck H, Larsson E, Andersen A, Boffetta P, Pawlita M.** Absence of SV40 antibodies or DNA fragments in prediagnostic mesothelioma serum samples. *Int J Cancer*. 2007;120(11):2459-2465.
52. **Gossai A, Waterboer T, Nelson HH, Michel A, Willhauck-Fleckenstein M, Farzan SF, Hoen AG, Christensen BC, Kelsey KT, Marsit CJ, Pawlita M, Karagas MR.** Seroepidemiology of Human Polyomaviruses in a US Population. *American journal of epidemiology*. 2015.
53. **Gosert R, Rinaldo CH, Funk GA, Egli A, Ramos E, Drachenberg CB, Hirsch HH.** Polyomavirus BK with rearranged noncoding control region emerge in vivo in renal transplant patients and increase viral replication and cytopathology. *The Journal of experimental medicine*. 2008;205(4):841-852.
54. **Nickelait V, Klimkait T, Binet IF, Dalquen P, Del Zenero V, Thiel G, Mihatsch MJ, Hirsch HH.** Testing for polyomavirus type BK DNA in plasma to identify renal-allograft recipients with viral nephropathy. *The New England journal of medicine*. 2000;342(18):1309-1315.
55. **Allander T, Andreasson K, Gupta S, Bjerkner A, Bogdanovic G, Persson MA, Dalianis T, Ramqvist T, Andersson B.** Identification of a third human polyomavirus. *J Virol* 2007;81(8):4130-4136.
56. **Neske F, Prifert C, Scheiner B, Ewald M, Schubert J, Opitz A, Weissbrich B.** High prevalence of antibodies against polyomavirus WU, polyomavirus Kl, and human bocavirus in German blood donors. *BMC Infect Dis* 2010;10:215.

57. **Nguyen NL, Le BM, Wang D.** Serologic evidence of frequent human infection with WU and KI polyomaviruses. *Emerg Infect Dis* 2009;15(8):1199-1205.
58. **Gaynor AM, Nissen MD, Whiley DM, Mackay IM, Lambert SB, Wu G, Brennan DC, Storch GA, Sloots TP, Wang D.** Identification of a novel polyomavirus from patients with acute respiratory tract infections. *PLoS Pathog* 2007;3(5):e64.
59. **Feng H, Shuda M, Chang Y, Moore PS.** Clonal integration of a polyomavirus in human Merkel cell carcinoma. *Science*. 2008;319(5866):1096-1100.
60. **Tolstov YL, Pastrana DV, Feng H, Becker JC, Jenkins FJ, Moschos S, Chang Y, Buck CB, Moore PS.** Human Merkel cell polyomavirus infection II. MCV is a common human infection that can be detected by conformational capsid epitope immunoassays. *Int J Cancer*. 2009;125(6):1250-1256.
61. **Nicol JT, Robinot R, Carpentier A, Carandina G, Mazzoni E, Tognon M, Touze A, Coursaget P.** Age-specific seroprevalence of Merkel cell polyomavirus, Human polyomaviruses 6, 7 and 9 and Trichodysplasia Spinulosa-associated polyomavirus. *Clin Vaccine Immunol* 2013.
62. **van der Meijden E, Bialasiewicz S, Rockett RJ, Tozer SJ, Sloots TP, Feltkamp MC.** Different serologic behavior of MCPyV, TSPyV, HPyV6, HPyV7 and HPyV9 polyomaviruses found on the skin. *PLoS One* 2013;8(11):e81078.
63. **Ho J, Jedrych JJ, Feng H, Natalie AA, Grandinetti L, Mirvish E, Crespo MM, Yadav D, Fasanella KE, Proksell S, Kuan SF, Pastrana DV, Buck CB, Shuda Y, Moore PS, Chang Y.** Human Polyomavirus 7-associated Pruritic Rash and Viremia in Transplant Recipients. *J Infect Dis* 2014.
64. **Rennspieß D, Pujari S, Keijzers M, Abdul-Hamid MA, Hochstenbag M, Dingemans A, Kurz AK, Speel E, Haugg A, Pastrana DV, Buck CB, De Baets MH, zur Hausen A.** Detection of Human Polyomavirus 7 in human thymic epithelial tumors. *J Thorac Oncol* 2014.
65. **Kazem S, van der Meijden E, Kooijman S, Rosenberg AS, Hughey LC, Browning JC, Sadler G, Busam K, Pope E, Benoit T, Fleckman P, de VE, Eekhof JA, Feltkamp MC.** Trichodysplasia spinulosa is characterized by active polyomavirus infection. *J Clin Viro* 2012;53(3):225-230.
66. **Chen T, Mattila PS, Jartti T, Ruuskanen O, Soderlund-Venermo M, Hedman K.** Seroepidemiology of the Newly Found Trichodysplasia Spinulosa-Associated Polyomavirus. *J Infect Dis* 2011.
67. **van der Meijden E, Kazem S, Burgers MM, Janssens R, Bouwes Bavinck JN, de MH, Feltkamp MC.** Seroprevalence of trichodysplasia spinulosa-associated polyomavirus. *Emerg Infect Dis* 2011;17(8):1355-1363.
68. **Sauvage V, Foulongne V, Cheval J, Ar GM, Pariente K, Dereure O, Manuguerra JC, Richardson J, Lecuit M, Burguiere A, Caro V, Eloit M.** Human polyomavirus related to african green monkey lymphotropic polyomavirus. *Emerg Infect Dis* 2011;17(8):1364-1370.
69. **Scuda N, Hofmann J, Calvignac-Spencer S, Ruprecht K, Liman P, Kuhn J, Hengel H, Ehlers B.** A novel human polyomavirus closely related to the African green monkey-derived lymphotropic polyomavirus (LPV). *J Virol* 2011.
70. **Nicol JT, Touze A, Robinot R, Arnold F, Mazzoni E, Tognon M, Coursaget P.** Seroprevalence and Cross-reactivity of Human Polyomavirus 9. *Emerg Infect Dis* 2012;18(8):1329-1332.
71. **Trusch F, Klein M, Finsterbusch T, Kuhn J, Hofmann J, Ehlers B.** Seroprevalence of human polyomavirus 9 and cross-reactivity to African green monkey-derived lymphotropic polyomavirus. *J Gen Virol* 2012;93(Pt 4):698-705.
72. **Buck CB, Phan GQ, Rajji MT, Murphy PM, McDermott DH, McBride AA.** Complete genome sequence of a tenth human polyomavirus. *J Virol* 2012;86(19):10887.
73. **Siebrasse EA, Reyes A, Lim ES, Zhao G, Mkakosya RS, Manary MJ, Gordon JI, Wang D.** Identification of MW polyomavirus, a novel polyomavirus in human stool. *J Virol* 2012.

74. **Yu G, Greninger AL, Isa P, Phan TG, Martinez MA, de la Luz SM, Contreras JF, Santos-Preciado JI, Parsonnet J, Miller S, DeRisi JL, Delwart E, Arias CF, Chiu CY.** Discovery of a novel polyomavirus in acute diarrheal samples from children. *PLoS One* 2012;7(11):e49449.
75. **Berrios C, Jung J, Primi B, Wang M, Pedamallu C, Duke F, Marcelus C, Cheng J, Garcea RL, Meyerson M, DeCaprio JA.** Malawi polyomavirus is a prevalent human virus that interacts with known tumor suppressors. *J Virol.* 2015;89(1):857-862.
76. **Nicol JT, Leblond V, Arnold F, Guerra G, Mazzoni E, Tognon M, Coursaget P, Touze A.** Seroprevalence of human Malawi polyomavirus. *J Clin Microbiol* 2014;52(1):321-323.
77. **Lim ES, Reyes A, Antonio M, Saha D, Ikumapayi UN, Adeyemi M, Stine OC, Skelton R, Brennan DC, Mkakosya RS, Manary MJ, Gordon JI, Wang D.** Discovery of STL polyomavirus, a polyomavirus of ancestral recombinant origin that encodes a unique T antigen by alternative splicing. *Virology*. 2012.
78. **Lim ES, Meinerz NM, Primi B, Wang D, Garcea RL.** Common exposure to STL polyomavirus during childhood. *Emerg Infect Dis* 2014;20(9):1559-1561.
79. **Korup S, Rietscher J, Calvignac-Spencer S, Trusch F, Hofmann J, Moens U, Sauer I, Voigt S, Schmuck R, Ehlers B.** Identification of a novel human polyomavirus in organs of the gastrointestinal tract. *PLoS One* 2013;8(3):e58021.
80. **Mishra N, Pereira M, Rhodes RH, An P, Pipas JM, Jain K, Kapoor A, Briese T, Faust PL, Lipkin WI.** Identification of a Novel Polyomavirus in a Pancreatic Transplant Recipient With Retinal Blindness and Vasculitic Myopathy. *J Infect Dis* 2014.
81. **Perez-Losada M, Christensen RG, McClellan DA, Adams BJ, Viscidi RP, Demma JC, Crandall KA.** Comparing phylogenetic codivergence between polyomaviruses and their hosts. *J Virol.* 2006;80(12):5663-5669.
82. **Shadan FF, Villarreal LP.** Coevolution of persistently infecting small DNA viruses and their hosts linked to host-interactive regulatory domains. *Proc Natl Acad Sci U S A.* 1993;90(9):4117-4121.
83. **Baker TS, Drak J, Bina M.** The capsid of small papova viruses contains 72 pentameric capsomeres: direct evidence from cryo-electron-microscopy of simian virus 40. *Biophysical journal.* 1989;55(2):243-253.
84. **DeCaprio JA, Imperiale, M. J., Major, E. O.** Polyomaviruses. In *Fields Virology*, 6th edn, p. 2513. Edited by D. M. Knipe & P.M. Howley. Philadelphia: Wolters Kluwer / Lippincott Williams & Wilkins.2013.
85. **Salunke DM, Caspar DL, Garcea RL.** Self-assembly of purified polyomavirus capsid protein VP1. *Cell.* 1986;46(6):895-904.
86. **Gosert R, Kardas P, Major EO, Hirsch HH.** Rearranged JC virus noncoding control regions found in progressive multifocal leukoencephalopathy patient samples increase virus early gene expression and replication rate. *J Virol.* 2010;84(20):10448-10456.
87. **Abend JR, Joseph AE, Das D, Campbell-Cecen DB, Imperiale MJ.** A truncated T antigen expressed from an alternatively spliced BK virus early mRNA. *J Gen Virol* 2009;90(Pt 5):1238-1245.
88. **Shuda M, Feng H, Kwun HJ, Rosen ST, Gjoerup O, Moore PS, Chang Y.** T antigen mutations are a human tumor-specific signature for Merkel cell polyomavirus. *Proc Natl Acad Sci U S A.* 2008;105(42):16272-16277.
89. **Trowbridge PW, Frisque RJ.** Identification of three new JC virus proteins generated by alternative splicing of the early viral mRNA. *J Neurovirol* 1995;1(2):195-206.
90. **Zerrahn J, Knippschild U, Winkler T, Deppert W.** Independent expression of the transforming amino-terminal domain of SV40 large T antigen from an alternatively spliced third SV40 early mRNA. *EMBO J* 1993;12(12):4739-4746.
91. **Comerford SA, Schultz N, Hinnant EA, Klapproth S, Hammer RE.** Comparative analysis of SV40 17kT and LT function in vivo demonstrates that LT's C-terminus re-programs hepatic gene expression and is necessary for tumorigenesis in the liver. *Oncogenesis* 2012;1:e28.

92. Riley MI, Yoo W, Mda NY, Folk WR. Tiny T antigen: an autonomous polyomavirus T antigen amino-terminal domain. *J Virol* 1997;71(8):6068-6074.
93. Carter JJ, Daugherty MD, Qi X, Bheda-Malge A, Wipf GC, Robinson K, Roman A, Malik HS, Galloway DA. Identification of an overprinting gene in Merkel cell polyomavirus provides evolutionary insight into the birth of viral genes. *Proc Natl Acad Sci U S A*. 2013;110(31):12744-12749.
94. Belshaw R, Pybus OG, Rambaut A. The evolution of genome compression and genomic novelty in RNA viruses. *Genome research*. 2007;17(10):1496-1504.
95. Firth AE, Brown CM. Detecting overlapping coding sequences in virus genomes. *BMC bioinformatics*. 2006;7:75.
96. Keese PK, Gibbs A. Origins of genes: "big bang" or continuous creation? *Proc Natl Acad Sci U S A*. 1992;89(20):9489-9493.
97. Sabath N, Wagner A, Karlin D. Evolution of viral proteins originated de novo by overprinting. *Molecular biology and evolution*. 2012;29(12):3767-3780.
98. Gerits N, Johannessen M, Tummler C, Walquist M, Kostenko S, Snapkov I, van Loon B, Ferrari E, Hubscher U, Moens U. Agnoprotein of polyomavirus BK interacts with proliferating cell nuclear antigen and inhibits DNA replication. *Virol J*. 2015;12(1):7.
99. Yu Y, Alwine JC. 19S late mRNAs of simian virus 40 have an internal ribosome entry site upstream of the virion structural protein 3 coding sequence. *J Virol* 2006;80(13):6553-6558.
100. Schowalter RM, Buck CB. The Merkel cell polyomavirus minor capsid protein. *PLoS Pathog*. 2013;9(8):e1003558.
101. Seo GJ, Chen CJ, Sullivan CS. Merkel cell polyomavirus encodes a microRNA with the ability to autoregulate viral gene expression. *Virology*. 2009;383(2):183-187.
102. Sullivan CS, Grundhoff AT, Tevethia S, Pipas JM, Ganem D. SV40-encoded microRNAs regulate viral gene expression and reduce susceptibility to cytotoxic T cells. *Nature*. 2005;435(7042):682-686.
103. Sullivan CS, Sung CK, Pack CD, Grundhoff A, Lukacher AE, Benjamin TL, Ganem D. Murine Polyomavirus encodes a microRNA that cleaves early RNA transcripts but is not essential for experimental infection. *Virology*. 2009;387(1):157-167.
104. Theiss JM, Gunther T, Alawi M, Neumann F, Tessmer U, Fischer N, Grundhoff A. A Comprehensive Analysis of Replicating Merkel Cell Polyomavirus Genomes Delineates the Viral Transcription Program and Suggests a Role for mcv-mir-M1 in Episomal Persistence. *PLoS Pathog*. 2015;11(7):e1004974.
105. Lauber C, Kazem S, Kravchenko AA, Feltkamp MC, Gorbalenya AE. Interspecific adaptation by binary choice at de novo polyomavirus T antigen site through accelerated codon-constrained Val-Ala toggling within an intrinsically disordered region. *Nucleic Acids Res*. 2015;43(10):4800-4813.
106. Bauman Y, Nachmani D, Vitenshtein A, Tsukerman P, Drayman N, Stern-Ginossar N, Lankry D, Gruda R, Mandelboim O. An identical miRNA of the human JC and BK polyoma viruses targets the stress-induced ligand ULBP3 to escape immune elimination. *Cell Host Microbe*. 2011;9(2):93-102.
107. Lee S, Paulson KG, Murchison EP, Afanasiev OK, Alkan C, Leonard JH, Byrd DR, Hannon GJ, Nghiem P. Identification and validation of a novel mature microRNA encoded by the Merkel cell polyomavirus in human Merkel cell carcinomas. *J Clin Virol*. 2011;52(3):272-275.
108. Imperiale MJ, Major E.O. Polyomaviruses. In *Fields Virology*, 5th edn, pp. 2263-2298. Edited by D. M. Knipe & P.M. Howley. Philadelphia: Wolters Kluwer / Lippincott Williams & Wilkins. 2007:2263-2298.
109. Sullivan CS, Pipas JM. T antigens of simian virus 40: molecular chaperones for viral replication and tumorigenesis. *Microbiol Mol Biol Rev* 2002;66(2):179-202.
110. Chang Y, Moore PS. Merkel cell carcinoma: a virus-induced human cancer. *Annual review of pathology*. 2012;7:123-144.
111. Andrabi S, Hwang JH, Choe JK, Roberts TM, Schaffhausen BS. Comparisons between polyoma and SV40 show significant differences in small T antigen function. *J Virol* 2011.

112. **Buchkovich NJ, Yu Y, Zampieri CA, Alwine JC.** The TORrid affairs of viruses: effects of mammalian DNA viruses on the PI3K-Akt-mTOR signalling pathway. *Nat Rev Microbiol.* 2008;6(4):266-275.
113. **Arora R, Chang Y, Moore PS.** MCV and Merkel cell carcinoma: a molecular success story. *Curr Opin Virol* 2012.
114. **Fanning E, Zhao K.** SV40 DNA replication: from the A gene to a nanomachine. *Virology.* 2009;384(2):352-359.
115. **Cheng J, DeCaprio JA, Fluck MM, Schaffhausen BS.** Cellular transformation by Simian Virus 40 and Murine Polyoma Virus T antigens. *Semin Cancer Biol* 2009;19(4):218-228.
116. **Fluck MM, Schaffhausen BS.** Lessons in signaling and tumorigenesis from polyomavirus middle T antigen. *Microbiol Mol Biol Rev* 2009;73(3):542-563, Table.
117. **Dilworth SM.** Polyoma virus middle T antigen and its role in identifying cancer-related molecules. *Nat Rev Cancer.* 2002;2(12):951-956.
118. **Xue B, Ganti K, Rabionet A, Banks L, Uversky VN.** Disordered interactome of human papillomavirus. *Current pharmaceutical design.* 2014;20(8):1274-1292.
119. **Lauber C, Kazem S, Kravchenko AA, Feltkamp MCW, Gorbatenya AE.** Interspecific adaptation by binary choice at *de novo* polyomavirus T antigen site through accelerated codon-constrained Val-Ala toggling within an intrinsically disordered region. *Nucleic Acids Res.* 2015.
120. **Bloomgren G, Richman S, Hotermans C, Subramanyam M, Goelz S, Natarajan A, Lee S, Plavina T, Scanlon JV, Sandrock A, Bozic C.** Risk of natalizumab-associated progressive multifocal leukoencephalopathy. *The New England journal of medicine.* 2012;366(20):1870-1880.
121. **Major EO.** Progressive multifocal leukoencephalopathy in patients on immunomodulatory therapies. *Annual review of medicine.* 2010;61:35-47.
122. **Houben R, Shuda M, Weinkam R, Schrama D, Feng H, Chang Y, Moore PS, Becker JC.** Merkel cell polyomavirus-infected Merkel cell carcinoma cells require expression of viral T antigens. *J Virol* 2010;84(14):7064-7072.
123. **Shuda M, Arora R, Kwun HJ, Feng H, Sarid R, Fernandez-Figueras MT, Tolstov Y, Gjoerup O, Mansukhani MM, Swerdlow SH, Chaudhary PM, Kirkwood JM, Nalesnik MA, Kant JA, Weiss LM, Moore PS, Chang Y.** Human Merkel cell polyomavirus infection I. MCV T antigen expression in Merkel cell carcinoma, lymphoid tissues and lymphoid tumors. *Int J Cancer.* 2009;125(6):1243-1249.
124. **Schrama D, Groesser L, Ugurel S, Hafner C, Pastrana DV, Buck CB, Cerroni L, Theiler A, Becker JC.** Presence of human polyomavirus 6 in mutation-specific BRAF inhibitor-induced epithelial proliferations. *JAMA Dermatol* 2014;150(11):1180-1186.
125. **Bialasiewicz S, Whiley DM, Lambert SB, Jacob K, Bletchly C, Wang D, Nissen MD, Sloots TP.** Presence of the newly discovered human polyomaviruses KI and WU in Australian patients with acute respiratory tract infection. *J Clin Virol* 2008;41(2):63-68.
126. **Babakir-Mina M, Ciccozzi M, Perno CF, Ciotti M.** The novel KI, WU, MC polyomaviruses: possible human pathogens? *The new microbiologica.* 2011;34(1):1-8.
127. **van der Meijden E, Wunderink HF, van der Blij-de Brouwer CS, Zaaijer HL, Rotmans JI, Bavinck JN, Feltkamp MC.** Human polyomavirus 9 infection in kidney transplant patients. *Emerg Infect Dis* 2014;20(6):991-999.
128. **Waterboer T, Sehr P, Michael KM, Franceschi S, Nieland JD, Joos TO, Templin MF, Pawlita M.** Multiplex human papillomavirus serology based on *in situ*-purified glutathione s-transferase fusion proteins. *Clin Chem* 2005;51(10):1845-1853.
129. **Chen T, Hedman L, Mattila PS, Jartti T, Ruuskanen O, Soderlund-Venermo M, Hedman K.** Serological evidence of Merkel cell polyomavirus primary infections in childhood. *J Clin Virol* 2010.
130. **Bennett SM, Broekema NM, Imperiale MJ.** BK polyomavirus: emerging pathogen. *Microbes and Infection / Institut Pasteur.* 2012;14(9):672-683.

131. **Hirsch HH, Randhawa P, Practice ASTIDCo.** BK virus in solid organ transplant recipients. *Am J Transplant.* 2009;9 Suppl 4:S136-146.
132. **Wieland U, Silling S, Scola N, Potthoff A, Gambichler T, Brockmeyer NH, Pfister H, Kreuter A.** Merkel cell polyomavirus infection in HIV-positive men. *Arch Dermatol.* 2011;147(4):401-406.
133. **Korajkic A, Brownell MJ, Harwood VJ.** Investigation of human sewage pollution and pathogen analysis at Florida Gulf coast beaches. *Journal of applied microbiology.* 2011;110(1):174-183.
134. **Bofill-Mas S, Rodriguez-Manzano J, Calgua B, Carratala A, Girones R.** Newly described human polyomaviruses Merkel cell, KI and WU are present in urban sewage and may represent potential environmental contaminants. *Virol J.* 2010;7:141.
135. **Di Bonito P, Libera SD, Petricca S, Iaconelli M, Accardi L, Muscillo M, La Rosa G.** Frequent and Abundant Merkel Cell Polyomavirus Detection in Urban Wastewaters in Italy. *Food and environmental virology.* 2014.
136. **Foulongne V, Courgaud V, Champeau W, Segondy M.** Detection of Merkel cell polyomavirus on environmental surfaces. *J Med Virol.* 2011;83(8):1435-1439.
137. **Wieland U, Mauch C, Kreuter A, Krieg T, Pfister H.** Merkel cell polyomavirus DNA in persons without merkel cell carcinoma. *Emerg Infect Dis* 2009;15(9):1496-1498.
138. **Abend JR, Jiang M, Imperiale MJ.** BK virus and human cancer: innocent until proven guilty. *Semin Cancer Biol.* 2009;19(4):252-260.
139. **Maginnis MS, Atwood WJ.** JC virus: an oncogenic virus in animals and humans? *Semin Cancer Biol* 2009;19(4):261-269.
140. **de Koning M, Quint W, Struijk L, Kleter B, Wanningen P, van Doorn LJ, Weissenborn SJ, Feltkamp M, ter Schegget J.** Evaluation of a novel highly sensitive, broad-spectrum PCR-reverse hybridization assay for detection and identification of beta-papillomavirus DNA. *J Clin Microbiol.* 2006;44(5):1792-1800.
141. **Huang X, Madan A.** CAP3: A DNA sequence assembly program. *Genome research.* 1999;9(9):868-877.
142. **Mount SM.** A catalogue of splice junction sequences. *Nucleic Acids Res* 1982;10(2):459-472.
143. **Rogozin IB, Milanesi L.** Analysis of donor splice sites in different eukaryotic organisms. *Journal of molecular evolution.* 1997;45(1):50-59.
144. **Kwun HJ, Guastafierro A, Shuda M, Meinke G, Bohm A, Moore PS, Chang Y.** The minimum replication origin of merkel cell polyomavirus has a unique large T-antigen loading architecture and requires small T-antigen expression for optimal replication. *J Virol* 2009;83(23):12118-12128.
145. **Murzin AG, Brenner SE, Hubbard T, Chothia C.** SCOP: a structural classification of proteins database for the investigation of sequences and structures. *J Mol Biol.* 1995;247(4):536-540.
146. **Soding J.** Protein homology detection by HMM-HMM comparison. *Bioinformatics.* 2005;21(7):951-960.
147. **Pruitt KD, Tatusova T, Maglott DR.** NCBI reference sequences (RefSeq): a curated non-redundant sequence database of genomes, transcripts and proteins. *Nucleic Acids Res.* 2007;35(Database issue):D61-65.
148. **Groenewoud MJ, Fagrouch Z, van Gessel S, Niphuis H, Bulavaite A, Warren KS, Heeney JL, Verschoor EJ.** Characterization of novel polyomaviruses from Bornean and Sumatran orang-utans. *J Gen Virol* 2010;91(Pt 3):653-658.
149. **Edgar RC.** MUSCLE: multiple sequence alignment with high accuracy and high throughput. *Nucleic Acids Res.* 2004;32(5):1792-1797.
150. **Gorbalyena AE, Lieutaud P, Harris MR, Coutard B, Canard B, Kleywegt GJ, Kravchenko AA, Samborskiy DV, Sidorov IA, Leontovich AM, Jones TA.** Practical application of bioinformatics by the multidisciplinary VIZIER consortium. *Antiviral research.* 2010;87(2):95-110.
151. **Drummond AJ, Rambaut A.** BEAST: Bayesian evolutionary analysis by sampling trees. *BMC evolutionary biology.* 2007;7:214.
152. **Whelan S, Goldman N.** A general empirical model of protein evolution derived from multiple protein families using a maximum-likelihood approach. *Molecular biology and evolution.* 2001;18(5):691-699.

153. **Drummond AJ, Ho SY, Phillips MJ, Rambaut A.** Relaxed phylogenetics and dating with confidence. *PLoS biology*. 2006;4(5):e88.
154. **Goodman SN.** Toward evidence-based medical statistics. 2: The Bayes factor. *Annals of internal medicine*. 1999;130(12):1005-1013.
155. **Noble JC, Prives C, Manley JL.** In vitro splicing of simian virus 40 early pre mRNA. *Nucleic Acids Res* 1986;14(3):1219-1235.
156. **White MK, Safak M, Khalili K.** Regulation of gene expression in primate polyomaviruses. *J Virol* 2009;83(21):10846-10856.
157. **Pipas JM.** Common and unique features of T antigens encoded by the polyomavirus group. *J Virol* 1992;66(7):3979-3985.
158. **Gorbalenya AE, Koonin EV, Wolf YI.** A new superfamily of putative NTP-binding domains encoded by genomes of small DNA and RNA viruses. *FEBS letters*. 1990;262(1):145-148.
159. **Ahuja D, Saenz-Robles MT, Pipas JM.** SV40 large T antigen targets multiple cellular pathways to elicit cellular transformation. *Oncogene*. 2005;24(52):7729-7745.
160. **Dalianis T, Ramqvist T, Andreasson K, Kean JM, Garcea RL.** KI, WU and Merkel cell polyomaviruses: a new era for human polyomavirus research. *Semin Cancer Biol* 2009;19(4):270-275.
161. **Jiang M, Abend JR, Johnson SF, Imperiale MJ.** The role of polyomaviruses in human disease. *Virology*. 2009;384(2):266-273.
162. **Bennett MD, Woolford L, Stevens H, van Ranst M, Oldfield T, Slaven M, O'Hara AJ, Warren KS, Nicholls PK.** Genomic characterization of a novel virus found in papillomatous lesions from a southern brown bandicoot (*Isoodon obesus*) in Western Australia. *Virology*. 2008;376(1):173-182.
163. **Johns R, Wittig W, Fernandez-de-Luco D, Hofle U, Muller H.** Characterization of two novel polyomaviruses of birds by using multiply primed rolling-circle amplification of their genomes. *J Virol* 2006;80(7):3523-3531.
164. **Rector A, Bossart GD, Ghim SJ, Sundberg JP, Jenson AB, van Ranst M.** Characterization of a novel close-to-root papillomavirus from a Florida manatee by using multiply primed rolling-circle amplification: *Trichechus manatus latirostris* papillomavirus type 1. *J Virol*. 2004;78(22):12698-12702.
165. **Stevens H, Rector A, Bertelsen MF, Leifsson PS, van Ranst M.** Novel papillomavirus isolated from the oral mucosa of a polar bear does not cluster with other papillomaviruses of carnivores. *Veterinary microbiology*. 2008;129(1-2):108-116.
166. **Verschoor EJ, Groenewoud MJ, Fagrouch Z, Kewalapati A, van Gessel S, Kik MJ, Heeney JL.** Molecular characterization of the first polyomavirus from a New World primate: squirrel monkey polyomavirus. *J Gen Virol* 2008;89(Pt 1):130-137.
167. **Moens U, Van GM, Johannessen M.** Oncogenic potentials of the human polyomavirus regulatory proteins. *Cell Mol Life Sci* 2007;64(13):1656-1678.
168. **Kassem A, Technau K, Kurz AK, Pantulu D, Loning M, Kayser G, Stickeler E, Weyers W, Diaz C, Werner M, Nashan D, zur Hausen A.** Merkel cell polyomavirus sequences are frequently detected in nonmelanoma skin cancer of immunosuppressed patients. *Int J Cancer*. 2009;125(2):356-361.
169. **Ramqvist T, Dalianis T.** Murine polyomavirus tumour specific transplantation antigens and viral persistence in relation to the immune response, and tumour development. *Semin Cancer Biol*. 2009;19(4):236-243.
170. **zur Hausen H, Gissmann L.** Lymphotropic papovaviruses isolated from African green monkey and human cells. *Med Microbiol Immunol* 1979;167(3):137-153.
171. **Babakir-Mina M, Ciccozzi M, Lo Presti A, Greco F, Perno CF, Ciotti M.** Identification of Merkel cell polyomavirus in the lower respiratory tract of Italian patients. *J Med Virol*. 2010;82(3):505-509.
172. **Dworkin AM, Tseng SY, Allain DC, Iwenofu OH, Peters SB, Toland AE.** Merkel cell polyomavirus in cutaneous squamous cell carcinoma of immunocompetent individuals. *J Invest Dermatol*. 2009;129(12):2868-2874.

173. **Foulongne V, Dereure O, Kluger N, Moles JP, Guillot B, Segondy M.** Merkel cell polyomavirus DNA detection in lesional and nonlesional skin from patients with Merkel cell carcinoma or other skin diseases. *Br J Dermatol* 2010;162(1):59-63.
174. **Goh S, Lindau C, Tiveljung-Lindell A, Allander T.** Merkel cell polyomavirus in respiratory tract secretions. *Emerg Infect Dis*. 2009;15(3):489-491.
175. **de Koning MN, Struijk L, Bavinck JN, Kleter B, ter Schegget J, Quint WG, Feltkamp MC.** Betapapillomaviruses frequently persist in the skin of healthy individuals. *J Gen Virol*. 2007;88(Pt 5):1489-1495.
176. **Busam KJ, Jungbluth AA, Rekhtman N, Coit D, Pulitzer M, Bini J, Arora R, Hanson NC, Tassello JA, Frosina D, Moore P, Chang Y.** Merkel cell polyomavirus expression in merkel cell carcinomas and its absence in combined tumors and pulmonary neuroendocrine carcinomas. *Am J Surg Pathol* 2009;33(9):1378-1385.
177. **Kassem A, Schopflin A, Diaz C, Weyers W, Stickeler E, Werner M, zur Hausen A.** Frequent detection of Merkel cell polyomavirus in human Merkel cell carcinomas and identification of a unique deletion in the VP1 gene. *Cancer Res* 2008;68(13):5009-5013.
178. **Touze A, Gaitan J, Arnold F, Cazal R, Fleury MJ, Combelas N, Sizaret PY, Guyetant S, Maruani A, Baay M, Tognon M, Coursaget P.** Generation of Merkel cell polyomavirus (MCV)-like particles and their application to detection of MCV antibodies. *J Clin Microbiol* 2010;48(5):1767-1770.
179. **Pastrana DV, Tolstov YL, Becker JC, Moore PS, Chang Y, Buck CB.** Quantitation of human seroresponsiveness to Merkel cell polyomavirus. *PLoS Pathog* 2009;5(9):e1000578.
180. **Sehr P, Muller M, Hopfl R, Widschwendter A, Pawlita M.** HPV antibody detection by ELISA with capsid protein L1 fused to glutathione S-transferase. *J Virol Methods*. 2002;106(1):61-70.
181. **Sehr P, Zumbach K, Pawlita M.** A generic capture ELISA for recombinant proteins fused to glutathione S-transferase: validation for HPV serology. *J Immunol Methods*. 2001;253(1-2):153-162.
182. **De Melker HE, Conyn-van Spaendonck MA.** Immunosurveillance and the evaluation of national immunization programmes: a population-based approach. *Epidemiol Infect* 1998;121(3):637-643.
183. **Antonsson A, Green AC, Mallitt KA, O'Rourke PK, Pawlita M, Waterboer T, Neale RE.** Prevalence and stability of antibodies to the BK and JC polyomaviruses: a long-term longitudinal study of Australians. *J Gen Virol* 2010;91(Pt 7):1849-1853.
184. **Plasmeijer EI, Neale RE, O'Rourke P, Mallitt KA, de Koning MN, Quint W, Buettner PG, Pawlita M, Waterboer T, Green AC, Feltkamp MC.** Lack of association between the presence and persistence of betapapillomavirus DNA in eyebrow hairs and betapapillomavirus L1 antibodies in serum. *J Gen Virol* 2010;91(Pt 8):2073-2079.
185. **Paulson KG, Carter JJ, Johnson LG, Cahill KW, Iyer JG, Schrama D, Becker JC, Madeleine MM, Nghiem P, Galloway DA.** Antibodies to Merkel Cell Polyomavirus T Antigen Oncoproteins Reflect Tumor Burden in Merkel Cell Carcinoma Patients. *Cancer Res* 2010.
186. **Carter JJ, Madeleine MM, Wipf GC, Garcea RL, Pipkin PA, Minor PD, Galloway DA.** Lack of serologic evidence for prevalent simian virus 40 infection in humans. *J Natl Cancer Inst* 2003;95(20):1522-1530.
187. **Viscidi RP, Rollison DE, Viscidi E, Clayman B, Rubalcaba E, Daniel R, Major EO, Shah KV.** Serological cross-reactivities between antibodies to simian virus 40, BK virus, and JC virus assessed by virus-like-particle-based enzyme immunoassays. *Clin Diagn Lab Immunol* 2003;10(2):278-285.
188. **Foulongne V, Kluger N, Dereure O, Mercier G, Moles JP, Guillot B, Segondy M.** Merkel cell polyomavirus in cutaneous swabs. *Emerg Infect Dis* 2010;16(4):685-687.
189. **Foulongne V, Sauvage V, Hebert C, Dereure O, Cheval J, Gouilh MA, Pariente K, Segondy M, Burguiere A, Manuguerra JC, Caro V, Eloit M.** Human skin microbiota: high diversity of DNA viruses identified on the human skin by high throughput sequencing. *PLoS One* 2012;7(6):e38499.

190. **Rodig SJ, Cheng J, Wardzala J, DoRosario A, Scanlon JJ, Laga AC, Martinez-Fernandez A, Barletta JA, Bellizzi AM, Sadasivam S, Holloway DT, Cooper DJ, Kupper TS, Wang LC, DeCaprio JA.** Improved detection suggests all Merkel cell carcinomas harbor Merkel polyomavirus. *J Clin Invest.* 2012;122(12):4645-4653.
191. **Tozer SJ, Lambert SB, Sloots TP, Nissen MD.** Q fever seroprevalence in metropolitan samples is similar to rural/remote samples in Queensland, Australia. *Eur J Clin Microbiol Infect Dis* 2011;30(10):1287-1293.
192. **Feltkamp MC, Kazem S, van der Meijden E, Lauber C, Gorbatenya AE.** From Stockholm to Malawi: recent developments in studying human polyomaviruses. *J Gen Virol* 2013;94(Pt 3):482-496.
193. **Moens U, Van GM, Song X, Ehlers B.** Serological cross-reactivity between human polyomaviruses. *Rev Med Virol* 2013;23(4):250-264.
194. **Boldorini R, Allegrini S, Miglio U, Paganotti A, Coccia N, Zaffaroni M, Riboni F, Monga G, Viscidi R.** Serological evidence of vertical transmission of JC and BK polyomaviruses in humans. *J Gen Virol* 2011;92(Pt 5):1044-1050.
195. **Hamilton RS, Gravell M, Major EO.** Comparison of antibody titers determined by hemagglutination inhibition and enzyme immunoassay for JC virus and BK virus. *J Clin Microbiol* 2000;38(1):105-109.
196. **Antonsson A, Pawlita M, Feltkamp MC, Bouwes Bavinck JN, Euvrard S, Harwood CA, Naldini L, Nindl I, Proby CM, Neale RE, Waterboer T.** Longitudinal study of seroprevalence and serostability of the human polyomaviruses JCV and BKV in organ transplant recipients. *J Med Virol* 2013;85(2):327-335.
197. **Viscidi RP, Rollison DE, Sondak VK, Silver B, Messina JL, Giuliano AR, Fulp W, Ajidahun A, Rivanera D.** Age-Specific Seroprevalence of Merkel Cell Polyomavirus, BK Virus, and JC Virus. *Clin Vaccine Immunol* 2011;18(10):1737-1743.
198. **Gjøerup O, Chang Y.** Update on human polyomaviruses and cancer. *Adv Cancer Res* 2010;106:1-51.
199. **Moens U, Van Ghelue M.** Polymorphism in the genome of non-passaged human polyomavirus BK: implications for cell tropism and the pathological role of the virus. *Virology* 2005;331(2):209-231.
200. **Lopez-Lerma I, Mollet J, Garcia-Patos V.** Trichodysplasia spinulosa in Gorlin syndrome treated with vismodegib. *JAMA Dermatol.* 2015;151(4):458-459.
201. **Wu JH, Nguyen HP, Rady PL, Tyring SK.** Molecular insight into the viral biology and clinical features of trichodysplasia spinulosa. *Br J Dermatol.* 2015.
202. **Fukumoto H, Li TC, Kataoka M, Hasegawa H, Wakita T, Saeki H, Suzuki T, Katano H.** Seroprevalence of trichodysplasia spinulosa-associated polyomavirus in Japan. *J Clin Virol.* 2015;65:76-82.
203. **Chen T, Tanner L, Simell V, Hedman L, Makinen M, Sadeghi M, Veijola R, Hyoty H, Ilonen J, Knip M, Toppuri J, Simell O, Soderlund-Venermo M, Hedman K.** Diagnostic methods for and clinical pictures of polyomavirus primary infections in children, Finland. *Emerg Infect Dis.* 2014;20(4):689-692.
204. **Kazem S, Lauber C, van der Meijden E, Kooijman S, Kravchenko AA, Trichspin Network, Feltkamp MC, Gorbatenya AE.** Limited variation during circulation of a polyomavirus in the human population involves the COCO-VA toggling site of Middle and Alternative T-antigen(s). *Virology* 2015;487:129-140.
205. **Frohman EM, Monaco MC, Remington G, Ryschkewitsch C, Jensen PN, Johnson K, Perkins M, Liebner J, Greenberg B, Monson N, Frohman TC, Douek D, Major EO.** JC virus in CD34+ and CD19+ cells in patients with multiple sclerosis treated with natalizumab. *JAMA Neurology* 2014;71(5):596-602.
206. **Babakir-Mina M, Ciccozzi M, Bonifacio D, Bergallo M, Costa C, Cavallo R, Di Bonito L, Perno CF, Ciotti M.** Identification of the novel KI and WU polyomaviruses in human tonsils. *J Clin Virol.* 2009;46(1):75-79.
207. **Ferenczy MW, Marshall LJ, Nelson CD, Atwood WJ, Nath A, Khalili K, Major EO.** Molecular biology, epidemiology, and pathogenesis of progressive multifocal leukoencephalopathy, the JC virus-induced demyelinating disease of the human brain. *Clin Microbiol Rev* 2012;25(3):471-506.

208. Kantola K, Sadeghi M, Lahtinen A, Koskenvuo M, Aaltonen LM, Mottonen M, Rahiala J, Saarinen-Pihkala U, Riikonen P, Jartti T, Ruuskanen O, Soderlund-Venermo M, Hedman K. Merkel cell polyomavirus DNA in tumor-free tonsillar tissues and upper respiratory tract samples: implications for respiratory transmission and latency. *J Clin Virol.* 2009;45(4):292-295.
209. Sadeghi M, Aaltonen LM, Hedman L, Chen T, Soderlund-Venermo M, Hedman K. Detection of TS polyomavirus DNA in tonsillar tissues of children and adults: evidence for site of viral latency. *J Clin Virol.* 2014;59(1):55-58.
210. Stroh LJ, Gee GV, Blaum BS, Dugan AS, Feltkamp MC, Atwood WJ, Stehle T. Trichodysplasia spinulosa-Associated Polyomavirus Uses a Displaced Binding Site on VP1 to Engage Sialylated Glycolipids. *PLoS Pathog.* 2015;11(8):e1005112.
211. Rockett R, Barracough KA, Isbel NM, Dudley KJ, Nissen MD, Sloots TP, Bialasiewicz S. Specific rolling circle amplification of low-copy human polyomaviruses BKV, HPyV6, HPyV7, TSPyV, and STLPyV. *J Virol Methods.* 2015;215-216:17-21.
212. Siebrasse EA, Bauer I, Holtz LR, Le BM, Lassa-Claxton S, Canter C, Hmiel P, Shenoy S, Sweet S, Turmelle Y, Shepherd R, Wang D. Human polyomaviruses in children undergoing transplantation, United States, 2008-2010. *Emerg Infect Dis.* 2012;18(10):1676-1679.
213. Tsuzuki S, Fukumoto H, Mine S, Sato N, Mochizuki M, Hasegawa H, Sekizuka T, Kuroda M, Matsushita T, Katano H. Detection of trichodysplasia spinulosa-associated polyomavirus in a fatal case of myocarditis in a seven-month-old girl. *International journal of clinical and experimental pathology.* 2014;7(8):5308-5312.
214. DeCaprio JA, Garcea RL. A cornucopia of human polyomaviruses. *Nat Rev Microbiol* 2013;11(4):264-276.
215. Hirsch HH, Knowles W, Dickenmann M, Passweg J, Klimkait T, Mihatsch MJ, Steiger J. Prospective study of polyomavirus type BK replication and nephropathy in renal-transplant recipients. *The New England journal of medicine.* 2002;347(7):488-496.
216. Shuda M, Kwun HJ, Feng H, Chang Y, Moore PS. Human Merkel cell polyomavirus small T antigen is an oncoprotein targeting the 4E-BP1 translation regulator. *J Clin Invest.* 2011.
217. Houben R, Angermeyer S, Haferkamp S, Aue A, Goebeler M, Schrama D, Hesbacher S. Characterization of functional domains in the Merkel cell polyoma virus Large T Antigen. *Int J Cancer.* 2015;136(5):E290-E300.
218. Nguyen HP, Patel A, Simonette RA, Rady P, Tyring SK. Binding of the trichodysplasia spinulosa-associated polyomavirus small T antigen to protein phosphatase 2A: elucidation of a potential pathogenic mechanism in a rare skin disease. *JAMA Dermatol* 2014;150(11):1234-1236.
219. Wu JH, Simonette RA, Nguyen HP, Rady PL, Tyring SK. Small T-antigen of the TS-associated polyomavirus activates factors implicated in the MAPK pathway. *Journal of the European Academy of Dermatology and Venereology : JEADV.* 2015.
220. Kazem S, Lauber C, van der Meijden E, Kooijman S, Bialasiewicz S, Wang RC, Gorbalenya AE, Feltkamp MCW. Global circulation of slowly evolving trichodysplasia spinulosa-associated polyomavirus and its adaptation to the human population through alternative T antigens. *Journal of Neurovirology.* 2013;2.
221. Courtneidge SA, Goutebroze L, Cartwright A, Heber A, Scherneck S, Feunteun J. Identification and characterization of the hamster polyomavirus middle T antigen. *J Virol* 1991;65(6):3301-3308.
222. Hutchinson MA, Hunter T, Eckhart W. Characterization of T antigens in polyoma-infected and transformed cells. *Cell.* 1978;15(1):65-77.
223. Struijk L, van der Meijden E, Kazem S, ter Schegget J, de Gruijl FR, Steenbergen RD, Feltkamp MC. Specific betapapillomaviruses associated with squamous cell carcinoma of the skin inhibit UVB-induced apoptosis of primary human keratinocytes. *J Gen Virol* 2008;89(Pt 9):2303-2314.
224. Zauner G, Hoffmann M, Rapp E, Koelman CA, Dragan I, Deelder AM, Wührer M, Hensbergen PJ. Glycoproteomic analysis of human fibrinogen reveals novel regions of O-glycosylation. *Journal of proteome research.* 2012;11(12):5804-5814.

225. **Desmet FO, Hamroun D, Lalande M, Collod-Beroud G, Claustres M, Beroud C.** Human Splicing Finder: an online bioinformatics tool to predict splicing signals. *Nucleic Acids Res* 2009;37(9):e67.
226. **Johansson C, Schwartz S.** Regulation of human papillomavirus gene expression by splicing and polyadenylation. *Nat Rev Microbiol* 2013;11(4):239-251.
227. **Kozak M.** An analysis of 5'-noncoding sequences from 699 vertebrate messenger RNAs. *Nucleic Acids Res* 1987;15(20):8125-8148.
228. **Topalis D, Andrei G, Snoeck R.** The large tumor antigen: a "Swiss Army knife" protein possessing the functions required for the polyomavirus life cycle. *Antiviral research*. 2013;97(2):122-136.
229. **Pipas JM.** SV40: Cell transformation and tumorigenesis. *Virology*. 2009;384(2):294-303.
230. **DeCaprio JA, Ludlow JW, Figge J, Shew JY, Huang CM, Lee WH, Marsilio E, Paucha E, Livingston DM.** SV40 large tumor antigen forms a specific complex with the product of the retinoblastoma susceptibility gene. *Cell*. 1988;54(2):275-283.
231. **Dyson N, Bernards R, Friend SH, Gooding LR, Hassell JA, Major EO, Pipas JM, Vandyke T, Harlow E.** Large T antigens of many polyomaviruses are able to form complexes with the retinoblastoma protein. *J Virol*. 1990;64(3):1353-1356.
232. **Harris KF, Christensen JB, Radany EH, Imperiale MJ.** Novel mechanisms of E2F induction by BK virus large-T antigen: requirement of both the pRb-binding and the J domains. *Mol Cell Biol*. 1998;18(3):1746-1756.
233. **Todorovic B, Hung K, Massimi P, Avvakumov N, Dick FA, Shaw GS, Banks L, Mymryk JS.** Conserved region 3 of human papillomavirus 16 E7 contributes to deregulation of the retinoblastoma tumor suppressor. *J Virol*. 2012;86(24):13313-13323.
234. **Malanchi I, Accardi R, Diehl F, Smet A, Androphy E, Hoheisel J, Tommasino M.** Human papillomavirus type 16 E6 promotes retinoblastoma protein phosphorylation and cell cycle progression. *J Virol*. 2004;78(24):13769-13778.
235. **Portari EA, Russomano FB, de Camargo MJ, Machado Gayer CR, da Rocha Guillobel HC, Santos-Reboucas CB, Brito Macedo JM.** Immunohistochemical expression of cyclin D1, p16Ink4a, p21WAF1, and Ki-67 correlates with the severity of cervical neoplasia. *International journal of gynecological pathology : official journal of the International Society of Gynecological Pathologists*. 2013;32(5):501-508.
236. **Rayess H, Wang MB, Srivatsan ES.** Cellular senescence and tumor suppressor gene p16. *Int J Cancer*. 2012;130(8):1715-1725.
237. **van Drongelen V, Danso MO, Mulder A, Mieremet A, van Smeden J, Bouwstra JA, El Ghalbzouri A.** Barrier properties of an N/TERT-based human skin equivalent. *Tissue engineering. Part A*. 2014;20(21-22):3041-3049.
238. **Boxman IL, Mulder LH, Noya F, de Waard V, Gibbs S, Broker TR, ten Kate F, Chow LT, ter Schegget J.** Transduction of the E6 and E7 genes of epidermodysplasia-verruciformis-associated human papillomaviruses alters human keratinocyte growth and differentiation in organotypic cultures. *J Invest Dermatol*. 2001;117(6):1397-1404.
239. **Kazem S, van der Meijden E, Struijk L, de Gruyl FR, Feltkamp MC.** Human papillomavirus 8 E6 disrupts terminal skin differentiation and prevents pro-Caspase-14 cleavage. *Virus Res*. 2012;163(2):609-616.
240. **Kanitakis J, Kazem S, Van Der Meijden E, Feltkamp M.** Absence of the trichodysplasia spinulosa-associated polyomavirus in human pilomatricomas. *European journal of dermatology : EJD*. 2011;21(3):453-454.
241. **Langbein L, Rogers MA, Praetzel S, Winter H, Schweizer J.** K6irs1, K6irs2, K6irs3, and K6irs4 represent the inner-root-sheath-specific type II epithelial keratins of the human hair follicle. *J Invest Dermatol*. 2003;120(4):512-522.
242. **Sadasivam S, DeCaprio JA.** The DREAM complex: master coordinator of cell cycle-dependent gene expression. *Nat Rev Cancer*. 2013;13(8):585-595.

243. **Sherr CJ, McCormick F.** The RB and p53 pathways in cancer. *Cancer cell.* 2002;2(2):103-112.
244. **Frisque RJ, Hofstetter C, Tyagarajan SK.** Transforming activities of JC virus early proteins. *Adv Exp Med Biol.* 2006;577:288-309.
245. **Pipas JM, Levine AJ.** Role of T antigen interactions with p53 in tumorigenesis. *Semin Cancer Biol.* 2001;11(1):23-30.
246. **Shivakumar CV, Das GC.** Interaction of human polyomavirus BK with the tumor-suppressor protein p53. *Oncogene.* 1996;13(2):323-332.
247. **Faust H, Pastrana DV, Buck CB, Dillner J, Ekstrom J.** Antibodies to merkel cell polyomavirus correlate to presence of viral DNA in the skin. *J Infect Dis* 2011;203(8):1096-1100.
248. **Rockett RJ, Sloots TP, Bowes S, O'Neill N, Ye S, Robson J, Whiley DM, Lambert SB, Wang D, Nissen MD, Bialasiewicz S.** Detection of novel polyomaviruses, TSPyV, HPyV6, HPyV7, HPyV9 and MWPyV in feces, urine, blood, respiratory swabs and cerebrospinal fluid. *PLoS One* 2013;8(5):e62764.
249. **Stroh LJ, Neu U, Blaum BS, Buch MH, Garcea RL, Stehle T.** Structure analysis of the major capsid proteins of human polyomaviruses 6 and 7 reveals an obstructed sialic acid binding site. *J Virol* 2014;88(18):10831-10839.
250. **Neu U, Stehle T, Atwood WJ.** The Polyomaviridae: Contributions of virus structure to our understanding of virus receptors and infectious entry. *Virology.* 2009;384(2):389-399.
251. **Khan ZM, Liu Y, Neu U, Gilbert M, Ehlers B, Feizi T, Stehle T.** Crystallographic and glycan microarray analysis of human polyomavirus 9 VP1 identifies N-glycolyl neuraminic acid as a receptor candidate. *J Virol* 2014;88(11):6100-6111.
252. **Schowalter RM, Pastrana DV, Buck CB.** Glycosaminoglycans and sialylated glycans sequentially facilitate merkel cell polyomavirus infectious entry. *PLoS Pathog* 2011;7(7):e1002161.
253. **Brostoff T, Dela Cruz FNJ, Church ME, Woolard KD, Pesavento PA.** The raccoon polyomavirus genome and tumor antigen transcription are stable and abundant in neuroglial tumors. *J Virol* 2014;88(21):12816-12824.
254. **Dela Cruz FNJ, Giannitti F, Li L, Woods LW, Del VL, Delwart E, Pesavento PA.** Novel polyomavirus associated with brain tumors in free-ranging raccoons, western United States. *Emerg Infect Dis* 2013;19(1):77-84.
255. **Andrei G, Topalis D, De Schutter T, Snoeck R.** Insights into the mechanism of action of cidofovir and other acyclic nucleoside phosphonates against polyoma- and papillomaviruses and non-viral induced neoplasia. *Antiviral research.* 2015;114:21-46.
256. **Tsang SH, Wang R, Nakamaru-Ogiso E, Knight SA, Buck CB, You J.** The Oncogenic Small Tumor Antigen of Merkel Cell Polyomavirus Is an Iron-Sulfur Cluster Protein That Enhances Viral DNA Replication. *J Virol.* 2015;90(3):1544-1556.
257. **An P, Brodsky JL, Pipas JM.** The conserved core enzymatic activities and the distinct dynamics of polyomavirus large T antigens. *Archives of biochemistry and biophysics.* 2015;573:23-31.
258. **Borchert S, Czech-Sioli M, Neumann F, Schmidt C, Wimmer P, Dobner T, Grundhoff A, Fischer N.** High-affinity Rb binding, p53 inhibition, subcellular localization, and transformation by wild-type or tumor-derived shortened Merkel cell polyomavirus large T antigens. *J Virol.* 2014;88(6):3144-3160.