



Universiteit  
Leiden  
The Netherlands

## Activity-based protein profiling of glucosidases, fucosidases and glucuronidases

Jiang, J.

### Citation

Jiang, J. (2016, June 23). *Activity-based protein profiling of glucosidases, fucosidases and glucuronidases*. Retrieved from <https://hdl.handle.net/1887/41279>

Version: Not Applicable (or Unknown)

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/41279>

**Note:** To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/41279> holds various files of this Leiden University dissertation

**Author:** Jiang Jianbing

**Title:** Activity-based protein profiling of glucosidases, fucosidases and glucuronidases

**Issue Date:** 2016-06-23

# **Activity-based protein profiling of glucosidases, fucosidases and glucuronidases**

PROEFSCHRIFT

ter verkrijging van

de graad van Doctor aan de Universiteit Leiden,

op gezag van Rector Magnificus prof. mr. C. J. J. M. Stolker,

volgens het besluit van het College voor Promoties

te verdedigen op 23 juni 2016

klokke 12:30 uur

door

**江建冰**

**Jianbing Jiang**

Geboren te Liaocheng, China in 1985

## Promotiecommissie

Promotor: Prof. dr. H. S. Overkleeft  
Prof. dr. J. M. F. G. Aerts

Co-promotor: Dr. J. D. C. Codée

Overige leden: Prof. dr. G. J. Davies (University of York)  
Prof. dr. G. A. van der Marel  
Prof. dr. J. Brouwer  
Dr. L. I. Willems (Simon Fraser University)  
Dr. L. Wu (University of York)

Doctoral Thesis, Leiden University, 2016

Cover design: Jianbing Jiang

Printed by Gildeprint

ISBN: 978-94-6233-3147

To my family

# Table of Contents

<b>List of abbreviations</b>	<b>6</b>
<b>Chapter 1</b> General introduction	<b>9</b>
<b>Chapter 2</b> The synthesis of cyclophellitol aziridine and its configurational and functional isomers	<b>15</b>
<b>Chapter 3</b> <i>In vitro</i> and <i>in vivo</i> comparative and competitive activity-based protein profiling of GH29 $\alpha$ -L-fucosidases	<b>29</b>
<b>Chapter 4</b> Comparing <i>N</i> -alkyl and <i>N</i> -acyl cyclophellitol aziridine and its isomer as activity-based glycosidase probes	<b>75</b>
<b>Chapter 5</b> Detection of active mammalian GH31 $\alpha$ -glucosidases in health and disease using in-class, broad-spectrum activity-based probes	<b>89</b>
<b>Chapter 6</b> Synthesis and biological evaluation of 8-carboxy-cyclophellitol aziridine derivatives as $\beta$ -glucuronidase inhibitors and activity-based probes	<b>119</b>
<b>Chapter 7</b> <i>Exo</i> - and <i>endo</i> -retaining $\beta$ -glucuronidase activities and mechanisms revealed by cyclophellitol aziridine-based inhibitors and probes	<b>145</b>

<b>Chapter 8</b>	<b>165</b>
Summary and future prospects	
<b>Summary in Chinese</b>	<b>187</b>
<b>Curriculum vitae</b>	<b>189</b>
<b>List of publications</b>	<b>190</b>

## List of abbreviations

ABP	activity-based probe	DMF	<i>N,N</i> -dimethylformamide
ABPP	activity-based protein profiling	DMSO	dimethylsulfoxide
Ac	acetyl	dt	double triplet
ACN	acetonitrile	DTT	dithiothreitol
AMP-	<i>N</i> -[5-(adamantan-1-yl-methoxy)-	EDC	1-ethyl-3-(3-dimethyl-
DNM	pentyl]-1-deoxynojirimycin		aminopropyl)-carbodiimide
aq.	aqueous	EDTA	ethlenediaminetetraacetate
Asp	aspartic acid	EEDQ	2-ethoxy-1-ethoxycarbonyl-1,2-
Bn	benzyl		dihydroquinoline
Boc	<i>tert</i> -butyloxycarbonyl	empAI	Exponentially modified protein
BODIPY	Boron-dipyrrromethane		abundance index
br	broad	eq.	molar equivalents
BSA	bovine serum albumin	Et	ethyl
C	chair	et al.	et alii (and others)
CAZy	carbohydrate-active enzymes	Fmoc	(9 <i>H</i> -fluoren-9-yl)methoxycarbonyl
CBE	conduritol $\beta$ -epoxide	FUCA	$\alpha$ -L-fucosidase
Cbz	benzyloxycarbonyl	GAA	lysosomal $\alpha$ -glucosidase
COS-7	African green monkey kidney	GBA	glucocerebrosidase
	fibroblast cell line	GBA2	nonlysosomal glucocerebrosidase
d	doublet	GBA3	broad specificity $\beta$ -glucosidase
$\delta$	chemical shift	GLA	lysosomal $\alpha$ -galactosidase
DBU	1,8-diazabicycloundec-7-ene	GLB	lysosomal $\beta$ -galactosidase
DCM	dichlormethane	GUSB	lysosomal $\beta$ -glucuronidase
dd	double doublet	h	hour(s)
ddd	double double doublet	HEK293	Human embryonic kidney cell line
DIC	<i>N,N</i> -diisopropyl carbodiimide	HEPES	4-(2-hydroxyethyl)-1-
DMAP	4-(dimethylamino)pyridine		piperazineethanesulfonic acid
HPLC	high performance liquid	SDS	sodium dodecyl sulfate
	chromatography	sp.	species
HPSE	heparanase	Su	succinimidyl
HRMS	high resolution mass	t	triplet
	spectrometry	TBAF	tetrabutylammonium fluoride



HRP	horseradish peroxidase	TBAI	tetrabutylammonium iodide
Hz	Hertz	TBS	Tris-buffered saline
IC <sub>50</sub>	half maximal inhibitory	<i>t</i> Bu	<i>tert</i> -butyl
IR	infrared	TEA	triethyl amine
<i>J</i>	coupling constant	<i>tert</i>	tertiary
LCMS	liquid chromatography mass spectrometry	Tf	triflate
m	multiplet	TFA	trifluoroacetic acid
M	molar	THF	tetrahydrofuran
<i>m/z</i>	mass to charge ratio	TLC	thin layer chromatography
<i>m</i> CPBA	<i>meta</i> -chloroperoxybenzoic acid	TMS	trimethylsilane
Me	methyl	Tris	2-amino-2-(hydroxymethyl)-1,3-propanediol
min	minutes	Trt	triphenylmethane
mRNA	messenger ribonucleic acid	UV	ultraviolet
MS	mass spectrometry	WT	wild type
NIS	<i>N</i> -iodosuccinimide		
NMR	nuclear magnetic resonance		
PBS	phosphate buffered saline		
Pd/C	palladium on charcoal		
PEG	polyethyleneglycol		
Ph	phenyl		
ppm	parts per million		
PVDF	polyvinylidene difluoride		
q	quartet		
quant.	quantitative		
R <sub>f</sub>	retention factor		
rt	room temperature		
R <sub>t</sub>	retention time		
rpm	revolutions per minute		
s	singlet		
sat.	saturated		

