



Universiteit  
Leiden  
The Netherlands

## An online corpus of UML Design Models : construction and empirical studies

Karasneh, B.H.A.

### Citation

Karasneh, B. H. A. (2016, July 7). *An online corpus of UML Design Models : construction and empirical studies*. Retrieved from <https://hdl.handle.net/1887/41339>

Version: Not Applicable (or Unknown)

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/41339>

**Note:** To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/41339> holds various files of this Leiden University dissertation.

**Author:** Karasneh, B.H.A.

**Title:** An online corpus of UML Design Models : construction and empirical studies

**Issue Date:** 2016-07-07

# An Online Corpus of UML Design Models: *Construction and empirical studies*

Bilal Karasneh

July 2016



- The author of this PhD thesis was partially financed by Erasmus Mundus program (JOSYLEEN)
- The author of this PhD thesis was employed at Leiden University

# An Online Corpus of UML Design Models: *Construction and empirical studies*

## Proefschrift

ter verkrijging van  
de graad van Doctor aan de Universiteit Leiden,  
op graag van Rector Magnificus Prof. Mr. C.J.J.M. Stolker  
volgens besluit van het College voor Promoties  
te verdedigen op donderdag 7 juli 2016  
klokke 10:00 uur

door

Bilal Karasneh  
geboren te Irbid, Jordan  
in 1982

# Promotiecommissie

Promotoren:

Prof. Dr. Joost N.Kok  
Prof. Dr. Michel R. V. Chaudron

Universiteit Leiden  
Chalmers Universitet and Göteborgs  
Universitet, Sweden

Commissieleden:

Prof. Dr. Ir. Thomas H. W. Bäck  
Dr. Regina Hebig

Universiteit Leiden  
Chalmers Universitet and Göteborgs  
Universitet, Sweden  
Universiteit Leiden  
Wageningen University

Prof. Dr. Aske Plaat  
Prof. Dr. Ir. Bedir Tekinerdogan

*To the spirit of my father Hikmat Karasneh,  
and to my mother Maryam Obeidat*



# Contents

<b>List of Figures</b>	<b>v</b>
<b>List of Tables</b>	<b>ix</b>
<b>1 Introduction</b>	<b>1</b>
1.1 Problem Statement . . . . .	2
1.2 Objective of the Study . . . . .	2
1.3 Research Methodology . . . . .	3
1.4 Contributions . . . . .	3
1.5 Dissertation Outline . . . . .	5
1.6 Publications . . . . .	6
<b>2 Background</b>	<b>9</b>
2.1 Quality Models . . . . .	9
2.1.1 Software Quality Models . . . . .	10
2.1.2 Measuring Software Quality . . . . .	11
2.2 Severity of Software Defect . . . . .	13
2.3 Ontologies in SE . . . . .	14
2.3.1 Ontology Editors . . . . .	14
2.3.2 Web Ontology Language . . . . .	15
2.4 Unified Modeling Language . . . . .	16
2.4.1 Class Diagrams . . . . .	17
2.4.2 Sequence Diagrams . . . . .	17
2.4.3 Use Case Diagrams . . . . .	17
2.4.4 Challenges of modeling and studying using UML . . . . .	17
2.5 Repositories in SE . . . . .	18

<b>3 A Method for Automated Prediction of Defect Severity Using Ontologies</b>	<b>21</b>
3.1 Approach . . . . .	22
3.1.1 Developing the Ontology . . . . .	23
3.1.2 The Method Flow . . . . .	28
3.2 Case Studies . . . . .	28
3.2.1 Data Collection . . . . .	30
3.2.2 Data Analysis and Conversion . . . . .	30
3.2.3 Data Classification . . . . .	31
3.2.4 Results and Comparison . . . . .	32
3.3 Validation . . . . .	33
3.3.1 Approach - VCS . . . . .	34
3.3.2 Results and Comparison . . . . .	35
3.3.3 Validation of the Results . . . . .	36
3.3.4 Comparison . . . . .	37
3.4 Related Work . . . . .	43
3.5 Threats to Validity . . . . .	45
3.5.1 Conclusion Validity . . . . .	45
3.5.2 Internal Validity . . . . .	45
3.5.3 Construct Validity . . . . .	45
3.6 Conclusions . . . . .	45
3.7 Future Work . . . . .	47
<b>4 Establishing an Infrastructure for Empirical Research on UML Diagrams</b>	<b>49</b>
4.1 Overview of UML Crawler . . . . .	50
4.1.1 Methodology of making UML Crawler . . . . .	51
4.1.2 Differences with other solutions . . . . .	51
4.1.3 Crawler Requirement . . . . .	52
4.1.4 Using Google Images . . . . .	52
4.1.5 Implementation of UMLCrawler . . . . .	53
4.1.6 Crawler Database . . . . .	54
4.1.7 Limitations of UMLCrawler . . . . .	55
4.2 UML Image Classifier . . . . .	55
4.2.1 Classifier Approach . . . . .	56
4.2.2 Experiment Description . . . . .	59
4.2.3 Classification Results . . . . .	60
4.2.4 Image Processing Time . . . . .	61
4.3 Extracting UML Models From Images . . . . .	61
4.3.1 Approach of Img2UML . . . . .	61
4.3.2 Why UMLCrawler, UMLImgClassifier and Img2UML . . . . .	73
4.3.3 Validation of Img2UML . . . . .	73
4.3.4 UML Use case . . . . .	74
4.4 Related Work . . . . .	74

4.5 Conclusion and Future Work . . . . .	76
<b>5 Models-db.com: An Online Repository for UML Models</b>	<b>77</b>
5.1 Related Work . . . . .	78
5.2 Usefulness of the Repository . . . . .	79
5.3 Data Collection Approach . . . . .	80
5.3.1 Difficulties . . . . .	80
5.3.2 Collecting Approach . . . . .	81
5.4 Repository Overview . . . . .	82
5.5 Repository Schema . . . . .	83
5.6 Repository Services . . . . .	87
5.6.1 Searching for Models . . . . .	87
5.6.2 Performing Experiments and Online Questions . . . . .	90
5.6.3 Similarity Between Diagrams . . . . .	91
5.6.4 Visualize Search Result . . . . .	91
5.6.5 Uploading Models . . . . .	94
5.7 Conclusion and Future Work . . . . .	94
<b>6 UML Repository As Benchmark for Quality Analysis</b>	<b>97</b>
6.1 Common Characteristics of Class Diagrams . . . . .	98
6.1.1 The Size of Class Diagrams . . . . .	98
6.1.2 Maximum Coupling . . . . .	98
6.1.3 The Relation between Class Size and Max. Coupling . . . . .	99
6.1.4 Discussion . . . . .	100
6.2 Studying the Relation between Design Quality and Source Code . . . . .	101
6.2.1 Relation between Software Design and Source Code . . . . .	102
6.2.2 Effects of Anti-patterns on Software Quality . . . . .	104
6.2.3 Effects of Anti-patterns in design on Software Changes and Faults	114
6.3 Threat to Validity . . . . .	117
6.3.1 Construct Validity . . . . .	117
6.3.2 Internal Validity . . . . .	117
6.3.3 External Validity . . . . .	118
6.4 Conclusion and Future Work . . . . .	118
<b>7 Quality Assessment of UML Class Diagrams</b>	<b>121</b>
7.1 Related Work . . . . .	123
7.2 Experiment Design . . . . .	124
7.2.1 Approach . . . . .	124
7.2.2 Participant . . . . .	124
7.2.3 Evaluation Form . . . . .	125
7.2.4 Modeling Assignment . . . . .	126
7.3 Comparing Model Evaluation . . . . .	126

7.3.1	Experts Evaluation and Students <i>self</i> Evaluation . . . . .	126
7.3.2	Experts Evaluation and Students <i>peer</i> Evaluation . . . . .	126
7.4	Results and Analysis . . . . .	126
7.4.1	Quantitative Analysis . . . . .	126
7.4.2	Qualitative Analysis . . . . .	130
7.5	Discussion . . . . .	132
7.6	Threats to Validity . . . . .	133
7.6.1	Internal Validity . . . . .	133
7.6.2	External Validity . . . . .	133
7.7	Conclusion and Future Work . . . . .	133
<b>8</b>	<b>Using Examples for Teaching Software Design</b>	<b>135</b>
8.1	Related Work . . . . .	137
8.2	Research Questions and Hypotheses . . . . .	138
8.3	Experiment Design . . . . .	138
8.3.1	Method . . . . .	139
8.3.2	Operation . . . . .	139
8.3.3	Evaluation . . . . .	140
8.3.4	Participant . . . . .	140
8.3.5	Data Collection . . . . .	140
8.4	Results . . . . .	141
8.4.1	Experts Evaluation . . . . .	141
8.4.2	Models Improvements . . . . .	144
8.4.3	Post-assignment Questionnaire . . . . .	144
8.5	Discussion . . . . .	149
8.6	Threats to Validity . . . . .	153
8.6.1	Internal Validity . . . . .	153
8.6.2	External Validity . . . . .	153
8.7	Conclusion and Future Work . . . . .	154
<b>9</b>	<b>Conclusion and Future Work</b>	<b>155</b>
9.1	Conclusion . . . . .	155
9.2	Future Work . . . . .	156
<b>Bibliography</b>		<b>159</b>
<b>Summary</b>		<b>169</b>
<b>Samenvatting</b>		<b>173</b>
<b>About the Author</b>		<b>177</b>

# List of Figures

2.1	Framework of ISO 25010 quality models . . . . .	11
2.2	Framework of (Lange and Chaudron) for quality of UML models . . . . .	12
2.3	The Taxonomy of UML Diagram Types . . . . .	16
3.1	The created classes and properties for the ontology . . . . .	24
3.2	Class Defect, its subclasses . . . . .	25
3.3	Activity diagram for the prediction of defects' severity levels . . . . .	29
3.4	Percentages of the 80 defects classified into the same severity levels (SLs), lower SLs and higher SLs by the ontology compared with the original classifications from CS1 and CS2 . . . . .	33
3.5	Percentages of the 50 defects classified into the same severity levels (SLs), lower SLs and higher SLs by the ontology compared with the original classification from VCS . . . . .	36
3.6	The results for precision per severity level for the six classifiers and for MAPDESO . . . . .	40
3.7	The results for recall per severity level for the six classifiers and for MAPDESO . . . . .	41
3.8	The results for F-measure per severity level for the six classifiers and for MAPDESO . . . . .	42
3.9	Summary of the comparison between the six classifiers and MAPDESO . . . . .	42
4.1	Overall Classification Process . . . . .	56
4.2	Image processing . . . . .	57
4.3	Three different left-leaning diagonal lines and how they look like in pixels . . . . .	63
4.4	Flowchart of the horizontal lines detection algorithm . . . . .	64
4.5	Flowchart of the dashed horizontal lines detection algorithm . . . . .	65
4.6	UML Class Diagrams Example . . . . .	66
4.7	UML Class Diagrams before the recognition . . . . .	69

4.8 UML Class Diagrams after the recognition . . . . .	69
4.9 UML Sequence Diagram before the recognition . . . . .	70
4.10 UML Sequence Diagram after the recognition . . . . .	70
4.11 UML Use case before the recognition . . . . .	72
4.12 UML Use case after the recognition . . . . .	72
5.1 Distribution of experiment diagrams size . . . . .	83
5.2 Distribution of project diagrams size . . . . .	84
5.3 Distribution of student diagrams size . . . . .	84
5.4 Distribution of web diagrams size . . . . .	85
5.5 Database Schema . . . . .	86
5.6 Result page of searching for the class name "reservation" . . . . .	89
5.7 Question(s) page . . . . .	90
5.8 Similarity between two class diagrams . . . . .	92
5.9 Similarity between two class diagrams . . . . .	93
5.10 Relation between operation and coupling . . . . .	93
5.11 Bubble chart for the relation between classes and coupling . . . . .	94
5.12 Upload Project form . . . . .	95
6.1 Size of class diagrams in the repository . . . . .	99
6.2 Distribution of class diagrams size in the repository . . . . .	99
6.3 Maximum coupling for diagrams in the UML Repository . . . . .	100
6.4 Relation between Diagrams size and Max. coupling . . . . .	101
6.5 Occurrences of the complex class anti-pattern in class diagrams and source code . . . . .	111
6.6 Occurrences of the large class anti-pattern in class diagrams and source code . . . . .	112
6.7 Occurrences of the Lazy class anti-patterns in class diagrams and source code . . . . .	112
7.1 Experts and students evaluation (self-evaluation) for Understandability . . . . .	127
7.2 Experts and students evaluation (self-evaluation) for Layout . . . . .	127
7.3 Experts and students evaluation (peer-evaluation) for Understandability . . . . .	128
7.4 Experts and students evaluation (peer-evaluation) for Layout . . . . .	128
8.1 Experimental Approach . . . . .	139
8.2 Evaluation of RG models and CG models . . . . .	142
8.3 Evaluation of CG models created during the experiment and after their improvement using the repository . . . . .	143
8.4 Using examples of class diagrams helps to create better design . . . . .	145
8.5 Usefulness of having multiple examples for the same application domain in the repository . . . . .	145

8.6 Rate of the relevant class diagrams found in the repository to the design assignment . . . . .	146
8.7 Rate of the quality of class diagrams found in the repository . . . . .	146
8.8 Using UML Repository is more helpful than searching for examples on the internet . . . . .	147
8.9 Usefulness of searching based on class-, attribute- and operation names for finding relevant models . . . . .	147
8.10 Time spent by students using the repository . . . . .	149
8.11 Time spent by students using the repository . . . . .	149
8.12 Time spent by students using the repository . . . . .	150



# List of Tables

3.1	Example of defects report of the project CS1 converted to IEEE standard [25] . . . . .	26
3.2	Classification rules of detecting severity of defects . . . . .	27
3.3	Number of fixed defects according to the severity levels from project CS1 . . . . .	31
3.4	Number of fixed defects according to the severity levels from project CS2 . . . . .	31
3.5	The relation between the severity levels from the IEEE Standard [25], CS1 and CS2 . . . . .	32
3.6	Summary of the results from the comparison using a confusion matrix (CS1 and CS2) . . . . .	32
3.7	Number of fixed defects according to the severity levels from the project in VCS . . . . .	34
3.8	The relation between the severity levels from the IEEE Standard [25] and VCS . . . . .	35
3.9	Summary of the results from the comparison using a confusion matrix (VCS) . . . . .	35
3.10	The results from classifying the test data (VCS data) by the six chosen classifiers and by MAPDESO . . . . .	39
3.11	Summary of the comparison between the six classifiers and MAPDESO . . . . .	40
4.1	Table "Img", contains information about images that are downloaded by the crawler . . . . .	54
4.2	Table Blacklist, contains blacklist URLs . . . . .	54
4.3	Extracted Features . . . . .	58
4.4	Confusion Matrix . . . . .	59
4.5	Result of InfoGain . . . . .	60
4.6	Sensitivity and Specificity Scores for all Features . . . . .	60
4.7	Confusion Matrix – (LR) classification . . . . .	61

5.1	Summary of Models in the Repository . . . . .	83
6.1	Descriptive statistics of the size of class diagrams in the repository . . . . .	98
6.2	Descriptive statistics of Max. coupling in class diagrams in the repository	100
6.3	Descriptive statistics of Max. coupling in class diagrams in the repository	102
6.4	Means of classes Changes in ArgoUML and Wro4j . . . . .	103
6.5	Means of classes faults in ArgoUML and Wro4j . . . . .	103
6.6	Correlation between Changes, LOC and AvgCyc . . . . .	104
6.7	Correlation between Changes, LOC and AvgCyc . . . . .	104
6.8	Studied Software Systems . . . . .	106
6.9	Summary of number of Classes in class diagrams versus in source code	108
6.10	Proportion of classes that exist in both class diagrams and source code	109
6.11	Anti-patterns detection in both class diagrams and source code . . . . .	110
6.12	Proportion of classes in class diagrams that transfer same anti-patterns to the source code . . . . .	110
6.13	Summary of classes used in the experiment . . . . .	115
6.14	Means of classes changes in ArgoUML and Wro4j . . . . .	115
6.15	Means of classes faults in ArgoUML and Wro4j . . . . .	116
6.16	Correlation between Changes, LOC and AvgCyc . . . . .	116
6.17	Correlation between faults, LOC and AvgCyc . . . . .	117
7.1	Results of Multivariate General Linear Model . . . . .	129
7.2	Description of Experts and Students Evaluation . . . . .	129
7.3	Correlation of Experts and Students peer-Evaluation . . . . .	130
7.4	Features that Experts and Students Focus on When They Evaluate Understandability . . . . .	131
7.5	Features that experts and students focus on when they evaluate Layout	131
7.6	Features that experts and students focus on when they evaluate Completeness . . . . .	132
8.1	Results of Students t-test one tail . . . . .	142
8.2	Results of students t-test and Mann Whitney test (One tail) of the CG .	143