



Universiteit
Leiden
The Netherlands

Spin dynamics in general relativity

Saravanan, S.

Citation

Saravanan, S. (2016, July 7). *Spin dynamics in general relativity*. Casimir PhD Series. Retrieved from <https://hdl.handle.net/1887/42443>

Version: Not Applicable (or Unknown)

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/42443>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/42442> holds various files of this Leiden University dissertation.

Author: Saravanan, S.

Title: Spin dynamics in general relativity

Issue Date: 2016-07-07

Bibliography

- [1] F. Pretorius, “Binary Black Hole Coalescence,” [arXiv:0710.1338 \[gr-qc\]](https://arxiv.org/abs/0710.1338).
- [2] A. Einstein, “Die Grundlagen der Allgemeinen Relativitätstheorie. (German) [The foundations of the Theory of General Relativity],” *Annalen der Physik* **354** no. 7, (1916) 769–822.
- [3] C. W. Misner, K. S. Thorne, and J. A. Wheeler, *Gravitation*. 1973.
- [4] M. Maggiore, *Gravitational waves. Volume 1: theory and experiments*. Oxford Univ. Press, Oxford, 2008.
- [5] B. Sathyaprakash and B. Schutz, “Physics, Astrophysics and Cosmology with Gravitational Waves,” *Living Rev.Rel.* **12** (2009) 2, [arXiv:0903.0338 \[gr-qc\]](https://arxiv.org/abs/0903.0338).
- [6] R. A. Hulse and J. H. Taylor, “Discovery of a pulsar in a binary system,” *The Astrophysical Journal Letters* **195** (1975) L51–L53.
- [7] H. M. Van Horn, S. Sofia, M. P. Savedoff, J. G. Duthie, and R. A. Berg, “Binary pulsar psr 1913 + 16: Model for its origin,” *Science* **188** no. 4191, (1975) 930–933.
<http://science.sciencemag.org/content/188/4191/930>.
- [8] T. Damour, “1974: the discovery of the first binary pulsar,” *Class. Quant. Grav.* **32** no. 12, (2015) 124009, [arXiv:1411.3930 \[gr-qc\]](https://arxiv.org/abs/1411.3930).
- [9] R. N. Manchester, “Pulsars and Gravity,” *Int. J. Mod. Phys. D* **24** no. 06, (2015) 1530018, [arXiv:1502.05474 \[gr-qc\]](https://arxiv.org/abs/1502.05474).
- [10] J. M. Weisberg and J. H. Taylor, “Relativistic binary pulsar B1913+16: Thirty years of observations and analysis,” *ASP Conf. Ser.* **328** (2005) 25, [arXiv:astro-ph/0407149 \[astro-ph\]](https://arxiv.org/abs/astro-ph/0407149).

- [11] J. M. Weisberg, D. J. Nice, and J. H. Taylor, “Timing measurements of the relativistic binary pulsar psr b1913+16,” *The Astrophysical Journal* **722** no. 2, (2010) 1030. <http://stacks.iop.org/0004-637X/722/i=2/a=1030>.
- [12] J. M. Weisberg, J. H. Taylor, and L. A. Fowler, “Gravitational waves from an orbiting pulsar,” *Scientific American* **245** (Oct., 1981) 74–82.
- [13] C. Sivaram, “The Hulse-Taylor binary pulsar PSR 1913+16.,” *Bulletin of the Astronomical Society of India* **23** (Mar., 1995) 77–83.
- [14] L. Blanchet, “Gravitational Radiation from Post-Newtonian Sources and Inspiralling Compact Binaries,” *Living Rev. Relativity* **17** (2014) . <http://www.livingreviews.org/lrr-2014-2>.
- [15] B. P. Abbott, L. S. Collaboration, and V. Collaboration, “Prospects for observing and localizing gravitational-wave transients with advanced ligo and advanced virgo,” *Living Reviews in Relativity* **19** no. 1, (2016) . <http://www.livingreviews.org/lrr-2016-1>.
- [16] S. Chandrasekhar, *The mathematical theory of black holes*. Oxford classic texts in the physical sciences. Oxford Univ. Press, Oxford, 2002.
- [17] J. Weber, “Detection and generation of gravitational waves,” *Phys. Rev.* **117** (Jan, 1960) 306–313. <http://link.aps.org/doi/10.1103/PhysRev.117.306>.
- [18] M. Pitkin, S. Reid, S. Rowan, and J. Hough, “Gravitational wave detection by interferometry (ground and space),” *Living Reviews in Relativity* **14** no. 5, (2011) . <http://www.livingreviews.org/lrr-2011-5>.
- [19] A. Freise and K. A. Strain, “Interferometer techniques for gravitational-wave detection,” *Living Reviews in Relativity* **13** no. 1, (2010) . <http://www.livingreviews.org/lrr-2010-1>.
- [20] B. Abbott *et al.*, “Observation of Gravitational Waves from a Binary Black Hole Merger,” *Phys. Rev. Lett.* **116** (Feb, 2016) 061102. <http://link.aps.org/doi/10.1103/PhysRevLett.116.061102>.
- [21] **Virgo, LIGO Scientific** Collaboration, B. P. Abbott *et al.*, “Tests of general relativity with GW150914,” [arXiv:1602.03841 \[gr-qc\]](https://arxiv.org/abs/1602.03841).
- [22] S. A. Hughes, “Listening to the universe with gravitational-wave astronomy,” *Annals of Physics* **303** (Jan., 2003) 142–178, [astro-ph/0210481](https://arxiv.org/abs/astro-ph/0210481).
- [23] B. P. Abbott *et al.*, “Astrophysical implications of the binary black hole merger gw150914,” *The Astrophysical Journal Letters* **818** no. 2, (2016) L22.

- [24] K. Riles, “Gravitational Waves: Sources, Detectors and Searches,” *Prog. Part. Nucl. Phys.* **68** (2013) 1–54, [arXiv:1209.0667 \[hep-ex\]](https://arxiv.org/abs/1209.0667).
- [25] **LIGO Scientific** Collaboration, B. P. Abbott *et al.*, “LIGO: The Laser interferometer gravitational-wave observatory,” *Rept. Prog. Phys.* **72** (2009) 076901, [arXiv:0711.3041 \[gr-qc\]](https://arxiv.org/abs/0711.3041).
- [26] K. Belczynski, S. Repetto, D. Holz, R. O’Shaughnessy, T. Bulik, E. Berti, C. Fryer, and M. Dominik, “Comparison of LIGO/Virgo upper limits with predicted compact binary merger rates,” [arXiv:1510.04615 \[astro-ph.HE\]](https://arxiv.org/abs/1510.04615).
- [27] K. Barkett, M. A. Scheel, R. Haas, C. D. Ott, S. Bernuzzi, D. A. Brown, B. Szilágyi, J. D. Kaplan, J. Lippuner, C. D. Muhlberger, F. Foucart, and M. D. Duez, “Gravitational waveforms for neutron star binaries from binary black hole simulations,” *Phys. Rev. D* **93** (Feb, 2016) 044064.
<http://link.aps.org/doi/10.1103/PhysRevD.93.044064>.
- [28] E. Berti, A. Buonanno, and C. M. Will, “Estimating spinning binary parameters and testing alternative theories of gravity with LISA,” *Phys. Rev. D* **71** (2005) 084025, [arXiv:gr-qc/0411129 \[gr-qc\]](https://arxiv.org/abs/gr-qc/0411129).
- [29] E. Berti *et al.*, “Testing General Relativity with Present and Future Astrophysical Observations,” *Class. Quant. Grav.* **32** (2015) 243001, [arXiv:1501.07274 \[gr-qc\]](https://arxiv.org/abs/1501.07274).
- [30] C. F. Sopuerta and N. Yunes, “Extreme and Intermediate-Mass Ratio Inspirals in Dynamical Chern-Simons Modified Gravity,” *Phys. Rev. D* **80** (2009) 064006, [arXiv:0904.4501 \[gr-qc\]](https://arxiv.org/abs/0904.4501).
- [31] S. Babak, J. R. Gair, and R. H. Cole, “Extreme mass ratio inspirals: perspectives for their detection,” [arXiv:1411.5253 \[gr-qc\]](https://arxiv.org/abs/1411.5253).
- [32] J. R. Gair, M. Vallisneri, S. L. Larson, and J. G. Baker, “Testing general relativity with low-frequency, space-based gravitational-wave detectors,” *Living Reviews in Relativity* **16** no. 7, (2013) .
<http://www.livingreviews.org/lrr-2013-7>.
- [33] **eLISA** Collaboration, P. A. Seoane *et al.*, “The Gravitational Universe,” [arXiv:1305.5720 \[astro-ph.CO\]](https://arxiv.org/abs/1305.5720).
- [34] R. Barkana and A. Loeb, “In the beginning: The First sources of light and the reionization of the Universe,” *Phys. Rept.* **349** (2001) 125–238, [arXiv:astro-ph/0010468 \[astro-ph\]](https://arxiv.org/abs/astro-ph/0010468).

- [35] S. Komossa, V. Burwitz, G. Hasinger, P. Predehl, J. S. Kaastra, and Y. Ikebe, “Discovery of a binary active galactic nucleus in the ultraluminous infrared galaxy ngc 6240 using chandra,” *The Astrophysical Journal Letters* **582** no. 1, (2003) L15.
<http://stacks.iop.org/1538-4357/582/i=1/a=L15>.
- [36] C. Cutler and E. E. Flanagan, “Gravitational waves from merging compact binaries: How accurately can one extract the binary’s parameters from the inspiral wave form?,” *Phys. Rev.* **D49** (1994) 2658–2697,
[arXiv:gr-qc/9402014 \[gr-qc\]](https://arxiv.org/abs/gr-qc/9402014).
- [37] G. Nelemans, S. F. Portegies Zwart, F. Verbunt, and L. R. Yungelson, “Population synthesis for double white dwarfs. 2. Semi-detached systems: am cvn stars,” *Astron. Astrophys.* **368** (2001) 939–949,
[arXiv:astro-ph/0101123 \[astro-ph\]](https://arxiv.org/abs/astro-ph/0101123).
- [38] A. J. Farmer and E. S. Phinney, “The gravitational wave background from cosmological compact binaries,” *Mon. Not. Roy. Astron. Soc.* **346** (2003) 1197, [arXiv:astro-ph/0304393 \[astro-ph\]](https://arxiv.org/abs/astro-ph/0304393).
- [39] P. Amaro-Seoane, “Stellar dynamics and extreme-mass ratio inspirals,”
[arXiv:1205.5240 \[astro-ph.CO\]](https://arxiv.org/abs/1205.5240).
- [40] P. Amaro-Seoane, J. R. Gair, A. Pound, S. A. Hughes, and C. F. Sopuerta, “Research Update on Extreme-Mass-Ratio Inspirals,” [arXiv:1410.0958 \[astro-ph.CO\]](https://arxiv.org/abs/1410.0958).
- [41] R. Genzel, C. Pichon, A. Eckart, O. E. Gerhard, and T. Ott, “Stellar dynamics in the Galactic centre: Proper motions and anisotropy,” *Mon. Not. Roy. Astron. Soc.* **317** (2000) 348, [arXiv:astro-ph/0001428 \[astro-ph\]](https://arxiv.org/abs/astro-ph/0001428).
- [42] R. Genzel, F. Eisenhauer, and S. Gillessen, “The Galactic Center Massive Black Hole and Nuclear Star Cluster,” *Rev. Mod. Phys.* **82** (2010) 3121–3195, [arXiv:1006.0064 \[astro-ph.GA\]](https://arxiv.org/abs/1006.0064).
- [43] M. Freitag, P. Amaro-Seoane, and V. Kalogera, “Stellar remnants in galactic nuclei: mass segregation,” *Astrophys. J.* **649** (2006) 91–117,
[arXiv:astro-ph/0603280 \[astro-ph\]](https://arxiv.org/abs/astro-ph/0603280).
- [44] L. Ferrarese and H. Ford, “Supermassive black holes in galactic nuclei: Past, present and future research,” *Space Sci. Rev.* **116** (2005) 523–624,
[arXiv:astro-ph/0411247 \[astro-ph\]](https://arxiv.org/abs/astro-ph/0411247).
- [45] S. Gillessen, F. Eisenhauer, S. Trippe, T. Alexander, R. Genzel, F. Martins, and T. Ott, “Monitoring stellar orbits around the Massive Black Hole in the

- Galactic Center,” *Astrophys. J.* **692** (2009) 1075–1109, [arXiv:0810.4674 \[astro-ph\]](https://arxiv.org/abs/0810.4674).
- [46] R. Genzel, “Massive Black Holes: Evidence, Demographics and Cosmic Evolution,” in *26th Solvay Conference on Physics: Astrophysics and Cosmology Brussels, Belgium, October 9-11, 2014*. 2014. [arXiv:1410.8717 \[astro-ph.GA\]](https://arxiv.org/abs/1410.8717).
<https://inspirehep.net/record/1325598/files/arXiv:1410.8717.pdf>.
- [47] G. d’Ambrosi, S. Satish Kumar, and J. W. van Holten, “Covariant hamiltonian spin dynamics in curved spacetime,” *Phys. Lett.* **B743** (2015) 478–483, [arXiv:1501.04879 \[gr-qc\]](https://arxiv.org/abs/1501.04879).
- [48] G. d’Ambrosi, S. Satish Kumar, J. van de Vis, and J. W. van Holten, “Spinning bodies in curved spacetime,” *Phys. Rev.* **D93** no. 4, (2016) 044051, [arXiv:1511.05454 \[gr-qc\]](https://arxiv.org/abs/1511.05454).
- [49] J. R. Gair, “Probing black holes at low redshift using LISA EMRI observations,” *Class. Quant. Grav.* **26** (2009) 094034, [arXiv:0811.0188 \[gr-qc\]](https://arxiv.org/abs/0811.0188).
- [50] J. B. Hartle, *Gravity: An Introduction to Einstein’s General Relativity*. Benjamin Cummings, illustrate ed., Jan., 2003.
- [51] J. W. Van Holten, “Gravitational waves and black holes: An introduction to general relativity,” *Fortsch.Phys.* **45** (1997) 439–516, [arXiv:gr-qc/9704043 \[gr-qc\]](https://arxiv.org/abs/gr-qc/9704043).
- [52] S. Weinberg, *Gravitation and Cosmology: Principles and Applications of the General Theory of Relativity*. Wiley New York, New York, 1972.
- [53] A. Einstein, “Die Feldgleichungen der Gravitation. (German) [The field equations of gravitation],” *Sitzungsberichte der Preussischen Akademie der Wissenschaften zu Berlin* (1915) 844–847.
- [54] K. Schwarzschild, “Über das Gravitationsfeld eines Massenpunktes nach der Einsteinschen Theorie,” *Sitzungsberichte der Königlichen Preussischen Akademie der Wissenschaften* **7** (1916) 189–196.
- [55] J. Droste, “Phd thesis,” *Leiden University* (1916) .
- [56] G. Koekoek, *The Geodesic Deviation Method and Extreme Mass-Ratio Systems. Theoretical methods and application to the calculation of gravitational waves*. PhD thesis, Vrije U., Amsterdam, 2011. <https://inspirehep.net/record/1081429/files/Thesis-2011-Koekoek.pdf>.

- [57] R. Kerner, J. van Holten, and J. Colistete, R., “Relativistic epicycles: Another approach to geodesic deviations,” *Class.Quant.Grav.* **18** (2001) 4725–4742, [arXiv:gr-qc/0102099 \[gr-qc\]](https://arxiv.org/abs/gr-qc/0102099).
- [58] G. Koekoek and J. van Holten, “Epicycles and Poincaré Resonances in General Relativity,” *Phys.Rev.* **D83** (2011) 064041, [arXiv:1011.3973 \[gr-qc\]](https://arxiv.org/abs/1011.3973).
- [59] A. Papapetrou, “Spinning test particles in general relativity. 1.,” *Proc.Roy.Soc.Lond.* **A209** (1951) 248–258.
- [60] K. Kyrian and O. Semerák, “Spinning test particles in a Kerr field. II.,” *Mon.Not.Roy.Astron.Soc.* **382** (2007) 1922–1932.
- [61] W. Dixon, “Dynamics of extended bodies in general relativity. I. Momentum and angular momentum,” *Proc.Roy.Soc.Lond.* **A314** (1970) 499–527.
- [62] W. G. Dixon, “Dynamics of extended bodies in general relativity. ii. moments of the charge-current vector,” *Proceedings of the Royal Society of London A: Mathematical, Physical and Engineering Sciences* **319** no. 1539, (1970) 509–547.
<http://rspa.royalsocietypublishing.org/content/319/1539/509>.
- [63] L. F. Costa and J. Natário, “Center of mass, spin supplementary conditions, and the momentum of spinning particles,” [arXiv:1410.6443 \[gr-qc\]](https://arxiv.org/abs/1410.6443).
- [64] D. Bini, A. Geralico, and R. T. Jantzen, “Spin-geodesic deviations in the Schwarzschild spacetime,” *Gen.Rel.Grav.* **43** (2011) 959, [arXiv:1408.4946 \[gr-qc\]](https://arxiv.org/abs/1408.4946).
- [65] S. Suzuki and K.-i. Maeda, “Chaos in Schwarzschild space-time: The motion of a spinning particle,” *Phys. Rev. D* **55** (1997) 4848–4859, [arXiv:gr-qc/9604020 \[gr-qc\]](https://arxiv.org/abs/gr-qc/9604020).
- [66] M. D. Hartl, “Dynamics of spinning test particles in kerr spacetime,” *Phys. Rev. D* **67** (Jan, 2003) 024005.
<http://link.aps.org/doi/10.1103/PhysRevD.67.024005>.
- [67] M. D. Hartl, “Survey of spinning test particle orbits in kerr spacetime,” *Phys. Rev. D* **67** (May, 2003) 104023.
<http://link.aps.org/doi/10.1103/PhysRevD.67.104023>.
- [68] J. Souriau *C. R. Acad. Sc. Paris* **271** (1970) 751.
- [69] J. Souriau *C. R. Acad. Sc. Paris* **271** (1970) 1086.

- [70] J. Souriau *C. R. Acad. Sc. Paris* **274** (1972) 1082.
- [71] J. Souriau *Ann. Inst. H. Poincaré'* **20** (1974) 22.
- [72] W. G. Dixon, “The definition of multipole moments for extended bodies,” *General Relativity and Gravitation* **4** no. 3, 199–209.
<http://dx.doi.org/10.1007/BF02412488>.
- [73] B. Mashhoon, “Massless spinning test particles in a gravitational field,” *Annals of Physics* **89** no. 1, (1975) 254 – 257. <http://www.sciencedirect.com/science/article/pii/0003491675903048>.
- [74] I. Bailey and W. Israel, “Lagrangian Dynamics of Spinning Particles and Polarized Media in General Relativity,” *Commun.Math.Phys.* **42** (1975) 65–82.
- [75] J. Frenkel, “Die Elektrodynamik des rotierenden Elektrons,” *Z.Phys.* **37** (1926) 243–262.
- [76] A. O. Barut, *Electrodynamics and classical theory of fields and particles*. Mac Millan, New York, 1964.
- [77] C. Duval, H. H. Fliche, and J. M. Souriau, “Un modèle de particule à spin dans le champ gravitationnel et électromagnétique,” *C. R. Acad. Sci. Paris.* **274** (1972) 1082.
- [78] L. Brink, P. Di Vecchia, and P. S. Howe, “A Lagrangian Formulation of the Classical and Quantum Dynamics of Spinning Particles,” *Nucl.Phys.* **B118** (1977) 76.
- [79] A. O. Barut and N. Zanghi, “Classical model of the Dirac electron,” *Phys. Rev. Lett.* **52** (1984) .
- [80] I. Khriplovich and A. Pomeransky, “Gravitational interaction of spinning bodies, center-of-mass coordinate and radiation of compact binary systems,” *Phys.Lett.* **A216** (1996) 7, [arXiv:gr-qc/9602004](https://arxiv.org/abs/gr-qc/9602004) [gr-qc].
- [81] I. Khriplovich and A. Pomeransky, “Equations of motion of spinning relativistic particle in external fields,” *Surveys High Energ.Phys.* **14** (1999) 145–173, [arXiv:gr-qc/9809069](https://arxiv.org/abs/gr-qc/9809069) [gr-qc].
- [82] A. Barducci, R. Casalbuoni, and L. Lusanna, “Supersymmetries and the Pseudoclassical Relativistic electron,” *Nuovo Cim.* **A35** (1976) 377.
- [83] F. Berezin and M. Marinov, “Particle Spin Dynamics as the Grassmann Variant of Classical Mechanics,” *Annals Phys.* **104** (1977) 336.

- [84] P. Salomonson, “Supersymmetric Actions for Spinning Particles,” *Phys.Rev. D* **18** (1978) 1868–1880.
- [85] R. Rietdijk and J. van Holten, “Spinning particles in Schwarzschild space-time,” *Class.Quant.Grav.* **10** (1993) 575–594.
- [86] I. Khriplovich, “Particle with internal angular momentum in a gravitational field,” *Sov.Phys.JETP* **69** (1989) 217–219.
- [87] J. W. van Holten, “Covariant Hamiltonian dynamics,” *Phys.Rev. D* **75** (2007) 025027, [arXiv:hep-th/0612216 \[hep-th\]](https://arxiv.org/abs/hep-th/0612216).
- [88] J. W. van Holten, “On the electrodynamics of spinning particles,” *Nucl.Phys. B* **356** (1991) 3–26.
- [89] L. F. O. Costa, C. A. Herdeiro, J. Natario, and M. Zilhao, “Mathisson’s helical motions for a spinning particle: Are they unphysical?,” *Phys.Rev. D* **85** (2012) 024001, [arXiv:1109.1019 \[gr-qc\]](https://arxiv.org/abs/1109.1019).
- [90] F. Pirani, “On the Physical significance of the Riemann tensor,” *Acta Phys.Polon.* **15** (1956) 389–405.
- [91] L. F. O. Costa, J. Natário, and M. Zilhao, “Spacetime dynamics of spinning particles - exact gravito-electromagnetic analogies,” [arXiv:1207.0470 \[gr-qc\]](https://arxiv.org/abs/1207.0470).
- [92] I. Khriplovich, “Spinning Relativistic Particles in External Fields,” [arXiv:0801.1881 \[gr-qc\]](https://arxiv.org/abs/0801.1881).
- [93] J. W. van Holten, “Relativistic dynamics of spin in strong external fields,” [arXiv:hep-th/9303124 \[hep-th\]](https://arxiv.org/abs/hep-th/9303124).
- [94] S. Satish Kumar, “Motion of a spinning particle in curved space-time,” 2015. [arXiv:1512.07152 \[gr-qc\]](https://arxiv.org/abs/1512.07152).
<http://inspirehep.net/record/1411068/files/arXiv:1512.07152.pdf>.
- [95] O. Semerak, “Spinning test particles in a Kerr field. I.,” *Mon.Not.Roy.Astron.Soc.* **308** (1999) 863–875.
- [96] Rüdiger, R., “Conserved quantities of spinning test particles in General Relativity I,” *Proc.Roy.Soc. Series A* **375** no. 1761, (1981) 185–193.
- [97] Rüdiger R., “Conserved quantities of spinning test particles in General Relativity II,” *Proc.Roy.Soc. Series A* **385** no. 1788, (1983) 229–239.

- [98] G. Gibbons, R. Rietdijk, and J. van Holten, “SUSY in the sky,” *Nucl.Phys.* **B404** (1993) 42–64, [arXiv:hep-th/9303112 \[hep-th\]](#).
- [99] R. Plyatsko, O. Stefanishyn, and M. Fenyk, “Mathisson-Papapetrou-Dixon equations in the Schwarzschild and Kerr backgrounds,” *Class.Quant.Grav.* **28** (2011) 195025, [arXiv:1110.1967 \[gr-qc\]](#).
- [100] I. Khriplovich and A. Pomeransky, “Equations of motion of spinning relativistic particle in external fields,” *J.Exp.Theor.Phys.* **86** (1998) 839–849, [arXiv:gr-qc/9710098 \[gr-qc\]](#).
- [101] K. Heinemann, “On Stern-Gerlach forces allowed by special relativity and the special case of the classical spinning particle of Derbenev-Kondratenko,” [arXiv:physics/9611001 \[physics\]](#).
- [102] J. W. van Holten, *Theory of a charged spinning particle in a gravitational and electro-magnetic field.* in: Proc. Seminar on Math. Structures in Field Theory 1986-87, CWI-syllabus vol. 26, eds. E.A. de Kerf and H.G.J. Pijls (CWI, Amsterdam), 1990.
- [103] J. Steinhoff and D. Puetzfeld, “Multipolar equations of motion for extended test bodies in General Relativity,” *Phys. Rev.* **D81** (2010) 044019, [arXiv:0909.3756 \[gr-qc\]](#).
- [104] J. W. van Holten, “Spinning bodies in General Relativity,” in *Workshop on Variational Principles and Conservation Laws in General Relativity: In memory of Prof. Mauro Francaviglia Turin, Italy, June 25-26, 2015.* 2015. [arXiv:1504.04290 \[gr-qc\]](#).
<http://inspirehep.net/record/1360263/files/arXiv:1504.04290.pdf>.
- [105] D. Bini, F. de Felice, A. Geralico, and R. T. Jantzen, “Spin precession in the Schwarzschild spacetime: Circular orbits,” *Class.Quant.Grav.* **22** (2005) 2947–2970, [arXiv:gr-qc/0506017 \[gr-qc\]](#).
- [106] G. Koekoek and J. van Holten, “Geodesic deviations: modeling extreme mass-ratio systems and their gravitational waves,” *Class.Quant.Grav.* **28** (2011) 225022, [arXiv:1103.5612 \[gr-qc\]](#).
- [107] L. Blanchet and B. R. Iyer, “Third postNewtonian dynamics of compact binaries: Equations of motion in the center-of-mass frame,” *Class. Quant. Grav.* **20** (2003) 755, [arXiv:gr-qc/0209089 \[gr-qc\]](#).
- [108] S. Suzuki and K.-i. Maeda, “Innermost stable circular orbit of a spinning particle in Kerr space-time,” *Phys. Rev.* **D58** (1998) 023005, [arXiv:gr-qc/9712095 \[gr-qc\]](#).

- [109] E. Poisson, A. Pound, and I. Vega, “The motion of point particles in curved spacetime,” *Living Reviews in Relativity* **14** no. 7, (2011) .
<http://www.livingreviews.org/lrr-2011-7>.
- [110] G. d’Ambrosi and J. van Holten, “Ballistic orbits in Schwarzschild space-time and gravitational waves from EMR binary mergers,” *Class. Quant. Grav.* **32** no. 1, (2015) 015012, [arXiv:1406.4282 \[gr-qc\]](https://arxiv.org/abs/1406.4282).