

Semi-partitioned scheduling and task migration in dataflow networks Cannella, E.

Citation

Cannella, E. (2016, October 11). Semi-partitioned scheduling and task migration in dataflow networks. Retrieved from https://hdl.handle.net/1887/43469

Version: Not Applicable (or Unknown)

License: License agreement concerning inclusion of doctoral thesis in the

Institutional Repository of the University of Leiden

Downloaded from: https://hdl.handle.net/1887/43469

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle http://hdl.handle.net/1887/43469 holds various files of this Leiden University dissertation

Author: Cannella, Emanuele

Title: Semi-partitioned scheduling and task migration in dataflow networks

Issue Date: 2016-10-11

List of abbreviations

ALAP	As late as possible
API	Application programming interface
BE	Best-Effort
BF	Best-Fit
BFD	Best-Fit Decreasing
CSDF	Cyclo-Static Dataflow
DCT	Discrete cosine transform
DM	Data Memory
DMA	Direct Memory Access
DPM	Dynamic Power Management
DSE	Design Space Exploration
EDF	Earliest Deadline First
EDF-fm	Earliest Deadline First with fixed and migrating tasks
EDF-ssl	Earliest Deadline First based semi-partitioned stateless
FF	First-Fit
FFD	First-Fit Decreasing
FFD-SP	First-Fit Decreasing followed by semi-partitioning
FIFO	First-in First-out
FPGA	Field-programmable gate array
GEDF	Global EDF
GT	Guaranteed throughput
HRT	Hard Real-Time
HSDF	Homogeneous Synchronous Dataflow
IM	Instruction Memory
IP	Input Port
JPEG	Joint Photographic Experts Group
KPN	Kahn Process Network
LLF	Least Laxity First
MCM	Maximum Cycle Mean
MJPEG	Motion JPEG
MoC	Model of Computation
MPI	Message Passing Interface
MPSoC	Multiprocessor System-on-Chip
MW	Middleware

Network Interface
Network-on-Chip
Non-deterministic Polynomial-time
Output Port
Operating System
Processing Element
Partitioned EDF
Power Management
Polyhedral Process Network
Pulse Width Modulation
Static Affine Nested Loop Program
Synchronous Dataflow
Soft Real-Time
Time Division Multiple Access
Voltage/Frequency Scaling
Variable-length encoding
Worst-Case Execution Time
Worst-Fit
Worst-Fit Decreasing