



Universiteit  
Leiden  
The Netherlands

## **Interstellar medium conditions in starburst galaxies**

Beirão, M.P.L.

### **Citation**

Beirão, M. P. L. (2010, January 13). *Interstellar medium conditions in starburst galaxies*. Retrieved from <https://hdl.handle.net/1887/14559>

Version: Not Applicable (or Unknown)

License: [Leiden University Non-exclusive license](#)

Downloaded from: <https://hdl.handle.net/1887/14559>

**Note:** To cite this publication please use the final published version (if applicable).

# Interstellar Medium Conditions in Starburst Galaxies



# Interstellar Medium Conditions in Starburst Galaxies

Proefschrift

ter verkrijging van  
de graad van Doctor aan de Universiteit Leiden,  
op gezag van de Rector Magnificus prof. mr. P.F. van der Heijden,  
volgens besluit van het College voor Promoties  
te verdedigen op  
woensdag 13 januari 2010  
klokke 13.45 uur

door

Pedro Maria Lopes Beirão

geboren te Lisboa  
in 1977

Promotiecommissie

Promotor: Prof. dr. F. P. Israel

Co-promotor: Dr. B. R. Brandl

Overige leden: Prof. dr. E. van Dishoeck  
Prof. dr. V. Icke  
Prof. dr. M. Spaans (Rijksuniversiteit Groningen)  
Dr. P. van der Werf  
Dr. N. M. Förster Schreiber (Max-Planck-Institut für Extraterrestrische Physik)  
Dr. B. Groves

*À Memória do Meu Pai.*

**Cover:** *The region surrounding the Super Star Cluster 30 Doradus in the Large Magellanic Cloud. A composite of infrared light captured by Spitzer Space Telescope, with wavelengths of 3.6 (blue) and 8 (green) microns captured by the telescope's infrared array camera, and 24-micron light (red) detected by the multiband imaging photometer. Credit: NASA/JPL-Caltech/M. Meixner (STScI) & the SAGE Legacy Team.*

# Table of contents

	Page
<b>Chapter 1. Introduction</b>	<b>1</b>
1.1 Starburst Galaxies . . . . .	1
1.2 The ISM of starburst galaxies at infrared wavelengths . . . . .	2
1.2.1 Gas and Dust . . . . .	3
1.2.2 The phases of the ISM . . . . .	4
1.3 This thesis . . . . .	6
1.4 Outlook . . . . .	10
<b>Chapter 2. Spatially Resolved <i>Spitzer</i> Spectroscopy of the Starburst Nucleus in NGC 5253</b>	<b>13</b>
2.1 Introduction . . . . .	14
2.2 Observations and data reduction . . . . .	15
2.3 Discussion . . . . .	16
2.3.1 Spectral properties . . . . .	16
2.3.2 PAH ratio maps . . . . .	18
2.3.3 Gradients in the radiation field . . . . .	20
2.3.4 Dependence of PAH strength on the radiation field . . . . .	21
2.3.5 [OIV] line emission . . . . .	23
2.3.6 Conclusions . . . . .	23
<b>Chapter 3. Spatially Resolved <i>Spitzer-IRS</i> Spectroscopy of the Central Region of M82</b>	<b>25</b>
3.1 Introduction . . . . .	26
3.2 Observations and data reduction . . . . .	27
3.3 Analysis . . . . .	29
3.4 Results and discussion . . . . .	30
3.4.1 The morphology of the starburst region . . . . .	32
3.4.2 Origins of the variation of the radiation field . . . . .	34
3.4.3 Extinction . . . . .	37
3.4.4 Variations of PAH emission features . . . . .	39
3.4.5 Excitation of the warm H <sub>2</sub> . . . . .	46
3.5 Conclusion . . . . .	46
<b>Chapter 4. Powerful H<sub>2</sub> Emission and Star Formation on the Interacting Galaxy System Arp 143: Observations with <i>Spitzer</i> and <i>GALEX</i></b>	<b>51</b>
4.1 Introduction . . . . .	51
4.2 Observations and data reduction . . . . .	53
4.2.1 Spectra . . . . .	53
4.2.2 Images . . . . .	55
4.3 Analysis . . . . .	57
4.3.1 H <sub>2</sub> lines . . . . .	58

4.3.2	PAH features . . . . .	60
4.3.3	Ionic lines . . . . .	60
4.3.4	High resolution spectrum of the nucleus . . . . .	61
4.3.5	Photometry . . . . .	62
4.4	Results . . . . .	62
4.4.1	Morphology . . . . .	62
4.4.2	The shock front . . . . .	64
4.4.3	The properties of gas and PAHs in the knots . . . . .	66
4.4.4	The ages of the knots . . . . .	67
4.4.5	Star rormation rates . . . . .	69
4.5	The role of shocks in the propagation of star formation . . . . .	71
4.5.1	The evolution of PAH emission with cluster age . . . . .	71
4.5.2	The $H_2$ emission front and the simultaneity of knot formation . . . . .	72
4.6	Conclusions . . . . .	73
<b>Chapter 5. Simple models for the SEDs of Star Forming Galaxies</b>		<b>79</b>
5.1	Introduction . . . . .	79
5.2	Galaxy Sample and SEDs . . . . .	80
5.3	Analysis . . . . .	82
5.3.1	Colors . . . . .	82
5.3.2	Dust SED Model Fits . . . . .	86
5.3.3	Single dust-component fits . . . . .	87
5.3.4	Two dust components with free $\beta$ . . . . .	89
5.3.5	Two dust components with fixed $\beta$ . . . . .	92
5.3.6	The DBP90 model . . . . .	99
5.3.7	The variation of dust properties with the ISRF . . . . .	103
5.4	Discussion . . . . .	105
5.4.1	Correlations . . . . .	105
5.4.2	Very cold dust . . . . .	107
5.5	Summary and conclusions . . . . .	109
<b>Chapter Appendices</b>		<b>111</b>
<b>Bibliography</b>		<b>117</b>
<b>Color figures</b>		<b>129</b>
<b>Nederlandse samenvatting</b>		<b>135</b>
<b>Curriculum vitae</b>		<b>141</b>
<b>Nawoord</b>		<b>143</b>