



Universiteit
Leiden
The Netherlands

Atmospheres of hot alien Worlds

Brogi, M.

Citation

Brogi, M. (2014, June 5). *Atmospheres of hot alien Worlds*. Retrieved from <https://hdl.handle.net/1887/25873>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/25873>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/25873> holds various files of this Leiden University dissertation.

Author: Brogi, Matteo

Title: Atmospheres of hot alien Worlds

Issue Date: 2014-06-05

Atmospheres
of
hot alien Worlds

Atmospheres of hot alien Worlds

Proefschrift

ter verkrijging van
de graad van Doctor aan de Universiteit Leiden,
op gezag van Rector Magnificus prof.mr. C.J.J.M. Stolker,
volgens besluit van het College voor Promoties
te verdedigen op donderdag 5 juni 2014
klokke 10.00 uur

door

Matteo Brogi

geboren te Grosseto, Italië
in 1983

Promotiecommissie

Promotors: Prof. dr. I. A. G. Snellen
Prof. dr. C. U. Keller

Overige leden: Prof. dr. C. Dominik University of Amsterdam
Prof. dr. K. Heng University of Bern
Prof. dr. E. F. van Dishoeck
Dr. M. A. Kenworthy
Prof. dr. H. J. A. Röttgering

*Ai miei genitori,
per aver creduto in me,
permettendomi di realizzare un sogno*

Contents

1	Introduction	1
1.1	Planet properties from transits and radial velocities	2
1.2	Atmospheric characterization of exoplanets	4
1.2.1	Atmospheres of transiting planets	4
1.2.2	Challenges of space- and ground-based observations	7
1.2.3	Ground-based, high resolution spectroscopy	8
1.2.4	A novel data analysis	10
1.3	Close-in planets and their environment	10
1.3.1	From atmospheric escape to catastrophic evaporation	12
1.4	This thesis	12
2	The orbital trail of the giant planet τ Boötis b	17
2.1	The CRIRES observations	18
2.2	Data reduction and analysis	19
2.2.1	Initial data reduction	19
2.2.2	Removal of telluric line contamination	19
2.2.3	Cross correlation and signal extraction	21
2.3	The CO detection and the planet velocity trail	23
2.4	The planet orbit and mass	28
2.5	The planet atmosphere	30
2.5.1	Atmospheric models	30
2.5.2	Comparison of model spectra to the data	31
2.6	Discussion	32
2.6.1	Spin-orbit alignment	32
2.6.2	Molecular abundances and lack of an inversion layer	32
2.7	Conclusions	33
3	Detection of molecular absorption in the dayside of 51 Peg b?	37
3.1	Introduction	38
3.2	Observations and Data Reduction	40
3.2.1	Telescope and instruments	40
3.2.2	Basic data analysis	40
3.2.3	Stellar subtraction	41
3.2.4	Removal of the telluric contamination	41
3.2.5	Atmospheric models	42
3.2.6	Cross correlation	42
3.3	The cross-correlation signal	45
3.4	The non-detection on the third night	48
3.4.1	Issues with instrument, data and data analysis	48
3.4.2	Astrophysical causes	50
3.5	Characterization of exoplanet 51 Peg b	51

3.5.1	Planet mass and system inclination	51
3.5.2	The atmosphere of 51 Pegasi b	51
3.6	Conclusions and future prospects	54
4	CO and H₂O in the atmosphere of the non-transiting planet HD 179949 b	59
4.1	Introduction	60
4.2	The system HD 179949	61
4.3	Observations and data analysis	62
4.3.1	Telescope, instrument and observations	62
4.3.2	Extraction of the one-dimensional spectra	62
4.3.3	Bad-pixel correction and wavelength calibration	63
4.3.4	Removal of telluric lines	64
4.4	Extraction of the planet signal	64
4.4.1	Model spectra	66
4.4.2	Cross correlation and signal retrieval	67
4.4.3	Degeneracies in the atmospheric models	68
4.5	Results	69
4.5.1	Single-molecule detections	69
4.5.2	Planet mass and orbital inclination	70
4.5.3	Statistical tests on the measured signal	72
4.5.4	Constraints on the C/O ratio	73
4.6	Discussion and future prospects	76
5	Evidence for the disintegration of KIC 12557548 b	83
5.1	Introduction	84
5.2	Analysis of <i>Kepler</i> data	84
5.2.1	Transit light curve	86
5.3	The dust model	88
5.4	Results and discussion	90
5.4.1	Dependence on depth	91
5.4.2	Constraints on particle size	91
5.4.3	The size of the parent body	92
5.5	Conclusions	92
6	A search for rotation and atmospheric circulation in HD 189733 b	93
6.1	Introduction	94
6.2	Observations	96
6.3	Data analysis	97
6.3.1	Extraction of the one-dimensional spectra	97
6.3.2	Correction of bad-pixels and odd-even effect	97
6.3.3	Alignment of spectra and wavelength calibration	98
6.3.4	Removal of the stellar spectrum	99
6.3.5	Removal of telluric lines	100
6.4	Modeling and extracting the planet signal	101
6.4.1	Modeling the planet spectra	101
6.4.2	Modeling the planet broadening profile	102

6.4.3	Cross correlation and signal retrieval	104
6.5	Results	106
6.5.1	Planet signal from models with single trace gases	106
6.5.2	Planet signal from models with all molecular species	107
6.5.3	Impact of SYSREM algorithm on the measured signal	109
6.5.4	Absence of signal in the partially-observed transit	111
6.6	Discussion	111
6.A	Modeling and removal of the stellar spectrum	115
6.A.1	Creating the telluric spectrum	115
6.A.2	Creating the stellar spectrum	115
6.A.3	Fitting the CO lines	116
6.A.4	Subtracting the CO lines	116
7	Future exoplanet characterization at high spectral resolution	117
7.1	Advantages of high-resolution spectroscopy	117
7.2	Current limits of high-resolution spectroscopy	118
7.3	The coming years	119
7.4	The next decade: Extremely Large Telescopes	121
7.5	Final remarks	123
	Samenvatting	125
	Riepilogo	129
	List of publications	133
	Curriculum Vitae	135
	Acknowledgments	137