



Universiteit
Leiden
The Netherlands

Extreme star formation in starburst galaxies

Snijders, L.

Citation

Snijders, L. (2007, November 28). *Extreme star formation in starburst galaxies*. Retrieved from <https://hdl.handle.net/1887/12481>

Version: Not Applicable (or Unknown)

License: [Leiden University Non-exclusive license](#)

Downloaded from: <https://hdl.handle.net/1887/12481>

Note: To cite this publication please use the final published version (if applicable).

Extreme star formation in starburst galaxies

Extreme star formation in starburst galaxies

Proefschrift

ter verkrijging van
de graad van Doctor aan de Universiteit Leiden,
op gezag van Rector Magnificus prof. mr. dr. P. F. van der Heijden,
volgens besluit van het College voor Promoties
te verdedigen op woensdag 28 november 2007
klokke 16.15 uur

door

Leonie Snijders

geboren te Beverwijk
in 1979

Promotiecommissie

Promotor: Prof. dr. M. Franx

Co-promotor: Dr. P. P. van der Werf

Referent: Prof. R. C. Kennicutt, Jr. (University of Cambridge, UK)

Overige leden: Dr. B. R. Brandl
Prof. dr. E. F. van Dishoeck
Prof. dr. F. P. Israel
Dr. L. J. Kewley (University of Hawaiï, Honolulu, USA)
Prof. dr. K. H. Kuijken
Prof. dr. P. T. de Zeeuw

Cover:

Liten hägring (Minor Mirage),

Henrik Samuelsson, Sweden 2003.

Courtesy Galerie Laurent Godin, Paris.

Table of contents

	Page
Chapter 1. Introduction	1
1.1 Starburst galaxies	1
1.2 Observational characteristics of starburst galaxies	2
1.3 This thesis	3
1.4 Objects	4
1.4.1 The Antennae	4
1.4.2 M83	5
1.5 Observations	6
1.5.1 Ground-based	6
1.5.2 Space-based	7
Chapter 2. Mid-infrared diagnostics of starburst galaxies	11
2.1 Introduction	12
Part I: Modeling emission line spectra of embedded star clusters	14
2.2 Modeling the emission line spectra	15
2.2.1 Spectral features in the wavelength range of the atmospheric windows	15
2.2.2 Stellar population synthesis model	16
2.2.3 Photoionization model	19
2.2.4 Parameter space covered by the model grid	20
2.3 Model results	21
2.3.1 Age evolution of line ratios: mid-infrared	21
2.3.2 Age evolution of line ratios: near-infrared	26
2.4 Comparison with existing mid-infrared models	28
2.5 Diagnostic diagrams	30
2.6 Comparison with published data	33
Part II: A test case for model applications	34
2.7 Stellar clusters in the overlap region of the Antennae	35
2.7.1 Observations, data reduction and results	35
2.8 Discussion	39
2.8.1 Modeling infrared line emission of young star-forming regions	39
2.8.2 Dense star-forming regions in the Antennae	40
2.8.3 Evidence for a dense, clumpy ISM	42
2.9 Conclusions	46
Chapter 3. Ground-based VLT mid-infrared observations of NGC 4038/4039	49
3.1 Introduction	50
3.2 Observations and data reduction	50

3.3	Results	53
3.4	PAH emission	55
3.5	Future work	57
Chapter 4.	Ground-based VLT near-infrared spectroscopy of NGC 4038/4039	59
4.1	Introduction	60
4.2	Observations and data reduction	61
4.3	Results	62
4.4	Cluster properties	63
4.4.1	Extinction	66
4.4.2	Cluster ages	66
4.4.3	T_{eff} of the stellar radiation field	68
4.4.4	Cluster masses	70
4.5	The excitation mechanism of molecular hydrogen	72
4.6	Conclusions	75
Chapter 5.	Space-based Spitzer mid-infrared spectroscopy of NGC 4038/4039	81
5.1	Introduction	82
5.2	Observations and data reduction	85
5.2.1	'Hires' observations	85
5.2.2	'Lores' observations	87
5.3	Results and methods	91
5.3.1	Continuum fluxes	91
5.3.2	Polycyclic aromatic hydrocarbons (PAHs)	93
5.3.3	Fine-structure and hydrogen emission lines	95
5.3.4	Deriving H_2 temperatures and masses	96
5.3.5	Extinction estimates	100
5.4	Discussion	101
5.4.1	The nuclei of NGC 4038 and NGC 4039	102
5.4.2	The properties of individual SSCs	104
5.4.3	Cluster ages in comparison	106
5.4.4	The physical conditions across the Antennae	107
5.4.5	Dust temperature and radiation field	109
5.4.6	Star formation rates for the individual star-forming regions	109
5.4.7	PAHs – Strengths and variations	110
5.4.8	The strength of the H_2 emission	113
5.4.9	H_2 temperatures and masses	115
5.4.10	H_2 excitation mechanisms	118
5.5	Summary	119
Chapter 6.	PAH emission in the nucleus of M83	123
6.1	Introduction	124
6.2	Observations and data reduction	125
6.2.1	VISIR narrowband imaging	125
6.2.2	VISIR spectroscopy	126

6.2.3 SINFONI data	128
6.3 Results	129
6.4 Diffuse versus compact PAH emission	132
6.5 Properties of the star-forming regions	136
6.5.1 The central star formation complex	137
6.5.2 Source 8	139
6.6 Conclusions	140
Chapter 7. Summary & Outlook	143
7.1 Models	143
7.2 Highlights	144
7.2.1 Properties of the stellar populations and the surrounding ISM . . .	144
7.2.2 Diffuse PAH emission	146
7.3 Outlook	147
Nederlandse Samenvatting	149
Curriculum Vitae	157
Nawoord	158

Alheimsvíðáttan

Sá eg í ungum
æskublóma
stjörnur úr himin-
straumum rísa,
þúsund alda
aðþreyta skeið
heiðfagran gegnum
himinbláma.

(...)

Gránar í geimi,
geysa ég um himin
þokuþungaðan
þjótandi fram;
dunar mér á baki
dökknaðra sóla
flugniður allra,
sem fossa deyjandi.

The Vastness of the Universe

I watched the stars
in the womb of youth
rise from the still
streams of heaven,
eager to make
their million year
race through the thin
ethereal blue.

(...)

As I dart on
through dim greyness,
I encounter clouds
of cosmic dust.
Behind me I hear,
hushed in distance,
dark cataracts
of dying suns.

Jónas Hallgrímsson, Iceland, 1837