



Universiteit
Leiden
The Netherlands

Neural correlates of vocal learning in songbirds and humans

Kant, A.M. van der

Citation

Kant, A. M. van der. (2015, January 28). *Neural correlates of vocal learning in songbirds and humans*. Retrieved from <https://hdl.handle.net/1887/31633>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/31633>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/31633> holds various files of this Leiden University dissertation.

Author: Kant, Anne Marie van der

Title: Neural correlates of vocal learning in songbirds and humans : cross-species fMRI studies into individual differences

Issue Date: 2015-01-28

References

- Akutagawa, E., & Konishi, M. (2010). New brain pathways found in the vocal control system of a songbird. *Journal of Comparative Neurology*, 518(15), 3086–3100.
- Amaro, E., Williams, S. C., Shergill, S. S., Fu, C. H., MacSweeney, M., Picchioni, M. M., . . . McGuire, P. K. (2002). Acoustic noise and functional magnetic resonance imaging: current strategies and future prospects. *Journal of Magnetic Resonance Imaging*, 16(5), 497–510.
- Amin, N., Doupe, A., & Theunissen, F. E. (2007). Development of selectivity for natural sounds in the songbird auditory forebrain. *Journal of Neurophysiology*, 97(5), 3517–3531.
- Amin, N., Grace, J., & Theunissen, F. (2004). Neural response to birds own song and tutor song in the zebra finch field l and caudal mesopallium. *Journal of Comparative Physiology A*, 190(6), 469–489.
- Andalman, A. S., & Fee, M. S. (2009). A basal ganglia-forebrain circuit in the songbird biases motor output to avoid vocal errors. *Proceedings of the National Academy of Sciences*, 106(30), 12518–12523.
- Antonenko, D., Meinzer, M., Lindenberg, R., Witte, A. V., & Flöel, A. (2012). Grammar learning in older adults is linked to white matter microstructure and functional connectivity. *Neuroimage*, 62(3), 1667–1674.
- Aronov, D., Andalman, A. S., & Fee, M. S. (2008). A specialized forebrain circuit for vocal babbling in the juvenile songbird. *Science*, 320(5876), 630–634.
- Aslin, R. N., & Fiser, J. (2005). Methodological challenges for understanding cognitive development in infants. *Trends in Cognitive Sciences*, 9(3), 92–98.
- Astrakas, L. G., & Argyropoulou, M. I. (2010). Shifting from region of interest (roi) to voxel-based analysis in human brain mapping. *Pediatric Radiology*, 40(12), 1857–1867.
- Baddeley, A. (2003). Working memory and language: an overview. *Journal of Communication Disorders*, 36(3), 189–208.

- Bahlmann, J., Schubotz, R. I., & Friederici, A. D. (2008). Hierarchical artificial grammar processing engages broca's area. *Neuroimage*, 42(2), 525–534.
- Baptista, L. F., & Schuchmann, K.-L. (1990). Song learning in the anna hummingbird (*calypte anna*). *Ethology*, 84(1), 15–26.
- Barnea-Goraly, N., Menon, V., Eckert, M., Tamm, L., Bammer, R., Karchemskiy, A., . . . Reiss, A. L. (2005). White matter development during childhood and adolescence: a cross-sectional diffusion tensor imaging study. *Cerebral Cortex*, 15(12), 1848–1854.
- Bauer, E. E., Coleman, M. J., Roberts, T. F., Roy, A., Prather, J. F., & Mooney, R. (2008). A synaptic basis for auditory–vocal integration in the songbird. *The Journal of Neuroscience*, 28(6), 1509–1522.
- Beecher, M. D., & Burt, J. M. (2004). The role of social interaction in bird song learning. *Current Directions in Psychological Science*, 13(6), 224–228.
- Birdsong, D., & Molis, M. (2001). On the evidence for maturational constraints in second-language acquisition. *Journal of Memory and Language*, 44(2), 235–249.
- Black, K. J., Snyder, A. Z., Koller, J. M., Gado, M. H., & Perlmuter, J. S. (2001). Template images for nonhuman primate neuroimaging: 1. baboon. *Neuroimage*, 14(3), 736–743.
- Boersma, P. (2002). Praat, a system for doing phonetics by computer. *Glott International*, 5(9/10), 341–345.
- Bolhuis, J. J., & Gahr, M. (2006). Neural mechanisms of birdsong memory. *Nature Reviews Neuroscience*, 7(5), 347–357.
- Bolhuis, J. J., Hetebrij, E., Den Boer-Visser, A. M., De Groot, J. H., & Zijlstra, G. G. (2001). Localized immediate early gene expression related to the strength of song learning in socially reared zebra finches. *European Journal of Neuroscience*, 13(11), 2165–2170.
- Bolhuis, J. J., Okanoya, K., & Scharff, C. (2010). Twitter evolution: converging mechanisms in birdsong and human speech. *Nature Reviews Neuroscience*, 11(11), 747–759.
- Bolhuis, J. J., Zijlstra, G. G., Den Boer-Visser, A. M., & Van der Zee, E. A. (2000). Localized neuronal activation in the zebra finch brain is related to the strength of song learning. *Proceedings of the National Academy of Sciences*, 97(5), 2282–2285.
- Bonatti, L. L., Pena, M., Nespor, M., & Mehler, J. (2005). Linguistic constraints on statistical computations the role of consonants and vowels in continuous speech processing. *Psychological Science*, 16(6), 451–459.
- Booth, J. R., Wood, L., Lu, D., Houk, J. C., & Bitan, T. (2007). The role of the basal ganglia and cerebellum in language processing. *Brain Research*, 1133, 136–144.
- Boumans, T., Gobes, S. M., Poirier, C., Theunissen, F. E., Vandersmissen, L., Pintjens, W., . . . Van der Linden, A. (2008). Functional mri of auditory responses in the zebra finch forebrain reveals a hierarchical organisation based on signal strength but not selectivity. *PloS One*, 3(9), e3184.

- Boumans, T., Theunissen, F. E., Poirier, C., & Van der Linden, A. (2007). Neural representation of spectral and temporal features of song in the auditory forebrain of zebra finches as revealed by functional mri. *European Journal of Neuroscience*, 26(9), 2613–2626.
- Boumans, T., Vignal, C., Smolders, A., Sijbers, J., Verhoye, M., Van Audekerke, J., ... Van der Linden, A. (2008). Functional magnetic resonance imaging in zebra finch discerns the neural substrate involved in segregation of conspecific song from background noise. *Journal of Neurophysiology*, 99(2), 931.
- Braaten, R. F., & Reynolds, K. (1999). Auditory preference for conspecific song in isolation-reared zebra finches. *Animal Behaviour*, 58(1), 105–111.
- Brainard, M. S. (2004). Contributions of the anterior forebrain pathway to vocal plasticity. *Annals of the New York Academy of Sciences*, 1016(1), 377–394.
- Brainard, M. S., & Doupe, A. J. (2000). Interruption of a basal ganglia–forebrain circuit prevents plasticity of learned vocalizations. *Nature*, 404(6779), 762–766.
- Brainard, M. S., & Doupe, A. J. (2002). What songbirds teach us about learning. *Nature*, 417(6886), 351–358.
- Cannestra, A. F., Santori, E. M., Holmes, C. J., & Toga, A. W. (1997). A three-dimensional multimodality brain map of the nemestrina monkey. *Brain Research Bulletin*, 43(2), 141–148.
- Capsius, B., & Leppelsack, H.-J. (1996). Influence of urethane anesthesia on neural processing in the auditory cortex analogue of a songbird. *Hearing Research*, 96(1), 59–70.
- Cardin, J. A., & Schmidt, M. F. (2003). Song system auditory responses are stable and highly tuned during sedation, rapidly modulated and unselective during wakefulness, and suppressed by arousal. *Journal of Neurophysiology*, 90(5), 2884–2899.
- Cardin, J. A., & Schmidt, M. F. (2004). Auditory responses in multiple sensorimotor song system nuclei are co-modulated by behavioral state. *Journal of Neurophysiology*, 91(5), 2148–2163.
- Carpenter, M., & Tomasello, M. (1995). Joint attention and imitative learning in children, chimpanzees, and enculturated chimpanzees*. *Social Development*, 4(3), 217–237.
- Castelino, C. B., & Ball, G. F. (2005). A role for norepinephrine in the regulation of context-dependent zenk expression in male zebra finches (*taeniopygia guttata*). *European Journal of Neuroscience*, 21(7), 1962–1972.
- Castelino, C. B., & Schmidt, M. F. (2010). What birdsong can teach us about the central noradrenergic system. *Journal of Chemical Neuroanatomy*, 39(2), 96–111.
- Catani, M., & Thiebaut de Schotten, M. (2008). A diffusion tensor imaging tractography atlas for virtual in vivo dissections. *Cortex*, 44(8), 1105–1132.

- Central Committee on Research Involving Human Subjects, C. C. M. O. (2004). *Memorandum: Criteria for assessing non-therapeutic mri scans on minor and incapacitated research subjects*. available at <http://www.ccmo.nl/attachments/files/ccmo-notitie-mri-bij-kids-14-102004-eng.pdf>. (Assessed, August 7, 2014)
- Chandrasekaran, B., Kraus, N., & Wong, P. C. (2012). Human inferior colliculus activity relates to individual differences in spoken language learning. *Journal of Neurophysiology*, 107(5), 1325.
- Chang, S.-E., Erickson, K. I., Ambrose, N. G., Hasegawa-Johnson, M. A., & Ludlow, C. L. (2008). Brain anatomy differences in childhood stuttering. *Neuroimage*, 39(3), 1333–1344.
- Chew, S. J., Mello, C., Nottebohm, F., Jarvis, E., & Vicario, D. S. (1995). Decrements in auditory responses to a repeated conspecific song are long-lasting and require two periods of protein synthesis in the songbird forebrain. *Proceedings of the National Academy of Sciences*, 92(8), 3406–3410.
- Chomsky, N. (1957). *Syntactic structures*. Walter De Gruyter.
- Clayton, N. (1988). Song discrimination learning in zebra finches. *Animal Behaviour*, 36(4), 1016–1024.
- Cowen, P. (1950). Strain differences in mice to the carcinogenic action of urethane and its non-carcinogenicity in chicks and guinea-pigs. *British Journal of Cancer*, 4(2), 245.
- Cowie, R., Douglas-Cowie, E., & Kerr, A. (1982). A study of speech deterioration in post-lingually deafened adults. *The Journal of Laryngology & Otology*, 96(02), 101–112.
- Curtiss, S., Fromkin, V., Krashen, S., Rigler, D., & Rigler, M. (1974). The linguistic development of genie. *Language*, 528–554.
- Cynx, J., Williams, H., & Nottebohm, F. (1992). Hemispheric differences in avian song discrimination. *Proceedings of the National Academy of Sciences*, 89(4), 1372–1375.
- Dave, A. S., Albert, C. Y., & Margoliash, D. (1998). Behavioral state modulation of auditory activity in a vocal motor system. *Science*, 282(5397), 2250–2254.
- Dave, A. S., & Margoliash, D. (2000). Song replay during sleep and computational rules for sensorimotor vocal learning. *Science*, 290(5492), 812–816.
- DeCasper, A., & Spence, M. (1986). Newborns prefer a familiar story over an unfamiliar one. *Infant Behavior and Development*, 9, 133–150.
- De Groof, G., Jonckers, E., Güntürkün, O., Denolf, P., Van Audekerke, J., & Van der Linden, A. (2013). Functional mri and functional connectivity of the visual system of awake pigeons. *Behavioural Brain Research*, 239, 43–50.
- De Groof, G., Poirier, C., George, I., Hausberger, M., & Van der Linden, A. (2011). Seasonal changes in selectivity for individual song in the songbird auditory forebrain. Abstract and Poster, SfN's 41st Annual Meeting, November 12-16, Washington, DC, USA.

- De Groof, G., & Van der Linden, A. (2010). Love songs, bird brains and diffusion tensor imaging. *NMR in Biomedicine*, 23(7), 873–883.
- Dehaene-Lambertz, G., Dehaene, S., & Hertz-Pannier, L. (2002). Functional neuroimaging of speech perception in infants. *Science*, 298(5600), 2013–2015.
- Derégnaucourt, S., Poirier, C., Van der Kant, A., Van der Linden, A., & Gahr, M. (2013). Comparisons of different methods to train a young zebra finch (*taeniopygia guttata*) to learn a song. *Journal of Physiology-Paris*, 107(3), 210–218.
- De Vries, M. H., Petersson, K. M., Geukes, S., Zwitserlood, P., & Christiansen, M. H. (2012). Processing multiple non-adjacent dependencies: evidence from sequence learning. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 367(1598), 2065–2076.
- Doupe, A. J., & Konishi, M. (1991). Song-selective auditory circuits in the vocal control system of the zebra finch. *Proceedings of the National Academy of Sciences*, 88(24), 11339–11343.
- Doupe, A. J., & Kuhl, P. K. (1999). Birdsong and human speech: common themes and mechanisms. *Annual Review of Neuroscience*, 22(1), 567–631.
- Duncan, K. A., & Saldanha, C. J. (2011). Neuroinflammation induces glial aromatase expression in the uninjured songbird brain. *Journal of Neuroinflammation*, 8(1), 1–11.
- Duong, T. Q., Yacoub, E., Adriany, G., Hu, X., Uurbil, K., & Kim, S.-G. (2003). Microvascular bold contribution at 4 and 7 t in the human brain: Gradient-echo and spin-echo fmri with suppression of blood effects. *Magnetic Resonance in Medicine*, 49(6), 1019–1027.
- Dutka, M. V., Scanley, B. E., Does, M. D., & Gore, J. C. (2002). Changes in cbf-bold coupling detected by mri during and after repeated transient hypercapnia in rat. *Magnetic Resonance in Medicine*, 48(2), 262–270.
- Eales, L. A. (1985). Song learning in zebra finches: some effects of song model availability on what is learnt and when. *Animal Behaviour*, 33(4), 1293–1300.
- Eens, M., Pinxten, R., & Verheyen, R. F. (1992). Song learning in captive european starlings, *sturnus vulgaris*. *Animal Behaviour*, 44(6), 1131–1143.
- Egnor, S., & Hauser, M. D. (2004). A paradox in the evolution of primate vocal learning. *Trends in Neurosciences*, 27(11), 649–654.
- Eliades, S. J., & Wang, X. (2008). Neural substrates of vocalization feedback monitoring in primate auditory cortex. *Nature*, 453(7198), 1102–1106.
- Ellis, N. C. (1996). Working memory in the acquisition of vocabulary and syntax: Putting language in good order. *The Quarterly Journal of Experimental Psychology: Section A*, 49(1), 234–250.
- Ferris, C. F., Kulkarni, P., Sullivan, J. M., Harder, J. A., Messenger, T. L., & Febo, M. (2005). Pup suckling is more rewarding than cocaine: evidence from functional magnetic resonance imaging and three-dimensional computational analysis. *The Journal of Neuroscience*, 25(1), 149–156.

- Ferris, C. F., Stolberg, T., Kulkarni, P., Murugavel, M., Blanchard, R., Blanchard, D. C., ... Simon, N. G. (2008). Imaging the neural circuitry and chemical control of aggressive motivation. *BMC Neuroscience*, 9(1), 111.
- Fields, R. D. (2005). Myelination: an overlooked mechanism of synaptic plasticity? *The Neuroscientist*, 11(6), 528–531.
- Fischer, J., & Hammerschmidt, K. (2011). Ultrasonic vocalizations in mouse models for speech and socio-cognitive disorders: insights into the evolution of vocal communication. *Genes, Brain and Behavior*, 10(1), 17–27.
- Flöel, A., De Vries, M. H., Scholz, J., Breitenstein, C., & Johansen-Berg, H. (2009). White matter integrity in the vicinity of broca's area predicts grammar learning success. *Neuroimage*, 47(4), 1974–1981.
- Folia, V., & Petersson, K. M. (2014). Implicit structured sequence learning: An fmri study of the structural mere-exposure effect. *Frontiers in Psychology*, 5, 41.
- Friederici, A. D., & Gierhan, S. M. (2013). The language network. *Current Opinion in Neurobiology*, 23(2), 250–254.
- Friederici, A. D., Rueschemeyer, S.-A., Hahne, A., & Fiebach, C. J. (2003). The role of left inferior frontal and superior temporal cortex in sentence comprehension: localizing syntactic and semantic processes. *Cerebral Cortex*, 13(2), 170–177.
- Fromkin, V., Krashen, S., Curtiss, S., Rigler, D., & Rigler, M. (1974). The development of language in genie: a case of language acquisition beyond the critical period. *Brain and Language*, 1(1), 81–107.
- Funabiki, Y., & Konishi, M. (2003). Long memory in song learning by zebra finches. *The Journal of Neuroscience*, 23(17), 6928–6935.
- Gentner, T. Q., Fenn, K. M., Margoliash, D., & Nusbaum, H. C. (2006). Recursive syntactic pattern learning by songbirds. *Nature*, 440(7088), 1204–1207.
- George, I., Cousillas, H., Richard, J.-P., & Hausberger, M. (2005). Auditory responses in the hvc of anesthetized starlings. *Brain Research*, 1047(2), 245–260.
- Gervain, J., Macagno, F., Cogoi, S., Peña, M., & Mehler, J. (2008). The neonate brain detects speech structure. *Proceedings of the National Academy of Sciences*, 105(37), 14222–14227.
- Geschwind, N. (1965). Disconnexion syndromes in animal and man. *Brain*, 88, 237–294.
- Gobes, S. M., & Bolhuis, J. J. (2007). Birdsong memory: a neural dissociation between song recognition and production. *Current Biology*, 17(9), 789–793.
- Gobes, S. M., Ter Haar, S. M., Vignal, C., Vergne, A. L., Mathevon, N., & Bolhuis, J. J. (2009). Differential responsiveness in brain and behavior to sexually dimorphic long calls in male and female zebra finches. *Journal of Comparative Neurology*, 516(4), 312–320.
- Gobes, S. M., Zandbergen, M. A., & Bolhuis, J. J. (2010). Memory in the mak-

- ing: localized brain activation related to song learning in young songbirds. *Proceedings of the Royal Society B: Biological Sciences*, 277(1698), 3343–3351.
- Goldstein, M. H., King, A. P., & West, M. J. (2003). Social interaction shapes babbling: Testing parallels between birdsong and speech. *Proceedings of the National Academy of Sciences*, 100(13), 8030–8035.
- Gómez, R. (2002). Variability and detection of invariant structure. *Psychological Science*, 13(5), 431–436.
- Gómez, R., & Maye, J. (2005). The developmental trajectory of nonadjacent dependency learning. *Infancy*, 7(2), 183–206.
- Grace, J. A., Amin, N., Singh, N. C., & Theunissen, F. E. (2003). Selectivity for conspecific song in the zebra finch auditory forebrain. *Journal of Neurophysiology*, 89(1), 472–487.
- Gramá, I., Wijnen, F., & Kerkhoff, A. (2013). Constraints on non-adjacent dependency-learning: Distance matters an artificial grammar learning study with adults. In S. Baiz, N. Goldman, & R. Hawkes (Eds.), *Boston university conference on language development 37 online proceedings supplement*. Boston, Massachusetts.
- Greicius, M. D., Supekar, K., Menon, V., & Dougherty, R. F. (2009). Resting-state functional connectivity reflects structural connectivity in the default mode network. *Cerebral Cortex*, 19(1), 72–78.
- Güntürkün, O., Verhoye, M., De Groof, G., & Van der Linden, A. (2013). A 3-dimensional digital atlas of the ascending sensory and the descending motor systems in the pigeon brain. *Brain Structure and Function*, 218(1), 269–281.
- Haesler, S., Rochefort, C., Georgi, B., Licznarski, P., Osten, P., & Scharff, C. (2007). Incomplete and inaccurate vocal imitation after knockdown of *foxp2* in songbird basal ganglia nucleus area x. *PLoS Biology*, 5(12), e321.
- Hakuta, K., Bialystok, E., & Wiley, E. (2003). Critical evidence a test of the critical-period hypothesis for second-language acquisition. *Psychological Science*, 14(1), 31–38.
- Hara, E., Rivas, M. V., Ward, J. M., Okanoya, K., & Jarvis, E. D. (2012). Convergent differential regulation of parvalbumin in the brains of vocal learners. *PloS One*, 7(1), e29457.
- Harel, N., Lin, J., Moeller, S., Ugurbil, K., & Yacoub, E. (2006). Combined imaging–histological study of cortical laminar specificity of fmri signals. *Neuroimage*, 29(3), 879–887.
- Hauser, M. D., Chomsky, N., & Fitch, W. T. (2002). The faculty of language: What is it, who has it, and how did it evolve? *Science*, 298(5598), 1569–1579.
- Hein, G., Doehrmann, O., Müller, N. G., Kaiser, J., Muckli, L., & Naumer, M. J. (2007). Object familiarity and semantic congruency modulate responses in cortical audiovisual integration areas. *The Journal of Neuroscience*, 27(30), 7881–7887.

- Hickok, G. (2009). The functional neuroanatomy of language. *Physics of Life Reviews*, 6(3), 121–143.
- Hickok, G., & Poeppel, D. (2000). Towards a functional neuroanatomy of speech perception. *Trends in cognitive sciences*, 4(4), 131–138.
- Hickok, G., & Poeppel, D. (2004). Dorsal and ventral streams: a framework for understanding aspects of the functional anatomy of language. *Cognition*, 92(1), 67–99.
- Hilliard, A. T., Miller, J. E., Fraley, E. R., Horvath, S., & White, S. A. (2012). Molecular microcircuitry underlies functional specification in a basal ganglia circuit dedicated to vocal learning. *Neuron*, 73(3), 537–552.
- Hockett, C. F. (1963). The problem of universals in language. *Universals of Language*, 2, 1–29.
- Houde, J., Nagarajan, S., Sekihara, K., & Merzenich, M. (2002). Modulation of the auditory cortex during speech: an meg study. *Journal of Cognitive Neuroscience*, 14(8), 1125–1138.
- Hsu, A., Woolley, S. M., Fremouw, T. E., & Theunissen, F. E. (2004). Modulation power and phase spectrum of natural sounds enhance neural encoding performed by single auditory neurons. *The Journal of Neuroscience*, 24(41), 9201–9211.
- Iacoboni, M. (2005). Neural mechanisms of imitation. *Current Opinion in Neurobiology*, 15(6), 632–637.
- Janata, P., & Margoliash, D. (1999). Gradual emergence of song selectivity in sensorimotor structures of the male zebra finch song system. *The Journal of Neuroscience*, 19(12), 5108–5118.
- Jäncke, L., Shah, N., Posse, S., Grosse-Ryken, M., & Müller-Gärtner, H.-W. (1998). Intensity coding of auditory stimuli: an fmri study. *Neuropsychologia*, 36(9), 875–883.
- Janik, V., & Slater, P. B. (1997). Vocal learning in mammals. *Advances in the Study of Behavior*, 26, 59–99.
- Jarvis, E. D. (2004). Learned birdsong and the neurobiology of human language. *Annals of the New York Academy of Sciences*, 1016(1), 749–777.
- Jarvis, E. D., Güntürkün, O., Bruce, L., Csillag, A., Karten, H., Kuenzel, W., ... Butler, A. B. (2005). Avian brains and a new understanding of vertebrate brain evolution. *Nature Reviews Neuroscience*, 6(2), 151–159.
- Johnson, J. S., & Newport, E. L. (1989). Critical period effects in second language learning: The influence of maturational state on the acquisition of english as a second language. *Cognitive Psychology*, 21(1), 60–99.
- Jonckers, E., Van Audekerke, J., De Visscher, G., Van der Linden, A., & Verhoye, M. (2011). Functional connectivity fmri of the rodent brain: comparison of functional connectivity networks in rat and mouse. *PloS One*, 6(4), e18876.
- Jones, M., Berwick, J., Hewson-Stoate, N., Gias, C., & Mayhew, J. (2005). The effect of hypercapnia on the neural and hemodynamic responses to somatosensory stimulation. *Neuroimage*, 27(3), 609–623.

- Kana, R. K., Keller, T. A., Cherkassky, V. L., Minshew, N. J., & Just, M. A. (2006). Sentence comprehension in autism: thinking in pictures with decreased functional connectivity. *Brain*, 129(9), 2484–2493.
- Kao, M. H., Doupe, A. J., & Brainard, M. S. (2005). Contributions of an avian basal ganglia–forebrain circuit to real-time modulation of song. *Nature*, 433(7026), 638–643.
- Keenan, J. P., Nelson, A., O'Connor, M., & Pascual-Leone, A. (2001). Self-recognition and the right hemisphere. *Nature*.
- Keller, G. B., & Hahnloser, R. H. (2009). Neural processing of auditory feedback during vocal practice in a songbird. *Nature*, 457(7226), 187–190.
- Kerkhoff, A., De Bree, E., De Klerk, M., & Wijnen, F. (2013). Non-adjacent dependency learning in infants at familial risk of dyslexia. *Journal of Child Language*, 40(01), 11–28.
- Knörnschild, M., Behr, O., & Von Helversen, O. (2006). Babbling behavior in the sac-winged bat (*saccolaryx bilineata*). *Naturwissenschaften*, 93(9), 451–454.
- Konishi, M. (1965). The role of auditory feedback in the control of vocalization in the white-crowned sparrow. *Zeitschrift für Tierpsychologie*, 22(7), 770–783.
- Kotz, S. A., Frisch, S., Von Cramon, D., & Friederici, A. D. (2003). Syntactic language processing: Erp lesion data on the role of the basal ganglia. *Journal of the International Neuropsychological Society*, 9(07), 1053–1060.
- Koyama, M. S., Di Martino, A., Zuo, X.-N., Kelly, C., Mennes, M., Jutagir, D. R., ... Milham, M. P. (2011). Resting-state functional connectivity indexes reading competence in children and adults. *The Journal of Neuroscience*, 31(23), 8617–8624.
- Kuhl, P. K. (2003). Human speech and birdsong: communication and the social brain. *Proceedings of the National Academy of Sciences*, 100(17), 9645–9646.
- Lai, C. S., Fisher, S. E., Hurst, J. A., Vargha-Khadem, F., & Monaco, A. P. (2001). A forkhead-domain gene is mutated in a severe speech and language disorder. *Nature*, 413(6855), 519–523.
- Lancaster, J. L., Woldorff, M. G., Parsons, L. M., Liotti, M., Freitas, C. S., Rainey, L., ... Fox, P. T. (2000). Automated talairach atlas labels for functional brain mapping. *Human Brain Mapping*, 10(3), 120–131.
- Lauay, C., Gerlach, N. M., Adkins-Regan, E., & DeVoogd, T. J. (2004). Female zebra finches require early song exposure to prefer high-quality song as adults. *Animal Behaviour*, 68(6), 1249–1255.
- Le Bihan, D., Mangin, J.-F., Poupon, C., Clark, C. A., Pappata, S., Molko, N., & Chabriet, H. (2001). Diffusion tensor imaging: concepts and applications. *Journal of Magnetic Resonance Imaging*, 13(4), 534–546.
- Lee, S. P., Duong, T. Q., Yang, G., Iadecola, C., & Kim, S. G. (2001). Relative changes of cerebral arterial and venous blood volumes during increased cerebral blood flow: implications for bold fmri. *Magnetic Resonance in*

- Medicine*, 45(5), 791–800.
- Lee, S. P., Silva, A. C., Ugurbil, K., & Kim, S. G. (1999). Diffusion-weighted spin-echo fmri at 9.4 t: microvascular/tissue contribution to bold signal changes. *Magnetic Resonance in Medicine*, 42(5), 919–928.
- Leemans, A., Jeurissen, B., Sijbers, J., & Jones, D. (2009). Exploredti: a graphical toolbox for processing, analyzing, and visualizing diffusion mr data. In *17th annual meeting of intl soc mag reson med* (p. 3537).
- Lei, H., & Mooney, R. (2010). Manipulation of a central auditory representation shapes learned vocal output. *Neuron*, 65(1), 122–134.
- Lenneberg, E. H., Chomsky, N., & Marx, O. (1967). *Biological foundations of language* (Vol. 68). Wiley New York.
- Lenneberg, E. H., Rebelsky, F. G., & Nichols, I. A. (1965). The vocalizations of infants born to deaf and to hearing parents. *Human Development*, 8(1), 23–37.
- Leonardo, A., & Konishi, M. (1999). Decrystallization of adult birdsong by perturbation of auditory feedback. *Nature*, 399(6735), 466–470.
- Lewicki, M. S., & Arthur, B. J. (1996). Hierarchical organization of auditory temporal context sensitivity. *The Journal of Neuroscience*, 16(21), 6987–6998.
- Li, P., Legault, J., & Litcofsky, K. A. (2014). Neuroplasticity as a function of second language learning: Anatomical changes in the human brain. *Cortex*.
- Liang, Z., King, J., & Zhang, N. (2011). Uncovering intrinsic connectional architecture of functional networks in awake rat brain. *The Journal of Neuroscience*, 31(10), 3776–3783.
- Lin, L., Chen, K., Alexander, G., He, J., Valla, J., Galons, J., ... Reiman, E. (2003). Construction of mouse brain mri templates using spm99. In *Proceedings of the 5th ifac symposium on modelling and control in biomedical systems, melbourne, australia* (pp. 113–118).
- Logothetis, N. K., Guggenberger, H., Peled, S., & Pauls, J. (1999). Functional imaging of the monkey brain. *Nature Neuroscience*, 2(6), 555–562.
- Logothetis, N. K., Pauls, J., Augath, M., Trinath, T., & Oeltermann, A. (2001). Neurophysiological investigation of the basis of the fmri signal. *Nature*, 412(6843), 150–157.
- Lohmann, G., Hoehl, S., Brauer, J., Danielmeier, C., Bornkessel-Schlesewsky, I., Bahlmann, J., ... Friederici, A. (2010). Setting the frame: the human brain activates a basic low-frequency network for language processing. *Cerebral Cortex*, 20(6), 1286–1292.
- London, S. E., & Clayton, D. F. (2008). Functional identification of sensory mechanisms required for developmental song learning. *Nature Neuroscience*, 11(5), 579–586.
- Lopez-Barroso, D., de Diego-Balaguer, R., Cunillera, T., Camara, E., Münte, T. F., & Rodriguez-Fornells, A. (2011). Language learning under working memory constraints correlates with microstructural differences in

- the ventral language pathway. *Cerebral Cortex*, 21(12), 2742–2750.
- Loui, P., Li, H. C., & Schlaug, G. (2011). White matter integrity in right hemisphere predicts pitch-related grammar learning. *Neuroimage*, 55(2), 500–507.
- MacKenzie-Graham, A., Lee, E. F., Dinov, I. D., Bota, M., Shattuck, D. W., Ruffins, S., ... Toga, A. W. (2004). A multimodal, multidimensional atlas of the c57bl/6j mouse brain. *Journal of Anatomy*, 204(2), 93–102.
- Malonek, D., Dirnagl, U., Lindauer, U., Yamada, K., Kanno, I., & Grinvald, A. (1997). Vascular imprints of neuronal activity: relationships between the dynamics of cortical blood flow, oxygenation, and volume changes following sensory stimulation. *Proceedings of the National Academy of Sciences*, 94(26), 14826–14831.
- Mano, Y., Sugiura, M., Tsukiura, T., Chiao, J. Y., Yomogida, Y., Jeong, H., ... Kawashima, R. (2011). The representation of social interaction in episodic memory: A functional mri study. *NeuroImage*, 57(3), 1234–1242.
- Marcus, G. F., Vijayan, S., Rao, S. B., & Vishton, P. M. (1999). Rule learning by seven-month-old infants. *Science*, 283(5398), 77–80.
- Margoliash, D. (1986). Preference for autogenous song by auditory neurons in a song system nucleus of the white-crowned sparrow. *The Journal of Neuroscience*, 6(6), 1643–1661.
- Margoliash, D., & Fortune, E. S. (1992). Temporal and harmonic combination-sensitive neurons in the zebra finch's hvc. *The Journal of Neuroscience*, 12(11), 4309–4326.
- Margoliash, D., & Schmidt, M. F. (2010). Sleep, off-line processing, and vocal learning. *Brain and Language*, 115(1), 45–58.
- Marler, P. (1970). Birdsong and speech development: could there be parallels? *American Scientist*, 58, 669–673.
- Martin, C., Jones, M., Martindale, J., & Mayhew, J. (2006). Haemodynamic and neural responses to hypercapnia in the awake rat. *European Journal of Neuroscience*, 24(9), 2601–2610.
- Masamoto, K., Kim, T., Fukuda, M., Wang, P., & Kim, S.-G. (2007). Relationship between neural, vascular, and bold signals in isoflurane-anesthetized rat somatosensory cortex. *Cerebral Cortex*, 17(4), 942–950.
- Matsuo, K., Chen, S. H. A., & Tseng, W. Y. I. (2012). Aveli: A robust lateralization index in functional magnetic resonance imaging using unbiased threshold-free computation. *Journal of Neuroscience Methods*, 205(1), 119–129.
- Maul, K. K., Voss, H. U., Parra, L. C., Salgado-Commissariat, D., Ballon, D., Tchernichovski, O., & Helekar, S. A. (2010). The development of stimulus-specific auditory responses requires song exposure in male but not female zebra finches. *Developmental Neurobiology*, 70(1), 28–40.
- Mazziotta, J., Toga, A., Evans, A., Fox, P., Lancaster, J., Zilles, K., ... Mazoyer, B. (2001). A probabilistic atlas and reference system for the human brain: International consortium for brain mapping (icbm). *Philosophical Trans-*

- actions of the Royal Society of London. *Series B: Biological Sciences*, 356(1412), 1293–1322.
- McNealy, K., Mazziotta, J. C., & Dapretto, M. (2006). Cracking the language code: Neural mechanisms underlying speech parsing. *The Journal of Neuroscience*, 26(29), 7629–7639.
- McNealy, K., Mazziotta, J. C., & Dapretto, M. (2010). The neural basis of speech parsing in children and adults. *Developmental Science*, 13(2), 385–406.
- Mello, C. V. (2004). Identification and analysis of vocal communication pathways in birds through inducible gene expression. *Anais da Academia Brasileira de Ciências*, 76(2), 243–246.
- Mello, C. V., Vicario, D. S., & Clayton, D. F. (1992). Song presentation induces gene expression in the songbird forebrain. *Proceedings of the National Academy of Sciences*, 89(15), 6818–6822.
- Meltzer, J. A., Postman-Caucheteux, W. A., McArdle, J. J., & Braun, A. R. (2009). Strategies for longitudinal neuroimaging studies of overt language production. *Neuroimage*, 47(2), 745–755.
- Minagawa-Kawai, Y., Cristià, A., & Dupoux, E. (2011). Cerebral lateralization and early speech acquisition: a developmental scenario. *Developmental Cognitive Neuroscience*, 1(3), 217–232.
- Mirzatroni, A., Spence, R. D., Naranjo, K. C., Saldanha, C. J., & Schlinger, B. A. (2010). Injury-induced regulation of steroidogenic gene expression in the cerebellum. *Journal of Neurotrauma*, 27(10), 1875–1882.
- Moelker, A., & Pattynama, P. M. (2003). Acoustic noise concerns in functional magnetic resonance imaging. *Human Brain Mapping*, 20(3), 123–141.
- Moon, C., Cooper, R. P., & Fifer, W. P. (1993). Two-day-olds prefer their native language. *Infant Behavior and Development*, 16(4), 495–500.
- Moorman, S., Gobes, S. M., Kuijpers, M., Kerkhofs, A., Zandbergen, M. A., & Bolhuis, J. J. (2012). Human-like brain hemispheric dominance in birdsong learning. *Proceedings of the National Academy of Sciences*, 109(31), 12782–12787.
- Moseley, M. (2002). Diffusion tensor imaging and aging—a review. *NMR in Biomedicine*, 15(7-8), 553–560.
- Mower, G. D. (1991). The effect of dark rearing on the time course of the critical period in cat visual cortex. *Developmental Brain Research*, 58(2), 151–158.
- Müller-Preuss, P., & Ploog, D. (1981). Inhibition of auditory cortical neurons during phonation. *Brain Research*, 215(1), 61–76.
- Nakamura, K., Kawashima, R., Sugiura, M., Kato, T., Nakamura, A., Hatano, K., ... Kojimaa, S. (2001). Neural substrates for recognition of familiar voices: a pet study. *Neuropsychologia*, 39(10), 1047–1054.
- Newport, E. L., & Aslin, R. N. (2004). Learning at a distance i. statistical learning of non-adjacent dependencies. *Cognitive Psychology*, 48(2), 127–162.
- Nieuwenhuis, I. L., Folia, V., Forkstam, C., Jensen, O., & Petersson, K. M.

- (2013). Sleep promotes the extraction of grammatical rules. *PLoS One*, 8(6), e65046.
- Nikolopoulos, T. P., O'Donoghue, G. M., & Archbold, S. (1999). Age at implantation: its importance in pediatric cochlear implantation. *The Laryngoscope*, 109(4), 595–599.
- Nilson, P. C., Teramitsu, I., & White, S. A. (2005). Caudal thoracic air sac cannulation in zebra finches for isoflurane anesthesia. *Journal of Neuroscience Methods*, 143(2), 107–115.
- Nordeen, K. W., & Nordeen, E. J. (1992). Auditory feedback is necessary for the maintenance of stereotyped song in adult zebra finches. *Behavioral and Neural Biology*, 57(1), 58–66.
- Nordeen, K. W., & Nordeen, E. J. (1993). Long-term maintenance of song in adult zebra finches is not affected by lesions of a forebrain region involved in song learning. *Behavioral and Neural Biology*, 59(1), 79–82.
- Nottebohm, F., & Nottebohm, M. E. (1978). Relationship between song repertoire and age in the canary, *serinus canarius*. *Zeitschrift für Tierpsychologie*, 46(3), 298–305.
- Numminen, J., Salmelin, R., & Hari, R. (1999). Subject's own speech reduces reactivity of the human auditory cortex. *Neuroscience Letters*, 265(2), 119–122.
- Obleser, J., Wise, R. J., Dresner, M. A., & Scott, S. K. (2007). Functional integration across brain regions improves speech perception under adverse listening conditions. *The Journal of Neuroscience*, 27(9), 2283–2289.
- Ogawa, S., Lee, T., Kay, A., & Tank, D. (1990). Brain magnetic resonance imaging with contrast dependent on blood oxygenation. *Proceedings of the National Academy of Sciences*, 87(24), 9868–9872.
- Ogawa, S., Tank, D. W., Menon, R., Ellermann, J. M., Kim, S. G., Merkle, H., & Ugurbil, K. (1992). Intrinsic signal changes accompanying sensory stimulation: functional brain mapping with magnetic resonance imaging. *Proceedings of the National Academy of Sciences*, 89(13), 5951–5955.
- Ölveczky, B. P., Andalman, A. S., & Fee, M. S. (2005). Vocal experimentation in the juvenile songbird requires a basal ganglia circuit. *PLoS Biology*, 3(5), e153.
- Onnis, L., Monaghan, P., Richmond, K., & Chater, N. (2005). Phonology impacts segmentation in online speech processing. *Journal of Memory and Language*, 53(2), 225–237.
- Opitz, B., & Friederici, A. D. (2003). Interactions of the hippocampal system and the prefrontal cortex in learning language-like rules. *NeuroImage*, 19(4), 1730–1737.
- Pacton, S., & Perruchet, P. (2008). An attention-based associative account of adjacent and nonadjacent dependency learning. *Journal of Experimental Psychology: Learning, Memory, and Cognition*, 34(1), 80.
- Parker, G. J., Luzzi, S., Alexander, D. C., Wheeler-Kingshott, C. A., Ciccarelli, O., & Lambon Ralph, M. A. (2005). Lateralization of ventral and dor-

- sal auditory-language pathways in the human brain. *Neuroimage*, 24(3), 656–666.
- Peeters, R., Tindemans, I., De Schutter, E., & Van der Linden, A. (2001). Comparing bold fmri signal changes in the awake and anesthetized rat during electrical forepaw stimulation. *Magnetic Resonance Imaging*, 19(6), 821–826.
- Peña, M., Bonatti, L. L., Nespor, M., & Mehler, J. (2002). Signal-driven computations in speech processing. *Science*, 298(5593), 604–607.
- Pepperberg, I. M. (2002). In search of king solomons ring: cognitive and communicative studies of grey parrots (*psittacus erithacus*). *Brain, Behavior and Evolution*, 59(1-2), 54–67.
- Perruchet, P., Tyler, M. D., Galland, N., & Peereman, R. (2004). Learning non-adjacent dependencies: no need for algebraic-like computations. *Journal of Experimental Psychology: General*, 133(4), 573.
- Peterson, R. S., Fernando, G., Day, L., Allen, T. A., Chapleau, J. D., Menjivar, J., ... Lee, D. W. (2007). Aromatase expression and cell proliferation following injury of the adult zebra finch hippocampus. *Developmental Neurobiology*, 67(14), 1867–1878.
- Petersson, K.-M., Folia, V., & Hagoort, P. (2012). What artificial grammar learning reveals about the neurobiology of syntax. *Brain and Language*, 120(2), 83–95.
- Petersson, K. M., Forkstam, C., & Ingvar, M. (2004). Artificial syntactic violations activate brocas region. *Cognitive Science*, 28(3), 383–407.
- Petersson, K. M., & Hagoort, P. (2012). The neurobiology of syntax: beyond string sets. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 367(1598), 1971–1983.
- Petkov, C. I., & Jarvis, E. D. (2012). Birds, primates, and spoken language origins: behavioral phenotypes and neurobiological substrates. *Frontiers in Evolutionary Neuroscience*, 4.
- Petkov, C. I., Kayser, C., Augath, M., & Logothetis, N. K. (2006). Functional imaging reveals numerous fields in the monkey auditory cortex. *PLoS Biology*, 4(7), e215.
- Petkov, C. I., Kayser, C., Steudel, T., Whittingstall, K., Augath, M., & Logothetis, N. K. (2008). A voice region in the monkey brain. *Nature Neuroscience*, 11(3), 367–374.
- Pfenning, A. R., Hara, E., Whitney, O., Rivas, M. V., Wang, R., Roulhac, P. L., ... others (2014). Convergent transcriptional specializations in the brains of humans and song-learning birds. *Science*, 346(6215), 1256846.
- Phan, M. L., Pytte, C. L., & Vicario, D. S. (2006). Early auditory experience generates long-lasting memories that may subserve vocal learning in song-birds. *Proceedings of the National Academy of Sciences*, 103(4), 1088–1093.
- Phan, M. L., & Vicario, D. S. (2010). Hemispheric differences in processing of vocalizations depend on early experience. *Proceedings of the National Academy of Sciences*, 107(5), 2301–2306.

- Pinaud, R., Fortes, A. F., Lovell, P., & Mello, C. V. (2006). Calbindin-positive neurons reveal a sexual dimorphism within the songbird analogue of the mammalian auditory cortex. *Journal of Neurobiology*, 66(2), 182–195.
- Poirier, C., Boumans, T., Vellema, M., De Groof, G., Charlier, T. D., Verhoye, M., ... Balthazart, J. (2011). Own song selectivity in the songbird auditory pathway: suppression by norepinephrine. *PloS One*, 6(5), e20131.
- Poirier, C., Boumans, T., Verhoye, M., Balthazart, J., & Van der Linden, A. (2009). Own-song recognition in the songbird auditory pathway: selectivity and lateralization. *The Journal of Neuroscience*, 29(7), 2252–2258.
- Poirier, C., Vellema, M., Verhoye, M., Van Meir, V., Wild, J. M., Balthazart, J., & Van der Linden, A. (2008). A three-dimensional mri atlas of the zebra finch brain in stereotaxic coordinates. *Neuroimage*, 41(1), 1–6.
- Poirier, C., Verhoye, M., Boumans, T., & Van der Linden, A. (2010). Implementation of spin-echo blood oxygen level-dependent (bold) functional mri in birds. *NMR in Biomedicine*, 23(9), 1027–1032.
- Pollick, A. S., & De Waal, F. B. (2007). Ape gestures and language evolution. *Proceedings of the National Academy of Sciences*, 104(19), 8184–8189.
- Poole, J. H., Tyack, P. L., Stoeger-Horwath, A. S., & Watwood, S. (2005). Animal behaviour: elephants are capable of vocal learning. *Nature*, 434(7032), 455–456.
- Portas, C. M., Krakow, K., Allen, P., Josephs, O., Armony, J. L., & Frith, C. D. (2000). Auditory processing across the sleep-wake cycle: simultaneous eeg and fmri monitoring in humans. *Neuron*, 28(3), 991–999.
- Prather, J. F., & Mooney, R. (2004). Neural correlates of learned song in the avian forebrain: simultaneous representation of self and others. *Current Opinion in Neurobiology*, 14(4), 496–502.
- Prather, J. F., Peters, S., Nowicki, S., & Mooney, R. (2008). Precise auditory–vocal mirroring in neurons for learned vocal communication. *Nature*, 451(7176), 305–310.
- Price, C. J. (2010). The anatomy of language: a review of 100 fmri studies published in 2009. *Annals of the New York Academy of Sciences*, 1191(1), 62–88.
- Price, P. H. (1979). Developmental determinants of structure in zebra finch song. *Journal of Comparative and Physiological Psychology*, 93(2), 260.
- Pytte, C. L., Parent, C., Wildstein, S., Varghese, C., & Oberlander, S. (2010). Deafening decreases neuronal incorporation in the zebra finch caudomedial nidopallium (ncm). *Behavioural Brain Research*, 211(2), 141–147.
- Ralls, K., Fiorelli, P., & Gish, S. (1985). Vocalizations and vocal mimicry in captive harbor seals, *phoca vitulina*. *Canadian Journal of Zoology*, 63(5), 1050–1056.
- Ranasinghe, K., Vrana, W., Matney, C., & Kilgard, M. (2013). Increasing diversity of neural responses to speech sounds across the central auditory pathway. *Neuroscience*, 252, 80–97.
- Rauschecker, J. P., & Scott, S. K. (2009). Maps and streams in the auditory

- cortex: nonhuman primates illuminate human speech processing. *Nature Neuroscience*, 12(6), 718–724.
- Reber, A. S. (1967). Implicit learning of artificial grammars. *Journal of Verbal Learning and Verbal Behavior*, 6(6), 855–863.
- Reiss, D., & McCowan, B. (1993). Spontaneous vocal mimicry and production by bottlenose dolphins (*tursiops truncatus*): Evidence for vocal learning. *Journal of Comparative Psychology*, 107(3), 301.
- Ribeiro, S., Loula, A., De Araújo, I., Gudwin, R., & Queiroz, J. (2007). Symbols are not uniquely human. *Biosystems*, 90(1), 263–272.
- Richards, C. (2002). Anaesthetic modulation of synaptic transmission in the mammalian cns. *British Journal of Anaesthesia*, 89(1), 79–90.
- Riebel, K. (2000). Early exposure leads to repeatable preferences for male song in female zebra finches. *Proceedings of the Royal Society of London. Series B: Biological Sciences*, 267(1461), 2553–2558.
- Rizzolatti, G., Fadiga, L., Gallese, V., & Fogassi, L. (1996). Premotor cortex and the recognition of motor actions. *Cognitive Brain Research*, 3(2), 131–141.
- Roberts, T. F., Gobes, S. M., Murugan, M., Ölveczky, B. P., & Mooney, R. (2012). Motor circuits are required to encode a sensory model for imitative learning. *Nature Neuroscience*, 15(10), 1454–1459.
- Rondinoni, C., Amaro Jr, E., Cendes, F., Dos Santos, A., & Salmon, C. (2013). Effect of scanner acoustic background noise on strict resting-state fmri. *Brazilian Journal of Medical and Biological Research*, 46(4), 359–367.
- Sachdev, R. N., Champney, G. C., Lee, H., Price, R. R., Pickens III, D. R., Morgan, V. L., ... Ebner, F. F. (2003). Experimental model for functional magnetic resonance imaging of somatic sensory cortex in the unanesthetized rat. *Neuroimage*, 19(3), 742–750.
- Saffran, J. R. (2001). The use of predictive dependencies in language learning. *Journal of Memory and Language*, 44(4), 493–515.
- Saffran, J. R. (2002). Constraints on statistical language learning. *Journal of Memory and Language*, 47(1), 172–196.
- Saleem, K. S., & Logothetis, N. K. (2007). *A combined mri and histology atlas of the rhesus monkey brain in stereotaxic coordinates*. Academic Press.
- Sandoval, M., & Gómez, R. L. (2013). The development of nonadjacent dependency learning in natural and artificial languages. *Wiley Interdisciplinary Reviews: Cognitive Science*, 4(5), 511–522.
- Santelmann, L. M., & Jusczyk, P. W. (1998). Sensitivity to discontinuous dependencies in language learners: Evidence for limitations in processing space. *Cognition*, 69(2), 105–134.
- Santi, A., & Grodzinsky, Y. (2007). Working memory and syntax interact in broca's area. *Neuroimage*, 37(1), 8–17.
- Sanvito, S., Galimberti, F., & Miller, E. H. (2007). Observational evidences of vocal learning in southern elephant seals: a longitudinal study. *Ethology*, 113(2), 137–146.
- Saur, D., Kreher, B. W., Schnell, S., Kümmerer, D., Kellmeyer, P., Vry, M.-S., ...

- Weiller, C. (2008). Ventral and dorsal pathways for language. *Proceedings of the National Academy of Sciences*, 105(46), 18035–18040.
- Scharff, C., & Nottebohm, F. (1991). A comparative study of the behavioral deficits following lesions of various parts of the zebra finch song system: implications for vocal learning. *The Journal of Neuroscience*, 11(9), 2896–2913.
- Schmidt, M. F. (2010). An iacuc perspective on songbirds and their use in neurobiological research. *ILAR Journal*, 51(4), 424.
- Schmidt, M. F., & Konishi, M. (1998). Gating of auditory responses in the vocal control system of awake songbirds. *Nature Neuroscience*, 1(6), 513–518.
- Schmithorst, V. J., Wilke, M., Dardzinski, B. J., & Holland, S. K. (2002). Correlation of white matter diffusivity and anisotropy with age during childhood and adolescence: A cross-sectional diffusion-tensor mr imaging study 1. *Radiology*, 222(1), 212–218.
- Schneider, D. M., & Woolley, S. M. (2010). Discrimination of communication vocalizations by single neurons and groups of neurons in the auditory midbrain. *Journal of Neurophysiology*, 103(6), 3248–3265.
- Schölvinck, M. L., Maier, A., Frank, Q. Y., Duyn, J. H., & Leopold, D. A. (2010). Neural basis of global resting-state fmri activity. *Proceedings of the National Academy of Sciences*, 107(22), 10238–10243.
- Scholz, J., Klein, M. C., Behrens, T. E., & Johansen-Berg, H. (2009). Training induces changes in white-matter architecture. *Nature Neuroscience*, 12(11), 1370–1371.
- Schumacher, J. W., Schneider, D. M., & Woolley, S. M. (2011). Anesthetic state modulates excitability but not spectral tuning or neural discrimination in single auditory midbrain neurons. *Journal of Neurophysiology*, 106(2), 500–514.
- Schwarz, A. J., Danckaert, A., Reese, T., Gozzi, A., Paxinos, G., Watson, C., ... Bifone, A. (2006). A stereotaxic mri template set for the rat brain with tissue class distribution maps and co-registered anatomical atlas: application to pharmacological mri. *Neuroimage*, 32(2), 538–550.
- Schwarzbauer, C., Mildner, T., Heinke, W., Brett, M., & Deichmann, R. (2010). Dual echo epi—the method of choice for fmri in the presence of magnetic field inhomogeneities? *Neuroimage*, 49(1), 316–326.
- Schweinhardt, P., Fransson, P., Olson, L., Spenger, C., & Andersson, J. L. (2003). A template for spatial normalisation of mr images of the rat brain. *Journal of Neuroscience Methods*, 129(2), 105–113.
- Seyfarth, R. M., Cheney, D. L., & Marler, P. (1980). Monkey responses to three different alarm calls: evidence of predator classification and semantic communication. *Science*, 210(4471), 801–803.
- Shaevitz, S. S., & Theunissen, F. E. (2007). Functional connectivity between auditory areas field l and clm and song system nucleus hvc in anesthetized zebra finches. *Journal of Neurophysiology*, 98(5), 2747–2764.
- Shank, S. S., & Margoliash, D. (2009). Sleep and sensorimotor integration

- during early vocal learning in a songbird. *Nature*, 458(7234), 73–77.
- Slater, P. J., Eales, L. A., & Clayton, N. (1988). Song learning in zebra finches (*ilzeniopygia guttata*): Progress and prospects. *Advances in the Study of Behavior*, 18, 1.
- Sohrabji, F., Nordeen, E. J., & Nordeen, K. W. (1990). Selective impairment of song learning following lesions of a forebrain nucleus in the juvenile zebra finch. *Behavioral and Neural Biology*, 53(1), 51–63.
- Solis, M. M., & Doupe, A. J. (2000). Compromised neural selectivity for song in birds with impaired sensorimotor learning. *Neuron*, 25(1), 109–121.
- Song, J. H., Skoe, E., Banai, K., & Kraus, N. (2012). Training to improve hearing speech in noise: biological mechanisms. *Cerebral Cortex*, 22(5), 1180–1190.
- Song, J. H., Skoe, E., Wong, P. C., & Kraus, N. (2008). Plasticity in the adult human auditory brainstem following short-term linguistic training. *Journal of Cognitive Neuroscience*, 20(10), 1892–1902.
- Sossinka, R., & Böhner, J. (1980). Song types in the zebra finch *poephila guttata castanotis*. *Zeitschrift für Tierpsychologie*, 53(2), 123–132.
- Spierings, M. J., & Ten Cate, C. (2014). Zebra finches are sensitive to prosodic features of human speech. *Proceedings of the Royal Society B: Biological Sciences*, 281(1787), 20140480.
- Stevens, A. A., & Weaver, K. E. (2009). Functional characteristics of auditory cortex in the blind. *Behavioural Brain Research*, 196(1), 134–138.
- Stobbe, N., Westphal-Fitch, G., Aust, U., & Fitch, W. T. (2012). Visual artificial grammar learning: comparative research on humans, kea (*nestor notabilis*) and pigeons (*columba livia*). *Philosophical Transactions of the Royal Society B: Biological Sciences*, 367(1598), 1995–2006.
- Stoel-Gammon, C., & Otomo, K. (1986). Babbling development of hearing-impaired and normally hearing subjects. *Journal of Speech and Hearing Disorders*, 51(1), 33–41.
- Stripling, R., Volman, S. F., & Clayton, D. F. (1997). Response modulation in the zebra finch neostriatum: relationship to nuclear gene regulation. *The Journal of Neuroscience*, 17(10), 3883–3893.
- Tchernichovski, O., Mitra, P. P., Lints, T., & Nottebohm, F. (2001). Dynamics of the vocal imitation process: how a zebra finch learns its song. *Science*, 291(5513), 2564–2569.
- Tchernichovski, O., Nottebohm, F., Ho, C. E., Pesaran, B., & Mitra, P. P. (2000). A procedure for an automated measurement of song similarity. *Animal Behaviour*, 59(6), 1167–1176.
- Ten Cate, C. (1991). Behaviour-contingent exposure to taped song and zebra finch song learning. *Animal Behaviour*, 42(5), 857–859.
- Ten Cate, C., & Okanoya, K. (2012). Revisiting the syntactic abilities of non-human animals: natural vocalizations and artificial grammar learning. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 367(1598), 1984–1994.

- Teramitsu, I., Poopatanapong, A., Torrisi, S., & White, S. A. (2010). Striatal *foxp2* is actively regulated during songbird sensorimotor learning. *PLoS One*, 5(1), e8548.
- Ter Haar, S. M. (2013). *Birds and babies: a comparison of the early development in vocal learners*. PhD thesis, Institute of Biology Leiden (IBL), Leiden University Centre for Linguistics (LUCL), Leiden Institute for Brain and Cognition (LIBC), Faculty of Science, Leiden University.
- Terpstra, N. J., Bolhuis, J. J., & Den Boer-Visser, A. M. (2004). An analysis of the neural representation of birdsong memory. *The Journal of Neuroscience*, 24(21), 4971–4977.
- Tettamanti, M., Alkadhi, H., Moro, A., Perani, D., Kollias, S., & Weniger, D. (2002). Neural correlates for the acquisition of natural language syntax. *Neuroimage*, 17(2), 700–709.
- Theunissen, F. E., Amin, N., Shaevitz, S. S., Woolley, S., Fremouw, T., & Hauber, M. E. (2004). Song selectivity in the song system and in the auditory forebrain. *Annals of the New York Academy of Sciences*, 1016(1), 222–245.
- Theunissen, F. E., & Doupe, A. J. (1998). Temporal and spectral sensitivity of complex auditory neurons in the nucleus hvc of male zebra finches. *The Journal of Neuroscience*, 18(10), 3786–3802.
- Thode, C., Güttinger, H., & Darlison, M. G. (2008). Expression of the *GABA_A* receptor gamma4-subunit gene in discrete nuclei within the zebra finch song system. *Neuroscience*, 157(1), 143–152.
- Thorpe, W. H. (1958). The learning of song patterns by birds, with especial reference to the song of the chaffinch *fringilla coelebs*. *Ibis*, 100(4), 535–570.
- Tomasello, M., & Farrar, M. J. (1986). Joint attention and early language. *Child Development*, 1454–1463.
- Tomasi, D., & Volkow, N. D. (2012). Resting functional connectivity of language networks: characterization and reproducibility. *Molecular Psychiatry*, 17(8), 841–854.
- Turk-Browne, N. B., Scholl, B. J., Chun, M. M., & Johnson, M. K. (2009). Neural evidence of statistical learning: Efficient detection of visual regularities without awareness. *Journal of Cognitive Neuroscience*, 21(10), 1934–1945.
- Tzounopoulos, T., & Kraus, N. (2009). Learning to encode timing: mechanisms of plasticity in the auditory brainstem. *Neuron*, 62(4), 463–469.
- Uddén, J., & Bahlmann, J. (2012). A rostro-caudal gradient of structured sequence processing in the left inferior frontal gyrus. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 367(1598), 2023–2032.
- Uddén, J., Folia, V., Forkstam, C., Ingvar, M., Fernández, G., Overeem, S., ... Petersson, K. M. (2008). The inferior frontal cortex in artificial syntax processing: An rtms study. *Brain Research*, 1224, 69–78.
- Uddén, J., Ingvar, M., Hagoort, P., & Petersson, K. M. (2012). Implicit acquisition of grammars with crossed and nested non-adjacent dependencies:

- Investigating the push-down stack model. *Cognitive Science*, 36(6), 1078–1101.
- Uludağ, K., Müller-Bierl, B., & Uğurbil, K. (2009). An integrative model for neuronal activity-induced signal changes for gradient and spin echo functional imaging. *Neuroimage*, 48(1), 150–165.
- Vallée, E., Commowick, O., Maumet, C., Stamm, A., Le Rumeur, E., Allaire, C., . . . Barillot, C. (2014). Statistical analysis of white matter integrity for the clinical study of typical specific language impairment in children. In T. Schultz, G. Nedjati-Gilani, A. Venkataraman, L. O'Donnell, & E. Panagiotaki (Eds.), *Computational diffusion mri and brain connectivity* (pp. 187–195). Springer.
- Van den Bos, E., Christiansen, M. H., & Misyak, J. B. (2012). Statistical learning of probabilistic nonadjacent dependencies by multiple-cue integration. *Journal of Memory and Language*, 67(4), 507–520.
- Van der Kant, A., Derégnaucourt, S., Gahr, M., Van der Linden, A., & Poirier, C. (2013). Representation of early sensory experience in the adult auditory midbrain: Implications for vocal learning. *PloS One*, 8(4), e61764.
- Van der Kant, A., & Van der Linden, A. (2012). Neural correlates of song perception during zebra finch song learning. Abstract and Poster, 9th International Conference on the Evolution of Language (Evolang IX) , March 13-16, Kyoto, Japan.
- Van der Linden, A., Van Camp, N., Ramos-Cabrera, P., & Hoehn, M. (2007). Current status of functional mri on small animals: application to physiology, pathophysiology, and cognition. *NMR in Biomedicine*, 20(5), 522–545.
- Van der Linden, A., Van Meir, V., Boumans, T., Poirier, C., & Balthazart, J. (2009). Mri in small brains displaying extensive plasticity. *Trends in Neurosciences*, 32(5), 257–266.
- Van der Linden, A., Verhoye, M., Van Audekerke, J., Peeters, R., Eens, M., Newman, S., . . . DeVoogd, T. (1998). Non invasive in vivo anatomical studies of the oscine brain by high resolution mri microscopy. *Journal of Neuroscience Methods*, 81(1), 45–52.
- Van Heijningen, C. A., De Visser, J., Zuidema, W., & Ten Cate, C. (2009). Simple rules can explain discrimination of putative recursive syntactic structures by a songbird species. *Proceedings of the National Academy of Sciences*, 106(48), 20538–20543.
- Van Heugten, M., & Johnson, E. K. (2010). Linking infants distributional learning abilities to natural language acquisition. *Journal of Memory and Language*, 63(2), 197–209.
- Vanhoutte, G., Verhoye, M., & Van der Linden, A. (2006). Changing body temperature affects the t₂* signal in the rat brain and reveals hypothalamic activity. *Magnetic Resonance in Medicine*, 55(5), 1006–1012.
- Van Meir, V., Boumans, T., De Groof, G., Van Audekerke, J., Smolders, A., Scheunders, P., . . . Van der Linden, A. (2005). Spatiotemporal properties of the bold response in the songbirds' auditory circuit during a variety of

- listening tasks. *Neuroimage*, 25(4), 1242–1255.
- Van Meir, V., Verhoye, M., Absil, P., Eens, M., Balthazart, J., & Van der Linden, A. (2004). Differential effects of testosterone on neuronal populations and their connections in a sensorimotor brain nucleus controlling song production in songbirds: a manganese enhanced-magnetic resonance imaging study. *Neuroimage*, 21(3), 914–923.
- Van Ruijssevelt, L., De Groof, G., Van der Kant, A., Poirier, C., Van Audekerke, J., Verhoye, M., & Van der Linden, A. (2012). Functional magnetic resonance imaging (fmri) with auditory stimulation in songbirds. *Journal of Visualized Experiments*(76).
- Vates, G. E., Broome, B. M., Mello, C. V., & Nottebohm, F. (1996). Auditory pathways of caudal telencephalon and their relation to the song system of adult male zebra finches (*taenopygia guttata*). *Journal of Comparative Neurology*, 366(4), 613–642.
- Vellema, M., Verschueren, J., Van Meir, V., & Van der Linden, A. (2011). A customizable 3-dimensional digital atlas of the canary brain in multiple modalities. *Neuroimage*, 57(2), 352–361.
- Verhoye, M., Van der Linden, A., Van Audekerke, J., Sijbers, J., Eens, M., & Balthazart, J. (1998). Imaging birds in a bird cage: in-vivo fse 3d mri of bird brain. *Magnetic Resonance Materials in Physics, Biology and Medicine*, 6(1), 22–27.
- Veroude, K., Norris, D. G., Shumskaya, E., Gullberg, M., & Indefrey, P. (2010). Functional connectivity between brain regions involved in learning words of a new language. *Brain and Language*, 113(1), 21–27.
- Vignal, C., Attia, J., Mathevon, N., & Beauchaud, M. (2004). Background noise does not modify song-induced genic activation in the bird brain. *Behavioural Brain Research*, 153(1), 241–248.
- Vignal, C., Boumans, T., Montcel, B., Ramstein, S., Verhoye, M., Van Audekerke, J., ... Mottin, S. (2008). Measuring brain hemodynamic changes in a songbird: responses to hypercapnia measured with functional mri and near-infrared spectroscopy. *Physics in Medicine and Biology*, 53(10), 2457.
- Voss, H. U. (2011). A new technique for functional imaging in songbirds and beyond. *Journal of Cerebral Blood Flow & Metabolism*, 31(2), 391.
- Voss, H. U., Salgado-Commissariat, D., & Helekar, S. A. (2010). Altered auditory bold response to conspecific birdsong in zebra finches with stuttered syllables. *PloS One*, 5(12), e14415.
- Voss, H. U., Tabelow, K., Polzehl, J., Tchernichovski, O., Maul, K. K., Salgado-Commissariat, D., ... Helekar, S. A. (2007). Functional mri of the zebra finch brain during song stimulation suggests a lateralized response topography. *Proceedings of the National Academy of Sciences*, 104(25), 10667–10672.
- Walters, B. J., Alexiades, N. G., & Saldanha, C. J. (2011). Intracerebral estrogen provision increases cytogenesis and neurogenesis in the injured zebra finch brain. *Developmental Neurobiology*, 71(2), 170–181.

- Warren, W. C., Clayton, D. F., Ellegren, H., Arnold, A. P., Hillier, L. W., Künstner, A., ... Wilson, R. K. (2010). The genome of a songbird. *Nature*, 464(7289), 757–762.
- Wartenburger, I., Heekeren, H. R., Abutalebi, J., Cappa, S. F., Villringer, A., & Perani, D. (2003). Early setting of grammatical processing in the bilingual brain. *Neuron*, 37(1), 159–170.
- Waterman, S. A., & Harding, C. F. (2008). Neurotoxic effects of dsp-4 on the central noradrenergic system in male zebra finches. *Behavioural Brain Research*, 188(2), 271–280.
- Werker, J. F., & Tees, R. C. (1983). Developmental changes across childhood in the perception of non-native speech sounds. *Canadian Journal of Psychology*, 37(2), 278.
- Westra, A. E., Zegers, M. P., Sukhai, R. N., Kaptein, A. A., Holscher, H. C., Ballieux, B. E., ... Wit, J. M. (2011). Discomfort in children undergoing unsedated mri. *European Journal of Pediatrics*, 170(6), 771–777.
- White, E. J., Genesee, F., & Steinhauer, K. (2012). Brain responses before and after intensive second language learning: proficiency based changes and first language background effects in adult learners. *PloS One*, 7(12), e52318.
- Whitfield-Gabrieli, S., & Nieto-Castanon, A. (2012). Conn: a functional connectivity toolbox for correlated and anticorrelated brain networks. *Brain Connectivity*, 2(3), 125–141.
- Wilbrecht, L., & Nottebohm, F. (2003). Vocal learning in birds and humans. *Mental Retardation and Developmental Disabilities Research Reviews*, 9(3), 135–148.
- Wild, J. (2004). Functional neuroanatomy of the sensorimotor control of singing. *Annals of the New York Academy of Sciences*, 1016(1), 438–462.
- Wilson, S. M., Galantucci, S., Tartaglia, M. C., Rising, K., Patterson, D. K., Henry, M. L., ... Gorno-Tempini, M. L. (2011). Syntactic processing depends on dorsal language tracts. *Neuron*, 72(2), 397–403.
- Woolley, S. (2012). Early experience shapes vocal neural coding and perception in songbirds. *Developmental Psychobiology*, 54(6), 612–631.
- Woolley, S., Hauber, M. E., & Theunissen, F. E. (2010). Developmental experience alters information coding in auditory midbrain and forebrain neurons. *Developmental Neurobiology*, 70(4), 235–252.
- Worsley, K. J., Marrett, S., Neelin, P., Vandal, A. C., Friston, K. J., & Evans, A. C. (1996). A unified statistical approach for determining significant signals in images of cerebral activation. *Human Brain Mapping*, 4(1), 58–73.
- Wu, G., Luo, F., Li, Z., Zhao, X., & Li, S.-J. (2002). Transient relationships among bold, cbv, and cbf changes in rat brain as detected by functional mri. *Magnetic Resonance in Medicine*, 48(6), 987–993.
- Xiong, Y., Zhang, Y., & Yan, J. (2009). The neurobiology of sound-specific auditory plasticity: a core neural circuit. *Neuroscience & Biobehavioral Reviews*, 33(8), 1178–1184.

- Yang, J., & Li, P. (2012). Brain networks of explicit and implicit learning. *PloS One*, 7(8), e42993.
- Yazaki-Sugiyama, Y., & Mooney, R. (2004). Sequential learning from multiple tutors and serial. *Journal of Neurophysiology*, 92, 2771–2788.
- Yu, X., Zou, J., Babb, J. S., Johnson, G., Sanes, D. H., & Turnbull, D. H. (2008). Statistical mapping of sound-evoked activity in the mouse auditory mid-brain using mn-enhanced mri. *Neuroimage*, 39(1), 223–230.
- Zhang, N., Rane, P., Huang, W., Liang, Z., Kennedy, D., Frazier, J. A., & King, J. (2010). Mapping resting-state brain networks in conscious animals. *Journal of Neuroscience Methods*, 189(2), 186–196.
- Zhao, F., Wang, P., & Kim, S.-G. (2004). Cortical depth-dependent gradient-echo and spin-echo bold fmri at 9.4 t. *Magnetic Resonance in Medicine*, 51(3), 518–524.

List of Figures

1.1	Stages of song learning in zebra finches	4
1.2	Songbird brain regions implicated in singing, song processing and song learning	8
1.3	Human brain regions implicated in language processing	10
2.1	BOLD fMRI data acquisition	23
2.2	First assessment of brain function in songbirds by auditory BOLD fMRI	25
2.3	Setup for auditory fMRI in zebra finches	27
2.4	Imaging auditory processing of the spectral and temporal fea- tures of song in the auditory forebrain of zebra finches	30
2.5	Three-dimensional MRI atlas of the zebra finch brain	34
2.6	Detection of neural selectivity for behaviorally relevant stimuli using fMRI	39
3.1	Sonograms illustrating the song tutoring protocol for two ex- perimental birds	51
3.2	Statistical maps of BOLD activation induced by all stimuli to- gether	53
3.3	Illustration of the predefined regions of interest on sagittal and axial anatomical images	54
3.4	Statistical maps of BOLD activation induced by the different stimuli in left and right MLd	56
3.5	Correlation between MRI signals and the acoustic similarity be- tween the stimuli in right MLd	57
3.6	Correlation of TUT (left) and BOS (right) selectivity with vocal learning strength in right MLd	58
3.7	Statistical maps of BOLD activation induced by the different stimuli in left and right NCM	59

3.8	Correlation map of TUT minus Rest versus vocal learning strength in left NCM	60
3.9	Correlation of TUT, BOS and CON responsiveness with vocal learning strength in left NCM	61
3.10	Schematic representation of the songbird brain (parasagittal view)	64
4.1	Tutoring- and measuring paradigm for juvenile zebra finches .	69
4.2	Mean BOLD response of Males to the individual stimuli (TUT, CON, HET) and Male tutor song selectivity in MLd	74
4.3	Mean BOLD response of Females to the individual stimuli (TUT, CON, HET) and Female conspecific song selectivity in MLd	78
5.1	Artificial grammar containing non-adjacent dependencies . . .	91
5.2	Paradigm exposure phase	93
5.3	Brain activation during exposure to NAD and Control language	97
5.4	Correlation of NAD > Control activation with rejection of violations	98
5.5	Activation for correctly rejected vs. incorrectly accepted violations	100
6.1	Functional connectivity of Broca's area pre and post exposure .	111
6.2	Functional connectivity of Broca's area that correlates with learning	113
6.3	Correlation between artificial grammar learning and white matter integrity	114
6.4	Ventral and dorsal language pathways	118

Glossary

Anterior Forebrain Pathway (AFP)

A network of nuclei in the songbird forebrain which is responsible for "babbling" behavior in juvenile songbirds and plays an important role in birdsong learning.

Arcuate Fasciculus (AF)

White matter tract connecting frontal with parietal and temporal brain regions. Anatomical basis of dorsal language pathway.

Artificial Grammar Learning (AGL)

Paradigm used to study acquisition of grammatical rules. In AGL participants acquire grammatical rules from exposure to phrases generated by a grammar and are subsequently tested on their ability to generalize these rules to new phrases.

Bird's Own Song (BOS)

Individual song of a zebra finch, in good learners a subtly different copy of the adult song model.

Blood Oxygen Level Dependent (BOLD)

Signal on which fMRI measurements are based, representing the fraction of deoxygenized hemoglobin in a brain region. A higher level of deoxy hemoglobin results in BOLD signal loss, the increased BOLD signal associated with neural activation is caused by the increased supply of oxygenized blood to the activated region.

Broca's area

Region in the Inferior Frontal Gyrus which has been associated with both speech production and syntactic processing. Broca's area encompasses Brodmann's area's (BA) 44 and 45. In this thesis, Broca's area is seeded by selecting BA 45, because this area has most often been associated with grammar learning.

Conspecific song (CON)

The song of a bird of the same species, either familiar or unfamiliar

Diffusion Tensor Imaging (DTI)

Neuroimaging technique that uses the diffusion of water protons in the brain to visualize white matter tracts.

Fractional Anisotropy (FA)

Scalar value representing the anisotropy of diffusion, where relatively high FA levels are associated with diffusion along an axis, as happens in axonal bundles. Used as a measure of white matter integrity reflecting axonal diameter, fiber density and myelination.

functional Magnetic Resonance Imaging (fMRI)

Neuroimaging technique dependent on the BOLD signal, which is used to measure brain activation.

Heterospecific song (HET)

Song of a bird from another species. In this thesis, song of the European Starling is used as a heterospecific stimulus.

Language network

Set of regions which have been demonstrated to be implicated in language processing and which are functionally connected.

MLd

Dorsal part of the Lateral Mesencephalic nucleus, the primary auditory midbrain nucleus in the songbird brain. MLd is considered the homologue of the human Inferior Colliculus.

Non-adjacent dependencies (NAD)

Dependencies between non-adjacent linguistic elements, often at the level of constituents. In this thesis non-adjacent dependencies exist within three-word phrases which by participants might be interpreted as two constituents, resulting in an adjacent dependency according to linguistic theory. However, the contrast of interest is the presence vs. absence of a dependent rule.

Resting State Functional Connectivity

fMRI technique where the data are collected in the absence of stimulation (in this thesis: with eyes closed) and analyzed for correlations between the low-frequency BOLD signal in different regions. Regions are considered functionally connected when their BOLD signals are correlated under the assumption that "What fires together, wires together".

Song Control System (SCS)

Network of nuclei in the songbird brain which is responsible for the production of song.

Tutor's song (TUT)

Adult song which is memorized by a juvenile bird and used as a model when learning its own song. In the natural environment this is usually the father's song. In this thesis, birds are tutored by other adult males of the same species.

Vocal learning

In this thesis: process in which a juvenile learns its vocalizations by imitating an adult. A criterion for vocal learning is that vocalizations will not develop normally without exposure to adult vocalizations.

