



Universiteit  
Leiden  
The Netherlands

## **First thoughts on the incorporation of cultural variables into predictive modelling**

Verhagen, P.; Kamermans, H.; Leusen, M. van; Deeben, J.; Hallewas, D.P.; Zoetbrood, P.; Niccolucci F., Hermon S.

### **Citation**

Verhagen, P., Kamermans, H., Leusen, M. van, Deeben, J., Hallewas, D. P., & Zoetbrood, P. (2010). First thoughts on the incorporation of cultural variables into predictive modelling. *Beyond The Artefact - Digital Interpretation Of The Past - Proceedings Of Caa2004 - Prato 13-17 April 2004*, 307-311. Retrieved from <https://hdl.handle.net/1887/21019>

Version: Not Applicable (or Unknown)

License: [Leiden University Non-exclusive license](#)

Downloaded from: <https://hdl.handle.net/1887/21019>


**Note:** To cite this publication please use the final published version (if applicable).

# **Beyond the Artifact**

Digital Interpretation of the Past

Proceedings of CAA2004

Prato 13–17 April 2004



Edited by

Franco Niccolucci and Sorin Hermon

*Franco Niccolucci and Sorin Hermon*  
Editors

*Elizabeth Jerem*  
Managing Editor

*András Kardos*  
Typesetting and Layout

*Stephanie Williams*  
English Revision

*Archaeolingua*  
Cover Design

Cover image: *After the Etruscan Bucchero Incenser of the Artimino Archaeological Museum*

This work is subject to copyright.

All rights reserved, whether the whole or part of the material is concerned, specifically those of translation, reprinting, reuse of illustrations, broadcasting, reproduction by photocopying machines or similar means, and storage in data banks.

© CAA, individual authors and Archaeolingua

All images © individual authors

ISBN 978-963-9911-10-9

Published by ARCHAEOLINGUA  
Printed in Hungary by Prime Rate

Budapest 2010

# Content

Foreword	
<i>Franco Niccolucci and Sorin Hermon</i> .....	9
The Etruscan Town on the Bisenzio – Geophysical Research and Applications	
<i>Gabriella Poggesi, Pasquino Pallecchi and Paolo Machetti</i> .....	11
<b>ARCHAEOLOGICAL THEORY</b>	
Archaeological Theory, Techniques and Technologies: Beyond Quantification and Visualization Methods	
<i>J. A. Barceló</i> .....	19
New Technologies Applied to Artefacts: Seeking the Representation of a Column's Capital	
<i>Mercedes Farjas, Nieves Quesada, Miguel Alonso, Andrés Diez and CARPA</i> .....	21
A Fuzzy Logic Approach to Reliability in Archaeological Virtual Reconstruction	
<i>Franco Niccolucci and Sorin Hermon</i> .....	28
Chaos and Complexity Tools for Archaeology: State of the Art and Perspectives	
<i>Carlos Reynoso and Damian Castro</i> .....	36
On the Frontier: Looking at Boundaries, Territoriality and Social Distance with GIS	
<i>Thomas G. Whitley</i> .....	41
<b>THE ARCHAEOLOGICAL RECORD</b>	
Holy Grail or Poison Chalice? Challenges in Implementing Digital Excavation Recording	
<i>Sarah Cross May and Vicky Crosby</i> .....	49
The EKFRASYS: a New Proposal of an Archaeological Information System	
<i>Alfonso Santoriello and Francesco Scelza</i> .....	55
To OO or not to OO? Revelations from Ontological Modelling of an Archaeological Information System	
<i>Paul Cripps and Keith May</i> .....	59
Integration of Complementary Archaeological Sources	
<i>Martin Doerr, Kurt Schaller and Maria Theodoridou</i> .....	64
Which Period is it? A Methodology to Create Thesauri of Historical Periods	
<i>Martin Doerr, Athina Kritsotaki and Stephen Stead</i> .....	70
A Computer-Aided System for Dynamic Pottery Classification Using XML	
<i>Maria Bonghi Jovino, Giovanna Bagnasco Gianni, Lucio G. Perego, Elisa Bertino, Pietro Mazzoleni and Stefano Valtolina</i> .....	76
From XML-tagged Acquisition Catalogues to an Event-based Relational Database	
<i>Ellen Jordal, Jon Holmen, Stein A. Olsen and Christian-Emil Ore</i> .....	81
ArchaeoCAD, ArchaeoMAP, ArchaeoDATA – An Integrated Archaeological Information System	
<i>Andreas Brunn and Martin Schaich</i> .....	86
SIGGI-AACS, a Prototype for Archaeological Artifact Classification Using Computerized Agents	
<i>Robert Schlader, Skip E. Lohse, Corey Schou and Al Strickland A.</i> .....	90
Breaking Down National Barriers: ARENA – A Portal to European Heritage Information	
<i>Claus Dam, Tony Austin and Jonathan Kenny</i> .....	94
FCS_WORD: Conceptual and Technical Framework for the Collaborative Documentation, Management and Presentation of Cultural Statistics, Activities and Research on the Web	
<i>Nicolas Vernicos, Gerasimos Pavlogeorgatos, Evangelia Kavakli, Dimitris C. Papadopoulos, Efthimios C. Mavrikas and Sophia Bakogianni</i> .....	99
Artefacts: Starters for Standards	
<i>Adolph Guus Lange</i> .....	103
From a Relational Database to an Integrated System: a Milan University Project	
<i>Glauco Mantegari and Tommaso Quirino</i> .....	107
Between the Book and the Exhibition. Creating Archaeological Presentations Based on Database Information	
<i>Øyvind Eide, Jon Holmen, Anne Birgitte Høy-Petersen</i> .....	111
Uroi Hill (Magura Uroiului) – The Beginning of an Interdisciplinary Research	
<i>Angelica Balos, Adriana Ardeu, Roxana Stancescu and Cristina Mitar</i> .....	113
Data Management of Preservation Activities on Archaeological Sites	
<i>Chiara Bergamaschi and Annamaria Rossi</i> .....	116

## ARCHAEOLOGICAL LANDSCAPES AND GIS APPLICATIONS

### New Approaches to the Study of Archaeological Landscapes – Session Introduction

<i>Martijn van Leusen</i> .....	121
Detection Functions in the Design and Evaluation of Pedestrian Surveys <i>E. B. Banning, A. Hawkins and S. T. Stewart</i> .....	123
Fuzzy Logic Application to Artifact Surface Survey Data <i>Emeri Farinetti, Sorin Hermon and Franco Niccolucci</i> .....	125
Scaling and Timing the Past for the Reconstruction of Ancient Landscape <i>Maurizio Cattani, Andrea Fiorini and Bernardo Rondelli</i> .....	130
Human Space and Disadvantage in Settlement Distribution A GIS Analysis on the Case of “ronchi” and Some New Considerations about the Approach <i>Alberto Monti</i> .....	135
From Archaeological Sherds to Qualitative Information for Settlement Pattern Studies <i>Frédérique Bertoncello and Laure Nuninger</i> .....	140
Calculating the Inherent Visual Structure of a Landscape (‘Total Viewshed’) Using High-Throughput Computing <i>Marcos Llobera, David Wheatley, James Steele, Simon Cox and Oz Parchment</i> .....	146
Mobility, Visibility and the Distribution of Schematic Rock Art in Central-Mediterranean Iberia <i>Sara Fairén</i> .....	152
The Geographic Information System of Pescara Valley and the Settlement Patterns in the II Millenium BC. <i>Viviana Ardesia</i> .....	156
Lands of the Middle Fiora Valley in Prehistory and Late Prehistory – from Survey to GIS <i>Albero Tagliabue, Nuccia Negroni Catacchio and Massimo Cardoso</i> .....	162
Landscapes of the Past: The Maremma Regional Park and the Grosseto Coastal Belt – Methodology and Technical Procedures <i>Michele De Silva</i> .....	166
From Iberian Oppidum to Roman Municipium – GIS Study of Ancient Landscape in Eastern Spain <i>Ignacio Grau Mira</i> .....	171
Surveying Ashmounds Integrated Data Collection for the Establishment of Site Life Cycles in Southern Deccan (India) <i>Ulla Rajala, Marco Madella and Ravi Korisettar</i> .....	175
Understanding Interpretations of Landscape Research <i>Marina Gkiasta</i> .....	179
Mapping the Domestic Landscape: GIS, Visibility and the Pompeian House <i>Michael Anderson</i> .....	183
Counting the Stones: GIS as an Indispensable Tool for Intrasite Analysis at the Ancient Maya City of Chunchucmil (Yucatan, Mexico) <i>Aline Magnoni</i> .....	190
Lithics and Landscape: GIS Approaches to the Analysis of Lithic Artefact Scatters <i>John Pouncett</i> .....	195
Intra-Site Analysis of the Palaeolithic Site of Isernia La Pineta (Molise, Italy) <i>Carlo Peretto, Marta Arzarello, Rosalia Gallotti, Giuseppe Lembo, Antonella Minelli and Ursula Thun Hohenstein</i> .....	201
An Innovative Tool for Web-GIS Applications SVG and the Open Source Format <i>Laura Saffiotti, Francesco Iacotucci and Andrea D’Andrea</i> .....	207
Monitoring Archaeological Sites along the New Via Egnatia <i>Dora Constantinidis</i> .....	212
An User-Friendly Approach to GIS-Application: an Utility for the Study of Etruscan Cemetery of Pontecagnano (Italy) <i>Francesco Iacotucci and Carmine Pellegrino</i> .....	217
Forestry GIS Applications – Protecting Archaeological Sites in Forested Areas <i>Pirjo Hamari</i> .....	220
Intelligent Models and Ideal Cities: a Data Model for a Sustainable Urban Planning and Cultural Heritage Safeguard <i>Massimo Massussi, Paolo Massussi, Raffaele Piatti and Sonia Tucci</i> .....	224

The Settlement Pattern of Ancient Icaria through a GIS Approach – A PhD Project (preliminary report) <i>Sophia Topouzi</i> .....	228
Topoclimatic Models and Viewshed in Archaeological Visibility Studies <i>Mar Zamora</i> .....	232
Global Access to Mediterranean Archaeology <i>Dora Constantinidis</i> .....	237
<b>UNDERWATER ARCHAEOLOGY</b>	
Constructing Real-Time Immersive Marine Environments for the Visualization of Underwater Archaeological Sites <i>Paul Chapman, Warren Viant and Mitchell Munoko</i> .....	245
Orthophoto Imaging and GIS for Seabed Visualization and Underwater Archaeology <i>Julien Seinturier, Pierre Drap, Anne Durand, Franca Cibecchini, Nicolas Vincent, Odile Papini and Pierre Grussenmeyer</i> .....	251
Innovative Technologies for the Investigation of Deep Water Archaeological Sites <i>Pamela Gambogi, Andrea Caiti, Giuseppe Casalino, Alberto Rizzerio and Giancarlo Vettori</i> .....	257
Underwater Archaeology: Available Techniques and Open Problems in Fully Automated Search and Inspection <i>Andrea Caiti, Giuseppe Casalino, Giuseppe Conte and Silvia Maria Zanolì</i> .....	261
Putting Predictive Models Underwater, Challenges New Perspectives and Potential of GIS Based Predictive Models in Submerged Areas <i>Penny Spikins and Morten Engen</i> .....	266
<b>PREDICTIVE MODELLING</b>	
The Application of Predictive Modelling in Archaeology: Problems and Possibilities <i>Hans Kamermans</i> .....	273
An Application of Predictive Modelling in the Tiber Valley <i>R.E. Witcher and S.J. Kay</i> .....	278
Imagining Calabria – A GIS Approach to Neolithic Landscapes Some Critical Thoughts on Modelling the Effects of Agency and Qualifying Landscapes in Terms of Human Activity <i>Doortje Van Hove</i> .....	284
Modelling Mesolithic-Neolithic Land-Use Dynamics and Archaeological Heritage Management: An Example from the Flevoland Polders (The Netherlands) <i>Hans Peeters</i> .....	291
Regional Scale Predictive Modelling in North-Eastern Germany <i>Benjamin Ducke</i> .....	296
Are Current Predictive Maps Adequate for Cultural Heritage Management? The Integration of Different Models for Archaeological Risk Assessment in the State of Brandenburg (Germany) <i>Ulla Münch</i> .....	302
First Thoughts on the Incorporation of Cultural Variables into Predictive Modelling <i>Philip Verhagen, Hans Kamermans, Martijn van Leusen, Jos Deeben, Daan Hallewas and Paul Zoetbrood</i> .....	307
Re-Thinking Accuracy and Precision in Predictive Modeling <i>Thomas G. Whitley</i> .....	312
<b>VISUALIZATION, 3D AND VIRTUAL RECONSTRUCTIONS</b>	
Virtual Archaeology: Yesterday, Today, and Tomorrow <i>Donald H. Sanders</i> .....	319
An Integrated Approach to Archaeology: From the Fieldwork to Virtual Reality Systems <i>Maurizio Forte, Sofia Pescarin, Eva Pietroni and Nicolò Dell'Unto</i> .....	325
House of the Skeletons - A Virtual Way <i>Fernando Silva, Dino Rodrigues and Alexandrino Gonçalves</i> .....	335
Computer Graphics and Virtual Reality: two Different Contributions in Archaeological Research <i>Sabina Viti</i> .....	341

The Role of Scientific Reconstruction in Virtual Archaeology. Education, Communication and Valorization. The “Pompei - Insula del Centenario (IX 8) Project” <i>Daniela Scagliarini Corlàita, Antonella Coralini and Erika Vecchietti</i> .....	347
The Virtual Trip Through The Medieval Torun – Possibilities of Using Open Source and Shareware Software in Multimedia Projects and Archaeological Interactive, Virtual Reconstructions of Medieval Architecture <i>Lukasz Andrzej Czyzewski</i> .....	351
A Multimedia 3D Game for Museums <i>R. Montes and F.J. Melero</i> .....	355
Progressive Transmission of Large Archaeological Models <i>F.J. Melero, P. Cano and J.C. Torres</i> .....	359
Archaeology – A Virtual Adventure <i>Juliane Lippok</i> .....	363
Analysing Images of Archaeology in Entertainment Media as a Means to Understanding and Meeting Public Expectations <i>Kathrin Felder</i> .....	367
Virtual Reality at York: Vr and the Management Of Historic Sites <i>Stephen Dobson</i> .....	372
3D Temporal Landscape: A New Medium to Access and Communicate Archaeological and Historical Contents <i>Tiziano Diamanti, Mauro Felicori, Antonella Guidazzoli, Maria Chiara Liguori and Sofia Pescarin</i> .....	376
Photogrammetric Recording, Modeling, and Visualization of the Nasca Lines at Palpa, Peru: An Overview <i>Karsten Lambers, Martin Sauerbier and Armin Gruen</i> .....	381
A Novel System for the 3D Reconstruction of Small Objects <i>Vassilios Tsioukas, Petros Patias and Paul Jacobs</i> .....	388
Shortcomings of Current 3D Data Acquisition Technologies for Graphical Recording of Archaeological Excavations <i>Geoff Avern</i> .....	392
3D Scanning Technologies and Data Evaluation in an Archaeological Information System <i>Martin Schaich</i> .....	396
<b>QUANTITATIVE METHODS</b>	
Statistical and 3D Artifact Analysis – Session Overview <i>Uzy Smilansky</i> .....	403
‘To Err is Human’, but to Really Foul Things up You Need a Computer <i>Clive Orton</i> .....	404
Quantitative Measures of the Uniformity of Ceramics <i>Avshalom Karasik, Liora Bitton, Ayelet Gilboa, Ilan Sharon and Uzy Smilansky</i> .....	407
Optimal Choice of Prototypes for Ceramic Typology <i>Uzy Smilansky, Itzhak Beit-Arieh, Avshalom Karasik, Ilan Sharon and Ayelet Gilboa</i> .....	411
Computerised Geometric Analysis of a Spire Coming from a Gothic Tabernacle <i>Cédric Laugerotte and Nadine Warzée</i> .....	415
Detection of Matching Fragments of Pottery <i>Martin Kampel and Robert Sablatnig</i> .....	419
Breaking Down an Early Neolithic Palimpsest Site – Some Notes on the Concept of Percolation Theory and the Understanding of Spatial Pattern Formation <i>Hans Peeters</i> .....	423
Modelling the Archaeologist’s Thinking for the Automatic Classification of Uruk Jamdat Nasr Seals Images <i>Sergio Camiz, Elena Rova and Vanda Tulli</i> .....	429
Unsupervised and Supervised Classifications of Egyptian Scarabs Based on the Qualitative Characters of Typology <i>Sergio Camiz and Sara Venditti</i> .....	433
Everyday Life in Mediaeval Uthina <i>Maria Carmen Locci and Mariano Porcu</i> .....	438
Kohonen Networks Applied to Rincón del Toro Rock Art Site Analysis <i>Damian Castro and Diego Diaz</i> .....	444

Artificial Neural Networks Used in Forms Recognition of the Properties of Ancient Copper Based Alloys <i>Manuella Kadar, Ioan Ileana and Remus Joldes</i> .....	448
Frequency Seriation and Temporal order – A Zooarchaeological Study <i>Juan A. Barceló and Laura Mameli</i> .....	451
DAMAXIS - Danish Mesolithic Axes Information System <i>Vincent Mom and Jens Andresen</i> .....	457
A 3-Dimensional Reconstruction of a Hellenistic Terracotta Plaque <i>Sam C. Carrier, Masana Amamiya and Susan Kane</i> .....	463
<b>GEOPHYSICS AND SURVEY</b>	
Investigation of Hungarian Early Copper Age Settlements through Magnetic Prospection and Soil Phosphate Techniques <i>Apostolos Sarris, Michael L. Galaty, Richard W. Yerkes, William A. Parkinson, Attila Gyucha, Doc M. Billingsley and Robert Tate</i> .....	469
“Personal” Multistage Remote Sensing and Traditional Field Work to the Archaeological Analysis of Complex Landscapes: Relationships, Benefits and Actual Limitations <i>Stefano Campana</i> .....	473
Landscape Archaeology in the Sesto Fiorentino Area: the Contribution of Aerial Photographs to the Study of Archaeological Contexts as Part of an Integrated Approach <i>Giovanna Pizziolo</i> .....	479
Egialea Survey Project: Method and Strategies <i>Alfonso Santoriello, Francesco Scelza and Roberto Bove</i> .....	484
<b>CULTURAL HERITAGE – COMMUNICATION</b>	
Heritage Communication through New Media in a Museum Context <i>Diane Leboeuf</i> .....	491
Digital Paths to Medieval Naantali From Mobile Information Technology to Mobile Archaeological Information <i>Isto Vatanen, Hannele Lehtonen and Kari Uotila</i> .....	495
Virtual Reality as a Learning Tool for Archaeological Museums <i>Laia Pujol</i> .....	501
The Jerusalem Archaeological Park Website Project <i>Y. Baruch, R. Kudish-Vashdi and L. Ayzencot</i> .....	507
PRAGRIS - Praetorium Agrippinae Roman Information System <i>Vincent Mom</i> .....	511
Projects for the Presentation of the Natural and Cultural Heritage in Hungary <i>Elisabeth Jerem, Zsolt Mester and Zsolt Vasáros</i> .....	517
Communication in Archaeology The use of Multimedia Devices in Communicating Ancient Past <i>Cinzia Perlingieri and Nicola Lanieri</i> .....	523
Communicating Archaeology via Multimedia Multimedia Archaeology in Goseck, Germany <i>Peter F. Biehl</i> .....	527



# First Thoughts on the Incorporation of Cultural Variables into Predictive Modelling

Philip Verhagen<sup>1</sup>, Hans Kamermans<sup>2</sup>, Martijn van Leusen<sup>3</sup>, Jos Deebe<sup>4</sup>, Daan Hallewas<sup>4</sup> and Paul Zoetbrood<sup>4</sup>

<sup>1</sup>RAAP Archeologisch Adviesbureau, Amsterdam, The Netherlands  
ph.verhagen@raap.nl

<sup>2</sup>Faculty of Archaeology, Leiden University, Leiden, The Netherlands  
h.kamermans@arch.leidenuniv.nl

<sup>3</sup>Institute of Archaeology University of Groningen, Groningen, The Netherlands  
p.m.van.leusen@let.rug.nl

<sup>4</sup>State Service for Archaeological Heritage Management, Amersfoort, The Netherlands  
j.deeben@archis.nl  
d.hallewas@archis.nl  
p.zoetbrood@archis.nl

**Abstract.** Predictive maps are increasingly used at all administrative levels for purposes of planning and determining policy priorities. However, current methods yield predictions with limited specificity. It is believed that methodological improvements, such as the use of non-environmental variables, will lead to a better performance of the models. The paper aims to show in what way cultural variables can actually be included in predictive modelling.

**Keywords:** Predictive modelling; Archaeological heritage management; Cultural variables; GIS

## 1. Introduction

Predictive modelling is a technique used to predict archaeological site locations on the basis of observed patterns and/or assumptions about human behaviour (Kohler and Parker 1986; Kvamme 1988, 1990). It was initially developed in the USA in the late 1970s and early 1980s where it evolved from governmental land management projects and is still regularly applied in cultural resources management. In the Netherlands, predictive modelling plays an important role in the decision making process for planning schemes on a municipal, provincial and national level.

However, in many other countries predictive modelling is far from being an accepted tool for archaeological heritage management (AHM), and even where it is used regularly, criticism is not uncommon (see e.g. Ebert, 2000; Whitley, in press; van Leusen et al., 2002). Much of this criticism is related to the uncritical application of so-called ‘inductive’ modelling techniques, in which the archaeological data set is used to obtain statistical correlations between the location of archaeological sites and environmental variables such as soil type, slope or distance to water. The performance of these models is in general not very good, partly because of the use of inappropriate statistical techniques, but mainly because of the biased nature of many archaeological data sets and the emphasis on environmental factors, which are easier to model than the more intangible social and cultural factors.

Wheatley (2003) even states that, as predictive modelling doesn’t work very well, it shouldn’t be used at all: “Archaeology should really face up to the possibility that useful, correlative predictive modelling will never work because archaeological landscapes are too complex or, to put it another way, too interesting.” His argument is mainly directed against the use of biased archaeological data sets, that will lead to the development of biased models that will in turn

inevitably produce a positive feedback loop of even more biased data sets, as it is common practice to spend funds for AHM on the areas of ‘high archaeological value’. These areas will become better and better known, whereas the areas that are designated a ‘low value’ on the predictive map will largely be ignored in (commercial) archaeological research.

Verhagen (in press) however shows that the creation of biased data sets is not just a problem of predictive modelling, but a more general characteristic of the way in which archaeological data is collected. Most of the archaeological prospection done is not taking into account statistical sampling theory, and it can be suspected that many survey projects do not even have a strong archaeological hypothesis in mind. We believe that predictive modelling can serve as a means to make explicit the assumptions that are often made concerning the location preferences of prehistoric people. A predictive model should be based on a theory of site location preferences, that can be quantified and tested against (unbiased) archaeological data sets (see also Whitley, in press). It is clear that the cultural component of these theories is at the moment virtually absent in predictive modelling practice. This paper intends to show that it is not impossible to include these variables into predictive modelling, and this will hopefully lead to further research into this subject.

## 2. Predictive Modelling and Environmental Determinism

The practice of predictive modelling for AHM is, at the moment, environmental deterministic in outlook and design. The predominant use of environmental input variables as archaeological site predictors, such as soil type, groundwater table, distance to open water and the like, has however been criticized on a number of occasions in academic literature

(e.g. Wheatley 1993, 1996a, 2003; Gaffney and van Leusen 1995). The problems associated with environmentally based predictive modelling (van Leusen et al. 2002) can be summarized as follows:

- Archaeological theorists reject an understanding of past human behaviour in purely ecological/economical terms, and argue that social and cognitive factors determine this behaviour to a large extent, and should therefore be additional predictors for the presence and nature of archaeological remains;
- The maximum gain (a measurement of the degree of effectiveness of the predictive archaeological model over a 'by chance' model) of current predictive models seems to be about 70% (Ebert 2000, Wheatley 2003), which implies that a significant proportion of archaeological site locations cannot be predicted using purely environmental datasets; therefore, models based on environmental factors alone cannot be adequate tools for the prediction of archaeological site location.
- Unfortunately, social and cognitive factors seem to be difficult to model, and have so far only been studied for a very limited range of questions, based on very specialised data sets (mostly relating to the ritual prehistoric landscapes of Wessex in England e.g. Wheatley 1995; 1996b).

The American archaeologist Timothy Kohler observed this as early as 1988. "Why are the social, political, and even cognitive/religious factors that virtually all archaeologists recognize as factors affecting site location and function usually ignored in predictive modelling?" (Kohler 1988: 19). He gives the answer a few pages later: "Given the subtleties and especially the fluidity of the socio-political environment, is it any wonder that archaeologists have chosen to concentrate on those relatively stable, "distorting" factors of the natural environment for locational prediction?" (Kohler 1988: 21).

In essence, the situation has not changed since Kohler made these remarks. The present practice of predictive modelling is still very much environmentally deterministic. Cultural variables are not included in the models, resulting in predictions ultimately based on physical properties of the current landscape.

Practitioners of 'traditional' predictive modelling have mostly resisted the conclusion that their models will not be adequate because they lack the input of non-environmental data (e.g. Kvamme 1997). It is not because they do not want to include non-environmental factors; the problem is that these variables are regarded as being too abstract and intangible for use in a predictive model. Such models, so the argument goes, will therefore not become any better by investing valuable research time in mapping cultural variables. Several publications have focused on this apparent impossibility to incorporate non-environmental variables in predictive modelling (Wheatley 1996a; Stančić and Kvamme 1999 and Lock 2000). As a consequence, very few studies are available where an attempt is made to improve the gain of a model by incorporating non-environmental factors. As a consequence, the effect of including cultural variables into predictive models can at the moment not be assessed. The current situation is therefore characterized by a fundamental criticism

of the environmental deterministic approach, coupled to a very poor insight into the potential of using cultural variables in predictive modelling.

Ultimately, the theoretical basis needed for the development of culturally based predictive models seems to be underdeveloped. It is evident that many models of prehistoric land use have been proposed for local case studies, but they are usually not generalized for application in a predictive modelling context, and often have never been tested in a rigorous way. A typical example of this is found in the theories regarding the location of Linear Band Ceramic settlements, in which a strong cultural component is supposed to be present (see Gaffney and van Leusen 1995), yet no predictive model based on this assumption has ever been made.

In conclusion, it may be suspected that the lack of progress in incorporating cultural variables into predictive modelling has less to do with the variables themselves, than with the geographic and interpretative models needed to operationalize them for predictive modelling. Many applications that claim to be exponents of cognitive archaeology, often framed in post-processual rhetoric, rely on the same techniques that are used for old-fashioned, processual studies, up to the extent where they might even be called 'cognitive deterministic'.

### 3. Cultural Variables: What are They?

It is important to realize that, when we are speaking of cultural variables, we can think of two ways of obtaining them. The first one is to consider them as measurable attributes of the archaeological sample that are not related to an environmental factor. So, instead of measuring for each individual site its soil type, elevation, distance from water and so on, we need to ask which properties of the site itself can be measured. These include properties like site location, size, functional type and period of occupation. These variables are clearly the expression of forms of social behaviour, although the interpretation of the specific behaviour involved may be subject to discussion. For ease of reference, these variables will be denominated cultural variables *sensu stricto*. In themselves, these variables are not extremely difficult to obtain, but the problems of analysing and interpreting archaeological site databases are manifold and must be addressed before these properties can actually be used for predictive modelling.

The second approach to defining cultural variables is to identify features of the landscape itself that can be interpreted as having cultural significance, such as sacred springs. These can be referred to as *cultural landscape variables*, and are not necessarily excluded from 'traditional' predictive modelling, but often are not recognized as constituting a 'cultural' variable. It can, in fact, be argued that all environmental variables have a cultural component, even though the emphasis in traditional predictive modelling is usually on subsistence economy rather than symbolic meanings.

In order to make further use of cultural variables in predictive modelling, it is necessary to transform these variables into continuous variables: for each single variable a value should be available at any location within the study area. This is

generally not a problem when using environmental data sets like soil maps or digital elevation models. Archaeological sites however are mostly represented as points, or in some cases as areas of a very limited extent. Similarly, landscape features that are considered to have cultural significance are in practice often also regarded as point-like, or at best linear in nature. A transformation is therefore necessary to use point-like or linear objects for predictive modelling. Two types of GIS techniques are currently available to perform this transformation: distance zonation and line-of sight analysis. Distance zonation is customarily performed in environmental predictive modelling to obtain continuous variables from environmental features that are either linear (like rivers or coastlines) or point-like (springs).

In some cases, cost surfaces (also known as friction surfaces or effort models) are calculated by assigning a weight to landscape features according to their supposed accessibility. This technique is applicable to environmental as well as cultural variables. Distance decay models are used less often, and are based on demographic and/or political-economic models borrowed from human geography (e.g. Renfrew and Level 1979). These models are specifically relevant for cultural variables “, as they make it possible to incorporate the notion of interdependence of settlements (see e.g. Favory et al., 2003). A number of studies have appeared in recent years using line-of-sight analysis as a technique for obtaining continuous cultural variables, amongst others in attempts to demonstrate the ritual and symbolic meaning of the placement of monuments such as long barrows (Wheatley 1995; Gaffney et al. 1995). However, this type of analysis is certainly not restricted to cultural variables.

A good example of the use of cultural variables “ and distance zonation is provided by Ridges (in press), who attempted to include the distance to rock art sites in a predictive model in NW Queensland (Australia) – and actually succeeded in improving the gain of the model. This success is probably due to the fact that the ritual sites used are fixed in space, and can be mapped with relative ease in the specific environmental situation. The rock art sites are typical examples of what Whitley (2000) refers to as ‘fixed point attractors’. The precise moment of their creation may be unknown, but their position and symbolic meaning remain stable during a long period of time, making them long-term attractors for human activity.

In many other situations however, potential cultural variables are less stable, and cannot be mapped with ease. Examples of these include road networks, field systems, and the archaeological sites themselves, which all can have highly varying life-spans and may change in importance as attractors over time. In order to model the effects of long term land use development, it is necessary to use a technique that can deal with spatio-temporal variables, like dynamical systems modelling.

#### **4. How to Proceed?**

In order to remedy the current situation the following issues should be addressed:

- The identification of cultural variables that are significant for archaeological site location;

- The analysis of the utility of these variables for predictive modelling;
- The development and application of existing and new relevant modelling techniques; and
- The analysis of the performance of predictive models based on cultural variables compared to environmentally based models.

Following the recommendations in van Leusen et al. (2002), we suggest that four promising areas of research should be explored in order to improve on the current use of cultural variables in predictive modelling. These are:

##### *1. A systematic analysis of the archaeological records and their aggregation into culturally meaningful entities*

It is necessary to analyse what information can be extracted from existing archaeological databases that can be used in the definition of cultural variables. The aggregation of the archaeological contents of find spots into meaningful archaeological entities is currently not standardized. A possible solution could be to design an expert system that can be used for the classification of find spots. Apart from defining meaningful archaeological entities, the aggregation of multiple find spots into single archaeological sites is an important issue where the utility of the archaeological database for predictive modelling is concerned. Thirdly, a tendency can be observed recently to combine multiple archaeological sites into ensembles, which effectively constitutes a step away from the site level and towards a regional, landscape-based concept of archaeological entities. The main question here is: what types of aggregates can we distinguish, and can these be used as cultural variables “?

##### *2. Analysis of the logistic position of settlements*

It is anticipated that one of the most important cultural variables that can be used is the logistic position of the archaeological site itself. It has been shown by many researchers that the position of a settlement in a logistic network determines to a large degree its size and duration of occupation (e.g. Durand-Dastès et al. 1998). The development of techniques to analyse the logistic position of settlements can be addressed by looking at recent work in human geography.

##### *3. The continuity of the cultural landscape*

The cultural landscape has a historical dimension that strongly influences its use and usability. The existing cultural landscape influences the positioning of new sites. Kuna (1998), for example, mentions the importance of remnants of past landscapes on settlement location choice. Bell et al. (2002) demonstrated how later settlement in their Central Italian study area avoids areas settled in an earlier phase but conforms to paths from that earlier phase. Techniques to perform the long-term diachronical analysis needed for this type of modelling have been developed (e.g. by the Archaeomedes project; van der Leeuw 1998; Favory et al. 2003)

##### *4. Line-of-sight analysis*

In hilly areas and with certain site types that have a strong visual component (like burial mounds or megalithic tombs) line-of-sight analysis may be a type of analysis suitable for

predictive modelling (see van Leusen 2002 chapters 6 and 16). The techniques for performing this type of analysis are well established. It will be noticed that the four research topics mentioned here all focus on cultural variables”.

A thorough investigation of the use of cultural landscape variables would primarily involve the development of a decision rule framework that will incorporate the perception of the landscape into predictive modelling. In itself, this is an issue that merits attention, but the establishment of decision rules has always been at the heart of predictive modelling and is covered by a wide range of studies already. It would however be useful to start thinking about ways to model the perception of the landscape, as has been done by Whitley (2000), who tried to model the attractivity of the landscape for specific (economic) activities of Native American hunter-gatherers (see also Whitley, in press).

## 5. Conclusions

In a recent article on the use and abuse of statistical methods in archaeological site location modelling Woodman and Woodward (2002) come to the following conclusion: “There has been much criticism of locational studies since they are often based largely on environmental criteria. However, before researchers attempt to incorporate the more intangible social, cognitive, political and aesthetic factors, it would be wise to employ the appropriate statistical techniques required to deal with the complexities which already exist in even the most basic tangible and quantifiable environmental criteria”. Although we do not deny that many statistical problems still exist with regard to predictive modelling, we see no apparent reason why they should receive prime importance in further developing predictive modelling. In fact, the three main issues of statistical methodology, the development of adequate archaeological (and non-archaeological) data sets and the incorporation of non-environmental factors into the models are closely connected, and cannot be tackled in isolation. The papers presented in van Leusen and Kamermans (in press) show that new approaches to predictive modelling are starting to emerge, like exploring the potential of Bayesian statistical methods, using high resolution data for predictive modelling, and looking for ways to better embed predictive models into archaeological heritage management practice, for example by developing risk assessment methods. There is no doubt still a lot to do, and in this respect we have to disagree with Wheatley (2003) who argues that too much money is going into predictive modelling studies. He may be right that funding for GIS-related archaeological projects is mainly going into predictive modelling, but compared to the amount of money spent on all forms of prospection and excavation, investments made in predictive modelling seem relatively modest. Apart from that, investments for a thorough, scientific analysis of predictive modelling have been few and discontinuous. We hope to have demonstrated that incorporating cultural variables into predictive modelling can be done, even though it is impossible to present a comprehensive overview in these few pages. It is up to the scientific community and public institutions to decide if this line of research is worth investing

in. However, if the three issues mentioned above (statistical improvements, quality of the archaeological data set and the development of non-environmentally based models) are not tackled in the years to come, predictive modelling will remain to be criticized as a tool that is of dubious scientific quality, and not even capable of providing clear answers on where to spend money for archaeological research.

## References

- Bell, T., Wilson, A. and Wickham, A., 2002. Tracking the Samnites: landscape and communications routes in the Sangro Valley, Italy. *American Journal of Archaeology* 106 (2).
- Durand-Dastès, F., Favory, F., Fiches, J.-L., Mathian, H., Pumain, D., Raynaud, C., Sanders, L. and van der Leeuw, S., 1998. *Des oppida aux métropoles. Archéologues et géographes en vallée du Rhône*. Anthropos, Paris.
- Ebert, J. I., 2000. The State of the Art in “Inductive” Predictive Modeling: Seven Big Mistakes (and Lots of Smaller Ones), In Wescott, K. L. and Brandon, R. J. (eds), *Practical Applications of GIS For Archaeologists. A Predictive Modeling Kit*. London, Taylor & Francis. 129–134.
- Favory, F., Fiches, J.-L. and van der Leeuw, S., 2003. *Archéologie et systèmes socio-environnementaux. Etudes multi-scalaires sur la vallée du Rhône dans le programme ARCHAOMEDES*. CRA-Monographies. Paris, CNRS Editions.
- Gaffney, V. and van Leusen, M., 1995. Postscript – GIS, environmental determinism and archaeology: a parallel text, In Lock, G. and Stančić, Z. (eds), *Archaeology and Geographical Information Systems: A European Perspective*. London, Taylor & Francis. 367–382.
- Gaffney, V., Stančić, Z. and Watson, H., 1995. The impact of GIS on archaeology: a personal perspective, In Lock, G. and Stančić, Z. (eds), *Archaeology and Geographical Information Systems: A European Perspective*. London, Taylor & Francis. 211–229.
- Kohler, T. A., 1988. Predictive locational modelling: history and current practice, In Judge, W. L. and Sebastian, L. (eds), *Quantifying the Present and Predicting the Past: Theory, Method and Application of Archaeological Predictive Modeling*. Denver, US Bureau of Land Management. 19–59.
- Kuna, M., 1998. The Memory of Landscapes, In Neustupný, E. (ed.), *Space in Prehistoric Bohemia*. Prague, *Academy of Science*. 77–83.
- Kvamme, K. L., 1997. Ranters Corner: bringing the camps together: GIS and ED. *Archaeological Computing Newsletter* 47, 1–5.
- Leeuw, S. E. van der (ed.), 1998. *The Archaeomedes Project: Understanding the natural and anthropogenic causes of soil degradation and desertification in the Mediterranean Basin. Research Results*. Office for Official Publications of the European Communities, Luxembourg.
- Leusen, M. van, 2002. *Pattern to Process. Methodological investigations into the formation and interpretation of spatial patterns in archaeological landscapes*. PhD thesis.

- Rijksuniversiteit Groningen, Groningen.
- Leusen, M. van, Deeben, J., Hallewas, D., Zoetbrood, P., Kamermans, H. and Verhagen, Ph., 2002. *Predictive modelling for archaeological heritage management in the Netherlands. Baseline report for the BBO research program. Interim report.* Rijksuniversiteit Groningen, Groningen.
- Leusen, M. van, and Kamermans, H. (eds), in press. *Predictive Modelling for Archaeological Heritage Management: A Research Agenda.* NAR, ROB, Amersfoort.
- Lock, G. (ed.), 2000. *Beyond the Map. Archaeology and Spatial Technologies.* NATO Science Series, Series A: Life Sciences – Vol. 321. IOS Press, Amsterdam.
- Renfrew, C., and Level, E. V., 1979. Exploring dominance: predicting polities from centers, In Renfrew, C. and Cooke, K. L. (eds), *Transformations: Mathematical approaches to culture change.* New York, Academic Press. 145–167.
- Ridges, M., in press. Understanding H-G behavioural variability using models of material culture: An example from Australia', In Mehrer, M. and Wescott, K. (eds), *GIS and Archaeological Predictive Modeling.* CRC Press, Boca Raton, Florida USA.
- Stančič, Z. and Kvamme, K. L., 1999. Settlement Pattern Modelling through Boolean Overlays of Social and Environmental Variables, In Barceló, J. A., Briz, I. and Vila, A. (eds), *New Techniques for Old Times – CAA98. Computer Applications and Quantitative Methods in Archaeology.* BAR International Series 757. Oxford, Archaeopress. 231–237.
- Verhagen, P., in press. Prospection strategies and archaeological predictive modelling. In van Leusen, M. and Kamermans, H. (eds), *Predictive Modelling for Archaeological Heritage Management: A Research Agenda.* Amersfoort, NAR, ROB.
- Wheatley, D. 1993, Going over old ground: GIS, archaeological theory and the act of perception. In Andresen, J., Madsen, T. and Scollar, I. (eds), *Computing the Past: Computer Applications and Quantitative Methods in Archaeology – CAA92.* Aarhus. 133–38.
- Wheatley, D., 1995. Cumulative viewshed analysis: a GIS-based method for investigating intervisibility, and its archaeological applications, In Lock, G. and Stančič, Z. (eds), *Archaeology and Geographical Information Systems: A European Perspective.* London, Taylor & Francis. 171–185.
- Wheatley, D., 1996a. Between the lines: the role of GIS-based predictive modelling in the interpretation of extensive survey data, In Kamermans, H. and Fennema, K. (eds), *Interfacing the Past. Computer applications and quantitative methods in Archaeology CAA95.* Analecta Praehistorica Leidensia 28, 275–292.
- Wheatley, D., 1996b. The use of GIS to understand regional variation in Neolithic Wessex. In Maschner, H. D. G. (ed.), *New methods, old problems: Geographic Information Systems in modern archaeological research,* Southern Illinois University at Carbondale Occasional Paper No. 23, (Carbondale, Illinois: Center for Archaeological Investigations, Southern Illinois University at Carbondale). 75–103
- Wheatley, D. 2003, Making Space for an Archaeology of Place. *Internet Archaeology* 15.  
[http://intarch.ac.uk/journal/issue15/wheatley\\_index.html](http://intarch.ac.uk/journal/issue15/wheatley_index.html)
- Whitley, T. G., 2000. *Dynamical Systems Modeling in Archaeology: A GIS Approach to Site Selection Processes in the Greater Yellowstone Region.* Unpublished PhD thesis. Department of Anthropology, Pittsburgh (PA), University of Pittsburgh.
- Whitley, T. G., in press. A Brief Outline of Causality-Based Cognitive Archaeological Probabilistic Modeling. In van Leusen, M. and Kamermans, H. (eds), *Predictive Modelling for Archaeological Heritage Management: A Research Agenda.* Amersfoort, NAR, ROB.
- Woodman, P. E. and Woodward, M. 2002. The use and abuse of statistical methods in archaeological site location modelling. In Wheatley, D., Earl, G. and Poppy, S. (eds), *Contemporary Themes in Archaeological Computing.* Oxford, Oxbow Books.