



Universiteit
Leiden
The Netherlands

Diversity and distribution of octocorals and scleractinians in the Persian Gulf region

Samimi-Namin, K.

Citation

Samimi-Namin, K. (2016, September 28). *Diversity and distribution of octocorals and scleractinians in the Persian Gulf region*. Retrieved from <https://hdl.handle.net/1887/43361>

Version: Not Applicable (or Unknown)

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/43361>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/43361> holds various files of this Leiden University dissertation

Author: Samimi-Namin, Kaveh

Title: Diversity and distribution of octocorals and scleractinians in the Persian Gulf region

Issue Date: 2016-09-28

Appendix 1

The First *in situ* and Shallow-Water Observation of the Genus *Pseudothellogorgia* (Octocorallia: Keroeididae)

Kaveh Samimi-Namin, Leen P. van Ofwegen, Simon C. Wilson, Michel R. Claereboudt

This appendix has been previously published and re-used here with permission of the publisher. For original publication please refer to: Zoological Studies 50: 265 (<http://zoolstud.sinica.edu.tw/Journals/50.2/265.pdf>).

Ofwegen (1990) described the species *Lignella hartogi* based on material from the Arabian Sea (22°32'N, 68°07'E) from a depth of 57 m, collected by the R/V Anton Bruun expedition in the Indian Ocean in 1963-1964. At the time, he compared those samples with fragmentary material of *L. richardii* (Lamouroux, 1816) present in the Netherlands Centre for Biodiversity Naturalis (NCB Naturalis; Leiden, the Netherlands) and assigned the new species to the genus *Lignella*. Later, Bayer (1992: 506) concluded that the identity of the *L. richardii* could not be determined with any degree of certainty. Therefore, he established a new genus, *Thelogorgia*, and referred material previously identified as *L. richardii* to one of his four *Thelogorgia* species. However, Bayer did not re-examine *L. hartogi*. Subsequently, Ofwegen (1994) compared *L. hartogi* with species belonging to *Thelogorgia* and described a new genus *Pseudothellogorgia*, which included *L. hartogi*, based on differences in sclerites. Later *P. hartogi* was reported again by Dr. S.D. Cairns of the Smithsonian National Museum of Natural History (Washington DC, USA) who determined that material collected in Palau from a depth of 207 m belonged to this species (pers. comm.). Since then, it has not been reported until surprisingly the 1st author collected it at the Daymaniyat Is., Gulf of Oman (23°51'43.22"N, 58°6'15.16"E) at a depth of 18 m where it was photographed underwater, the 1st live photograph taken of *Pseudothellogorgia* (Fig. 1). The material is deposited in the NCB Naturalis (RMNH Coel. 39634).



Fig. 1. Underwater photograph of *Pseudothellogorgia hartogi*, Gulf of Oman, 18 m in depth. Scale bar = 2 cm.

Acknowledgment

The 1st author is most grateful to A. Willson for his hospitality and useful comments during the stay in Oman. All staff at the Five Oceans Environmental Services LLC, especially O. Taylor, F. Al-Abdali, I. Benson, E. Looker, and D. Mothershaw are appreciated for their support and accompaniment on some field trips.

References

- Bayer FM (1992) *Thelogorgia*, a new genus of gorgonacean octocorals, with descriptions of four new species from the western Atlantic. *Bull. Mar. Sci.* 49: 506-537.
- Lamouroux JVF (1816) Histoire des polypiers coralligènes flexibles, vulgairement nommés Zoophytes. Caen, France: F Poisson, 560 pp.
- Ofwegen LP van (1990) Notes on the Keroeididae (Anthozoa: Gorgonacea) collected in 1963 and 1964 by the international Indian Ocean expedition of the R/V "Anton Bruun", in the Indian Ocean, with the description of a new species, *Lignella hartogi*. *Zool. Meded. Leiden* 63: 163-168.
- Ofwegen LP van (1994) *Pseudothellogorgia*, a new genus of gorgonacean octocorals from the Indian Ocean. *Precious Corals. Octocoral Res.* 3: 19-21.