



Universiteit
Leiden
The Netherlands

Resource allocation in networks via coalitional games

Shams, F.

Citation

Shams, F. (2016, September 21). *Resource allocation in networks via coalitional games*. Retrieved from <https://hdl.handle.net/1887/45667>

Version: Not Applicable (or Unknown)

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/45667>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/45667> holds various files of this Leiden University dissertation.

Author: Shams, F.

Title: Resource allocation in networks via coalitional games

Issue Date: 2016-09-21

Curriculum Vitae

1975 Born on 6 September in Tehran, IRAN

1993-1998 BSc in Computer Hardware Engineering in Tehran

1998-2004 Network programmer, multimedia communications programmer, database analyser and programmer, mini-hardware designer and programmer, and network engineer in different R&D centers in Iran.

2005-2006 MSc in Information & Automation Engineering at the University of Ferrara, Ferrara, ITALY

2008-2012 PhD in Computer Science and Engineering at IMT Institute for Advanced Studies Lucca, ITALY

2013-2016 Post-doc in Computer Science and Engineering at IMT Institute for Advanced Studies Lucca, ITALY

2016 PhD in Computer Science and Engineering at Leiden University

Bibliography

- [1] A. R. Radwan, P. Marques, and J. Rodriguez, “C2POWER Architecture: a first approach,” in *Intern. Conf. on Telecommunications and Multimedia (Temu)*, vol. 1, (Grete, Greece), pp. 1–11, July 2010. 1
- [2] M. Pickavet and T. R., “Network solutions to reduce the energy footprint of ICT,” in *The European Conf. and Exhibition on Optical Communications (ECOC)*, (Turin, Italy), Sep. 2010. 1
- [3] “Global Action Plan - Green ICT - An Inefficient Truth,” <http://www.greenict.org.uk/reports-library/an-inefficient-truth/>. 1
- [4] Gómez-Barquero, D., *Next Generation Mobile Broadcasting*. Taylor & Francis, 2013. 1, 2
- [5] A. R. Bahai, B. R. Saltzberg, and M. Ergen, *Multi-Carrier Digital Communications Theory and Applications of OFDM*. Boston, MA: Springer, 2nd ed., 2004. 1, 2
- [6] A. J. Goldsmith, *Wireless Communications*. Cambridge, UK: Cambridge University Press, 2005. 2
- [7] A. Carvallo and J. Cooper, *The Advanced Smart Grid: Edge Power Driving Sustainability*. Artech House, 2nd ed., 2015. 2, 3
- [8] S. Bu, F. Yu, Y. Cai, and X. Liu, “When the Smart Grid Meets Energy-Efficient Communications: Green Wireless Cellular Networks Powered by the Smart Grid,” *IEEE Trans. on Wireless Communications*, vol. 11, pp. 3014–3024, Aug. 2012. 2, 3

-
- [9] S. Galli, A. Scaglione, and Z. Wang, "For the grid and through the grid: The role of power line communications in the smart grid," *Proc. of the IEEE*, vol. 99, June 2011. 3, 126
 - [10] M. J. Osborne and A. Rubinstein, *A Course in Game Theory*. Cambridge, MA: MIT Press, 1994. 4, 10, 11, 12, 16, 19, 24, 33, 72, 73, 74, 75, 95, 101, 115, 127
 - [11] R. Aumann and S. Hart, eds., *Handbook of Game Theory with Economic Applications*, vol. 2. Elsevier, 2 ed., 1995. 4, 80
 - [12] M. Maschler, "The bargaining set, kernel, and nucleolus," in *Handbook of Game Theory with Economic Applications* (R. Aumann and S. Hart, eds.), vol. 1, ch. 18, pp. 591–667, Elsevier, 1 ed., 1992. 4, 25
 - [13] H. Raiffa, *Contributions to the Theory of Game II*. Princeton, NJ: Princeton University Press, 1953. 4, 76
 - [14] M. Félegyházi and J. P. Hubaux, "Game theory in wireless networks: A tutorial," *ACM computing surveys*, 2006. Technical Report: LCA-REPORT-2006-002, EPFL. 4, 26, 34
 - [15] F. Edalat, *Real-time sub-carrier Adaptive Modulation and Coding in wideband Orthogonal Frequency Division Multiplexing wireless systems*. PhD thesis, Dept. of Electrical Engineering and Computer Science, Massachusetts Institute of Technology (MIT), Boston, USA, 2008. 6
 - [16] Z. Han, Z. Ji, and K. J. R. Liu, "Non-cooperative resource competition game by virtual referee in multi-cell OFDMA networks," *IEEE Journal on Selected Areas in Commun.*, vol. 25, Aug. 2007. 6, 58, 74, 105
 - [17] G. Dainelli, M. Moretti, A. Zalonis, and N. Dimitriou, "Distributed subcarrier allocation schemes for OFDMA multiple access systems," in *Proc. Newcom++/Cost2100 Workshop*, (Vienna, Austria), Sept. 2009. 6, 105
 - [18] T. K. Chee, C.-C. Lim, and J. Choi, "A cooperative game theoretic framework for resource allocation in OFDMA systems," in *Proc. IEEE Intern. Conf. Commun. Systems (ICCS)*, (Singapore, Singapore), Oct. 2006. 6, 11, 77, 106

- [19] W. Noh, "A distributed resource control for fairness in OFDMA systems: English-auction game with imperfect information," in *Proc. IEEE Global Commun. Conf. (GLOBECOM)*, (New Orleans, LA), pp. 1–6, Dec. 2008. 6, 77, 106
- [20] M. A. McHenry and D. McCloskeyk, "Spectrum occupancy measurements Chicago, Illinois," Nov. 2005. 10
- [21] C. Hyun-Ho, L. Jong Bu, H. Hyosun, and J. Kyunghun, "Optimal handover decision algorithm for throughput enhancement in cooperative cellular networks," in *IEEE Vehicular Technology Conf. (VTC)*, (Ottawa, Canada), pp. 1–5, Sep. 2010. 10
- [22] B. Peleg and P. Sudhölter, *Introduction to the Theory of Cooperative Games*. Berlin, Germany: Springer-Verlag, 2nd ed., 2007. 10, 11, 12, 14, 17, 25, 73, 74, 95
- [23] W. Saad, Z. Han, T. Basar, and A. Hjorungnes, "Coalitional games for distributed eavesdroppers cooperation in wireless networks," in *Intern. Workshop Game Theory in Communication Networks*, (Pisa, Italy), pp. 3365–3371, Oct. 2009. 11
- [24] E. Hossain, D. I. Kim, and V. K. Bhargava, *Cooperative Cellular Wireless Networks*. New York, NY, USA: Cambridge University Press, 2011. 11
- [25] S. Hew and L. White, "Cooperative resource allocation games in shared networks: symmetric and asymmetric fair bargaining models," *IEEE Trans. on Wireless Commun.*, vol. 7, pp. 4166–4175, Nov. 2008. 11
- [26] F. Shams, G. Bacci, and M. Luise, "An OFDMA resource allocation algorithm based on coalitional games," *EURASIP Journal on Wireless Communications and Networking*, vol. 2011, no. 1, p. 46, 2011. 11, 15, 33
- [27] H. Kwon and G. B. Lee, "Cooperative power allocation for broadcast/multicast services in cellular OFDM systems," *IEEE Trans. on Commun.*, vol. 57, pp. 3092–3102, Oct. 2009. 11

- [28] E. Zeydan, D. Kivanc, U. Tureli, and C. Comaniciu, "Joint iterative beamforming and power adaptation for MIMO ad hoc networks," *EURASIP Journal on Wireless Communications and Networking*, vol. 2011, no. 1, p. 79, 2011. 11
- [29] D. Li, Y. Xu, X. Wang, and M. Guizani, "Coalitional game theoretic approach for secondary spectrum access in cooperative cognitive radio networks," *IEEE Trans. on Wireless Commun.*, vol. 10, pp. 844–856, Mar. 2011. 11
- [30] Z. Khan, S. Glisic, L. DaSilva, and J. Lehtomändki, "Modeling the dynamics of coalition formation games for cooperative spectrum sharing in an interference channel," *IEEE Trans. on Computational Intelligence and AI in Games*, vol. 3, pp. 17–30, Mar. 2011. 11
- [31] I. Stanojev, O. Simeone, U. Spagnolini, Y. Bar-Ness, and R. Pickholtz, "Cooperative ARQ via auction-based spectrum leasing," *IEEE Trans. on Commun.*, vol. 58, pp. 1843–1856, June 2010. 11
- [32] F. Javadi, M. Kibria, and A. Jamalipour, "Bilateral shapley value based cooperative gateway selection in congested wireless mesh networks," in *IEEE Global Telecommun. Conf. (GLOBECOM)*, (New Orleans, LA), pp. 1–5, Dec. 2008. 11
- [33] J. Huang, Z. Han, M. Chiang, and H. Poor, "Auction-based resource allocation for multi-relay asynchronous cooperative networks," in *IEEE Intern. Conf. on Acoustics, Speech, and Signal Processing (ICASSP)*, (Las Vegas, Nev.), pp. 5356–5359, Apr. 2008. 11
- [34] H. Deng, Y. Wang, and J. Lu, "Auction based resource allocation for balancing efficiency and fairness in OFDMA relay networks with service differentiation," in *IEEE Vehicular Technology Conf. (VTC)*, (Ottawa, Canada), pp. 1–5, Sept. 2010. 11
- [35] V. Rodoplu and T. Meng, "Core capacity region of energy-limited, delay-tolerant wireless networks," *IEEE Trans. on Wireless Commun.*, vol. 6, no. 5, pp. 1844–1853, 2007. 13
- [36] L. S. Shapley, "Cores of convex games," *International Journal of Game Theory*, vol. 1, pp. 11–26, 1971. 13, 17, 22

- [37] A. ParandehGheibi, A. Eryilmaz, A. Ozdaglar, and M. Medard, "Resource allocation in multiple access channels," in *Conf. on Signals, Systems and Computers (ACSSC)*, (Pacific Grove, CA), pp. 878–882, Nov. 2007. 13
- [38] D. B. Gillies, *Some theorems on n-person games*. PhD thesis: Department of Mathematics, Princeton University, N.J., 1953. 14
- [39] M. M. Madiman, "Cores of cooperative games in information theory," *EURASIP Journal on Wireless Commun. and Networking*, vol. abs/0901.0062, 2009. 15
- [40] D. Li, Y. Xu, J. Liu, and X. Wang, "Relay assignment and cooperation maintenance in wireless networks," in *IEEE Wireless Commun. and Networking Conf. (WCNC)*, (Sydney, Australia), pp. 1–5, Apr. 2010. 15
- [41] D. Niyato and E. Hossain, "A cooperative game framework for bandwidth allocation in 4G heterogeneous wireless networks," in *IEEE Intern. Conf. on Commun. (ICC)*, vol. 9, (Istanbul, Turkey), pp. 4357–4362, June 2006. 15
- [42] T. W. Sandholm and V. R. Lesser, "Coalitions among computationally bounded agents," *Artificial Intelligence*, vol. 94, pp. 99–137, 1997. 15
- [43] O. Bondareva, "Some applications of the methods of linear programming to the theory of cooperative games," *Problemy Kibernetiki*, vol. 10, pp. 119–139, 1963, (Russian). 16
- [44] L. S. Shapley, "On balanced sets and cores," *Naval Research Logistics Quarterly*, vol. 14, no. 4, pp. 453–560, 1967. 16
- [45] A. E. Roth, *The Shapley Value. Essays in Honor of Lloyd S. Shapley*. Cambridge University Press, 1988. 17
- [46] J. C. Harsanyi, "An equilibrium-point interpretation of stable sets and a proposed alternative definition," *Management Science*, vol. 20, no. 11, pp. 1472–1495, 1974. 20
- [47] C. Rafels and S. Tijs, "On the cores of cooperative games and the stability of the Weber set," *International Journal of Game Theory*, vol. 26, pp. 491–499, 1997. 20

-
- [48] L. S. Shapley, "A value for n -person games. Contribution to the theory of games," *Annals of Mathematics Studies*, vol. 2, p. 28, 1953. 21, 115, 121
- [49] S. Hart, "A comparison of non-transferable utility values," discussion paper series, Center for Rationality and Interactive Decision Theory, Hebrew University, Jerusalem, 2003. 22
- [50] G.-J. Otten and H. J. Peters, "The Shapley transfer procedure for NTU-games," open access publications from maastricht university, Maastricht University, 2002. 22
- [51] H. P. Young, "Monotonic solutions of cooperative games," *International Journal of Game Theory*, vol. 14, pp. 65–72, 1985. 23, 25
- [52] S. Kim, "Cooperative game theoretic online routing scheme for wireless network managements," *Commun., IET*, vol. 4, pp. 2074–2083, June 2010. 23
- [53] M. Khouzani and S. Sarkar, "Economy of spectrum access in time varying multichannel networks," *IEEE Trans. on Mobile Computing*, vol. 9, pp. 1361–1376, Oct. 2010. 23
- [54] H. Park and M. Van-Der Schaar, "Coalition-based resource negotiation for multimedia applications in informationally decentralized networks," *IEEE Trans. on Multimedia*, vol. 11, pp. 765–779, June 2009. 23
- [55] S. Pechersky, "On proportional excess for NTU games," Tech. Rep. Ec-02/01, European University at St. Petersburg, Department of Economics, 2001. 24
- [56] T. S. H. Driessen, "A note on the inclusion of the kernel in the core of the bilateral assignment game," *International Journal of Game Theory*, vol. 27, no. 2, pp. 301–303, 1998. 24
- [57] Z. Han and H. V. Poor, "Coalition games with cooperative transmission: a cure for the curse of boundary nodes in selfish packet-forwarding wireless networks," *IEEE Trans. on Commun.*, vol. 57, pp. 203–213, Jan. 2009. 25
- [58] G. Demange and M. Wooders, *Group Formation in Economics: Networks, Clubs, and Coalitions*. UK: Cambridge University Press, 2005. 26

- [59] R. J. Aumann, "Acceptable points in general cooperative n -person games," in *Annals of Mathematics Studies*, 40, in *Contributions to the Theory of Games*, (Princeton, NJ), pp. 287–324, Princeton University Press, 1959. 26, 28
- [60] B. D. Bernheim, B. Peleg, and M. D. Whinston, "Coalition-proof Nash equilibria I. concepts," *Journal of Economic Theory*, vol. 42, no. 1, pp. 1–12, 1987. 26, 28, 29, 30
- [61] M. Jackson and V. D. Nouweland, "Strongly stable networks," *Games and Economic Behavior*, vol. 51, no. 2, pp. 420–444, 2005. Special Issue in Honor of Richard D. McKelvey. 28
- [62] S. Zhong and F. Wu, "A collusion-resistant routing scheme for noncooperative wireless ad hoc networks," *IEEE/ACM Trans. on Networking*, vol. 18, pp. 582–595, Apr. 2010. 29
- [63] E. Altman, T. Basar, I. Menache, and H. Tembine, "A dynamic random access game with energy constraints," in *Intern. Symposium on Modeling and Optimization in Mobile, Ad Hoc, and Wireless Networks (WiOpt)*, (Seoul, Korea), pp. 1–7, June 2009. 29
- [64] B. Moldovanu, "Coalition-proof Nash equilibria and the core in three-player games," *Games and Economic Behavior*, vol. 4, pp. 565–581, Oct. 1992. 30
- [65] H. Konishi, M. Le Breton, and S. Weber, "Equivalence of strong and coalition-proof Nash equilibria in games without spillovers," *Economic Theory*, vol. 9, pp. 97–113, 1997. 31
- [66] M. Félegyházi, M. Cagalj, S. Bidokhti, and J.-P. Hubaux, "Non-cooperative multi-radio channel allocation in wireless networks," in *Proc. IEEE Computer and Commun. Societies Conf. (INFOCOM)*, pp. 1442–1450, May 2007. 31
- [67] L. Gao, X. Wang, and Y. Xu, "Multiradio channel allocation in multihop wireless networks," *IEEE Trans. on Mobile Computing*, vol. 8, pp. 1454–1468, Nov. 2009. 31
- [68] IEEE 802.16 Broadband Wireless Access Working Group, "IEEE 802.16m Evaluation Methodology Document (EMD)," *Tech. Rep. IEEE 802.16m-08/004r5*, Jan. 2009. 32, 102

- [69] R. J. Aumann, "Subjectivity and correlation in randomized strategies," *Journal of Mathematical Economics*, vol. 1, no. 1, pp. 67–96, 1974. 33, 35
- [70] Y. Heller, *Correlated Equilibrium and Seemingly-Iterational Behavior*. PhD thesis, Faculty of exact sciences, Tel-Aviv University, Israel, 2011. 35, 39
- [71] G. Bacci, M. Luise, and H. V. Poor, "Game theory and power control in ultrawideband networks," *Physical Commun.*, vol. 1, no. 1, pp. 21–39, 2008. 35
- [72] N. Bonneau, E. Altman, and M. Debbah, "Correlated equilibrium in access control for wireless communications," in *Intern. Conf. on Networking (IFIP)*, (Coimbra, Portugal), pp. 15–19, May 2006. 38
- [73] N. Bonneau, M. Debbah, E. Altman, and A. Hjørungnes, "Non-Atomic games for multi-user systems," *IEEE Journal on Selected Areas in Commun.*, vol. 26, pp. 1047–1058, Sept. 2008. 38
- [74] M. Charafeddine, Z. Han, A. Paulraj, and J. Cioffi, "Crystallized rates region of the interference channel via correlated equilibrium with interference as noise," in *IEEE Intern. Conf. on Commun. (ICC)*, (Dresden, Germany), pp. 1–6, June 2009. 39
- [75] R. Diltz and T. A. Epstein, *Dynamic Learning*. Capitola, CA: MeTa Publications, 1995. 39
- [76] M. Van-Der Schaar and F. Fu, "Spectrum access games and strategic learning in cognitive radio networks for delay-critical applications," *Proceedings of the IEEE*, vol. 97, pp. 720–740, Apr. 2009. 39
- [77] H.-P. Shiang and M. Van-Der Schaar, "Online learning in autonomic multi-hop wireless networks for transmitting mission-critical applications," *IEEE Journal on Selected Areas in Commun.*, vol. 28, pp. 728–741, June 2010. 39
- [78] Z. Lin and M. van der Schaar, "Autonomic and distributed joint routing and power control for delay-sensitive applications in multi-hop wireless networks," *IEEE Trans. on Wireless Commun.*, vol. 10, pp. 102–113, Jan. 2011. 40

- [79] C. J. C. H. Watkins and P. Dayan, “Q-Learning,” *Machine Learning*, vol. 8, no. 3, pp. 279–292, 1992. 40, 85
- [80] C. Claus and C. Boutilier, “The dynamics of reinforcement learning in cooperative multiagent systems,” in *National Conf. on Artificial Intelligence (AAAI-98)*, (Madison, Wisconsin), pp. 746–752, July 1998. 40, 41
- [81] L. P. Kaelbling, M. L. Littman, and A. W. Moore, “Reinforcement learning: A survey,” *Journal of Artificial Intelligence Research*, vol. 4, pp. 237–285, May 1996. 41
- [82] E. Kalai and E. Lehrer, “Rational learning leads to Nash equilibrium,” *Econometrica*, vol. 61, no. 5, pp. 1019–1045, 1993. 42
- [83] D. Fudenberg and D. K. Levine, “Learning and equilibrium,” *Annual Review of Economics*, vol. 1, no. 1, pp. 385–420, 2009. 42
- [84] P. Milgrom and J. Roberts, “Rationalizability, learning, and equilibrium in games with strategic complementarities,” *Econometrica*, vol. 58, pp. 1255–1277, Nov. 1990. 42
- [85] C. Daskalakis, R. Frongillo, C. H. Papadimitriou, G. Pierrakos, and G. Valiant, “On learning algorithms for Nash equilibria,” in *3rd International Symposium on Algorithmic Game Theory (SAGT)*, (Athens, Greece), pp. 114–125, 2010. 42
- [86] A. F. Molisch, *Wireless Communications*. Hoboken, NJ: Wiley-IEEE Press, 2nd ed., 2011. 48, 52, 56
- [87] M. Doelz, E. Heald, and D. Martin, “Binary data transmission techniques for linear systems,” *Proceedings of the IRE*, vol. 45, pp. 656–661, May 1957. 49
- [88] B. Saltzberg, “Performance of an efficient parallel data transmission system,” *IEEE Trans. on Commun. Technology*, vol. 15, pp. 805–811, Dec. 1967. 49
- [89] R. W. Chang, “Synthesis of band-limited orthogonal signals for multichannel data transmission,” *Bell Systems Technical Journal*, vol. 45, pp. 177–1796, Dec. 1966. 49

- [90] M. Zimmerman and A. Kirsch, "The AN/GSC-10 (KATHRYN) variable rate data modem for HF radio," *IEEE Trans. on Commun. Technology*, vol. 15, pp. 197–204, Apr. 1967. 49
- [91] G. Porter, "Error distribution and diversity performance of a frequency-differential PSK HF modem," *IEEE Trans. on Commun. Technology*, vol. 16, pp. 567–575, Aug. 1968. 49
- [92] "Orthogonal Frequency Division Multiplexing." U.S. Patent No. 3,488,4555, filed Nov. 14, 1996, issued Jan. 6, 1970. 49
- [93] S. Weinstein and P. Ebert, "Data transmission by frequency-division multiplexing using the discrete Fourier transform," *IEEE Trans. on Commun. Technology*, vol. 19, pp. 628–634, Oct. 1971. 49
- [94] A. Peled and A. Ruiz, "Frequency domain data transmission using reduced computational complexity algorithms," in *IEEE Intern. Conf. on Acoustics, Speech, and Signal Processing (ICASSP)*, vol. 5, pp. 964–967, Apr. 1980. 50
- [95] ANSI T1.413-1998, "Network and customer installation interfaces - asymmetric digital subscriber line (ADSL) metallic interface." (American National Standards Institute 1998). 50, 53
- [96] J. A. Bingham, *ADSL, VDSL, and Multicarrier Modulation*. New York, NY, USA: John Wiley & Sons, Inc., 1st ed., 2000. 50
- [97] H. Sari, G. Karam, and I. Jeanclaude, "Transmission techniques for digital terrestrial TV broadcasting," *IEEE Commun. Mag.*, vol. 33, pp. 100–109, Feb. 1995. 50
- [98] P. Shelswell, "The COFDM modulation system: the heart of digital audio broadcasting," *Electronics Commun. Eng. J.*, vol. 7, pp. 127–136, June 1995. 50
- [99] A. Jamalipour, T. Wada, and T. Yamazato, "A tutorial on multiple access technologies for beyond 3G mobile networks," *IEEE Commun. Mag.*, vol. 43, pp. 110–117, Feb. 2005. 50

- [100] C. Arasu, P. Hyanki, H. Sharma, G. Lakshminarayanan, M. H. Lee, and S.-B. Ko, "PAPR reduction for improving performance of OFDM system," in *IEEE International Conf. on Communication Control and Computing Technologies (ICCCCT)*, (Tamilnadu, India), pp. 77–82, Oct. 2010. 51
- [101] A.-B. Salberg and A. Swami, "Doppler and frequency-offset synchronization in wideband OFDM," *IEEE Transactions on Wireless Commun.*, vol. 4, pp. 2870–2881, Nov. 2005. 51
- [102] A. Bo, Y. Zhi-xing, P. Chang-yong, G. Jian-hua, W. Yong, and L. Zhen, "On the synchronization techniques for wireless OFDM systems," *IEEE Trans. on Broadcasting*, vol. 52, pp. 236–244, June 2006. 51
- [103] H. Sari and G. Karam, "Orthogonal frequency-division multiple access and its application to CATV networks," *European Trans. on Telecommun.*, vol. 9, no. 6, pp. 507–516, 1998. 51
- [104] D. Shen and V.-K. Li, "Stabilized multi-channel ALOHA for wireless OFDM networks," in *IEEE Global Telecommun. Conf. (GLOBECOM)*, vol. 1, (Taipei, Taiwan), pp. 701–705, Nov. 2002. 52
- [105] Y.-J. Choi, S. Park, and S. Bahk, "Multichannel random access in OFDMA wireless networks," *IEEE Journal on Selected Areas in Commun.*, vol. 24, no. 3, pp. 603–613, 2006. 52
- [106] E. Yaacoub, M. Al-Alaoui, and Z. Dawy, "Novel time-frequency reservation aloha scheme for ofdma systems," in *IEEE Wireless Commun. and Networking Conf. (WCNC)*, (Quintana-Roo, Mexico), pp. 7–12, Mar. 2011. 52
- [107] X. Qin and R. Berry, "Distributed power allocation and scheduling for parallel channel wireless networks," in *Intern. Symposium on Modeling and Optimization in Mobile, Ad Hoc, and Wireless Networks (WIOPT)*, (Trentino, Italy), pp. 77–85, Apr. 2005. 52
- [108] X. Qin and R. Berry, "Distributed approaches for exploiting multiuser diversity in wireless networks," *IEEE Trans. on Information Theory*, vol. 52, no. 2, pp. 392–413, 2006. 52

- [109] A. Ghosh, R. Ratasuk, B. Mondal, N. Mangalvedhe, and T. Thomas, "LTE-advanced: Next-generation wireless broadband technology," *IEEE Wireless Commun.*, vol. 17, pp. 10–22, June 2010. 52
- [110] T. M. Cover and J. A. Thomas, *Elements of information theory*. New York, NY, USA: Wiley-Interscience, second ed., 2006. 53, 54
- [111] P. Chow, J. Cioffi, and J. Bingham, "A practical discrete multitone transceiver loading algorithm for data transmission over spectrally shaped channels," *IEEE Trans. on Commun.*, vol. 43, pp. 773–775, Feb./Mar./Apr. 1995. 53, 54, 55, 62
- [112] J. Forney, G.D. and M. Eyuboğlu, "Combined equalization and coding using precoding," *IEEE Commun. Magazine*, vol. 29, pp. 25–34, Dec. 1991. 54
- [113] D. Hughes-Hartogs, "Ensemble modem structure for imperfect transmission media." U.S Patents Nos. 4,679,227 (July 1988) 4,731,816 (March 1988) and 4,833,796 (May 1989). 54, 55
- [114] J. Bingham, "Multicarrier modulation for data transmission: an idea whose time has come," *IEEE Commun. Magazine*, vol. 28, pp. 5–14, May 1990. 54
- [115] I. Kalet, "The multitone channel," *IEEE Trans. on Commun.*, vol. 37, pp. 119–124, Feb. 1989. 54, 55
- [116] L. J. Cimini, Jr., "Analysis and simulation of a digital mobile channel using orthogonal frequency division multiplexing," *IEEE Trans. on Commun.*, vol. 33, pp. 665–675, July 1985. 54, 55
- [117] A. Czystlik, "Adaptive OFDM for wideband radio channels," in *Proc. IEEE Global Commun. Conf. (GLOBECOM)*, vol. 1, (San Francisco, CA), pp. 713–718, Nov. 1996. 55
- [118] R. Fischer and J. Huber, "A new loading algorithm for discrete multitone transmission," in *Proc. IEEE Global Commun. Conf. (GLOBECOM)*, vol. 1, (London, England), pp. 724–728, Nov. 1996. 55
- [119] L. Van-der Perre, S. Thoen, P. Vandenameele, B. Gyselinckx, and M. Engels, "Adaptive loading strategy for a high speed OFDM-based WLAN," in *Proc. IEEE Global Commun. Conf. (GLOBECOM)*, vol. 4, (Sydney, Australia), pp. 1936–1940, Nov. 1998. 55

- [120] W. Zou and Y. Wu, "COFDM: an overview," *IEEE Trans. on Broadcasting*, vol. 41, pp. 1–8, Mar. 1995. 56
- [121] D. MacKay and R. Neal, "Near shannon limit performance of low density parity check codes," *Electronics Letters*, vol. 32, p. 1645, Aug. 1996. 56
- [122] Y. Sun, M. Karkooti, and J. R. Cavallaro, "High throughput, parallel, scalable LDPC encoder/decoder architecture for OFDM systems," in *Proc. IEEE Works. Design, Applications, Integration and Software*, (Dallas, TX), pp. 39–42, Oct. 2006. 56
- [123] V. Mannoni, D. Declercq, and G. Gelle, "Optimized irregular low-density parity-check codes for multicarrier modulations over frequency-selective channels," *EURASIP Journal Applied Signal Processing*, vol. 2004, pp. 1546–1556, Jan. 2004. 56
- [124] B. Hassibi and B. Hochwald, "Linear dispersion codes," in *Intern. Sympo. on Information Theory (ISIT)*, (Washington, DC), p. 325, June 2001. 56
- [125] Z. Liu, Y. Xin, and G. Giannakis, "Linear constellation precoding for OFDM with maximum multipath diversity and coding gains," *IEEE Trans. on Commun.*, vol. 51, no. 3, pp. 416–427, 2003. 56
- [126] Z. Wang and G. B. Giannakis, "Wireless multicarrier communications: where Fourier meets Shannon," *IEEE Signal Processing Mag.*, vol. 17, pp. 29–48, May 2000. 56
- [127] D. Goeckel and G. Ananthaswamy, "On the design of multidimensional signal sets for OFDM systems," *Communications, IEEE Transactions on*, vol. 50, no. 3, pp. 442–452, 2002. 56
- [128] M. McCloud, "Analysis and design of short block OFDM spreading matrices for use on multipath fading channels," *IEEE Trans. on Commun.*, vol. 53, no. 4, pp. 656–665, 2005. 56
- [129] N. Prasad, L. Venturino, and X. Wang, "Diversity-multiplexing tradeoff analysis for OFDM systems with subcarrier grouping, linear precoding, and linear detection," *IEEE Trans. on Information Theory*, vol. 56, no. 12, 2010. 56

- [130] E. Yaacoub and Z. Dawy, "A survey on uplink resource allocation in OFDMA wireless networks," *IEEE Commun. Surveys Tutorials*, vol. 14, no. 22, 2012. 57
- [131] A. Hamza, S. Khalifa, H. Hamza, and K. Elsayed, "A survey on inter-cell interference coordination techniques in OFDMA-based cellular networks," *IEEE Communications Surveys Tutorials*, vol. PP, no. 99, pp. 1–29, 2013. 57, 84
- [132] M. Salem, A. Adinoyi, M. Rahman, H. Yanikomeroglu, D. Falconer, Y.-D. Kim, E. Kim, and Y.-C. Cheong, "An overview of radio resource management in relay-enhanced OFDMA-based networks," *IEEE Commun. Surveys Tutorials*, vol. 12, no. 3, pp. 422–438, 2010. 57, 87
- [133] K. Akkarajitsakul, E. Hossain, D. Niyato, and D. I. Kim, "Game theoretic approaches for multiple access in wireless networks: A survey," *IEEE Commun. Surveys & Tutorials*, vol. 13, pp. 372–395, 3rd Quarter 2011. 57, 72
- [134] V. Ramamurthi and C. Wei-Peng, "Mobility based MIMO link adaptation in LTE-advanced cellular networks," in *Intern. Conf. on Broadband, Wireless Computing, Communication and Applications (BWCCA)*, (Fukuoka, Japan), pp. 235–241, Nov. 2010. 57
- [135] L. J. Cimini, B. Daneshrad, and N. Sollenberger, "Clustered OFDM with transmitter diversity and coding," in *Proc. IEEE Global Commun. Conf. (GLOBECOM)*, vol. 1, (San Francisco, CA), pp. 703–707, Nov. 1996. 57
- [136] M. Johansson, "Benefits of multiuser diversity with limited feedback," in *IEEE Workshop on Signal Processing Advances in Wireless Communications (SPAWC)*, (Rome, Italy), pp. 155–159, June 2003. 57
- [137] D. Gesbert and M. S. Alouini, "Selective multi-user diversity," in *Proc. IEEE Intern. Symp. on Signal Processing and Information Technology (ISSPIT)*, (Darmstadt, Germany), pp. 162–165, Dec. 2003. 57
- [138] P. Svedman, S. Wilson, J. Cimini, L.J., and B. Ottersten, "A simplified opportunistic feedback and scheduling scheme for OFDM," in *IEEE Vehicular Technology Conference (VTC)*, vol. 4, (Milan, Italy), pp. 1878–1882, May 2004. 57

- [139] Z. Han and K. J. R. Liu, "Fair multiuser channel allocation for OFDMA networks using Nash bargaining solutions and coalitions," *IEEE Trans. on Commun.*, vol. 53, pp. 1366–1376, Aug. 2005. 58, 75, 106
- [140] D. Yu, D. Wu, Y. Cai, and W. Zhong, "Power allocation based on power efficiency in uplink OFDMA systems: A game theoretic approach," in *Proc. IEEE Intern. Conf. Commun. Systems (ICCS)*, (Singapore, Singapore), pp. 92–97, Nov. 2008. 58, 73
- [141] M. Moretti, N. Dimitriou, G. Danielli, V. Corvino, R. Verdone, F. Brah, L. Vanderdorpe, and V. Tralli, "Channel and interference based cross layer OFDMA scheduling," in *Newcom++/ACORN workshop*, (Barcelona, Spain), pp. 1–5, Mar. 2009. 58, 72
- [142] M. Pischella and J. Belfiore, "Distributed margin adaptive resource allocation in MIMO OFDMA networks," *IEEE Trans. on Commun.*, vol. 58, pp. 2371–2380, Aug. 2010. 58
- [143] C. Tan, T. Chuah, and S. Tan, "Adaptive multicast scheme for OFDMA based multicast wireless systems," *Electronics Letters*, 28th, vol. 47, pp. 570–572, Apr. 2011. 58
- [144] H. Tabassum, Z. Dawy, and M. Alouini, "Sum rate maximization in the uplink of multi-cell OFDMA networks," in *Intern. Wireless Commun. and Mobile Computing Conf. (IWCMC)*, (Istanbul, Turkey), pp. 1152–1157, July 2011. 59
- [145] D. Kivanc, G. Li, and H. Liu, "Computationally efficient bandwidth allocation and power control for OFDMA," *IEEE Trans. on Wireless Commun.*, vol. 2, pp. 1150–1158, Nov. 2003. 59
- [146] X. Wang, M. Tao, J. Mo, and Y. Xu, "Power and subcarrier allocation for physical-layer security in OFDMA-based broadband wireless networks," *IEEE Trans. on Information Forensics and Security*, vol. 6, pp. 693–702, Sept. 2011. 60
- [147] R. Cheng and S. Verdù, "Gaussian multiaccess channels with ISI: capacity region and multiuser water-filling," *IEEE Trans. on Information Theory*, vol. 39, pp. 773–785, May 1993. 60

- [148] M. Chiang, *Geometric Programming for Communication Systems*. Hanover, MA: now Publishers Inc., first ed., 2005. ISBN: 1-933019-09-3. 61, 62, 65, 70, 72
- [149] A. Goldsmith and P. Varaiya, "Capacity of fading channels with channel side information," *IEEE Trans. on Information Theory*, vol. 43, pp. 1986–1992, Nov. 1997. 61
- [150] W. Rhee and J. M. Cioffi, "Increase in capacity of multiuser OFDM system using dynamic subchannel allocation," in *Proc. IEEE Veh. Technol. Conf. (VTC)-Spring*, (Tokyo, Japan), pp. 1085–1089, May 2000. 61, 62, 63, 64
- [151] G. Debreu, *Theory of Value: An Axiomatic Analysis of Economic Equilibrium*. John Wiley and Sons Inc., New York, 1959. 62, 63
- [152] C. Y. Wong, R. Cheng, K. Lataief, and R. Murch, "Multiuser OFDM with adaptive subcarrier, bit, and power allocation," *IEEE Journal on Selected Areas in Commun.*, vol. 17, pp. 1747–1758, Oct. 1999. 62, 63
- [153] D. Bertsekas and R. Gallager, *Data Networks*. Prentice Hall, second ed., 1992. ISBN: 0-13-200916-1. 62
- [154] W. Yu and J. Cioffi, "FDMA capacity of the Gaussian multiple access channel with ISI," in *IEEE Intern. Conf. on Commun. (ICC)*, vol. 3, (New Orleans, Louisiana), pp. 1365–1369, 2000. 64
- [155] F. Kelly, "Charging and rate control for elastic traffic," *European Trans. on Telecommun.*, vol. 8, pp. 33–37, 1997. 64
- [156] P. Tsiaflakis, *Resource management and optimization in multi-user DSL systems*. PhD thesis, Department of Electrical Eng., Katholieke Universiteit Leuven, Leuven, Belgium, 2009. 64
- [157] I. Toufik and R. Knopp, "Channel allocation algorithms for multi-carrier systems," in *IEEE Vehicular Technology Conf. (VTC)*, vol. 2, (Los Angeles, CA), pp. 1129–1133, Sept. 2004. 64
- [158] Kelly F.P. and Maulloo A.K. and Tan D.K.H., "Rate control for communication networks: shadow prices, proportional fairness and stability," *Journal of the Operational Research Society*, vol. 49, no. 3, pp. 237–252, 1998. 65, 66

- [159] D. Tse and P. Viswanath, *Fundamentals of Wireless Communication*. Cambridge, UK: Cambridge University Press, first ed., 2005. 66
- [160] Z. Shen, J. Andrews, and B. Evans, "Optimal power allocation in multiuser OFDM systems," in *Proc. IEEE Global Commun. Conf. (GLOBECOM)*, vol. 1, (San Francisco, CA), pp. 337–341, Dec. 2003. 67
- [161] I. C. Wong, Z. Shen, B. L. Evans, and J. G. Andrews, "A low complexity algorithm for proportional resource allocation in OFDMA systems," in *IEEE Workshop on Signal Processing Systems (SIPS)*, (Austin, Texas), pp. 1–6, Oct. 2004. 67
- [162] Z. Shen, J. Andrews, and B. Evans, "Adaptive resource allocation in multiuser OFDM systems with proportional rate constraints," *IEEE Trans. on Wireless Commun.*, vol. 4, pp. 2726–2737, Nov. 2005. 67
- [163] J. Mo and J. Walrand, "Fair end-to-end window-based congestion control," *IEEE/ACM Trans. on Networking*, vol. 8, pp. 556–567, Oct. 2000. 67
- [164] J.-W. Lee, R. Mazumdar, and N. Shroff, "Nonconvexity issues for Internet rate control with multiclass services: stability and optimality," in *IEEE Computer and Commun. Societies Conf. (INFOCOM)*, vol. 1, (Hong Kong), p. 4, Mar. 2004. 68
- [165] S. Shenker, "Fundamental design issues for the future Internet," *IEEE Journal on Selected Areas in Commun.*, vol. 13, pp. 1176–1188, Sept. 1995. 68
- [166] Z. Cao and E. Zegura, "Utility max-min: an application-oriented bandwidth allocation scheme," in *Proc. IEEE Computer and Commun. Societies Conf. (INFOCOM)*, vol. 2, (New York, USA), pp. 793–801, Mar. 1999. 68, 69
- [167] J.-W. Cho and S. Chong, "Utility max-min flow control using slope-restricted utility functions," in *Proc. IEEE Global Commun. Conf. (GLOBECOM)*, vol. 2, (St. Louis, MO), pp. 6 pp. –824, Dec. 2005. 69
- [168] A. Dewey and E. Jury, "A stability inequality for a class of nonlinear feedback systems," *IEEE Trans. on Automatic Control*, vol. 11, pp. 54–62, Jan. 1966. 69

- [169] J. Huang, V. Subramanian, R. Agrawal, and R. Berry, "Downlink scheduling and resource allocation for OFDM systems," *IEEE Trans. on Wireless Commun.*, vol. 8, pp. 288–296, Jan. 2009. 69, 72
- [170] J. Huang, V. Subramanian, R. Agrawal, and R. Berry, "Joint scheduling and resource allocation in uplink OFDM systems for broadband wireless access networks," *IEEE Journal on Selected Areas in Commun.*, vol. 27, pp. 226–234, Feb. 2009. 69, 72
- [171] C. Zhou, G. Wunder, and T. Michel, "Utility maximization for OFDMA systems over discrete sets," in *IEEE Intern. Conf. on Commun. (ICC)*, (Glasgow, Scotland), pp. 5726–5731, June 2007. 70
- [172] S. Kim and J.-W. Lee, "Joint resource allocation for uplink and downlink in wireless networks: A case study with user-level utility functions," in *IEEE Vehicular Technology Conf. (VTC)*, (Barcelona, Spain), Apr. 2009. 70
- [173] M. Mehrjoo, S. Moazeni, and X. Shen, "An interior point penalty method for utility maximization problems in OFDMA networks," in *IEEE Intern. Conf. on Commun. (ICC)*, (Dresden, Germany), pp. 1–5, June 2009. 70
- [174] G. Miao, N. Himayat, and G. Li, "Energy-efficient link adaptation in frequency-selective channels," *IEEE trans. on Commun.*, vol. 58, no. 2, pp. 545–554, 2010. 70
- [175] C. Xiong, G. Li, S. Zhang, Y. Chen, and S. Xu, "Energy-efficient resource allocation in OFDMA networks," *IEEE trans. on Commun.*, vol. 60, no. 12, pp. 3767–3778, 2012. 70
- [176] C. Isheden, Z. Chong, E. Jorswieck, and G. Fettweis, "Framework for link-level energy efficiency optimization with informed transmitter," *IEEE trans. on Wireless Commun.*, vol. 11, no. 8, pp. 2946–2957, 2012. 70
- [177] A. W. Marshall and I. Olkin, *Inequalities: theory of majorization and its applications*. New York: Academic Press, 1979. 70
- [178] I. Stancu-Minasian, *Fractional Programming: Theory, Methods and Applications*. Environment & Policy, Springer, 1997. 70

- [179] D. Y. Zhangyu Guan and H. Zhang, "Optimal and fair resource allocation for multiuser wireless multimedia transmissions," *EURASIP Journal on Wireless Communications and Networking*, vol. 2009, no. 17, pp. 1–10, 2009. 70
- [180] A. Tölli, *Resource management in cooperative MIMO-OFDM cellular systems*. PhD thesis, Department of Electrical and Information Eng., University of Oulu, Oulu, Finland, 2008. 70
- [181] L. Georgiadis, M. J. Neely, and L. Tassiulas, "Resource allocation and cross-layer control in wireless networks," *Found. Trends Networking*, vol. 1, pp. 1–144, Apr. 2006. 71
- [182] M. Bohge, J. Gross, A. Wolisz, and M. Meyer, "Dynamic resource allocation in OFDM systems: an overview of cross-layer optimization principles and techniques," *IEEE Network*, vol. 21, pp. 53–59, Jan.-Feb. 2007. 71
- [183] E. Baccarelli, M. Biagi, N. Cordeschi, and C. Pelizzoni, "Optimal cross-layer bandwidth adaptation for maximum-throughput VBR media wireless content delivery," in *Proc. IEEE Intern. Conf. Commun. (ICC)*, (Dresden, Germany), pp. 1–6, June 2009. 71
- [184] J.-M. Liang, J.-J. Chen, Y.-C. Wang, and Y.-C. Tseng, "A cross-layer framework for overhead reduction, traffic scheduling, and burst allocation in IEEE 802.16 OFDMA networks," *IEEE Trans. on Veh. Technol.*, vol. 60, pp. 1740–1755, May 2011. 71
- [185] D. Hui and V. Lau, "Design and analysis of delay-sensitive decentralized cross-layer OFDMA systems with efficient feedback algorithm," *IEEE Trans. on Wireless Commun.*, vol. 8, pp. 5844–5851, Dec. 2009. 71
- [186] D. Wang, P. Cosman, and L. Milstein, "Cross layer resource allocation design for uplink video OFDMA wireless systems," in *Proc. IEEE Global Telecommun. Conf. (GLOBECOM)*, (Houston, TX), pp. 1–6, Dec. 2011. 71
- [187] I. Koutsopoulos and L. Tassiulas, "Cross-layer adaptive techniques for throughput enhancement in wireless OFDM-based networks," *IEEE/ACM Trans. Networking*, vol. 14, pp. 1056–1066, Oct. 2006. 72

- [188] G. Song and Y. Li, "Cross-layer optimization for OFDM wireless networks-part I: theoretical framework," *IEEE Trans. on Wireless Commun.*, vol. 4, pp. 614–624, Mar. 2005. 72
- [189] G. Song and Y. Li, "Cross-layer optimization for OFDM wireless networks-part II: algorithm development," *IEEE Trans. on Wireless Commun.*, vol. 4, pp. 625–634, Mar. 2005. 72
- [190] T. Jiang, L. Song, and Y. Zhang, *Orthogonal Frequency Division Multiple Access Fundamentals and Applications*. Boston, MA, USA: Auerbach Publications, 2010. 72
- [191] M. Morelli, M. Moretti, G. Imbarlina, and N. Dimitriou, "Low complexity SNR estimation for transmissions over time-varying flat-fading channels," in *IEEE Wireless Communications and Networking Conf. (WCNC)*, (Budapest, Hungary), pp. 1–4, Apr. 2009. 72
- [192] C. M. Yen, C. J. Chang, and L. C. Wang, "A utility-based TMCR scheduling scheme for downlink multiuser MIMO-OFDMA systems," *IEEE Trans. on Vehicular Technology*, vol. 59, pp. 4105–4115, Oct. 2010. 72
- [193] D. Wu, D. Yu, and Y. Cai, "Subcarrier and power allocation in uplink OFDMA systems based on game theory," in *Intern. Conf. on Neural Networks and Signal Processing*, (Nanjing, China), pp. 522–526, June 2008. 73
- [194] V. Shah, N. Mandayam, and D. Goodman, "Power control for wireless data based on utility and pricing," in *Proc. IEEE Intern. Symp. Personal, Indoor, and Mobile Radio Commun.*, vol. 3, (Boston, MA), pp. 1427–1432, Sept. 1998. 73
- [195] H. Kwon and B. G. Lee, "Distributed resource allocation through noncooperative game approach in multi-cell OFDMA systems," in *IEEE Intern. Conf. on Commun. (ICC)*, vol. 9, (Istanbul, Turkey), pp. 4345–4350, June 2006. 73
- [196] C. Tan, L. Sim, T. Chuah, and S. Tan, "Blotto game-based low-complexity fair multiuser subcarrier allocation for uplink OFDMA networks," *EURASIP Journal on Wireless Commun. and Networking*, vol. 2011, no. 1, pp. 1–14, 2011. 74

- [197] A. Zappone, G. Alfano, S. Buzzi, and M. Meo, “Energy-efficient non-cooperative resource allocation in multi-cell OFDMA systems with multiple base station antennas,” in *IEEE Online Conf. on Green Commun. (GreenCom)*, pp. 82–87, Sept. 2011. 74
- [198] G. Bacci, A. Bulzomato, and M. Luise, “Uplink power control and subcarrier assignment for an OFDMA multicellular network based on game theory,” in *Proc. Int. Conf. on Performance Evaluation Methodologies and Tools (ValueTools)*, (Paris, France), May 2011. 74
- [199] D. Monderer and L. S. Shapley, “Potential games,” *Games and Economic Behavior*, vol. 14, no. 1, pp. 124–143, 1996. 74
- [200] G. Bacci, L. Sanguinetti, M. Luise, and H. V. Poor, “A game-theoretic approach for energy-efficient contention-based synchronization in OFDMA systems,” *IEEE Trans. Signal Processing*, vol. 61, pp. 1258–1271, Mar. 2013. 74
- [201] H. Boche and M. Schubert, “A generalization of Nash bargaining and proportional fairness to log-convex utility sets with power constraints,” *IEEE Trans. on Information Theory*, vol. 57, no. 6, pp. 3390–3404, 2011. 75
- [202] R. Burkard, M. Dell’Amico, and S. Martello, *Assignment Problems*. Philadelphia, PA: Society for Industrial and Applied Mathematics (SIAM), 2009. 75
- [203] K.-D. Lee and V. Leung, “Fair allocation of subcarrier and power in an OFDMA wireless Mesh network,” *IEEE Journal on Selected Areas in Commun.*, vol. 24, pp. 2051–2060, Nov. 2006. 75
- [204] E. Kalai and M. Smorodinsky, “Other solutions to Nash’s bargaining problem,” *Econometrica*, vol. 4, pp. 513–518, 1975. 76
- [205] A. E. Roth, “An impossibility result concerning n -person bargaining games,” *International Journal of Game Theory*, vol. 8, pp. 129–132, 1979. 76
- [206] J. Chen and A. Swindlehurst, “Applying bargaining solutions to resource allocation in multiuser MIMO-OFDMA broadcast systems,” *IEEE Journal of Selected Topics in Signal Processing*, vol. 6, no. 2, pp. 127–139, 2012. 77

- [207] S. Alavi, C. Zhou, and W. W. Gen, “Efficient and fair resource allocation scheme for OFDMA networks based on auction game,” in *IEEE Veh. Technol. Conf. (VTC)*, (Québec City, Canada), pp. 1–5, Sep. 2012. 77
- [208] A. El-Hajj, Z. Dawy, and W. Saad, “A stable matching game for joint up-link/downlink resource allocation in OFDMA wireless networks,” in *IEEE Intern. Conf. on Commun. (ICC)*, (Ottawa, Canada), pp. 5354–5359, June 2012. 77
- [209] E. G. Larsson and E. A. Jorswieck, “Competition versus cooperation on the MISO interference channel,” *IEEE J. Sel. Areas Commun.*, vol. 26, pp. 1059–1069, Sept. 2008. 79
- [210] A. Gjendemsjø, D. Gesbert, G. Øien, and S. Kiani, “Binary power control for sum rate maximization over multiple interfering links,” *Wireless Communications, IEEE Transactions on*, vol. 7, no. 8, pp. 3164–3173, 2008. 82
- [211] L. Venturino, N. Prasad, and X. Wang, “Coordinated linear beamforming in downlink multi-cell wireless networks,” *IEEE Trans. on Wireless Commun.*, vol. 9, no. 4, pp. 1451–1461, 2010. 82
- [212] W. Yu, T. Kwon, and C. Shin, “Joint scheduling and dynamic power spectrum optimization for wireless multicell networks,” in *Conf. on Information Sciences and Systems (CISS)*, (Princeton, NJ), pp. 1–6, Mar. 2010. 82
- [213] D. Bilios, C. Bouras, V. Kokkinos, A. Papazois, and G. Tseliou, “A performance study of fractional frequency reuse in OFDMA networks,” in *Wireless and Mobile Networking Conf. (WMNC)*, (Paris, France), pp. 38–43, Apr. 2012. 83
- [214] M. Amer, “Optimal configuration of fractional frequency reuse system for LTE cellular networks,” in *IEEE Veh. Technol. Conf. (VTC)*, (Québec City, Canada), pp. 1–5, Sep. 2012. 83
- [215] Huawei, “R1-050507: Soft frequency reuse scheme for UTRAN LTE,” in *3GPP TSG RAN WG1 Meeting #41*, May 2005. 83
- [216] K. Doppler, C. Wijting, and K. Valkealahti, “Interference aware scheduling for soft frequency reuse,” in *IEEE Veh. Technol. Conf. (VTC)*, (Barcelona, Spain), pp. 1–5, Apr. 2009. 83

- [217] H. Kwon, W.-I. Lee, and B. G. Lee, "Low-overhead resource allocation with load balancing in multi-cell OFDMA systems," in *IEEE Veh. Technol. Conf. (VTC)*, vol. 5, (Stockholm, Sweden), pp. 3063–3067, May-June 2005. 83
- [218] D. Kimura, Y. Harada, and H. Seki, "De-centralized dynamic ICIC using X2 interfaces for downlink LTE systems," in *IEEE Veh. Technol. Conf. (VTC)*, (Budapest), pp. 1–5, May 2011. 83
- [219] S.-E. Elayoubi, O. Ben Haddada, and B. Fourestitè, "Performance evaluation of frequency planning schemes in OFDMA-based networks," *IEEE Trans. on Wireless Commun.*, vol. 7, no. 5, pp. 1623–1633, 2008. 83
- [220] M. Qian, W. Hardjawana, Y. Li, B. Vucetic, J. Shi, and X. Yang, "Inter-cell interference coordination through adaptive soft frequency reuse in LTE networks," in *Wireless Commun. and Networking Conf. (WCNC)*, (Paris, France), pp. 1618–1623, Apr. 2012. 83
- [221] K. Yang, N. Prasad, and X. Wang, "An auction approach to resource allocation in uplink OFDMA systems," *IEEE Trans. on Signal Processing*, vol. 57, pp. 4482–4496, Nov. 2009. 84
- [222] Q. D. La, Y. H. Chew, and B. H. Soong, "Performance analysis of downlink multi-cell OFDMA systems based on potential game," *IEEE Trans. on Wireless Commun.*, vol. 11, no. 9, pp. 3358–3367, 2012. 84
- [223] S. Alavi, C. Zhou, and W. W. Gen, "Distributed resource allocation scheme for multicell OFDMA networks based on combinatorial auction," in *IEEE Veh. Technol. Conf. (VTC)*, (Québec City, Canada), pp. 1–5, Sep. 2012. 84
- [224] S. Buzzi, G. Colavolpe, D. Saturnino, and A. Zappone, "Potential games for energy-efficient power control and subcarrier allocation in uplink multicell OFDMA systems," *IEEE Journal of Selected Topics in Signal Processing*, vol. 6, no. 2, pp. 89–103, 2012. 84
- [225] J. Zheng, Y. Cai, and D. Wu, "Subcarrier allocation based on correlated equilibrium in multi-cell OFDMA systems," *EURASIP Journal on Wireless Commun. and Networking*, vol. 2012, no. 1, p. 233, 2012. 84

- [226] I. Stiakogiannakis and D. Kaklamani, “A radio resource management framework for multi-user multi-cell OFDMA networks based on game theory,” *Wireless Personal Commun.*, vol. 69, no. 2, pp. 745–770, 2013. 84
- [227] D. López-Pérez and X. Chu, “Inter-cell interference coordination for expanded region picocells in heterogeneous networks,” in *Intern. Conf. on Computer Commun. and Networks (ICCCN)*, (Maui, Hawaii), pp. 1–6, August 2011. 85
- [228] T. Lee, J. Yoon, S. Lee, and J. Shin, “Interference management in OFDMA femtocell systems using fractional frequency reuse,” in *Intern. Conf. on Commun., Circuits and Systems (ICCCAS)*, (Nice, France), pp. 176–180, Sep. 2010. 85
- [229] H. Zhang, X. Chu, W. Ma, W. Zheng, and X. Wen, “Resource allocation with interference mitigation in OFDMA femtocells for co-channel deployment,” *EURASIP Journal on Wireless Commun. and Networking*, vol. 2012, no. 1, pp. 1–9, 2012. 85
- [230] S. Wang, J. Wang, J. Xu, Y. Teng, and K. Horneman, “Fairness guaranteed cooperative resource allocation in femtocell networks,” *Wireless Personal Communications*, pp. 1–17, 2013. 85
- [231] C.-H. Ko and H.-Y. Wei, “On-demand resource-sharing mechanism design in two-tier OFDMA femtocell networks,” *IEEE Trans. on Veh. Technol.*, vol. 60, no. 3, pp. 1059–1071, 2011. 85
- [232] S. Sardellitti, A. Carfagna, and S. Barbarossa, “Optimal resource allocation in femtocell networks based on Markov modeling of interferers’ activity,” *EURASIP Journal on Wireless Commun. and Networking*, vol. 2012, p. 371, 2012. 85
- [233] A. Galindo-Serrano, L. Giupponi, and G. Auer, “Distributed learning in multiuser OFDMA femtocell networks,” in *IEEE Veh. Technol. Conf. (VTC)*, (Budapest), pp. 1–6, May 2011. 85
- [234] R. Xie, F. Yu, and H. Ji, “Interference management and power allocation for energy-efficient cognitive femtocell networks,” *Mobile Networks and Applications*, pp. 1–13, 2013. 85

- [235] Q. Han, K. Ma, X. Wang, X. Guan, and J. Ma, "Stackelberg game based interference management for two-tier femtocell networks," *Wireless Networks*, pp. 1–13, 2013. 85
- [236] S. Kim, "Femtocell network power control scheme based on the weighted voting game," *EURASIP Journal on Wireless Commun. and Networking*, vol. 2013, no. 1, p. 44, 2013. 85
- [237] D. Karvounas, A. Georgakopoulos, V. Stavroulaki, N. Koutsouris, K. Tsagkaris, and P. Demestichas, "Resource allocation to femtocells for coordinated capacity expansion of wireless access infrastructures," *EURASIP Journal on Wireless Commun. and Networking*, vol. 2012, no. 1, p. 310, 2012. 85
- [238] T. Kudo and T. Ohtsuki, "Cell range expansion using distributed Q-learning in heterogeneous networks," *EURASIP Journal on Wireless Commun. and Networking*, vol. 2013, no. 1, p. 61, 2013. 85
- [239] L. B. Le, D. Niyato, E. Hossain, D. I. Kim, and D. T. Hoang, "QoS-aware and energy-efficient resource management in OFDMA femtocells," *IEEE Trans. on Wireless Commun.*, vol. 12, no. 1, pp. 180–194, 2013. 85
- [240] G. Li and H. Liu, "On the capacity of broadband relay networks," in *Asilomar Conference on Signals, Systems and Computers*, (PACIFIC GROVE, CA, USA), pp. 7–10, Nov. 2004. 86
- [241] G. Li and H. Liu, "Resource allocation for OFDMA relay networks with fairness constraints," *IEEE Journal on Selected Areas in Commun.*, vol. 24, no. 11, pp. 2061–2069, 2006. 86
- [242] I. Hammerström and A. Wittneben, "On the optimal power allocation for nonregenerative OFDM relay links," in *IEEE Intern. Conf. on Commun. (ICC)*, vol. 10, (Istanbul, Turkey), pp. 4463–4468, June 2006. 86
- [243] L. Vandendorpe, R. Duran, J. Louveaux, and A. Zaidi, "Power allocation for OFDM transmission with DF relaying," in *IEEE Symp. on Commun. and Vehicular Technology in the Benelux*, (Delft, Netherlands), pp. 1–6, Nov. 2007. 86

- [244] L. Vandendorpe, J. Louveaux, O. Oguz, and A. Zaidi, "Power allocation for improved DF relayed OFDM transmission: The individual power constraint case," in *IEEE Intern. Conf. on Commun. (ICC)*, (Dresden, Germany), pp. 1–6, June 2009. 86
- [245] W. Dang, M. Tao, H. Mu, and J. Huang, "Subcarrier-pair based resource allocation for cooperative multi-relay OFDM systems," *IEEE Trans. on Wireless Commun.*, vol. 9, no. 5, pp. 1640–1649, 2010. 86
- [246] T. Wang and L. Vandendorpe, "Sum rate maximized resource allocation in multiple DF relays aided OFDM transmission," *IEEE Journal on Selected Areas in Commun.*, vol. 29, no. 8, pp. 1559–1571, 2011. 86
- [247] H. Li, H. Luo, J. Guo, and C. Li, "Dynamic resource allocation in OFDMA-based DF cooperative relay networks," *Wireless Personal Commun.*, vol. 62, no. 3, pp. 655–670, 2012. 86
- [248] M. Zhou, Q. Cui, M. Valkama, and X. Tao, "Energy-efficient resource allocation for OFDMA-based two-way relay channel with physical-layer network coding," *EURASIP Journal on Wireless Commun. and Networking*, vol. 2012, no. 1, pp. 1–11, 2012. 86
- [249] IEEE 802.16j-06/026r4, "Part 16: Air interface for fixed and mobile broadband wireless access systems: Multihop relay specification," June 2007. 86
- [250] E. Weiss, S. Max, O. Klein, G. Hiertz, and B. Walke, "Relay-based vs. conventional wireless networks: Capacity and spectrum efficiency," in *IEEE Intern. Symp. on Personal, Indoor and Mobile Radio Commun. (PIMRC)*, (Athens, Greece), pp. 1–5, Sep. 2007. 86
- [251] R. Pabst, D. Schultz, and B. H. Walke, "Performance evaluation of a relay-based 4G network deployment with combined SDMA/OFDMA and resource partitioning," in *IEEE Veh. Technol. Conf. (VTC)*, (Marina Bay, Singapore), pp. 2001–2005, May 2008. 86
- [252] Y. Pan, A. Nix, and M. Beach, "Distributed resource allocation for OFDMA-based relay networks," *IEEE Trans. on Veh. Technol.*, vol. 60, no. 3, pp. 919–931, 2011. 86

- [253] G. Sidhu, F. Gao, and A. Nallanathan, "A joint resource allocation scheme for multi-relay aided uplink multi-user OFDMA system," in *Intern. conf. on Wireless Commun. and Signal Processing (WCSP)*, (Suzhou, China), pp. 1–6, Oct. 2010. 86
- [254] J. A. Han and W. S. Jeon, "Game-theoretic approach to distributed scheduling for relay-aided OFDMA systems," in *IEEE Veh. Technol. Conf. (VTC)*, (Budapest), pp. 1–5, May 2011. 86
- [255] L. Jiang, J. Pang, G. Shen, and D. Wang, "A game theoretic channel allocation scheme for multi-user OFDMA relay system," in *IEEE Wireless Commun. and Networking Conf. (WCNC)*, (Quintana-Roo, Mexico), pp. 298–303, Mar. 2011. 86
- [256] A. Mukherjee and H. Kwon, "General auction-theoretic strategies for distributed partner selection in cooperative wireless networks," *IEEE Trans. on Commun.*, vol. 58, pp. 2903–2915, Oct. 2010. 86
- [257] L. Zhai, H. Ji, X. Li, and Y. Tang, "Coalition graph game for joint relay selection and resource allocation in cooperative cognitive radio networks," in *Proc. IEEE Global Commun. Conf. (GLOBECOM)*, (Anaheim, CA, USA), pp. 1818–1823, Dec. 2012. 86
- [258] J. Joung and S. Sun, "Power efficient resource allocation for downlink OFDMA relay cellular networks," *IEEE Trans. on Signal Processing*, vol. 60, no. 5, pp. 2447–2459, 2012. 86
- [259] H. Zhang, X. Wang, Y. Liu, L. Zheng, and T. Bohnert, "Resource allocation for relay-assisted OFDMA systems using inter-cell interference coordination," *EURASIP Journal on Wireless Commun. and Networking*, vol. 2012, no. 1, p. 156, 2012. 86
- [260] P. Soldati and M. Johansson, "A low-signalling scheme for distributed resource allocation in multi-cellular OFDMA systems," in *IEEE Global Telecommun. Conf. (GLOBECOM)*, (New Orleans, LA, USA), pp. 1–6, Nov.-Dec. 2008. 87
- [261] X. Yu, T. Wu, J. Huang, and Y. Wang, "A non-cooperative game approach for distributed power allocation in multi-cell OFDMA-relay networks," in *IEEE*

- Veh. Technol. Conf. (VTC)*, (Marina Bay, Singapore), pp. 1920–1924, May 2008. 87
- [262] Y. Hua, Q. Zhang, and Z. Niu, “Resource allocation in multi-cell OFDMA-based relay networks,” in *IEEE Computer and Commun. Societies Conf. (INFOCOM)*, (San Diego, LA, USA), pp. 1–9, Mar. 2010. 87
- [263] Z. Hou, Y. Cai, and D. Wu, “Resource allocation based on integer programming and game theory in uplink multi-cell cooperative OFDMA systems,” *EURASIP Journal on Wireless Commun. and Networking*, vol. 2011, no. 1, pp. 1–10, 2011. 87
- [264] Z. Jin and L. Vandendorpe, “Resource allocation in multi-cellular DF relayed OFDMA systems,” in *IEEE Global Telecommun. Conf. (GLOBECOM)*, (Houston, Texas, USA), pp. 1–5, Dec. 2011. 87
- [265] Z. Hou, Y. Cai, and D. Wu, “Resource allocation based on integer programming and game theory in uplink multi-cell cooperative OFDMA systems,” *EURASIP Journal on Wireless Commun. and Networking*, vol. 2011, no. 1, p. 169, 2011. 87
- [266] Z. Jin, T. Wang, J.-B. Wei, and L. Vandendorpe, “Resource allocation for maximizing weighted sum of per cell min-rate in multi-cell DF relay aided downlink OFDMA systems,” in *IEEE Inter. Symp. on Personal Indoor and Mobile Radio Commun. (PIMRC)*, (Sydney, Australia), pp. 1845–1850, Sep. 2012. 87
- [267] “IEEE 802.22,” <http://www.ieee802.org/22/>. 87
- [268] H. Mahmoud, T. Yucek, and H. Arslan, “OFDM for cognitive radio: merits and challenges,” *IEEE Wireless Communications*, vol. 16, no. 2, pp. 6–15, 2009. 87
- [269] T. Weiss, J. Hillenbrand, A. Krohn, and F. Jondral, “Mutual interference in OFDM-based spectrum pooling systems,” in *Veh. Technol. Conf. (VTC)*, vol. 4, (Milan, Italy), pp. 1873–1877, May 2004. 87
- [270] Q. Zhao and B. Sadler, “A survey of dynamic spectrum access,” *IEEE Signal Processing Magazine*, vol. 24, no. 3, pp. 79–89, 2007. 88

- [271] C. Y. Wang, K. T. Hong, and H. Wei, "Nash bargaining solution for cooperative shared-spectrum WLAN networks," in *Proc. IEEE Int. Symp. Personal, Indoor, and Mobile Radio Commun. (PIMRC)*, (Athens, Greece), Sept. 2007. 88
- [272] D. Sun and B. Zheng, "A novel sub-carrier and power joint allocation algorithm for multi-user cognitive OFDM," in *IEEE Intern. Conf. on Signal Processing (ICSP)*, (Beijing, China), pp. 1458–1462, Oct. 2010. 88
- [273] X. Zhou, B. Wu, P.-H. Ho, and X. Ling, "An efficient power allocation algorithm for OFDM based underlay cognitive radio networks," in *IEEE Global Telecommun. Conf. (GLOBECOM)*, (Houston, TX), pp. 1–5, Dec. 2011. 88
- [274] J. Mao, G. Xie, J. Gao, and Y. Liu, "Energy efficiency optimization for OFDM-based cognitive radio systems: A water-filling factor aided search method," *IEEE Trans. on Wireless Commun.*, vol. PP, no. 99, pp. 1–10, 2013. 88
- [275] L. P. Qian and Y. Jun, "Monotonic optimization for non-concave power control in multiuser multicarrier network systems," in *IEEE Conf. on Computer Commun. (INFOCOM)*, (Rio de Janeiro, Brazil), pp. 172–180, Apr. 2009. 88
- [276] Y. Ma, D. I. Kim, and Z. Wu, "Optimization of OFDMA-based cellular cognitive radio networks," *IEEE trans. on Communications*, vol. 58, no. 8, pp. 2265–2276, 2010. 88
- [277] L. Vijayandran, S.-S. Byun, G. Oien, and T. Ekman, "Increasing sum-rate in large-scale cognitive radio networks by centralized power and spectrum allocation," *EURASIP Journal on Wireless Commun. and Networking*, vol. 2012, no. 1, p. 362, 2012. 88
- [278] Q. Yang, S. Wang, and M. Ge, "Cooperative resource allocation in OFDM-based multicell cognitive radio systems," in *Intern. Conf. on Computing, Networking and Communications (ICNC)*, (San Diego, USA), pp. 724–728, Jan. 2013. 88
- [279] S. Wang, F. Huang, and C. Wang, "Adaptive proportional fairness resource allocation for OFDM-based cognitive radio networks," *Wireless Networks*, vol. 19, no. 3, pp. 273–284, 2013. 88

- [280] X. Huang and B. Beferull-Lozano, "Joint optimization of detection and power allocation for OFDM-based cognitive radios," in *IEEE Global Telecommun. Conf. (GLOBECOM)*, (Miami, Florida, USA), pp. 1–5, Dec. 2010. 88
- [281] I. Stupia, L. Vandendorpe, R. Andreotti, and V. Lottici, "A game theoretical approach for coded cooperation in cognitive radio networks," in *Intern. Sympo. on Commun. Control and Signal Processing (ISCCSP)*, (Rome, Italy), pp. 1–6, May 2012. 88
- [282] T. Forde and L. Doyle, "A combinatorial clock auction for OFDMA-based cognitive wireless networks," in *Intern. Sympo. on Wireless Pervasive Computing (ISWPC)*, (Santorini, Greece), pp. 329–333, May 2008. 88
- [283] E. Biglieri, J. Proakis, and S. S. (Shitz), "Fading channels: Information-theoretic and communications aspects," *IEEE Trans. on Information Theory*, vol. 44, pp. 2619–2692, Oct. 1998. 94
- [284] M. J. Osborne and A. Rubinstein, *Bargaining and Markets*. San Diego, CA: Academic Press, 1990. 96
- [285] M. Agastya, "Perturbed adaptive dynamics in coalition form games," *J. Economic Theory*, vol. 89, pp. 207–233, Dec. 1999. 97
- [286] J. G. Kemeny and J. L. Snell, *Finite Markov Chains*. Berlin, Germany: Springer-Verlag, 2nd ed., 1976. 97, 99, 100
- [287] Y. J. Zhang and K. B. Letaief, "An efficient resource-allocation scheme for spatial multiuser access in MIMO/OFDM systems," *IEEE Trans. on Communications*, vol. 53, pp. 107–116, Jan. 2005. 105
- [288] L. Yang, Z. He, L. Wang, and W. Wu, "A new utility based subcarrier and power joint allocation scheme in uplink OFDMA systems," in *Proc. IEEE Veh. Technol. Conf. (VTC)*, (Dublin, Ireland), pp. 2756–2760, Apr. 2007. 105
- [289] T. Wang and L. Vandendorpe, "Resource allocation for maximizing weighted sum min-rate in downlink cellular OFDMA systems," in *Proc. IEEE Int. Conf. Commun.*, (Cape Town, South Africa), May 2010. 106

- [290] J. Machowski, J. W. Bialek, and J. R. Bumby, *Power System Dynamics: Stability and Control*. New York, USA: Wiley, 2 ed., 2008. 114, 116, 118, 131
- [291] E. J. Coster, “Distribution grid operation including distributed generation,” *Eindhoven University of Technology*, 2010. 114, 131
- [292] L. Ochoa and G. Harrison, “Minimizing energy losses: Optimal accommodation and smart operation of renewable distributed generation,” *IEEE Trans. on Power Systems*, vol. 26, pp. 198–205, Feb. 2011. 114
- [293] P. Tenti, A. Costabeber, P. Mattavelli, and D. Trombetti, “Distribution loss minimization by token ring control of power electronic interfaces in residential microgrids,” *IEEE Trans. on Industrial Electronics*, vol. 59, pp. 3817–3826, Oct. 2012. 114
- [294] W. Saad, Z. Han, and H. Poor, “Coalitional game theory for cooperative micro-grid distribution networks,” in *IEEE Intern. Conf. on Communications Workshops (ICC)*, (Kyoto, Japan), pp. 1–5, June 2011. 114, 115, 116, 118, 123, 133
- [295] C. Wei, Z. Fadlullah, N. Kato, and A. Takeuchi, “GT-CFS: A game theoretic coalition formulation strategy for reducing power loss in micro grids,” *IEEE Trans. on Parallel and Distributed Systems*, vol. 25, pp. 2307–2317, Sept. 2014. 114, 115, 116, 118, 123
- [296] H. Akhavan-Hejazi and H. Mohsenian-Rad, “A stochastic programming framework for optimal storage bidding in energy and reserve markets,” in *IEEE PES Conf. Innovative Smart Grid Technologies (ISGT)*, (Washington DC, USA), Feb. 2013. 115
- [297] J. Lassila, J. Haakana, V. Tikka, and J. Partanen, “Methodology to analyze the economic effects of electric cars as energy storages,” *IEEE Trans. on Smart Grid*, vol. 3, Mar. 2012. 115
- [298] Y. Wang, W. Saad, Z. Han, H. Poor, and T. Basar, “A game-theoretic approach to energy trading in the smart grid,” *IEEE Trans. on Smart Grid*, vol. 5, pp. 1439–1450, May 2014. 115

- [299] A.-H. Mohsenian-Rad, V. Wong, J. Jatskevich, R. Schober, and A. Leon-Garcia, “Autonomous demand-side management based on game-theoretic energy consumption scheduling for the future smart grid,” *IEEE Trans. on Smart Grid*, vol. 1, pp. 320–331, Dec. 2010. 115, 118
- [300] P. Vytelingum, S. Ramchurn, T. Voice, A. Rogers, and N. Jennings, “Agent-based modeling of smart-grid market operations,” in *IEEE Power and Energy Society General Meeting*, (Detroit Michigan, USA), pp. 1–8, July 2011. 115
- [301] F. Shams and M. Luise, “Basics of coalitional games with applications to communications and networking,” *EURASIP Journal on Wireless Communications and Networking*, vol. 2013, no. 1, 2013. 115, 119
- [302] W. Saad, Z. Han, H. Poor, and T. Basar, “Game-theoretic methods for the smart grid: An overview of microgrid systems, demand-side management, and smart grid communications,” *IEEE Signal Processing Magazine*, vol. 29, pp. 86–105, Sept. 2012. 115
- [303] S. Kakutani, “A generalization of Brouwer’s fixed point theorem,” *Duke Mathematical Journal*, vol. 8, no. 3, pp. 457–459, 1941. 116, 128
- [304] N. Yahyasoltani, *Dynamic learning and resource management under uncertainties for smart grid and cognitive radio networks*. PhD thesis, Department of Computer Engineering, University of Minnesota, USA, 2014. 122