



Universiteit
Leiden
The Netherlands

Neurocognitive mechanisms and vulnerability to autism and ADHD symptoms in the 22q11.2 deletion syndrome

Hidding, E.

Citation

Hidding, E. (2015, June 10). *Neurocognitive mechanisms and vulnerability to autism and ADHD symptoms in the 22q11.2 deletion syndrome*. Retrieved from <https://hdl.handle.net/1887/33187>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/33187>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/33187> holds various files of this Leiden University dissertation

Author: Hidding, Elske

Title: Neurocognitive mechanisms and vulnerability to autism and ADHD symptoms in the 22q11.2 deletion syndrome

Issue Date: 2015-06-10

Literatuur

- American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders* (5th ed.). Washington, D.C.: American Psychiatric Association.
- Antshel, K. M., Shprintzen, R., Fremont, W., Higgins, A. M., Faraone, S. V. and Kates, W. R. (2010). Cognitive and Psychiatric Predictors to Psychosis in Velocardiofacial Syndrome: A 3-Year Follow-Up Study, *Journal of the American Academy of Child and Adolescents Psychiatry*, 49(4), 333-44.
- Baker, K., & Vorstman, J. A. S. (2012). Is there a core neuropsychiatric phenotype in 22q11.2 deletion syndrome? *Current Opinion in Neurology*, 25(2), 131-7.
- Bassett, A. S., McDonald-McGinn, D. M., Devriendt, K., Digilio, M. C., Goldenberg, P., Habel, A., et al. (2011). Practical guidelines for managing patients with 22q11.2 deletion syndrome. *Journal of Pediatrics*, 159(2), 332-9 e331.
- Bruining, H., de Sonneville, L., Swaab, H., de Jonge, M., Kas, M., van Engeland, H. and Vorstman, J. (2010). Dissecting the Clinical Heterogeneity of Autism Spectrum Disorders through Defined Genotypes, *PLoS One*, 5(5).
- Butcher, N. J., Chow, E. W., Costain, G., Karas, D., Ho, A. and Bassett, A. S. (2012). Functional outcomes of adults with 22q11.2 deletion syndrome, *Genetics Medicine*, 14(10), 836-43.
- Cancrini, C., Puliafito, P., Digilio, M. C., Soresina, A., Martino, S., Rondelli, R., et al. (2014). Clinical features and follow-up in patients with 22q11.2 deletion syndrome. *Journal of Pediatrics*, 164(6), 1475-80 e1472.
- De Smedt, B., Devriendt, K., Fryns, J. R., Vogels, A., Gewillig, M., & Swillen, A. (2007). Intellectual abilities in a large sample of children with Velo-Cardio-Facial Syndrome: an update. *Journal of Intellectual Disability Research*, 51, 666-70.
- De Zeeuw, P., Weusten, J., van Dijk, S., van Belle, J. and Durston, S. (2012). Deficits in cognitive control, timing and reward sensitivity appear to be dissociable in ADHD, *PLoS One*, 7(12), e51416.
- Devriendt, K., Fryns, J. P., & Mortier, G. (1998). The annual incidence of DiGeorge/velocardiofacial syndrome. *Journal of Medical Genetics*, 35(9), 789-90.
- Duijff, S. N., Klaassen, P. W., de Veye, H. F., Beemer, F. A., Sinnema, G., & Vorstman, J. A. (2012). Cognitive development in children with 22q11.2 deletion syndrome. *British Journal of Psychiatry*, 200(6), 462-8.
- Durston, S., van Belle, J. and de Zeeuw, P. (2011). Differentiating frontostriatal and fronto-cerebellar circuits in attention-deficit/hyperactivity disorder, *Biological Psychiatry*, 69(12), 1178-84.
- Gothelf, D., Feinstein, C., Thompson, T., Gu, E., Penniman, L., Van Stone, E., Kwon, H., Eliez, S. and Reiss, A. L. (2007). Risk factors for the emergence of psychotic disorders in adolescents with 22q11.2 deletion syndrome, *American Journal of Psychiatry*, 164(4), 663-9.
- Harrell, W., Eack, S., Hooper, S.R., Keshavan, M.S., Bonner, M.S., Schoch, K., et al. (2013). Feasibility and preliminary efficacy data from a computerized cognitive intervention in children with chromosome 22q11.2 deletion syndrome. *Research in Developmental Disabilities*, 34, 2606-13.
- Jolin, E. M., Weller, R. A., Jessani, N. R., Zackai, E. H., McDonald-McGinn, D. M., & Weller, E. B. (2009). Affective disorders and other psychiatric diagnoses in children and adolescents with 22q11.2 Deletion Syndrome. *Journal of Affective Disorders*, 119(1-3), 177-80.

- Jonas, R. K., Montojo, C. A., & Bearden, C. E. (2014). The 22q11.2 deletion syndrome as a window into complex neuropsychiatric disorders over the lifespan. *Biological Psychiatry*, 75(5), 351-60.
- McCarthy, S. E., Gillis, J., Kramer, M., Lihm, J., Yoon, S., Bernstein, Y., et al. (2014). De novo mutations in schizophrenia implicate chromatin remodeling and support a genetic overlap with autism and intellectual disability. *Molecular Psychiatry*, 19(6), 652-8.
- Murphy, K. C., Jones, L. A., & Owen, M. J. (1999). High rates of schizophrenia in adults with velo-cardio-facial syndrome. *Archives of General Psychiatry*, 56(10), 940-5.
- Niklasson, L., & Gillberg, C. (2010). The neuropsychology of 22q11 deletion syndrome. A neuropsychiatric study of 100 individuals. *Research in Developmental Disabilities*, 31(1), 185-94.
- Oskarsdottir, S., Vujic, M., & Fasth, A. (2004). Incidence and prevalence of the 22q11 deletion syndrome: a population-based study in Western Sweden. *Archives of Disease in Childhood*, 89(2), 148-51.
- Philip, N., & Bassett, A. (2011). Cognitive, Behavioural and Psychiatric Phenotype in 22q11.2 Deletion Syndrome. *Behavior Genetics*, 41(3), 403-12.
- Posthuma, D., & Polderman, T. J. (2013). What have we learned from recent twin studies about the etiology of neurodevelopmental disorders? *Current Opinion in Neurology*, 26(2), 111-21.
- Rommelse, N. N., Franke, B., Geurts, H. M., Hartman, C. A., & Buitelaar, J. K. (2010). Shared heritability of attention-deficit/hyperactivity disorder and autism spectrum disorder. *European Child & Adolescent Psychiatry*, 19(3), 281-95.
- Rutter, M. (1997). Implications of genetic research for child psychiatry. *Canadian Journal of Psychiatry*, 42(6), 569-76.
- Schneider, M., Van der Linden, M., Menghetti, S., Glaser, B., Debbane, M., & Eliez, S. (2014). Predominant negative symptoms in 22q11.2 deletion syndrome and their associations with cognitive functioning and functional outcome. *Journal of Psychiatric Research*, 48(1), 86-93.
- Scourfield, J., Martin, N., Lewis, G., & McGuffin, P. (1999). Heritability of social cognitive skills in children and adolescents. *British Journal of Psychiatry*, 175, 559-64.
- Shprintzen, R. J. (2008). Velo-cardio-facial syndrome: 30 Years of study. *Developmental Disabilities Research Reviews*, 14(1), 3-10.
- Stoddard, J., Beckett, L. and Simon, T. J. (2011). Atypical development of the executive attention network in children with chromosome 22q11.2 deletion syndrome, *Journal of Neurodevelopmental Disorders*, 3(1), 76-85.
- Swaab, H., Bouma, A., Hendriksen, J., & König, C. (2011). Klinische kinderneuropsychologie [Clinical Child neuropsychology]. In H. Swaab, A. Bouma, J. Hendriksen & C. König (Eds.), *Klinische kinderneuropsychologie* (pp. 19-25). Amsterdam: Uitgeverij Boom.
- Swilten, A., Vogels, A., Devriendt, K., & Fryns, J. P. (2000). Chromosome 22q11 deletion syndrome: Update and review of the clinical features, cognitive-behavioral spectrum, and psychiatric complications. *American Journal of Medical Genetics*, 97(2), 128-35.