

Ultrasound studies in monochorionic twin pregnancies : results of TULIPS: Twins and ultrasound in pregnancy studies
Sueters, M.

Citation

Sueters, M. (2007, June 5). *Ultrasound studies in monochorionic twin pregnancies : results of TULIPS: Twins and ultrasound in pregnancy studies*. Retrieved from https://hdl.handle.net/1887/12084

Version: Corrected Publisher's Version

License: License agreement concerning inclusion of doctoral thesis in the

Institutional Repository of the University of Leiden

Downloaded from: https://hdl.handle.net/1887/12084

Note: To cite this publication please use the final published version (if applicable).

Abbreviations



AAarterioarterial

absent/reversed end-diastolic flow AREDF

AVarteriovenous CO cardiac output DV ductus venosus

DVP deepest vertical pocket EDF end-diastolic flow EFW estimated fetal weight IUFD intrauterine fetal death

IUGR intrauterine growth restriction LUMC Leiden University Medical Center

MCA middle cerebral arteria

PΙ pulsatility index

PIV pulsatility index for veins PSV peak systolic velocity

RArenal artery

RVOTO right ventricular outflow tract obstruction

TAMX time averaged maximum velocity TAPS twin anemia-polycythemia sequence

TR tricuspid regurgitation

TRAP twin reversed arterial perfusion TTTS twin-to-twin transfusion syndrome

UA umbilical artery U۷ umbilical vein

V max maximum flow velocity

۷۷ venovenous

Authors and affiliations



From the Division of Fetal Medicine, Department of Obstetrics, Leiden University Medical Center,

Marieke Sueters, Annemieke Middeldorp, Katinka Teunissen, Frans Klumper, Dick Oepkes, Frank Vandenbussche, Humphrey Kanhai

From the Division of Neonatology, Department of Pediatrics, Leiden University Medical Center, Leiden:

Enrico Lopriore

From the Department of Pediatric Cardiology, Leiden University Medical Center, Leiden: Regina Bökenkamp

From the Department of Statistics, Leiden University Medical Center, Leiden: Saskia Le Cessie

Publications



Lopriore E, Middeldorp JM, Sueters M, Oepkes D, Vandenbussche FP, Walther FJ. Long-term neurodevelopmental outcome in twin-to-twin transfusion syndrome treated with fetoscopic laser surgery. Am J Obstet Gynecol 2007;196:231.e1-4.

Lopriore E, Sueters M, Middeldorp JM, Oepkes D, Walther FJ, Vandenbussche FP. Velamentous cord insertion and unequal placental territories in monochorionic twins with and without twinto-twin-transfusion syndrome. Am J Obstet Gynecol 2007;196:159.e1-5.

Middeldorp JM, Sueters M, Lopriore E, Klumper FJ, Oepkes D, Devlieger R, Kanhai HH, Vandenbussche FP. Fetoscopic laser surgery in 100 pregnancies with severe twin-to-twin transfusion syndrome in the Netherlands. Fetal Diagn Ther 2007;22:190-194.

Sueters M, Middeldorp JM, Lopriore E, Oepkes D, Kanhai HH, Vandenbussche FP. Timely diagnosis of twin-to-twin transfusion syndrome in monochorionic twin pregnancies by biweekly sonography combined with patient instruction to report onset of symptoms. Ultrasound Obstet Gynecol 2006;28:659-664.

Lopriore E, van Wezel-Meijler G, Middeldorp JM, Sueters M, Vandenbussche FP, Walther FJ. Neurodevelopmental outcome after laser therapy for twin-to-twin transfusion syndrome. Am J Obstet Gynecol 2007;196:e20; author reply e20-1.

Steggerda S, Lopriore E, Sueters M, Bartelings M, Vandenbussche FP, Walther FJ. Twin-to-twin transfusion syndrome, vein of Galen malformation and transposition of the great arteries in a pair of monochorionic twins; pure coincidence or related association? Pediatr Dev Pathol 2006;9:52-55.

Lopriore E, van Wezel-Meijler G, Middeldorp JM, Sueters M, Vandenbussche FP, Walther FJ. Incidence, origin, and character of cerebral injury in twin-to-twin transfusion syndrome treated with fetoscopic laser surgery. Am J Obstet Gynecol 2006;194:1215-1220.

Lopriore E, Sueters M, Middeldorp JM, Klumper FJ, Oepkes D, Vandenbussche FP. Twin pregnancies with two separate placental masses can still be monochorionic and have vascular anastomoses. Am J Obstet Gynecol 2006;194:804-808.

Stroeken H, Sueters M, Lopriore E, Meerman RH, Vandenbussche FPHA. A terme perinatale sterfte bij mono- en dichoriale tweelingzwangerschappen: een retrospectieve studie. Nederlands Tijdschrift voor Obstetrie en Gynaecologie 2005;118:172-177.

Lopriore E, **Sueters M**, Middeldorp JM, Klumper FJ, Oepkes D, Vandenbussche FP, Walther FJ. Neonatal outcome in twin-to-twin transfusion syndrome treated with fetoscopic laser occlusion of vascular anastomoses. J Pediatr 2005;147:597-602.

Lopriore E, **Sueters M**, Middeldorp JM, Vandenbussche FP, Walther FJ. Haemoglobin differences at birth in monochorionic twins without chronic twin-to-twin transfusion syndrome. Prenat Diagn 2005;25:844-850.

Middeldorp JM, **Sueters M**, Klumper FJ, Oepkes D, Lopriore E, Kanhai HH, Vandenbussche FP. Foetoscopische laserbehandeling in Nederland. In: Vandenbussche FPHA, Kanhai HHH, Walther FJ eds. Vorderingen in de foetale geneeskunde. Boerhaave commissie PAOG. Leiden 2005;95-99. ISBN 90-6767-571-7.

Sueters M. Echoscopie bij tweeling transfusie syndroom. In: Vandenbussche FPHA, Kanhai HHH, Walther FJ eds. Vorderingen in de foetale geneeskunde. Boerhaave commissie PAOG. Leiden 2005;83-93. ISBN 90-6767-571-7.

Sueters M, Oepkes D. Ultrasound examination in twin pregnancies. International Congress Series 2005;1279:200-206.

Lopriore E, Middeldorp JM, **Sueters M**, Vandenbussche FP, Walther FJ. Twin-to-twin transfusion syndrome: from placental anastomoses to long-term neurodevelopmental outcome. Curr Pediatr Reviews 2005;3:191-203.

Sueters M, Middeldorp JM, Oepkes D, Lopriore E, Vandenbussche FP. Twin-to-twin transfusion syndrome at 11 weeks of gestation. Am J Obstet Gynecol 2005;193:887-888.

Sueters M, Peek AM, Ball LM, Hogendoorn PC, Scherjon SA, de Keizer RJ, Schalij-Delfos NE. Prenatal detection of orbital rhabdomyosarcoma. Arch Ophthalmol 2005;123:276-279.

van den Bergh JE, **Sueters M**, Segaar M, van Roosmalen J. Determinants of episiotomy in rural Zimbabwe. Acta Obstet Gynecol Scand 2003;82:966-968.

Devlieger R, Sueters M. Eén enkele navelstrengarterie. Gunaikeia 2003;8:124-125.

Sueters M, Arabin B, Oepkes D. Doppler sonography for predicting fetal anemia caused by massive fetomaternal hemorrhage. Ultrasound Obstet Gynecol 2003;22:186-189.

Acknowledgements



Dank aan

Alle ouders van de "TULIPS-tweelingen"



Anne Miltenburg



Annemarie de Veld-van Heiningen



Annemieke Middeldorp



Dick Oepkes



"Eenlingzwangeren" voor het normaalwaardenonderzoek



Enrico Lopriore



Esther Sikkel



Frans Klumper



Gynaecologen, arts-assistenten en verloskundigen Groene Hart Ziekenhuis



Heleen van Dongen



Ivanka Bekker



Janneke Markensteijn-van den Bergh



Jennie Verdoes



Joost Zwart



Katinka Teunissen



Linda Anker



Mijn vader en moeder



Phebe Adama van Scheltema



Richard White



Robertjan Meerman



Saskia Le Cessie



Tom Dorresteijn



Verloskundigen LUMC



Wendela Kolkman





Curriculum vitae auctoris



Marieke Sueters was born on March 13th, 1975 in Arnhem, the Netherlands. She graduated from high school (atheneum) at the Twickel College in Hengelo in 1993. After receiving her Bachelor Degree in Public Administration, she started Medical School at the University of Leiden in 1994. As a medical student, she worked at the Stichting Eurotransplant in Leiden as an organ allocation coordinator. In 1998, she spent half a year in Gutu Mission, Zimbabwe, investigating the determinants of episiotomy in rural Zimbabwe (Dr. J. van Roosmalen). Back in The Netherlands, she obtained her Medical Degree cum laude in 2001.

As a physician-sonographer at the Division of Fetal Medicine, Department of Obstetrics at the Leiden University Medical Center (LUMC), her fascination for monochorionic twins and twin-to-twin transfusion syndrome was aroused. She was appointed as AGIKO (resident and PhD student) at the Department of Obstetrics at the LUMC in July 2003. At the same time, the research entitled "TULIPS: Twins and ULtrasound In Pregnancy Studies", of which the results are described in this thesis (Prof. Dr. H.H.H. Kanhai, Dr. F.P.H.A. Vandenbussche), was initiated. In July 2005, she started her residency training in Obstetrics and Gynecology at the Groene Hart Hospital in Gouda (Dr. H. van Huisseling), during which she finished writing this thesis. Her residency program will be continued at the LUMC (Prof. Dr. H.H.H. Kanhai) and completed at the Groene Hart Hospital.

Marieke Sueters currently lives in Leiden with her husband Bas Pietersen en their lovely son Guus. She is looking forward to the birth of their second child in September 2007.