



Universiteit
Leiden
The Netherlands

Towards High-Speed Scanning Tunneling Microscopy

Tabak, F.C.

Citation

Tabak, F. C. (2013, June 5). *Towards High-Speed Scanning Tunneling Microscopy*. *Casimir PhD Series*. Retrieved from <https://hdl.handle.net/1887/20925>

Version: Not Applicable (or Unknown)

License: [Leiden University Non-exclusive license](#)

Downloaded from: <https://hdl.handle.net/1887/20925>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/20925> holds various files of this Leiden University dissertation.

Author: Tabak, F.C.

Title: Towards high-speed scanning tunneling microscopy

Issue Date: 2013-06-05

Bibliography

- [1] G. Binnig, H. Rohrer, Ch. Gerber, and E. Wiebel. Surface studies by scanning tunneling microscopy. *Physical Review Letters*, 49, 1982.
- [2] G. Binnig and H. Rohrer. Scanning Tunneling Microscopy. *IBM J. Res. Develop.*, 30, 1986.
- [3] R. Young, J. Ward, and F. Scire. The Topografiner: an instrument for measuring surface microtopography. *Review of Scientific Instruments*, 43, 1972.
- [4] C. Julian Chen. *Introduction to Scanning Tunneling Microscopy*. Oxford series in optical and imaging sciences, 1993.
- [5] U.B. Arnalds, E.H. Bjarnason, K. Jonsson, and S. Olafsson. An externally cooled beetle type scanning tunneling microscope for imaging in cryogenic liquids. *Applied Surface Science*, 252, 2006.
- [6] B.L.M. Hendriksen, S.C. Bobaru, and J.W.M. Frenken. Bistability and oscillations in CO oxidation studied with scanning tunneling microscopy inside a reactor. *Catalysis Today*, 105, 2005.
- [7] J. Schaffert, M.C. Cottin, A. Sonntag, H. Karacuban, C.A. Bobisch, N. Lorente, J.P. Gauyacq, and R. Möller. Imaging the dynamics of individually adsorbed molecules. *Nature Materials*, 12, 2013.
- [8] X. Feng and M. Salmeron. Electronic screening in stacked graphene flakes revealed by scanning tunneling microscopy. *Applied Physics Letters*, 102, 2013.
- [9] A.K. Geim and K.S. Novoselov. The rise of graphene. *Nature Materials*, 6, 2007.
- [10] Y. Yanson, F. Schenkel, and M.J. Rost. Design of a high-speed electrochemical scanning tunneling microscope. *Review of Scientific Instruments*, 84, 2013.
- [11] B.L.M. Hendriksen and J.W.M. Frenken. CO oxidation on Pt(110): Scanning Tunnelin Microscopy inside a High-Pressure Flow Reactor. *Physical Review Letters*, 89:046101, 2002.

- [12] *In situ electrochemically controlled promotion of complete and partial oxidation catalysis*, 1997.
- [13] F. Zhang, C. Yan, H.H. Teng, E.E. Roden, and H. Xu. In situ AFM observations of Ca-Mg carbonate crystallization catalyzed by dissolved sulfide: Implications for sedimentary dolomite formation. *Geochimica et Cosmochimica Acta*, 105, 2013.
- [14] *Distinct defects in collagen micro-architecture underlie vessel wall failure in growing aortic abdominal aneurysms and aneurysms in marfan syndrome*, 2010.
- [15] C. Lamprecht, I. Liashkovich, V. Neves, J. Dansberger, E. Heister, M. Rangl, H.M. Coley, J. McFadden, E. Flahaut, H.J. Gruber, P. Hinterdorfer, F. Kienberger, and A. Ebner. AFM imaging of functionalized carbon nanotubes on biological membranes. *Nanotechnology*, 20, 2009.
- [16] K.A. Burke, E.A. Yates, and J. Legleiter. Amyloid-forming proteins alter the local mechanical properties of lipid membranes. *Biochemistry*, 52, 2013.
- [17] M. Poengsen, J.F. Wolf, J. Frohn, M. Giesen, and H. Ibach. Step dynamics on Ag(111) and Cu(100) surfaces. *Surface Science*, 274, 1992.
- [18] R. van Rijn, O. Balmes, A. Resta, D. Wermeille, Westerström, J. Gustafson, R. Relici, E. Lundren, and J.W.M. Frenken. Surface structure and reactivity of Pd(100) during CO oxidation near ambient pressures. *Physical Chemistry Chemical Physics*, 13, 2011.
- [19] H.W. Zandbergen, C.S. Pao, and D.J. Srolovitz. Dislocation injection, reconstruction and atomic transport on (001) Au terraces. *Physical Review Letters*, 98, 2007.
- [20] B.Z. Dong, G.J. Fang, J.F. Wang, W.J. Guan, and X.Z. Zhao. Effect of thickness on structural, electrical, optical properties of ZnO: Al films deposited by pulsed laser deposition. *Journal of Applied Physics*, 101, 2007.
- [21] G. Borionetti, A. Bazalli, and R. Orizio. Atomic Force Microscopy: A powerful tool for surface defect and morphology inspection in semiconductor industry. *The European Physical Journal Applied Physics*, 27, 2004.
- [22] M. Holmes, R. Hocken, and D. Trumper. The long-range scanning stage: a novel platform for scanned-probe microscopy. *Precision Engineering*,

24, 2000.

- [23] A.A. Tseng, S. Jou, A. Notargiacomo, and T.P. Chen. Recent Developments in tip-based nanofabrication and its roadmap. *Journal of Nanoscience and Nanotechnology*, 8, 2008.
- [24] J.A. Vicary and M.J. Miles. Pushing the boundaries of local oxidation nanolithography: short timescales and high speeds. *Ultramicroscopy*, 108, 2008.
- [25] C. Saunus, J.R. Bindel, M. Pratzer, and M. Morgenstern. Versatile scanning tunneling microscopy with 120 ps time resolution. *Applied Physics Letters*, 102, 2013.
- [26] S. Loth, M. Etzkorn, C.P. Lutz, D.M. Eigler, and A.J. Heinrich. Measurement of Fast Electron Spin Relaxation Times with Atomic Resolution. *Science*, 329, 2010.
- [27] G. Schitter and M.J. Rost. Scanning Probe Microscopy at video-rate. *Materials Today, Microscopy Special Issue*, 2008.
- [28] G.E. Fantner, P. Hegarty, J.H. Kindt, G. Schitter, G.A.G. Cidade, and P.K. Hansma. Data acquisition system for high speed atomic force microscopy. *Review of Scientific Instruments*, 76, 2005.
- [29] L.M. Picco, L. Bozec, A. Ulcinas, D.J. Engledew, M. Antognozzi, M.A. Horton, and M.J. Miles. Breaking the speed limit with atomic force microscopy. *Nanotechnology*, 18, 2007.
- [30] M.J. Rost, L. Crama, P. Schakel, E. van Tol, G.B.E.M. van Velzen-Williams, C.F. Overgaw, H. ter Horst, H. Dekker, B. Okhuijsen, M. Seynen, A. Vijftigschild, P. Han, A.J. Katan, K. Schoots, R. Schumm, W. van Loo, T.H. Oosterkamp, and J.W.M. Frenken. Scanning probe microscopes go video rate and beyond. *Review of Scientific Instruments*, 76, 2005.
- [31] T. Ando, T. Uchihashi, and T. Fukuma. High-speed atomic force microscopy for nano-visualization of dynamic biomolecular processes. *Progress in Surface Science*, 83, 2008.
- [32] T. Ando, N. Kodera, E. Takai, D. Maruyama, K. Saito, and A. Toda. A high-speed atomic force microscope for studying biological macromolecules. *PNAS*, 98, 2001.
- [33] A.J. Fleming, B.J. Kenton, and K.K. Leang. Bridging the gap be-

- tween conventional and video-speed scanning probe microscopes. *Ultramicroscopy*, 110:1205–1214, 2010.
- [34] J.H. Kindt, G. Fantner, J.A. Cutroni, and P.K. Hansma. Rigid design of fast scanning probe microscopes using finite element analysis. *Ultramicroscopy*, 100, 2004.
 - [35] G. Schitter, K. J. Astroem, B. E. DeMartini, P. J. Thurner, K. L. Turner, and P. K. Hansma. Design and Modeling of a high-speed AFM-scanner. *IEEE Transactions on Control Systems Technology*, 15:906–915, 2007.
 - [36] D. Croft and S. Devasia. Vibration compensation for high speed scanning tunneling microscopy. *Review of Scientific Instruments*, 70, 1999.
 - [37] A.G. Onaran, M. Balantekin, W. Lee, W.L. Hughes, B.A. Buchine, R.O. Guldiken, Z. Parlak, C.F. Quate, and F.L. Degertekin. A new atomic force microscope probe with force sensing integrated readout and active tip. *Review of Scientific Instruments*, 77, 2006.
 - [38] F.L. Degertekin, A.G. Onaran, M. Balantekin, W. Lee, N.A. Hall, and C.F. Quate. Sensor for direct measurement of interaction forces in probe microscopy. *Applied Physics Letters*, 87, 2005.
 - [39] T. Akiyama, U. Staufer, and N.F. de Rooij. Atomic force microscopy using an integrated comb-shape electrostatic actuator for high-speed feedback motion. *Applied Physics Letters*, 76, 2000.
 - [40] H. Yamashita, N. Kodera, A. Miyagi, T. Uchihashi, D. Yamamoto, and T. Ando. Tip-sample distance control using photothermal actuation of a small cantilever for high-speed atomic force microscopy. *Review of Scientific Instruments*, 78, 2007.
 - [41] M.J. Rost, G.J.C. van Baarle, A.J. Katan, W.M. van Spengen, P. Schakel, W.A. van Loo, T.H. Oosterkamp, and J.W.M. Frenken. Video-rate scanning probe control challenges: setting the stage for a microscopy revolution. *Asian Journal of Control*, 11, 2009.
 - [42] Q. Li and Q. Lu. Atomic resolution ultrafast scanning tunneling microscope with scan rate breaking the resonant frequency of a quartz tuning fork resonator. *Review of Scientific Instruments*, 82, 2011.
 - [43] Y. Hou, J. Wang, and Q. Lu. All low voltage lateral junction scanning tunneling microscope with very high precision and stability. *Review of Scientific Instruments*, 79, 2008.

- [44] Y. Zhou, G. Shang, W. Cai, and J. Yao. Cantilevered bimorph-based scanner for high-speed atomic force microscopy with large scanning range. *Review of Scientific Instruments*, 81, 2010.
- [45] B.J. Kenton, A.J. Fleming, and K.K. Leang. Compact ultra-fast vertical nanopositioner for improving scanning probe microscope scan speed. *Review of Scientific Instruments*, 82, 2011.
- [46] Y. Zhang, Y. Fang, J. Yu, and X. Dong. Note: a novel atomic force microscope fast imaging approach: Variable-speed scanning. *Review of Scientific Instruments*, 82, 2011.
- [47] G. Schitter, P.J. Thurner, and P.K. Hansma. Design and input-shaping control of a novel scanner for high-speed atomic force microscopy. *Mechatronics*, 18, 2008.
- [48] F. Esch, C. Dri, A. Spessot, C. Africh, G. Cautero, D. Giuressi, R. Sergo, R. Tommasini, and G. Comelli. The FAST module: An add-on unit for driving commercial scanning probe microscopes at video rate and beyond. *Review of Scientific Instruments*, 82, 2011.
- [49] M. Marriott. At the Heart of the Wii, Mircon-Size Machines. *New York Times*, December 2006.
- [50] G.M. Rebeiz. *RF MEMS Theory, Design, and Technology*. Wiley Interscience, 2003.
- [51] W.M. van Spengen. *MEMS reliability, Stiction, Charging and RF MEMS*. PhD thesis, Katholieke universiteit Leuven, 2004.
- [52] W.M. van Spengen. MEMS reliability from a failure mechanisms perspective. *Microelectronics reliability*, 43, 2003.
- [53] W.M. van Spengen, R. Puers, and I. de Wolff. A physical model to predict stiction in MEMS. *J. Micromech. Microeng.*, 12, 2002.
- [54] W.M. van Spengen, R. Puers, and I. de Wolff. On the physics of stiction and its impact on the reliability of microstructures. *J. Adhesion Sci. Technol.*, 17, 2003.
- [55] E.C.M. Disseldorp, F.C. Tabak, A.J. Katan, M.B.S. Hesselberth, T.H. Oosterkamp, J.W.M. Frenken, and W.M. van Spengen. MEMS-based high speed scanning probe microscopy. *Review of Scientific Instruments*, 81, 2012.
- [56] MEMSCAP. www.memscap.com.

- [57] J. Carter, A. Cowen, B. Hardee, R. Mahadevan, M. Stonefield, and S. Wilcenski. *PolyMUMPS design handbook revision 11.0*. MEMScap inc., 1992.
- [58] K. Miller, A. Cowen, G. Hames, and B. Hardy. *SOIMUMPS design handbook revision 4.0*. MEMScap inc., 2004.
- [59] H.J. Mamin, H. Birk, P. Wimmer, and D. Rugar. High-speed scanning tunneling microscopy: principles and applications. *Journal of Applied Physics*, 75, 1993.
- [60] R. Curtis, M. Toshiyuki, and E. Ganz. An ultrahigh vacuum high speed scanning tunneling microscope. *Review of Scientific Instruments*, 68, 1997.
- [61] R.M. Schmidt, G. Schitter, and J. van Eijk. *The design of high performance mechatronics - high-tech functionality by multidisciplinary system integration*. Delft University Press, 2011.
- [62] T.R. Albrecht, S. Akamine, M.J. Zdeblick, and C.F. Quate. Microfabrication of integrated scanning tunnelling microscope. *Journal of Vacuum Science and Technology A*, 8, 1990.
- [63] P.F. Indermühle, G. Schürmann, G.A. Racine, and N.F. de Rooij. Fabrication and characterization of cantilevers with integrated sharp tips and piezoelectric elements for actuation and detection for parallel AFM applications. *Sensors and Actuators A*, 60, 1997.
- [64] Y. Xu, N.C. MacDonald, and S.A. Miller. Integrated Micro-scanning tunneling microscope. *Applied Physics Letters*, 67, 1995.
- [65] T. Sulchek, S.C. Minne, J.C. Adams, D.A. Fletcher, A. Atalar, and C.F. Quate. Dual integrated actuators for extended range high speed atomic force microscopy. *Applied Physics Letters*, 75, 1999.
- [66] S.C. Minne, S.R. Manalis, and C.F. Quate. Parallel atomic force microscopy using cantilevers with integrated piezoresistive sensors and integrated piezoelectric actuators. *Applied Physics Letters*, 67, 1995.
- [67] S.R. Manalis, S.C. Minne, and C.F. Quate. Atomic force microscopy for high speed imaging using cantilevers with an integrated actuator and sensor. *Applied Physics Letters*, 68, 1996.
- [68] D.W. Lee, T. Ono, and M. Esishi. Cantilever with integrated resonator for application of scanning probe microscope. *Sensors and Actuators A*,

83, 1999.

- [69] S. Akamine, T.R. Albrecht, M.J. Zdeblick, and C.F. Quate. A planar process for microfabrication of a scanning tunneling microscope. *Sensors and actuators*, A21-A23, 1990.
- [70] S. Akamine, T.R. Albrecht, M.J. Zdeblick, and C.F. Quate. Microfabricated Scanning Tunneling Microscope. *IEEE Electron Device Letters*, 10, 1989.
- [71] P.F. Indermühle, V.P. Jaecklin, J. Brugger, C. Linder, N.F. de Rooij, and M. Binggeli. AFM imaging with an xy-micropositioner with integrated tip. *Sensors and actuators A*, 46-47, 1995.
- [72] P.F. Indermühle, C. Linder, J. Brugger, V.P. Jaecklin, and N.F. de Rooij. Design and fabrication of an overhanging xy-microactuator with integrated tip for scanning surface profiling. *Sensors and actuators A*, 43, 1994.
- [73] Y. Ahn, T. Ono, and M. Esashi. Si multiprobes integrated with lateral actuators for independent scanning probe applications. *Journal of micromechanics and microengineering*, 15, 2005.
- [74] N. Sarkar, K. Trainor, and R.R. Mansour. Temperature compensation in integrated CMOS-MEMS scanning probe microscopes. *Micro & Nano Letters*, 7, 2012.
- [75] P. Vettiger, M. Despont, U. Drechsler, U. Dürig, W. Häberle, M.I. Lutwyche, H. Rothuizen, R. Stutz, R. Widmer, and G. Binnig. Millipede: more than one thousand tips for future AFM data storage. *IMB Journal of Research and Development*, 44, 2000.
- [76] E. Eleftheriou, T. Antonakopoulos, G.K. Binnig, G. Cherubini, M. Despont, U. Dürig, M.A. Lantz, H. Pozidis, H.E. Rothuizen, and P. Vettiger. Millipede - a MEMS-based Scanning-Probe Data-Storage System. *IEEE Transaction on Magnetics*, 39, 2003.
- [77] C. Liu. Parallel scanning probe arrays: their applications. *Materials Today*, 11, 2008.
- [78] L.S. Mamin, H.J. Fan, S. Hoen, and D. Rugar. Tip-based data storage using micromechanical cantilevers. *Sensors and Actuators A*, 48, 1995.
- [79] P. Knoll, A. Bächtold, J. Bonan, G. Cherubini, M. Despont, U. Drechsler, U. Dürig, B. Gotsmann, W. Häberle, C. Hagleitner, D. Jubin, M.A.

- Lantz, A. Pantazi, H. Pozidis, H. Rothuizen, A. Sebastian, R. Stutz, P. Vettiger, D. Wiesman, and E.S. Eleftheriou. Integrating nanotechnology into a working storage device. *Journal of Microelectronic Engineering*, 83, 2006.
- [80] H. Shin, S. Hong, J. Moon, and J.U. Jeon. Read/write mechanisms and data storage system using atomic force microscopy and MEMS technology. *Ultramicroscopy*, 91, 2001.
- [81] S.A. Miller, K.L. Turner, and N.C. MacDonald. Microelectromechanical scanning probe instruments for array architectures. *Review of Scientific Instruments*, 68, 1997.
- [82] K. Sarangapani, H. Torun, O. Finkler, C. Zhu, and L. Degertekin. Membrane-based actuation for high-speed single molecule force spectroscopy studies using AFM. *European Biophysics Journal*, 39, 2010.
- [83] H. Torun, J. Sutanto, K.K. Sarangapani, P. Joseph, F.L. Degertekin, and O. Zhu. A micromachined membrane-based active probe for biomolecular mechanics measurement. *Nanotechnology*, 18, 2007.
- [84] X. Chen and D.W. Lee. Integrated microactuation scanning probe microscopy. *Journal of vacuum science and technology B*, 27, 2009.
- [85] Y. Ando. Development of three-dimensional electrostatic stages for scanning probe microscope. *Sensors and Actuators A*, 114, 2004.
- [86] B. Kim, B.H. Kwak, and F. Jamil. High-speed AFM probe with micromachined membrane tip. *Proceedings of SPIE*, 7042, 2008.
- [87] J. Bay, S. Bouwstra, E. Laegsgaard, and O. Hansen. Micromachined AFM transducer with differential capacitive readout. *Journal of micromechanics and microengineering*, 5, 1994.
- [88] Comsol. www.comsol.com.
- [89] NANOSURF. www.nanosurf.com.
- [90] G.H. Wortel. MEMSPM, Tip fabrication and MEMS actuation. Master's thesis, Leiden University, Leiden, The Netherlands, 2009.
- [91] R. Wagner and W. Ellis. Vapor-Liquid-Solid mechanism of single crystal growth. *Applied Physics Letters*, 4, 1964.
- [92] B. Mandl, A.W. Dey, J. Stangl, M. Cantoro, L.E. Wernersson, G. Bauer, Samuelson. L., K. Deppert, and C. Thelander. Self-seeded, position-controlled InAs nanowire growth on Si: A growth parameter study.

Journal of Crystal Growth, 334, 2011.

- [93] K. Tomioka, J. Motohisa, S. Hara, and T. Fukui. Control of InAs Nanowire Growth Directions on Si. *Nanoletters*, 8, 2008.
- [94] A.L. Roest, M.A. Verheijen, O. Wunnicke, S. Serafin, H. Wondergem, and E.P.A.M. Bakkers. Position-controlled epitaxial III-V nanowires on silicon. *Nanotechnology*, 17, 2006.
- [95] S. Plissard, K.A. Dick, G. Larrieu, S. Goday, A. Addad, X. Wallart, and P. Caroff. Gold-free growth of GaAs nanowires on silicon: arrays and polytypism. *Nanotechnology*, 21, 2010.
- [96] G. Koblmüller, S. Hertenbergen, K. Vizbaras, M. Bichler, F. Bao, J.P. Zhang, and G. Abstreiter. Self-induced growth of vertical free-standing InAs nanowires on Si(111) by molecular beam epitaxy. *Nanotechnology*, 21, 2010.
- [97] B. Mandl, J. Stangl, T. Mårtensson, A. Mikkelsen, J. Eriksson, L.S. Karlsson, G. Bauer, L. Samuelson, and W. Seifert. Au-free epitaxial growth of InAs nanowires. *Nanoletters*, 6, 2006.
- [98] B. Mandl, J. Stangl, E. Hilner, A.A. Zakharov, K. Hillerich, A.W. Dey, L. Samuelson, G. Bauer, K. Deppert, and A. Mikkelsen. Growth mechanism of self-catalyzed group III-V nanowires. *Nanoletters*, 10, 2010.
- [99] K.K. Lew, L. Pan, E.C. Dickey, and J.M. Redwing. Vapor-Liquid-Solid growth of Silicon-Germanium Nanowires. *Advanced Materials*, 15, 2003.
- [100] A.H. Carim, K.K. Lew, and J.M. Redwing. Bicrystalline Silicon Nanowires. *Advanced Materials*, 13, 2001.
- [101] Y. Zhang, N. Wang, R. he, J. Liu, X. Zhang, and J. Zhu. A simple method to synthesize Si_3N_4 and SiO_2 nanowires from Si of Si/ SiO_2 mixture. *Journal of Crystal Growth*, 233, 2001.
- [102] X.Y. Zhang, L. Zhang, G.W. Meng, G.H. Li, N.Y. Jin-Phillipp, and F. Phillipp. Synthesis of Ordered Single Crystal Silicon Nanowire Arrays. *Advanced Materials*, 13, 2001.
- [103] B.M. Kayes, M.A. Filler, M.C. Putnam, M.D. Kelzenberg, N.S. Lewis, and H.A. Atwater. Growth of vertically aligned Si wire arrays over large areas ($>1\text{ cm}^2$) with Au and Cu catalysts. *Applied Physics Letters*, 91, 2007.
- [104] W.F. Dorp and C.W. Hagen. A critical literature review of focused

- electron beam induced deposition. *Journal of Applied Physics*, 104, 2008.
- [105] H. Borsboom. Optimizing EBID tip growth on MEMS, 2010.
 - [106] A. Botman, J.J.L. Mulders, and C.W. Hagen. Creating pure nanostructures from electron-beam-induced deposition using purification techniques: a technology perspective. *Nanotechnology*, 20, 2009.
 - [107] A. Botman, M. Hesselberth, and J.J.L. Mulders. Improving the conductivity of platinum-containing nano-structures created by electron-beam-induced deposition. *Microelectronic Engineering*, 85, 2008.
 - [108] J.D. Barry, M. Ervin, J. Molstad, A. Wickenden, T. Brintlinger, P. Hoffman, and J. Meingailis. Electron beam induced deposition of low resistivity platinum from $Pt(PF_3)_4$. *Journal of Vacuum Science and Technology B*, 24, 2006.
 - [109] E.U. Donev and J.T. Hastings. Electron-beam induced-deposition of platinum from a liquid precursor. *Nanoletters*, 9, 2009.
 - [110] A.P.J.M. Botman. *Towards high purity nanostructures from electron beam induced deposition of platinum*. PhD thesis, Technical University of Delft, 2009.
 - [111] Y.M. Lau, P.C. Chee, J.T.L. Thong, and V. Ng. Properties and applications of cobalt-based material produced by electron-beam-induced deposition. *Journal of Vacuum Science and Technology A*, 20, 2002.
 - [112] M. Weber, M. Rudolph, J. Kretz, and H.W.P. Koops. Electron-beam induced deposition for fabrication of vacuum field emitter devices. *Journal of Vacuum Science and Technology B*, 13, 1995.
 - [113] H.W.P. Koops, J. Kretz, M. Rudolph, M. Weber, G. Dahm, and K.L. Lee. Characterization and Application of Materials Grown by Electron-Beam-Induced Deposition. *Japanese Journal of Applied Physics 1*, 33, 1994.
 - [114] H.W.P. Koops, A. Kaya, and M. Weber. Fabrication and characterization of platinum nanocrystalline material grown by electron-beam induced deposition. *Journal of Vacuum Science and Technology B*, 13, 1995.
 - [115] M. Weber, H.W.P. Koops, M.R. Rudolph, J. Kretz, and G. Schmidt. New compound quantum dot materials produced by electron-beam in-

- duced deposition. *Journal of Vacuum Science and Technology B*, 13, 1995.
- [116] C. Schöbler, A. Kaya, J. Kretz, and H.W.P. Koops. Electrical, and field emission properties of nanocrystalline materials fabricated by electron-beam induced deposition. *Microelectronic Engineering*, 30, 1996.
 - [117] K.T. Kohlmann von Platen, L.M. Buchman, H.C. Petzold, and W.H. Brünger. Electron-beam induced tungsten deposition - growth-rate enhancement and applications in microelectronics. *Journal of Vacuum Science and Technology B*, 10, 1992.
 - [118] M.A. Bruk, E.N. Zhikharev, E.I. Grigor'ev, V.A. Spirin, A.V. Kal'nov, and I.E. Kardash. Focused electron beam-induced deposition of iron- and carbon-containing nanostructures from triiron dodecacarbonyl vapor. *High Energy Chemistry*, 39, 2005.
 - [119] E.C. Heeres, A.J. Katan, M.H. van Es, A.F. Beker, M. Hesselberth, D.J. van der Zalm, and T.H. Oosterkamp. A compact multipurpose nanomanipulator for use inside a scanning electron microscope. *Review of scientific instruments*, 81, 2010.
 - [120] S. Graells, R. Alcubilla, G. Badenes, and R. Quidant. Growth of plasmonic gold nanostructures by electron beam induced deposition. *Applied Physics Letters*, 91, 2007.
 - [121] Leiden Probe Microscopy. www.leidenprobemicroscopy.com.
 - [122] J. Frohn, J.F. Wolf, K. Besocke, and M. Teske. Coarse tip distance adjustment and positioner for a scanning tunneling microscope. *Review of Scientific Instruments*, 60, 1989.
 - [123] K. Besocke. An easily operable scanning tunneling microscope. *Surface Science*, 181, 1987.
 - [124] N. Pertaya, K.F. Braun, and K.H. Rieder. On the stability of Besocke-type scanners. *Review of Scientific Instruments*, 75, 2003.
 - [125] Physik Instrumente. www.physikinstrumente.com.
 - [126] Vernooy Vacuum Engineering. www.vernooybv.nl.
 - [127] Newport Corporation. www.newport.com.
 - [128] Agilent technologies. www.home.agilent.com.
 - [129] Pfeiffer Vacuum. www.pfeiffer-vacuum.com.

- [130] VAT vakuumventile AG. www.vatvalve.com.
- [131] Hositrad vacuum technology. www.hositrad.com.
- [132] Prevac. www.prevac.eu.
- [133] VG scienta. www.vgscienta.com.
- [134] Lee Spring. www.leespring.com.
- [135] Goudsmit Magnetic Supplies B.V. www.goudsmit-magnetics.nl.
- [136] Inc. Accu-Glass Products. www.accuglassproducts.com.
- [137] Surface preparation laboratory. www.spl.eu.
- [138] Nauga Needles. www.nauganeedles.com.
- [139] MSD-500 laser doppler vibrometer from Polytec.
- [140] J.J.T. Wagenaar and T.H. Oosterkamp. *Syllabus signaalverwerking en ruis*. Universiteit Leiden, 2012.
- [141] Michigan State University. *Module 7: AM, FM and the spectrum analyzer*. Michigan State University.
- [142] D.A. Hall. Review nonlinearity in piezoelectric ceramics. *Journal of materials science*, 36, 2001.