



Universiteit
Leiden
The Netherlands

Retrobiosynthetic study of salicylic acid in *Catharanthus roseus* cell suspension cultures

Mustafa, N.R.

Citation

Mustafa, N. R. (2007, May 23). *Retrobiosynthetic study of salicylic acid in Catharanthus roseus cell suspension cultures*. Department of Pharmacognosy, Section Metabolomics, Institute of Biology, Faculty of Science, Leiden University. Retrieved from <https://hdl.handle.net/1887/11972>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/11972>

Note: To cite this publication please use the final published version (if applicable).

References

- Aerts RJ, Alarco AM, De Luca V (1992) Auxins induce tryptophan decarboxylase activity in radicles of *Catharanthus roseus* seedlings. *Plant Physiol* 100: 1014-1019.
- Bartholomew DM, Van Dyk DE, Lau S-MC, O'Keefe DP, Rea PA, Viitanen PV (2002) Alternate energy-dependent pathways for the vacuolar uptake of glucose and glutathione conjugates. *Plant Physiol* 130: 1562-1572.
- Berg JM, Tymoczko JL, Stryer L, Clarke ND (2002) Biochemistry, W.H. Freeman and Company, New York, 5th Ed.
- Bohlmann J, Lins T, Martin W, Eilert U (1996) Anthranilate synthase from *Ruta graveolens*: duplicated *AS α* genes encode tryptophan-sensitive and tryptophan-insensitive isoenzymes specific to amino acid and alkaloid biosynthesis. *Plant Physiol* 111: 507-514.
- Bohlmann J, De Luca V, Eilert U, Martin W (1995) Purification and cDNA cloning of anthranilate synthase from *Ruta graveolens*: modes of expression and properties of native and recombinant enzymes. *Plant J* 7: 491-501.
- Bongaerts RJM (1998) The Chorismate Branching Point in *Catharanthus roseus*: Aspects of Anthranilate Synthase Regulation in Relation to Indole Alkaloid Biosynthesis. PhD thesis, Leiden University, Leiden.
- Boudet AM, Lapierre C, Grima-Pettenati J (1995) Biochemistry and molecular biology of lignification. *New Phytol* 129: 203-236.
- Brun G, Dijoux MG, David B, Mariotte AM (1999) A new flavonol glycoside from *Catharanthus roseus*. *Phytochemistry* 50: 167-169.
- Bruneton J (1999) Pharmacognosy: Phytochemistry Medicinal Plants, Intercept Ltd, Hampshire, 2nd Ed, p. 227-261.
- Budi Muljono RA (2001) The Isochorismate Pathway as a Route to 2,3-Dihydroxybenzoic Acid in *Catharanthus roseus* Cell Cultures. PhD thesis, Leiden University, Leiden.
- Budi Muljono RA, Looman AMG, Verpoorte R, Scheffer JJC (1998) Assay of salicylic acid and related compounds in plant cell cultures by capillary GC. *Phytochem Anal* 9: 35-38.
- Budi Muljono RA, Scheffer JJC, Verpoorte R (2002) Isochorismate is an intermediate in 2,3-dihydroxybenzoic acid biosynthesis in *Catharanthus roseus* cell cultures. *Plant Physiol Biochem* 40: 231-234.
- Cacace S, Schröder G, Wehinger E, Strack D, Schmidt J, Schröder J (2003) A flavonol *O*-methyltransferase from *Catharanthus roseus* performing two sequential methylations. *Phytochemistry* 62: 127-137.
- Carew DP, Krueger RJ (1976) Anthocyanidins of *Catharanthus roseus* callus cultures. *Phytochemistry* 15: 442.
- Cary AJ, Liu W, Howell SH (1995) Cytokinin action is coupled to ethylene in its effects on the inhibition of root and hypocotyl elongation in *Arabidopsis thaliana* seedlings. *Plant Physiol* 107: 1075-1082.

- Cho HJ, Brotherton JE, Song HS, Widholm JM (2000) Increasing tryptophan synthesis in a forage legume *Astragalus sinicus* by expressing the tobacco feedback-insensitive anthranilate synthase (ASA2) gene. *Plant Physiol* 123: 1069-1076.
- Choi YH, Tapias EC, Kim HK, Lefeber AWM, Erkelens C, Verhoeven JThJ, Brzin J, Zel J, Verpoorte R (2004) Metabolic discrimination of *Catharanthus roseus* leaves infected by phytoplasma using ¹H-NMR spectroscopy and multivariate data analysis. *Plant Physiol* 135: 2398-2410.
- Chong J, Pierrel MA, Atanassova R, Werck-Reichhart D, Fritig B, Saindrenan P (2001) Free and conjugated benzoic acid in tobacco plants and cell cultures. Induced accumulation upon elicitation of defense responses and role as salicylic acid precursors. *Plant Physiol* 125: 318-328.
- Contin A, van der Heijden R, Lefeber AWM, Verpoorte R (1998) The iridoid glucoside secologanin is derived from the novel triose phosphate/ pyruvate pathway in a *Catharanthus roseus* cell culture. *FEBS Lett* 434: 413-416.
- Cordell GA (2002) Natural products in drug discovery – Creating a new vision. *Phytochem Rev* 1: 261-273.
- Dean JV, Mills JD (2004) Uptake of salicylic acid 2-*O*-β-D-glucose into soybean tonoplast vesicles by an ATP-binding cassette transporter-type mechanism. *Physiol Plant* 120: 603-612.
- Dempsey DA, Shah J, Klessig DF (1999) Salicylic acid and disease resistance in plants. *Crit Rev Plant Sci* 18: 547-575.
- Dewick PM (2002) Medicinal Natural Products: a Biosynthetic Approach. John Wiley & Sons Ltd, Chichester, 2nd Ed.
- Dixon RA (2001) Natural products and disease resistance. *Nature* 411: 843-847.
- Durner J, Klessig DF (1999) Nitric oxide as a signal in plants. *Curr Opin Plant Biol* 2: 369-374.
- El-Basyouni SZ, Chen D, Ibrahim RK, Neish AC, Towers GHN (1964) The biosynthesis of hydroxybenzoic acids in higher plants. *Phytochemistry* 3: 485-492.
- El-Sayed M, Verpoorte R (2002) Effect of phytohormones on growth and alkaloid accumulation by a *Catharanthus roseus* cell suspension cultures fed with alkaloid precursors tryptamine and loganin. *Plant Cell Tiss Org Cult* 68: 265-270.
- El-Sayed M, Verpoorte R (2004) Growth, metabolic profiling and enzymes activities of *Catharanthus roseus* seedlings treated with plant growth regulators. *Plant Growth Regul* 44: 53-58.
- Filippini R, Caniato R, Piovan A, Cappelletti EM (2003) Production of anthocyanins by *Catharanthus roseus*. *Fitoterapia* 74: 62-67.
- Forsyth WGC, Simmonds NW (1957) Anthocyanidins of *Lochnera rosea*. *Nature* 180: 247.
- Frankmann KT, Kauss H (1994) Elicitation of 2,3-dihydroxybenzoic acid and ajmalicine in a *Catharanthus roseus* suspension culture. *Bot Acta* 107: 300-305.

References

- Friedmann H, Meir S, Halevy AH, Philosoph-Hadas S (2003) Inhibition of the gravitropic bending response of flowering shoots by salicylic acid. *Plant Sci* 165: 905-911.
- Gamborg OL, Miller RA, Ojima K (1968) Nutrients requirements of suspension cultures of soybean root cells. *Exp Cell Res* 50: 151-158.
- Garcion C, Métraux J-P (2006) Salicylic acid. In: Hedden P, Thomas SG (eds) *Plant Hormone Signaling*. Blackwell Press, Oxford, Vol 24, p. 229-255.
- Glazebrook J, Chen W, Estes B, Chang HS, Nawrath C, Métraux J-P, Zhu T, Katagiri F (2003) Topology of the network integrating salicylate and jasmonate signal transduction derived from global expression phenotyping. *Plant J* 34: 217-228.
- Godoy-Hernandez GC, Loyola-Vargas VM (1991) Effect of fungal homogenate, enzyme inhibitors and osmotic stress on alkaloid content of *Catharanthus roseus*. *Plant Cell Rep* 10: 537-540.
- Godoy-Hernandez GC, Vazquez-Flota FA, Loyola-Vargas VM (2000) The exposure to *trans*-cinnamic acid of osmotically stressed *Catharanthus roseus* cells cultured in a 14-L bioreactor increases alkaloid accumulation. *Biotechnol Let* 22: 921-925.
- Hall RD, Yeoman MM (1986) Factors determining anthocyanin yield in cell cultures of *Catharanthus roseus* (L.) G. Don. *New Phytol* 103: 33-43.
- Hanai T, Miyazaki R, Kinoshita T (1999) Quantitative analysis of human serum albumin-drug interactions using reversed-phase and ion-exchange liquid chromatography. *Anal Chim Acta* 378: 77-82.
- Harborne JB, Williams CA (2000) Advances in flavonoid research since 1992. *Phytochemistry* 55: 481-504.
- Hatayama T, Takeno K (2003) The metabolic pathway of salicylic acid rather than of chlorogenic acid is involved in the stress-induced flowering of *Pharbitis nil*. *J Plant Physiol* 160: 461-467.
- Herrmann KM, Weaver LM (1999) The shikimate pathway. *Annu Rev Plant Physiol Plant Mol Biol* 50: 473-503.
- Hoffmann L, Maury S, Martz F, Geoffroy P, Legrand M (2003) Purification, cloning and properties of an acyltransferase controlling shikimate and quinate ester intermediates in phenylpropanoid metabolism. *J Biol Chem* 278: 95-103.
- Hotze M, Schröder G, Schröder J (1995) Cinnamate 4-hydroxylase from *Catharanthus roseus*, and a strategy for the functional expression of plant cytochrome P₄₅₀ proteins as translational fusions with P₄₅₀ reductase in *Escherichia coli*. *FEBS Let* 374: 345-350.
- Hughes EH, Hong S-B, Gibson SI, Shanks JV, San K-Y (2004) Expression of a feedback-resistant anthranilate synthase in *Catharanthus roseus* hairy roots provides evidence for tight regulation of terpenoid indole alkaloid levels. *Biotechnol Bioeng* 86: 718-727.
- Ibrahim RK, Towers GHN (1959) Conversion of salicylic acid to gentisic acid and *o*-pyrocatechuic acid, all labeled with Carbon-14, in plants. *Nature* 184: 1803.

- Ishikawa Y, Park J-H, Kisaka H, Lee H-Y, Kanno A, Kameya T (2003) A 5-methyltryptophan resistant mutant of rice has an altered regulation of anthranilate synthase gene expression. *Plant Sci* 164: 1037-1045.
- Jarvis AP, Schaaf O, Oldham NJ (2000) 3-Hydroxy-3-phenylpropanoic acid is an intermediate in the biosynthesis of benzoic acid and salicylic acid but benzaldehyde is not. *Planta* 212: 119-126.
- Kanno T, Kasai K, Ikejiri-Kanno Y, Wakasa K, Tozawa Y (2004) *In vitro* reconstitution of rice anthranilate synthase: distinct functional properties of the α subunits OASA1 and OASA2. *Plant Mol Biol* 54: 11-23.
- Kim HK, Choi YH, Verpoorte R (2006) Metabolomic analysis of *Catharanthus roseus* using NMR and Principal Component Analysis. In: Saito K, Dixon RA, Willmitzer L (eds) Plant Metabolomics: *Biotechnol Agricult Forestry*. Springer-Verlag, Berlin Heidelberg, Vol 57, p. 261-276.
- Klick S, Herrmann K (1988) Analysis of naturally occurring hydroxybenzoic acid glucosides and hydroxybenzoyl glucoses and their behaviour on a polyamide column. *J Chromatogr* 441: 335-345.
- Knobloch KH, Bast G, Berlin J (1982) Medium- and light-induced formation of serpentine and anthocyanins in cell suspension cultures of *Catharanthus roseus*. *Phytochemistry* 21: 591-594.
- Knobloch KH, Berlin J (1981) Effects of media constituents on the formation of secondary products in cell suspension cultures of *Catharanthus roseus*. In: Moo-Young M, Robinson CW, Vezina C (eds) *Adv. Biotechnol*, [Proceedings of International Ferment. Symp.], 6th. Pergamon, Toronto.
- Köhle A, Sommer S, Li S-M, Schilde-Rentschler L, Ninnemann H, Heide L (2003) Secondary metabolites in transgenic tobacco and potato: high accumulation of 4-hydroxybenzoic acid glucosides results from high expression of the bacterial gene *ubiC*. *Mol Breeding* 11: 15-24.
- Köhle A, Sommer S, Yazaki K, Ferrer A, Boronat A, Li S-M, Heide L (2002) High level expression of chorismate pyruvate-lyase (*ubiC*) and HMG-CoA reductase in hairy root cultures of *Lithospermum erythrorhizon*. *Plant Cell Physiol* 43: 894-902.
- Kunkel BN, Brooks DM (2002) Cross talk between signaling pathways in pathogen defense. *Curr Opin Plant Biol* 5: 325-331.
- Leduc C, Birgel I, Muller R, Leistner E (1997) Isochorismate hydroxymutase from cell suspension culture of *Galium mollugo*. *Planta* 202: 206-210.
- Lee HI, Raskin I (1998) Glucosylation of salicylic acid in *Nicotiana tabacum* cv. Xanthi-nc. *Phytopathology* 88: 692-697.
- Leon J, Shulaev V, Yalpani N, Lawton MA, Raskin I (1995) Benzoic acid 2-hydroxylase, a soluble oxygenase from tobacco, catalyzes salicylic acid biosynthesis. *Proc Natl Acad Sci USA* 92: 10413-10417.
- Leslie CA, Romani RJ (1986) Salicylic acid: a new inhibitor of ethylene biosynthesis. *Plant Cell Rep* 5: 144-146.

References

- Li J, Last RL (1996) The *Arabidopsis thaliana* *trp5* mutant has a feedback-resistant anthranilate synthase and elevated soluble tryptophan. *Plant Physiol* 110: 51-59.
- Löscher R, Heide L (1994) Biosynthesis of *p*-hydroxybenzoate from *p*-coumarate and *p*-coumaroyl-coenzyme A in cell-free extracts of *Lithospermum erythrorhizon* cell cultures. *Plant Physiol* 106: 271-279.
- Matern U, Grimmig B, Kneusel RE (1995) Plant cell wall reinforcement in the disease-resistance response: molecular composition and regulation. *Can J Bot* 73: S511-S517.
- Matsukawa T, Ishihara A, Iwamura H (2002) Induction of anthranilate synthase activity by elicitors in oats. *Z Naturforsch* 57c: 121-128.
- Meganathan R (2001) Ubiquinone biosynthesis in microorganisms. *FEMS Microbiol Lett* 203: 131-139.
- Mifflin BJ, Lea PJ (1982) Ammonia assimilation and amino acid metabolism. In: Boulter D, Pathier B (eds) *Nucleic Acids and Proteins in Plants I: Structure, Biochemistry and Physiology of Proteins: Encyclopedia of Plant Physiology*. Springer-Verlag, New York, Vol 14A, p. 5-64.
- Mitchell HJ, Hall SA, Stratford R, Hall JL, Barber MS (1999) Differential induction of cinnamyl alcohol dehydrogenase during defensive lignification in wheat (*Triticum aestivum* L.): characterization of the major inducible form. *Planta* 208: 31-37.
- Moreno PRH (1995) Influence of stress factors on the secondary metabolism in suspension cultured *Catharanthus roseus* cells. PhD thesis, Leiden University, Leiden.
- Moreno PRH, Poulsen C, van der Heijden R, Verpoorte R (1996) Effects of elicitation on different metabolic pathways in *Catharanthus roseus* (L.) G.Don cell suspension cultures. *Enzyme Microb Technol* 18: 99-107.
- Moreno PRH, van der Heijden R, Verpoorte R (1994a) Elicitor-mediated induction of isochorismate synthase and accumulation of 2,3-dihydroxybenzoic acid in *Catharanthus roseus* cell suspension and shoot cultures. *Plant Cell Rep* 14: 188-191.
- Moreno PRH, van der Heijden R, Verpoorte R (1994b) Induction of the secondary metabolism in *Catharanthus roseus* cell suspension cultures in response to UV irradiation and the addition of a benzoic acid derivative. *Heterocycles* 39: 457-465.
- Mouillon J-M, Ravanel S, Douce R, Rebeille F (2002) Folate synthesis in higher-plant mitochondria: coupling between the dihydropterin pyrophosphokinase and the dihydropteroate synthase activities. *Biochem J* 363: 313-319.
- Murashige T, Skoog F (1962) A revised medium for rapid growth and bioassays with tobacco cultures. *Physiol Plant* 15: 473-497.
- Mustafa NR, Verpoorte R (2005) Chorismate derived C6C1 compounds in plants. *Planta* 222: 1-5. DOI: 10.1007/s00425-005-1554-0.
- Nascimento Filho I, Schossler P, Freitas LS, Melecchi MIS, Vale MGR, Caramao EB (2004) Selective extraction of benzoic acid from landfill leachate by solid-phase extraction and ion-exchange chromatography. *J Chromatogr A* 1027: 167-170. DOI: 10.1016/j.chroma.2003.10.044.

- Nishibe S, Takenaka T, Fujikawa T, Yasukawa K, Takido M, Morimitsu Y, Hirota A, Kawamura T, Noro Y (1996) Bioactive phenolic compounds from *Catharanthus roseus* and *Vinca minor*. *Natural Medicines (Tokyo)* 50: 378-383.
- Niyogi KK, Fink GR (1992) Two anthranilate synthase genes in *Arabidopsis*: defense-related regulation of the tryptophan pathway. *Plant Cell* 4: 721-733.
- Ohlsson AB, Berglund T, Komlos P, Rydstrom J (1995) Plant defense metabolism is increased by the free radical-generating compound AAPH. *Free Rad Biol Med* 19: 319-327.
- Ossipov V, Salminen JP, Ossipova S, Haukioja E, Pihlaja K (2003) Gallic acid and hydrolysable tannins are formed in birch leaves from an intermediate compound of the shikimate pathway. *Biochem System Ecol* 31: 3-16.
- Papon N, Bremer J, Vansiri A, Andreu F, Rideau M, Creche J (2005) Cytokinin and ethylene control indole alkaloid production at the level of the MEP/Terpenoid pathway in *Catharanthus roseus* suspension cells. *Planta Med* 71: 572-574.
- Pasquali G, Goddijn OJM, de Waal A, Verpoorte R, Schilperoort RA, Hoge JHC, Memelink J (1992) Coordinated regulation of two indole alkaloid biosynthetic genes from *Catharanthus roseus* by auxin and elicitors. *Plant Mol Biol* 18: 1121-1131.
- Pieterse CMJ, Ton J, Van Loon LC (2001) Cross-talk between plant defense signaling pathways: boost or burden? *Ag Biotech Net* 3: 1-8.
- Poulsen C, van der Heijden R, Verpoorte R (1991) Assay of isochorismate synthase from plant cell cultures by high performance liquid chromatography. *Phytochemistry* 30: 2873-2878.
- Proestos C, Chorianopoulos N, Nychas G-JE, Komaitis M (2005) RP-HPLC analysis of phenolic compounds of plant extracts. Investigation of their antioxidant capacity and antimicrobial activity. *J Agricult Food Chem* 53: 1190-1195.
- Rajagopalan I, Jaffe EK (1993) Microbial production and NMR characterization of [2,6,9-¹³C]chorismate and [1,3,5,8-¹³C]chorismate. *Bioorg Med Chem Lett* 3: 1453-1456.
- Raskin I (1992) Role of salicylic acid in plants. *Annu Rev Plant Physiol Plant Mol Biol* 43: 439-463.
- Raskin I, Turner IM, Melander WR (1989) Regulation of heat production in the inflorescences of an *Arum* lily by endogenous salicylic acid. *Proc Natl Acad Sci USA* 86: 2214-2218.
- Ratcliffe RG, Shachar-Hill Y (2005) Revealing metabolic phenotypes in plants: inputs from NMR analysis. *Biol Rev* 80: 27-43. DOI: 10.1017/S1464793104006530.
- Rebeille F, Macherel D, Mouillon J-M, Garin J, Douce R (1997) Folate biosynthesis in higher plants: purification and molecular cloning of a bifunctional 6-hydroxymethyl-7,8-dihydropterin pyrophosphokinase/7,8-dihydropteroate synthase localized in mitochondria. *EMBO J* 16: 947-957.
- Rizzi A (1998) Retention and selectivity. In: Katz E, Eksteen R, Schoenmakers P, Miller N (eds) *Handbook of HPLC*. Marcel Dekker Inc, New York, Vol 78, p. 1-54.

References

- Ryals JA, Neuenschwander UH, Willits MG, Molina A, Steiner HY, Hunt MD (1996) Systemic acquired resistance. *Plant Cell* 8: 1809-1819.
- Schoch G, Goepfert S, Morant M, Hehn A, Meyer D, Ullmann P, Werck-Reichhart D (2001) CYP98A3 from *Arabidopsis thaliana* is a 3'-hydroxylase of phenolic esters, a missing link in the phenylpropanoid pathway. *J Biol Chem* 276: 36566-36574.
- Schröder G, Wehinger E, Lukacin R, Wellmann F, Seefelder W, Schwab W, Schröder J (2004) Flavonoid methylation: a novel 4'-O-methyltransferase from *Catharanthus roseus*, and evidence that partially methylated flavanones are substrates of four different flavonoid dioxygenases. *Phytochemistry* 65: 1085-1094.
- Scott KN (1972) Carbon-13 nuclear magnetic resonance of biologically important aromatic acids: I. Chemical shifts of benzoic acid and derivatives. *J Am Chem Soc* 94: 8564-8568.
- Scott J, Rebeille F, Fletcher J (2000) Folic acid and folates: the feasibility for nutritional enhancement in plant foods. *J Sci Food Agric* 80: 795-824.
- Seitz HU, Eilert U, De Luca V, Kurz WGW (1989) Elicitor-mediated induction of phenylalanine ammonia-lyase and tryptophan decarboxylase: accumulation of phenols and indole alkaloids in cell suspension cultures of *Catharanthus roseus*. *Plant Cell Tiss Org Cult* 18: 71-78.
- Shah J (2003) The salicylic acid loop in plant defense. *Curr Opin Plant Biol* 6: 365-371.
- Shimoda K, Kubota N, Sano T, Hirakawa H, Hirata T (2004) A novel hydroxylase from *Catharanthus roseus* participating in the hydroxylation of 2-hydroxybenzoic acid. *J Biosci Bioeng* 98: 67-70.
- Shimoda K, Yamane S-y, Hirakawa H, Ohta S, Hirata T (2002) Biotransformation of phenolic compounds by the cultured cells of *Catharanthus roseus*. *J Mol Catal B: Enzym* 16: 275-281.
- Siebert M, Sommer S, Li S-M, Wang Z-X, Severin K, Heide L (1996) Genetic engineering of plant secondary metabolism¹: Accumulation of 4-hydroxybenzoate glucosides as a result of the expression of the bacterial *ubiC* gene in tobacco. *Plant Physiol* 112: 811-819.
- Silverstein RM, Webster FX (1998) Spectrometric Identification of Organic Compounds. John Wiley and Sons Inc, New York, 6th Ed, p. 217-249.
- Snyder LR (1978) Classification of the solvent properties of common liquids. *J Chromatogr Sci* 16: 223-234.
- Sommer J, Schröder C, Stöckigt J (1997) *In vivo* formation of vanillin glucoside. *Plant Cell Tiss Org Cult* 50: 119-123.
- Sommer S, Heide L (1998) Expression of bacterial chorismate pyruvate-lyase in tobacco: evidence for the presence of chorismate in the plant cytosol. *Plant Cell Physiol* 39: 1240-1244.
- Sommer S, Köhle A, Yazaki K, Shimomura K, Bechthold A, Heide L (1999) Genetic engineering of shikonin biosynthesis hairy root cultures of *Lithospermum erythrorhizon* transformed with the bacterial *ubiC* gene. *Plant Mol Biol* 39: 683-693.

- Stalman M, Koskamp AM, Luderer R, Vernooij JHJ, Wind JC, Wullems GJ, Croes AF (2003) Regulation of anthraquinone biosynthesis in cell cultures of *Morinda citrifolia*. *J Plant Physiol* 160: 607-614.
- Sudheer BK, Seeta Ram Rao S (1998) Effect of phenolic compounds on growth and total alkaloid content of *Catharanthus roseus* (L.) G.Don. *Indian J Plant Physiol* 3: 300-302.
- Suhartono L, Van Iren F, de Winter W, Roytrakul S, Choi YH, Verpoorte R (2005) Metabolic comparison of cryopreserved and normal cells from *Tabernaemontana divaricata* suspension cultures. *Plant Cell Tiss Org Cult* 83: 59-66.
- Świądrych A, Lorenc-Kukula K, Skiryicz A, Szopa J (2004) The catecholamine biosynthesis route in potato is affected by stress. *Plant Physiol Biochem* 42: 593-600.
- Talou JR, Verberne MC, Budi Muljono RA, van Tegelen LJP, Bernal BG, Linthorst HJM, Wullems GJ, Bol JF, Verpoorte R (2001) Isochorismate synthase transgenic expression in *Catharanthus roseus* cell suspensions. *Plant Physiol Biochem* 39: 595-602.
- Torsell KBG (1997) Natural Product Chemistry, a Mechanistic, Biosynthetic and Ecological Approach. Apotekarsocieteten-Swedish Pharmaceutical Society, Swedish Pharmaceutical Press, Stockholm, 2nd Ed, p. 117-173.
- Tozawa Y, Hasegawa H, Terakawa T, Wakasa K (2001) Characterization of rice anthranilate synthase α -subunit genes *OASA1* and *OASA2*. Tryptophan accumulation in transgenic rice expressing a feedback-insensitive mutant of *OASA1*. *Plant Physiol* 126: 1493-1506.
- Van der Fits L, Memelink J (2000) ORCA3, a jasmonate-responsive transcriptional regulator of plant primary and secondary metabolism. *Science* 289: 295-297.
- Van der Fits L, Memelink J (2001) The jasmonate-inducible AP2/ERF-domain transcription factor ORCA3 activates gene expression via interaction with a jasmonate-responsive promoter element. *Plant J* 25: 43-53.
- Van Tegelen LJP, Moreno PRH, Croes AF, Verpoorte R, Wullems GJ (1999) Purification and cDNA cloning of isochorismate synthase from elicited cell cultures of *Catharanthus roseus*. *Plant Physiol* 119: 705-712.
- Van Wees SCM, de Swart EAM, van Pelt JA, van Loon LC, Pieterse CMJ (2000) Enhancement of induced disease resistance by simultaneous activation of salicylate- and jasmonate-dependent defense pathways in *Arabidopsis thaliana*. *PNAS* 97: 8711-8716.
- Vane JR, Botting RM (2003) The mechanism of action of aspirin. *Thrombosis Res* 110: 255-258.
- Verberne MC, Brouwer N, Delbianco F, Linthorst HJM, Bol JF, Verpoorte R (2002) Method for the extraction of the volatile compound salicylic acid from tobacco leaf material. *Phytochem Anal* 13: 45-50.
- Verberne MC, Budi Muljono RA, Verpoorte R (1999) Salicylic acid biosynthesis. In: Libbenga K, Hall M, Hooykaas PJJ (eds) *Biochemistry and Molecular Biology of Plant Hormones*. Elsevier, London, Vol 33, p. 295-312.
- Verberne MC, Verpoorte R, Bol JF, Mercado-Blanco J, Linthorst HJM (2000) Overproduction of salicylic acid in plants by bacterial transgenes enhances pathogen resistance. *Nat Biotechnol* 18: 779-783.

References

- Verpoorte R (1998) Exploration of nature's chemodiversity: the role of secondary metabolites as leads in drug development. *Drug Discovery Today* 3: 232-238.
- Verpoorte R, Contin A, Memelink J (2002) Biotechnology for the production of plant secondary metabolites. *Phytochem Rev* 1: 13-25.
- Viswanathan VK, Green JM, Nichols BP (1995) Kinetic characterization of 4-amino 4-deoxychorismate synthase from *Escherichia coli*. *J Bacteriol* 177: 5918-5923.
- Weinberg ED (1978) Iron and infection. *Microbiol Rev* 42: 45-66.
- Werner I, Bacher A, Eisenreich W (1997) Retrobiosynthetic NMR studies with ¹³C-labeled glucose. *J Biol Chem* 272: 25474-25482.
- White RF (1979) Acetylsalicylic acid (aspirin) induces resistance to tobacco mosaic virus in tobacco. *Virology* 99: 410-412.
- Wildermuth MC, Dewdney J, Wu G, Ausubel FM (2001) Isochorismate synthase is required to synthesize salicylic acid for plant defense. *Nature* 414: 562-565.
- Wink M (2000) Biochemistry of Plant Secondary Metabolism: Annual Plant Reviews. Sheffield Academic Press, Sheffield, Vol 2, p. 151-221.
- Woeste KE, Vogel JP, Kieber JJ (1999) Factors regulating ethylene biosynthesis in etiolated *Arabidopsis thaliana* seedlings. *Physiol Plant* 105: 478-484.
- Xu M, Dong J (2005) O₂⁻ from elicitor-induced oxidative burst is necessary for triggering phenylalanine ammonia-lyase activation and catharanthine synthesis in *Catharanthus roseus* cell cultures. *Enzyme Microb Technol* 36: 280-284.
- Yahia A, Kevers C, Gaspar T, Chenieux JC, Rideau M, Creche J (1998) Cytokinins and ethylene stimulate indole alkaloids accumulation in cell suspension cultures of *Catharanthus roseus* by two distinct mechanisms. *Plant Sci* 133: 9-15.
- Yamane S-y, Shimoda K, Watanabe K, Hirata T (2002) Purification and characterization of gentisic acid glucosyltransferase from the cultured cells of *Catharanthus roseus*. *J Mol Catal B: Enzym* 17: 59-63.
- Young IG, Batterham T, Gibson F (1968) Isochorismic acid: a new intermediate in the biosynthesis of 2,3-dihydroxybenzoic acid. *Biochim Biophys Acta* 165: 567-568.
- Young IG, Batterham T, Gibson F (1969) The isolation, identification and properties of isochorismic acid an intermediate in the biosynthesis of 2,3-dihydroxybenzoic acid. *Biochim Biophys Acta* 177: 389-400.
- Yuana, Dignum MJW, Verpoorte R (2002) Glucosylation of exogenous vanillin by plant cell cultures. *Plant Cell Tiss Org Cult* 69: 177-182.
- Zhang X-H, Brotherton JE, Widholm JM, Portis Jr AR (2001) Targeting a nuclear anthranilate synthase α -subunit gene to the tobacco plastid genome results in enhanced tryptophan biosynthesis. Return of a gene to its pre-endosymbiotic origin. *Plant Physiol* 127: 131-141.