



Universiteit  
Leiden  
The Netherlands

## Clues from stellar catastrophes

Rimoldi, A.J.

### Citation

Rimoldi, A. J. (2016, March 29). *Clues from stellar catastrophes*. Retrieved from <https://hdl.handle.net/1887/38640>

Version: Not Applicable (or Unknown)

License: [Leiden University Non-exclusive license](#)

Downloaded from: <https://hdl.handle.net/1887/38640>

**Note:** To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/38640> holds various files of this Leiden University dissertation

**Author:** Rimoldi, Alexander

**Title:** Clues from stellar catastrophes

**Issue Date:** 2016-03-29

# Clues from Stellar Catastrophes

Proefschrift

ter verkrijging van  
de graad van Doctor aan de Universiteit Leiden,  
op gezag van Rector Magnificus prof. mr. C. J. J. M. Stolker,  
volgens besluit van het College voor Promoties  
te verdedigen op dinsdag 29 maart 2016  
klokke 13:45 uur

door

Alexander Rimoldi

geboren te Auckland, Nieuw-Zeeland  
in 1981

Promotiecommissie

Promotores: Prof. dr. S. F. Portegies Zwart (Universiteit Leiden)  
Dr. E. M. Rossi (Universiteit Leiden)

Overige leden: Prof. M. Campanelli (University of Rochester)  
Prof. T. Piran (Racah Institute of Physics)  
Prof. dr. H. J. A. Röttgering (Universiteit Leiden)  
Prof. dr. J. Schaye (Universiteit Leiden)  
Dr. J. Vink (Universiteit van Amsterdam)

ISBN: 978-94-028-0108-8

Cover design: Dylan Horrocks

The back cover shows the motion of gas seen from inside an exploding star, from the simulations of Chapter 4.

*To my parents*



*The world is so full of a number of things,  
I'm sure we should all be as happy as kings.*  
— 'Happy Thought', Robert Louis Stevenson



# Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
1.1	Overview . . . . .	1
1.2	Astrophysical phenomena in this thesis . . . . .	2
1.2.1	Supernovae and supernova remnants . . . . .	2
1.2.2	Supermassive black hole environments . . . . .	4
1.2.3	Two tales of two stars: supernovae in binary systems . . . . .	6
1.2.4	Two tales of two stars: stellar collisions and blue stragglers . . . . .	7
1.3	Methods used in this thesis . . . . .	9
1.3.1	A new numerical shock solver . . . . .	9
1.3.2	AMUSE . . . . .	9
1.3.3	Smoothed-particle hydrodynamics . . . . .	10
1.3.4	Stellar structure and merger modelling . . . . .	10
1.3.5	Monte Carlo and MCMC methods . . . . .	11
1.4	Content of this thesis . . . . .	12
1.5	Outlook . . . . .	14
<b>2</b>	<b>The fate of SNRs near quiescent SMBHs</b>	<b>17</b>
2.1	Introduction . . . . .	18
2.2	Gaseous environments of quiescent nuclei . . . . .	20
2.3	Evolution of remnants around quiescent black holes: analytic foundations . . . . .	21
2.3.1	End of the ejecta-dominated stage . . . . .	23
2.3.2	Deceleration in the adiabatic stage . . . . .	24
2.3.3	Intermediate-asymptotic transition . . . . .	26
2.3.4	Transition to the radiative stage . . . . .	26

2.4	Evolution of remnants around quiescent black holes: numerical treatment . . . . .	27
2.4.1	General prescription . . . . .	28
2.4.2	Comparison with analytic solutions for single power-law profiles . . . . .	30
2.4.3	Caveats and limitations of the model . . . . .	31
2.5	Galactic nuclei model . . . . .	32
2.5.1	Characteristic radii . . . . .	33
2.5.2	Gas models . . . . .	34
2.5.3	Massive star distributions . . . . .	36
2.6	Results . . . . .	36
2.6.1	Deceleration lengths . . . . .	37
2.6.2	Morphological evolution . . . . .	40
2.6.3	Adiabatic SNR lifetimes . . . . .	43
2.7	Discussion and conclusions . . . . .	47
	Appendix 2.A: Integrals of density in the ejecta-dominated stage . .	49
	Appendix 2.B: Numerical treatment of shock self-interactions . . .	54
<b>3</b>	<b>The contribution of SNRs to X-ray emission near quiescent SMBHs</b>	<b>57</b>
3.1	Introduction . . . . .	58
3.2	Galactic nuclear environments . . . . .	60
3.2.1	Galactic Centre observations . . . . .	60
3.2.2	Quiescent galactic nuclei as autarkic systems . . . . .	61
3.3	SNR dynamical evolution . . . . .	63
3.3.1	X-ray emitting lifetime . . . . .	64
3.4	Number of adiabatic remnants in a snapshot observation . . .	64
3.5	X-ray luminosity from SNRs in the sphere of influence . . . .	68
3.5.1	SNR spectral properties . . . . .	68
3.5.2	SNR X-ray luminosity . . . . .	71
3.5.3	Detectability . . . . .	76
3.6	The sphere of influence SFR . . . . .	78
3.7	Discussion and conclusions . . . . .	79
<b>4</b>	<b>Simulations of stripped core-collapse supernovae in close binaries</b>	<b>83</b>
4.1	Introduction . . . . .	84
4.2	Method . . . . .	87
4.2.1	Stellar models . . . . .	87
4.2.2	Hydrodynamical model set-up . . . . .	88

4.2.3	Simulation of the supernova explosion . . . . .	90
4.2.4	Measured parameters . . . . .	91
4.2.5	Convergence test . . . . .	92
4.3	Results . . . . .	94
4.3.1	Shock breakout . . . . .	95
4.3.2	Impact and mass loss from the companion . . . . .	96
4.3.3	Momentum transfer and the velocity of the companion	99
4.3.4	Properties of the larger-scale SNR . . . . .	104
4.3.5	Post-impact state of the companion . . . . .	106
4.4	Discussion and conclusions . . . . .	108
<b>5</b>	<b>A method to infer globular cluster evolution from observations of blue stragglers</b>	<b>113</b>
5.1	Introduction . . . . .	114
5.2	Method . . . . .	115
5.2.1	BSS models . . . . .	115
5.2.2	Grid approach . . . . .	117
5.2.3	MCMC approach . . . . .	119
5.3	Results . . . . .	121
5.3.1	Grid results . . . . .	121
5.3.2	MCMC results . . . . .	123
5.3.3	An independent estimate of the core-collapse time . .	125
5.4	Discussion and conclusions . . . . .	127
	<b>Thesis summary</b>	<b>131</b>
	<b>Nederlandse samenvatting</b>	<b>135</b>
	<b>Bibliography</b>	<b>140</b>
	<b>Curriculum Vitae</b>	<b>157</b>
	<b>List of publications</b>	<b>159</b>
	<b>Acknowledgements</b>	<b>161</b>

