



Universiteit  
Leiden  
The Netherlands

## Automated image analysis techniques for cardiovascular magnetic resonance imaging

Geest, R.J. van der

### Citation

Geest, R. J. van der. (2011, March 22). *Automated image analysis techniques for cardiovascular magnetic resonance imaging*. Retrieved from <https://hdl.handle.net/1887/16643>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/16643>

**Note:** To cite this publication please use the final published version (if applicable).

# CHAPTER

# 11

## Publications

### 11.1 REFEREED PAPERS IN INTERNATIONAL JOURNALS

1. **van der Geest RJ**, Morris KG, Cusma JT, Reiber JHC. Postmortem validation of the automated coronary analysis (ACA) software package. *Int J Cardiac Imag* 1994; 10:95-102.
2. Helbing WA, Bosch JG, Maliepaard C, Rebergen SA, **van der Geest RJ**, Hansen B, Ottenkamp J, Reiber JHC, de Roos A. Comparison of echocardiographic methods with magnetic resonance imaging for assessment of right ventricular function in children. *Am J Cardiol* 1995; 76:589-594.
3. Hoogendoorn LI, Pattynama PMT, Buis B, **van der Geest RJ**, van der Wall EE, de Roos A. Noninvasive evaluation evaluation of aortocoronary bypass grafts with magnetic resonance flow mapping. *Am J Cardiol* 1995; 75:845-848.
4. Lamb HJ, Singleton RR, **van der Geest RJ**, Pohost GM, de Roos A. MR imaging of regional cardiac function: Low-pass filtering of wall thickness curves. *Magnetic Resonance in Medicine* 1995; 34:498-502.
5. Pattynama PMT, Lamb HJ, van der Velde EA, **van der Geest RJ**, van der Wall EE, de Roos A. Reproducibility of MRI-derived measurements of right ventricular volumes and mass. *Magnetic Resonance Imaging* 1995; 13:53-63.
6. Holman ER, Vliegen HW, **van der Geest RJ**, Reiber JHC, van Dijkman PRM, van der Laarse A, de Roos A, van der Wall EE. Quantitative analysis of regional left ventricular function after myocardial infarction in the pig assessed with cine magnetic resonance imaging. *Magn Reson Med* 1995; 34:161-169.
7. Dendale PAC, Franken PR, Waldman GJ, Baur LHB, Vandamme S, **van der Geest RJ**, de Roos A. Regional diastolic wall motion dynamics in anterior infarction: analysis and quantification with magnetic resonance imaging. *Coronary Artery Disease* 1995; 6:723-729.
8. Cusma JT, Spero LA, **van der Geest RJ**, Bashore TM, Morris KG. Application of quantitative coronary angiography in a cineless environment: In vivo assessment of a fully automated system for clinical use. *Am Heart J* 1995; 129:300-306.

9. Matheijssen NAA, Baur LHB, Reiber JHC, van der Velde EA, van Dijkman PRM, **van der Geest RJ**, de Roos A. Assessment of left ventricular volume and mass by cine-magnetic resonance imaging in patients with anterior myocardial infarction intra-observer and inter-observer variability on contour detection. *Int J Cardiac Imag* 1996; 12:11-19.
10. Niezen RA, Helbing WA, **van der Geest RJ**, Rebergen SA, de Roos A. Biventricular systolic function and mass studied with MR imaging in children with pulmonary regurgitation after repair for Tetralogy of Fallot. *Radiology* 1996; 201:135-140.
11. Helbing WA, Niezen RA, le Cessie S, **van der Geest RJ**, Ottenkamp J, de Roos A. Right ventricular diastolic function in children with pulmonary regurgitation after repair of Tetralogy of Fallot: Volumetric evaluation by magnetic resonance velocity mapping. *J Am Coll Cardiol* 1996; 28:1827-1835.
12. Baur LHB, Schipperheyn JJ, van der Velde EA, van der Wall EE, Reiber JHC, **van der Geest RJ**, van Dijkman PRM, Gerritsen JG, van Eck-Smit BLF, Voogd PJ, Brusckhe AVG. Reproducibility of left ventricular size, shape and mass with echocardiography, magnetic resonance imaging and radionuclide angiography with anterior wall infarction. A plea for core laboratories. *Int J Card Imag* 1996; 12:233-240.
13. **van der Geest RJ**, Buller VGM, Jansen E, Lamb HJ, Baur LHB, van der Wall EE, de Roos A, Reiber JHC. Comparison between manual and automated analysis of left ventricular volume parameters from short axis MR images. *J Comput Assist Tomogr* 1997; 21:756-765.
14. **van der Geest RJ**, de Roos A, van der Wall EE, Reiber JHC. Quantitative analysis of cardiovascular MR images. *Int J Card Im* 1997; 13:247-258.
15. Holman ER, Buller VGM, de Roos A, **van der Geest RJ**, Baur LHB, van der Laarse A, Brusckhe AVG, Reiber JHC, van der Wall EE. Detection and quantification of dysfunctional myocardium by magnetic resonance imaging: A new three-dimensional method for quantitative wall-thickening analysis. *Circulation* 1997; 95:924-931.
16. Johnson DB, Foster RE, Barilla F, Blackwell GG, Roney M, Stanley AWH, Kirk K, Orr RA, **van der Geest RJ**, Reiber JHC, Dell'Italia LJ. Angiotensin-converting enzyme Inhibitor therapy affects left ventricular mass in patients with ejection fraction >40% after acute myocardial infarction. *J Am Coll Cardiol* 1997; 29:49-54.
17. Kayser HWM, Stoel BC, van der Wall EE, **van der Geest RJ**, de Roos A. MR velocity mapping of tricuspid flow: Correction for through-plane motion. *J Magn Reson Im* 1997; 7:669-673.
18. Buller VGM, **van der Geest RJ**, Kool MD, van der Wall EE, de Roos A, Reiber JHC. Assessment of regional left ventricular wall parameters from short-axis MR imaging using a 3D extension to the improved centerline method. *Invest Radiol* 1997; 32:529-539.
19. Dendale P, Franken PR, Meusel M, **van der Geest RJ**, de Roos A. Distinction between open and occluded infarct-related arteries using contrast-enhanced magnetic resonance imaging. *Am J Cardiol* 1997; 80:334-335.
20. **van der Geest RJ**, Niezen RA, van der Wall EE, de Roos A, Reiber JHC. Automated measurement of volume flow in the ascending aorta using MR velocity maps: evaluation of inter- and interobserver variability in healthy volunteers. *J Comp Assist Tomogr* 1998; 22:904-911.
21. Westenberg JJM, Wasser MNJM, **van der Geest RJ**, Pattynama PMT, de Roos A, Vanderschoot J, Reiber JHC. Variations in blood flow waveforms in stenotic renal arteries by 2D phase-contrast Cine MRI. *JMRI* 1998; 8:590-597.
22. Kroft LJM, Doornbos J, **van der Geest RJ**, van der Laarse A, van der Meulen H, de Roos A. Ultrasmall superparamagnetic particles of iron oxide (USPIO) MR imaging of infarcted myocardium in pigs. *MRI* 1998; 16:755-763.

23. Postema S, Pattynama PMT, Broker, **van der Geest RJ**, van Rijswijk CSP, Trimboos JB. Fast dynamic contrast-enhanced colour-coded MRI in uterine cervix carcinoma: Useful for tumour staging? *Clinical Radiology* 1998; 53:729-734.
24. Westenberg JJM, **van der Geest RJ**, Wasser MNJM, Doornbos J, Pattynama PMT, de Roos A, Vanderschoot J, Reiber JHC. Objective stenosis quantification from post-stenotic signal loss in phase-contrast magnetic resonance angiographic datasets of flow phantoms and renal arteries. *MRI* 1998; 16:249-260.
25. Marcus JT, Götte MJW, de Waal LK, Stam MR, **van der Geest RJ**, Heethaar RM, van Rossum AC. The influence of through-plane motion on left ventricular volumes measured by magnetic resonance imaging: implications for image acquisition and analysis. *J Cardiovasc Magnetic Resonance* 1998; 1:1-6.
26. **van der Geest RJ**, Reiber JHC. Quantification in cardiac MRI. *J Magn Reson Imag* 1999; 10:602-608.
27. Lelieveldt BPF, **van der Geest RJ**, Ramze Rezaee M, Bosch JG, Reiber JHC. Anatomical model matching with fuzzy implicit surfaces for segmentation of thoracic volume scans. *IEEE Transactions on Medical Imaging* 1999; 18:218-230.
28. Kroft LJM, Doornbos J, **van der Geest RJ**. Blood pool contrast agent CMD-A2-Gd-DOTA-Enhanced MR imaging of infarcted myocardium in pigs. *J Magn Reson Imaging* 1999; 10:170-177.
29. Kroft LJM, Doornbos J, **van der Geest RJ**, Benderbous S, de Roos A. Infarcted myocardium in pigs: MR imaging enhanced with slow-interstitial-diffusion gadolinium compound P760. *Radiology* 1999; 212:467-473.
30. Marcus JT, de Waal LK, Götte MJW, **van der Geest RJ**, Heethaar RM, van Rossum AC. MRI-derived left ventricular function parameters and mass in healthy young adults: Relation with gender and age. *Int J Cardiac Imag* 1999; 15:411-419.
31. Westenberg JJM, Wasser MNJM, **van der Geest RJ**, Pattynama PMT, de Roos A, Vanderschoot J, Reiber JHC. Gadolinium contrast-enhanced three-dimensional MRA of peripheral arteries with multiple bolus injection: scan optimization in vitro and in vivo. *Int J Cardiac Imag* 1999; 15:161-173.
32. Marcus JT, Smeenk HG, Kuijer JP, **van der Geest RJ**, Heethaar RM, van Rossum AC. Flow profiles in the left anterior descending and the right coronary artery assessed by MR velocity quantification: effects of through-plane and in-plane motion of the heart. *J Comput Assist Tomogr* 1999; 23:567-576.
33. **van der Geest RJ**, Lelieveldt BPF, Reiber JHC. Quantification of global and regional ventricular function in cardiac magnetic resonance imaging. *Topics in Magn Reson Imag* 2000; 11:348-358.
34. Kayser HW, **van der Geest RJ**, van der Wall EE, Duchateau C, de Roos A. Right ventricular function in patients after acute myocardial infarction assessed with phase contrast MR velocity mapping encoded in three directions. *J Magn Reson Imag* 2000; 11:471-475.
35. Egmont-Petersen M, Hogendoorn PCW, **van der Geest RJ**, Vrooman HA, van der Woude HJ, Janssen JP, Bloem JL, Reiber JHC. Detection of areas with viable remnant tumor in postchemotherapy patients with Ewing's sarcoma by dynamic contrast-enhanced MRI using pharmacokinetic modeling. *Magn Reson Imaging* 2000; 18:525-535.
36. Westenberg JJM, **van der Geest RJ**, Wasser MNJM, van der Linden EL, van Walsum T, van Assen HC, de Roos A, Vanderschoot J, Reiber JHC. Vessel diameter measurements in gadolinium contrast-enhanced three-dimensional MRA of peripheral arteries. *Magn Reson Imag* 2000; 18:13-22.
37. Ramze Rezaee M, van der Zwet PMJ, B.P.F.Lelieveldt, **van der Geest RJ**, Reiber JHC. A multi-resolution segmentation technique based on pyramidal segmentation and fuzzy clustering. *IEEE Transactions on Image Processing* 2000; 9:1238-1248.

38. Mitchell SC, Lelieveldt BPF, **van der Geest RJ**, Bosch JG, Reiber JHC, Sonka M. Multistage hybrid active appearance model matching: Segmentation of left and right ventricles in cardiac MR images. *IEEE Trans Med Imag* 2001; 20:415-423.
39. Wagenaar HC, Trimboos JBMZ, Postema S, Anastasopoulou A, **van der Geest RJ**, Reiber JHC, Kenter GG, Peters AAW, Pattynama PMT. Tumor diameter and volume assessed by magnetic resonance imaging in the prediction of outcome for invasive cervical cancer. *Gynecologic Oncology* 2001; 82:474-482.
40. Lelieveldt BPF, **van der Geest RJ**, Lamb HJ, Kayser HWM, Reiber JHC. Automated observer-independent acquisition of cardiac short-axis MR images: A pilot study. *Radiology* 2001; 221:537-542.
41. Box FMA, Rutten, MCM, van Buchem MA, Doornbos J, van der Geest, RJ, de Koning PJH, Schaap JA, van de Vosse FN, Reiber JHC. Quantitative methods for comparisons between velocity Encoded MR-measurements and finite element modeling in phantom models. *International Conference on Computational Science*. Sloot PMA, Tan CJK, Dongarra JJ, and Hoekstra AG. 3:255-264, 2002.
42. Spilt A, Box FMA, **van der Geest RJ**, Reiber JHC, Kunz P, Kamper AM, Blauw GJ, van Buchem MA. Reproducibility of total cerebral blood flow measurements using phase contrast magnetic resonance imaging. *J Magn Reson Imaging* 2002; 16:1-5.
43. Dirksen MS, Bax JJ, de Roos A, Jukema JW, **van der Geest RJ**, Geleijns K, Boersma E, van der Wall EE, Lamb HJ. Usefulness of dynamic Multislice Computed Tomography of left ventricular function in unstable angina pectoris and comparison with Echocardiography. *Am J Cardiol* 2002; 90:1157-1160.
44. Janssen JP, Egmont-Petersen M, Hendriks EA, Reinders MJT, **van der Geest RJ**, Hogendoorn PCW, Reiber JHC. Scale-invariant segmentation of dynamic contrast-enhanced perfusion MR images with inherent scale selection. *J Visualization and Computer Animation*; 2002; 13:1-19.
45. Mitchell SC, Bosch JG, Lelieveldt BPF, **van der Geest RJ**, Reiber JHC, Sonka M. 3-D Active appearance models: Segmentation of cardiac MR and ultrasound images. *IEEE Med Imag* 2002; 21:1167-1178.
46. Dirksen MS, Lamb HJ, **van der Geest RJ**, de Roos A. Toward comparability of coronary magnetic resonance angiography: proposal for a standardized quantitative assessment. *Eur Radiology* 2003; 13:2353-2357.
47. Box FMA, Spilt A, Van Buchem MA, **van der Geest RJ**, Reiber JHC. Automatic model-based contour detection and blood flow quantification in small vessels with velocity encoded magnetic resonance imaging *Invest Radiol*. 2003; 38:567-577.
48. de Koning PJH, Schaap JA, Janssen JP, Westenberg JJM, **van der Geest RJ**, Reiber JHC. Automated segmentation and analysis of vascular structures in magnetic resonance angiographic images. *Magn Reson Med* 2003; 50:1189-1198.
49. **van der Geest RJ**, Lelieveldt BPF, Angelié E, Danilouchkine M, Swingen C, Sonka M, Reiber JHC. Evaluation of a new method for automated detection of left ventricular boundaries in time series of magnetic resonance images using an Active Appearance Motion Model. *J Cardiovasc Magn Reson* 2004; 6:609-617.
50. Adame, IM, **van der Geest RJ**, Mohamed M, Wasserman BA, Reiber JHC, Lelieveldt BPF. Automatic Plaque Characterization and Vessel Wall Segmentation in Magnetic Resonance Images of Atherosclerotic Carotid Arteries, *SPIE. Medical Imaging* 2004; 5370:265-273.
51. Adame IM, **van der Geest RJ**, Wasserman BA, Mohamed M, Reiber JHC, Lelieveldt BPF. Automatic segmentation and plaque characterization in atherosclerotic carotid artery MR images. *MAGMA (Magnetic Resonance Materials in Physics, Biology and Medicine)* 2004; 16:227-234.

52. Schuijf JD, Kaandorp TA, Lamb HJ, **van der Geest RJ**, Viergever EP, van der Wall EE, de Roos A, Bax JJ. Quantification of myocardial infarct size and transmural by contrast-enhanced magnetic resonance imaging in men. *Am J Cardiol.* 2004; 94:284-288.
53. Westenberg JJM, Danilouchkine MG, Doornbos J, Bax JJ, **van der Geest RJ**, Labadie G, Lamb HJ, Versteegh MIM, de Roos A, Reiber JHC. Accurate and reproducible mitral valvular blood flow measurement with three-directional velocity-encoded magnetic resonance imaging. *J Cardiovasc Magn Reson* 2004; 6 :767-776.
54. Dirksen MS, Bax JJ, de Roos A, Jukema JW, **van der Geest RJ**, Geleijns J, van der Wall EE, Lamb HJ . Dynamic multislice computed tomography of left ventricular function. *Circulation* 2004; 109:E25-E26.
55. Angelié E, De Koning PJH, Danilouchkine MG, Van Assen HA, Koning G, **van der Geest RJ**, Reiber JHC. Optimizing the automatic segmentation of the left ventricle in magnetic resonance images. *Med Physics* 2005; 32:369-375
56. Westenberg JJM, Doornbos J, Versteegh MIM, Bax JJ, **van der Geest RJ**, de Roos A, Dion RAE, Reiber JHC. Accurate quantitation of regurgitant volume with MRI in patients selected for mitral valve repair *European Journal of Cardiothoracic Surgery* 2005; 27:462-467.
57. Üzümcü, M, **van der Geest RJ**, Sonka M, Lamb HJ, Reiber JHC, Lelieveldt BPF. Multiview active appearance models for simultaneous segmentation of cardiac 2- and 4-chamber long-axis magnetic resonance images. *Invest Radiol* 2005; 40:195-203
58. van Wijk JPH, Castro Cabezas M, de Koning EJP, Rabelink TJ, **van der Geest RJ**, Hoepelman IM. In vivo evidence of impaired peripheral fatty acid trapping in patients with human immunodeficiency virus-associated lipodystrophy *J of Clin Endocrinology Metab.* 2005; 90:3575-3582.
59. Paelinck BP, de Roos A, Bax JJ, Bosmans JM, **van der Geest RJ**, Dhondt D, Parizel PM, Vrints CJ, Lamb HJ. Feasibility of tissue magnetic resonance imaging: a pilot study in comparison with tissue Doppler imaging and invasive measurement. *J Am Coll Cardiol.* 2005; 45:1109-1116
60. Box FM, **van der Geest RJ**, Rutten MC, Reiber JHC. The Influence of flow, vessel diameter, and non-Newtonian blood viscosity on the wall shear stress in a carotid bifurcation model for unsteady flow. *Invest Radiol.* 2005; 40:277-294.
61. de Vries M, de Koning PJ, de Haan MW, Kessels AG, Nelemans PJ, Nijenhuis RJ, Planken RN, Vasbinder GBC, van Engelshoven JMA, **van der Geest RJ**, Leiner T. Accuracy of Semiautomated Analysis of 3D Contrast-Enhanced Magnetic Resonance Angiography for detection and quantification of aortoiliac stenoses. *Invest Radiol* 2005; 40:495-503.
62. van den Dool SW, Wasser MN, de Fijter JW, Hoekstra J, **van der Geest RJ**. Functional renal volume: Quantitative analysis at gadolinium-enhanced MR angiography – Feasibility study in healthy potential kidney donors. *Radiology* 2005; 236:189-195.
63. Westenberg JJM, **van der Geest RJ**, Lamb HJ, Versteegh MIM, Braun J, Doornbos J, de Roos A, van der Wall EE, Dion RAE, Reiber JHC, Bax JJ. MRI to evaluate left atrial and ventricular reverse remodeling after restrictive mitral annuloplasty in dilated cardiomyopathy. *Circulation* 2005; 112 [suppl I]:437-442.
64. Danilouchkine MG, **van der Geest RJ**, Westenberg JJ, Lelieveldt BPF, Reiber JHC. Influence of positional and angular variation of automatically planned short-axis stacks on quantification of left ventricular dimensions and function with cardiovascular magnetic resonance. *J Magn Reson Imaging* 2005; 22:754-764.

65. Sonka M, Thedens DR, Lelieveldt BPF, Mitchell SC, **van der Geest RJ**, Reiber JHC, Cardiovascular MR image analysis. In: Computer vision beyond the visible spectrum. Bir B, Pavlidis I (Eds), pp 193-240, Springer Verlag, Berlin, ISBN: 1-85233-604-8, 2005.
66. Üzümcü M, **van der Geest RJ**, Swingen C, Reiber JH, Lelieveldt BP. Time continuous tracking and segmentation of cardiovascular magnetic resonance images using multidimensional dynamic programming. *Invest Radiol.* 2006; 41:52-62.
67. Westenberg JJ, Lamb HJ, **van der Geest RJ**, Bleeker GB, Holman ER, Schalij MJ, de Roos A, van der Wall EE, Reiber JH, Bax JJ. Assessment of left ventricular dyssynchrony in patients with conduction delay and idiopathic dilated cardiomyopathy: head-to-head comparison between tissue doppler imaging and velocity-encoded magnetic resonance imaging. *J Am Coll Cardiol.* 2006; 47:2042-2048.
68. Doğan H, Kroft LJ, Bax JJ, Schuijff JD, **van der Geest RJ**, Doornbos J, de Roos A. MDCT assessment of right ventricular systolic function. *Am J Roentgenol.* 2006; 186:S366-S370.
69. Adame IM, de Koning PJH, Lelieveldt BPF, Wasserman BA, Reiber JHC, **van der Geest RJ**. An integrated automated analysis method for quantifying vessel stenosis and plaque burden from carotid MRI images: Combined postprocessing of MRA and vessel wall MR. *Stroke* 2006; 37:2162-2164.
70. Adame IM, **van der Geest RJ**, Bluemke DA, Lima JA, Reiber JHC, Lelieveldt RBF. Automatic vessel wall contour detection and quantification of wall thickness in in-vivo MR images of the human aorta. *J Magn Reson Imaging.* 2006; 24:595-602
71. Schoonman GG, Bakker D, Schmitz N, **van der Geest RJ**, van der Grond J, Ferrari MD, van Buchem MA. Magnetic resonance angiography of the human middle meningeal artery: implications for migraine. *J Magn Reson Imaging.* 2006; 24:918-921.
72. Doğan H, MD, Kroft LJM, Huisman MV, **van der Geest RJ**, de Roos A. Right Ventricular Function in Patients with Acute Pulmonary Embolism: Analysis with Electrocardiography-synchronized Multi-Detector Row CT. *Radiology* 2007; 242:78-84.
73. Box FMA, van der Grond J, de Craen AJ, Palm-Meinders IH, **van der Geest RJ**, Reiber JHC, van Buchem MA, Blauw GJ. Pravastatin decreases wall shear stress and blood velocity in the internal carotid artery without affecting flow volume: results from the PROSPER MRI Study. *Stroke* 2007; 38:1374-3376.
74. Dehnavi RA, Doornbos J, Tamsma JT, Stuber M, Putter H, **van der Geest RJ**, Lamb HJ, de Roos A. Assessment of the carotid artery by MRI at 3T: A study on reproducibility. *J. Magn. Reson. Imaging* 2007; 25:1035-1043
75. Milles J, **van der Geest RJ**, Jerosch-Herold M, Reiber JHC, Lelieveldt BPF. Fully automated registration of first-pass myocardial perfusion MRI using independent component analysis. *Inf Process Med Imaging* 2007; 20:544-555.
76. Box FM, **van der Geest RJ**, van der Grond J, van Osch MJ, Zwinderman AH, Palm-Meinders IH, Doornbos J, Blauw GJ, van Buchem MA, Reiber JHC. Reproducibility of wall shear stress assessment with the paraboloid method in the internal carotid artery with velocity encoded MRI in healthy young individuals. *J Magn Reson Imaging.* 2007; 26:598-605.
77. Winter EM, Grauss RW, Hogers B, van Tuyn J, **van der Geest RJ**, Lie-Venema H, Vicente Steijn R, Maas S, de Ruiter MC, de Vries AAF, Steendijk P, Doevendans PA, van der Laarse A, Poelmann RE, Schalij MJ, Atsma DE, Gittenberger-de Groot AC. Preservation of left ventricular function and attenuation of remodeling after transplantation of human epicardium-derived cells into the Infarcted mouse heart. *Circulation* 2007; 116:917-927.

78. Grauss RW, Winter EM, van Tuyn J, Pijnappels DA, Steijn RV, Hogers B, **van der Geest RJ**, de Vries AA, Steendijk P, van der Laarse A, Gittenberger-de Groot AC, Schalij MJ, Atsma DE. Mesenchymal stem cells from ischemic heart disease patients improve left ventricular function after acute myocardial infarction. *Am J Physiol Heart Circ Physiol* 2007; 293:H2438-H2447.
79. Angelié E, Oost ER, Hendriksen D, Lelieveldt BP, **Van der Geest RJ**, Reiber JH. Automated contour detection in cardiac MRI using active appearance models: the effect of the composition of the training set. *Invest Radiol.* 2007; 42:697-703.
80. Henneman MM, Schuijf JD, Dibbets-Schneider P, Stokkel MP, **van der Geest RJ**, van der Wall EE, Bax JJ. Comparison of multislice computed tomography to gated single-photon emission computed tomography for imaging of healed myocardial infarcts. *Am J Cardiol.* 2008; 101:144-148.
81. Winter EM, Grauss RW, Atsma DE, Hogers B, Poelmann RE, **van der Geest RJ**, Tschöpe C, Schalij MJ, Gittenberger-de Groot AC, Steendijk P. Left ventricular function in the post-infarct failing mouse heart by magnetic resonance imaging and conductance catheter: a comparative analysis. *Acta Physiol (Oxf).* 2008; 194:111-122.
82. Grauss RW, van Tuyn J, Steendijk P, Winter EM, Pijnappels DA, Hogers B, Gittenberger-De Groot AC, **van der Geest RJ**, van der Laarse A, de Vries AA, Schalij MJ, Atsma DE. Forced myocardin expression enhances the therapeutic effect of human mesenchymal stem cells after transplantation in ischemic mouse hearts. *Stem Cells.* 2008; 26:1083-1093.
83. Schoonman GG, van der Grond J, Kortmann C, **van der Geest RJ**, Terwindt GM, Ferrari MD. Migraine headache is not associated with cerebral or meningeal vasodilatation-a 3T magnetic resonance angiography study. *Brain.* 2008; 131:2192-2200.
84. Westenberg JJ, Braun J, Van de Veire NR, Klautz RJ, Versteegh MI, Roes SD, **van der Geest RJ**, de Roos A, van der Wall EE, Reiber JH, Bax JJ, Dion RA. Magnetic resonance imaging assessment of reverse left ventricular remodeling late after restrictive mitral annuloplasty in early stages of dilated cardiomyopathy. *J Thorac Cardiovasc Surg.* 2008; 135:1247-1252.
85. Westenberg JJ, Roes SD, Ajmone Marsan N, Binnendijk NM, Doornbos J, Bax JJ, Reiber JH, de Roos A, **van der Geest RJ**. Mitral Valve and Tricuspid Valve Blood Flow: Accurate Quantification with 3D Velocity-encoded MR Imaging with Retrospective Valve Tracking. *Radiology.* 2008; 249:792-800.
86. Milles J, **van der Geest RJ**, Jerosch-Herold M, Reiber JH, Lelieveldt BPF. Fully automated motion correction in first-pass myocardial perfusion MR image sequences. *IEEE Trans Med Imaging.* 2008; 27:1611-1621.
87. Roes SD, Westenberg JJ, Doornbos J, **van der Geest RJ**, Angelié E, de Roos A, Stuber M. Aortic vessel wall magnetic resonance imaging at 3.0 tesla: A reproducibility study of respiratory navigator gated free-breathing 3D black blood magnetic resonance imaging. *Magn Reson Med* 2009; 61:35-44.
88. Roes SD, Borleffs CJW, **van der Geest RJ**, Westenberg JJM, Ajmone Marsan N, Kaandorp TAM, Reiber JHC, Zeppenfeld K, Lamb HJ, de Roos A, Schalij MJ, Bax JJ. Infarct Tissue Heterogeneity Assessed with Contrast-Enhanced Magnetic Resonance Imaging Predicts Spontaneous Ventricular Arrhythmia in Patients with Ischemic Cardiomyopathy and Implantable Cardioverter-Defibrillator. *Circ Cardiovasc Imaging* 2009;2(3):183-190.
89. El Aidi H, Mani V, Weinschelbaum KB, Aguiar SH, Taniguchi H, Postley JE, Samber DD, Cohen EI, Stern J, **van der Geest RJ**, Reiber JH, Woodward M, Fuster V, Gidding SS, Fayad ZA. Cross-sectional, prospective study of MRI reproducibility in the assessment of plaque burden of the carotid arteries and aorta. *Nat Clin Pract Cardiovasc Med* 2009;6(3)219-228.



90. Mani V, Muntner P, Gidding SS, Aguiar SH, El Aidi H, Weinschelbaum KB, Taniguchi H, **van der Geest RJ**, Reiber JH, Bansilal S, Farkouh M, Fuster V, Postley JE, Woodward M, Fayad ZA. Cardiovascular magnetic resonance parameters of atherosclerotic plaque burden improve discrimination of prior major adverse cardiovascular events. *J Cardiovasc Magn Reson*. 2009;11(1):10.
91. Kornaat PR, Sharma R, **van der Geest RJ**, Lamb HJ, Kloppenburg M, Hellio le Graverand MP, Bloem JL, Watt I. Positive association between increased popliteal artery vessel wall thickness and generalized osteoarthritis: is OA also part of the metabolic syndrome? *Skeletal Radiol*. 2009.
92. Marsan NA, Westenberg JJ, Ypenburg C, van Bommel RJ, Roes S, Delgado V, Tops LF, **van der Geest RJ**, Boersma E, de Roos A, Schalij MJ, Bax JJ. Magnetic resonance imaging and response to cardiac resynchronization therapy: relative merits of left ventricular dyssynchrony and scar tissue. *Eur Heart J* 2009.
93. Duivenvoorden R, de Groot E, Elsen BM, Lameris JS, **van der Geest RJ**, Stroes ES, Kastelein JJP, Nederveen AJ. In Vivo Quantification of Carotid Artery Wall Dimensions 3.0-Tesla MRI Versus B-Mode Ultrasound Imaging. *Circ Cardiovasc Imaging* 2009;2(3):235-242.
94. Grotenhuis HB, Westenberg JJ, Steendijk P, **van der Geest RJ**, Ottenkamp J, Bax JJ, Jukema JW, de Roos A. Validation and reproducibility of aortic pulse wave velocity as assessed with velocity-encoded MRI. *J Magn Reson Imaging* 2009;30(3):521-526.
95. Roes SD, Hammer S, **van der Geest RJ**, Ajmone Marsan N, Bax JJ, Lamb HJ, Reiber JHC, de Roos A, Westenberg JJM. Flow Assessment Through Four Heart Valves Simultaneously Using 3-Dimensional 3-Directional Velocity-Encoded Magnetic Resonance Imaging With Retrospective Valve Tracking in Healthy Volunteers and Patients With Valvular Regurgitation. *Invest Radiol* 2009;44:669-675.
96. Zudilova-Seinstra EV, de Koning PJH, Suinesiaputra A, van Schooten BW, **van der Geest RJ**, Reiber JHC, Sloot PMA. Evaluation of 2D and 3D glove input applied to medical image analysis. *International Journal of Human Computer Studies* 2009,doi:10.1016/j.ijhcs.2009.08.001.
97. Zudilova-Seinstra E, van Schooten B, Suinesiaputra A, **van der Geest RJ**, van Dijk B, Reiber JHC, Sloot PMA. Exploring individual user differences in the 2D/3D interaction with medical image data. *Virtual Reality* 2009, DOI 10.1007/s10055-009-0131-4.
98. Kwee RM, Teule GJJ, van Oostenbrugge RJ, Mess WH, Prins MH, **van der Geest RJ**, ter Berg JWM, Franke CL, Korten AGGC, Meems BJ, Hofman PAM, van Engelshoven JMA, Wildberger JE, Kooi EM. Multimodality Imaging of Carotid Artery Plaques 18F-Fluoro-2-Deoxyglucose Positron Emission Tomography, Computed Tomography, and Magnetic Resonance Imaging. *Stroke*. 2009;40(12):3718-3724.
99. Marsan NA, Westenberg JJ, Ypenburg C, Delgado V, van Bommel RJ, Roes SD, Nucifora G, **van der Geest RJ**, de Roos A, Reiber JC, Schalij MJ, Bax JJ. Quantification of functional mitral regurgitation by real-time 3D echocardiography: comparison with 3D velocity-encoded cardiac magnetic resonance. *JACC Cardiovasc Imaging*. 2009;2(11):1245-52.
100. Attili AK, Schuster A, Nagel E, Reiber JHC, **van der Geest RJ**. Quantification in cardiac MRI: advances in image acquisition and processing. *Int J Cardiovasc Imaging* 2010;26 Suppl 1:27-40.
101. Germans T, Russel IK, Gotte MJW, Spreeuwenberg MD, Doevendans PA, Pinto YM, **van der Geest RJ**, van der Velden J, de Wilde AAM, van Rossum AC. How do hypertrophic cardiomyopathy mutations affect myocardial function in carriers with normal wall thickness? Assessment with cardiovascular magnetic resonance. *J Cardiovasc Magn Reson* 2010;12:13, doi:10.1186/1532-429X-12-13.

102. Lobbes MB, Heeneman S, Passos VL, Welten R, Kwee RM, **van der Geest RJ**, Wiethoff AJ, Caravan P, Misselwitz B, Daemen MJ, van Engelshoven JM, Leiner T, Kooi ME. Gadofosveset-enhanced magnetic resonance imaging of human carotid atherosclerotic plaques: A proof-of-concept study. *Invest Radiol.* 2010;45(5):275-281.
103. Zudilova-Seinstra EV, de Koning PJH, Suinesiaputra A, van Schooten BW, **van der Geest RJ**, Reiber JHC, Slood PMA. Evaluation of 2D and 3D glove input applied to medical image analysis. *International Journal of Human Computer Studies* 2010;68 (6) 355-369.
104. Tao Q, Milles J, Zeppenfeld K, Lamb HJ, Bax JJ, Reiber JH, **van der Geest RJ**. Automated segmentation of myocardial scar in late enhancement MRI using combined intensity and spatial information. *Magn Reson Med.* 2010; 64(2):586-594.
105. Gupta V, Hendriks EA, Milles J, **van der Geest RJ**, Jerosch-Herold M, Reiber JH, Lelieveldt BPF. Fully Automatic Registration and Segmentation of First-Pass Myocardial Perfusion MR Image Sequences. *Acad Radiol.* 2010;17(11):1375-1385.
106. Kwee RM, van Oostenbrugge RJ, Mess WH, Prins MH, **van der Geest RJ**, Ter Berg JW, Franke CL, Korten AG, Meems BJ, van Engelshoven JM, Wildberger JE, Kooi ME. Carotid plaques in transient ischemic attack and stroke patients: One-year follow-up study by magnetic resonance imaging. *Invest Radiol.* 2010 Sep 8. [Epub ahead of print].
107. Wijnmalen AP, **van der Geest RJ**, van Huls van Taxis CF, Siebelink HM, Kroft LJ, Bax JJ, Reiber JHC, Schalij MJ, Zeppenfeld K. Head-to-head comparison of contrast-enhanced magnetic resonance imaging and electroanatomical voltage mapping to assess post-infarct scar characteristics in patients with ventricular tachycardias: Real-time image integration and reversed registration. *Eur Heart J.* 2010;32(1):104-114.
108. Gerretsen SC, Kooi ME, Kessels AG, Schalla S, Katoh M, **van der Geest RJ**, Manning WJ, Waltenberger J, van Engelshoven JMA, Botnar RM, Leiner T. Visualization of Coronary Wall Atherosclerosis in Asymptomatic Subjects and Patients with Coronary Artery Disease Using Magnetic Resonance Imaging. *PLoS One* 2010;5(9):e12998.
109. M.S. Asghar MS, Hansen AE, Kapijimpanga T, **van der Geest RJ**, van der Koning P, Larsson HBW, Olesen J, Ashina M. Dilation by CGRP of middle meningeal artery and reversal by sumatriptan in normal volunteers. *Neurology* 2010;75:1520-1526.
110. Westenberg JJ, de Roos A, Grotenhuis HB, Steendijk P, Hendriksen D, van den Boogaard PJ, **van der Geest RJ**, Bax JJ, Jukema JW, Reiber JH. Improved aortic pulse wave velocity assessment from multislice two-directional in-plane velocity-encoded magnetic resonance imaging. *J Magn Reson Imaging* 2010;32(5):1086-1094.
111. Gai N, Turkbey EB, Nazarian S, **van der Geest RJ**, Liu CY, Lima JA, Bluemke DA. T(1) mapping of the gadolinium-enhanced myocardium: Adjustment for factors affecting interpatient comparison. *Magn Reson Med.* 2010 Dec 16. [Epub ahead of print]
112. Marsan NA, Westenberg JJ, Roes SD, van Bommel RJ, Delgado V, **van der Geest RJ**, de Roos A, Klautz RJ, Reiber JC, Bax JJ. Three-dimensional echocardiography for the preoperative assessment of patients with left ventricular aneurysm. *Ann Thorac Surg.* 2011;91(1):113-121.

## 11.2 PAPERS IN CONFERENCE PROCEEDINGS

1. Dumay ACM, Gerbrands JJ, **van der Geest RJ**, Verbruggen PE, Reiber JHC. Automated labeling of coronary tree segments in angiographic projection data. SPIE Medical Imaging V: Image Processing. SPIE, 1991; 1445:38-46:439-442.
2. Dumay ACM, **van der Geest RJ**, Gerbrands JJ, Jansen E, Reiber JHC. Consistent inexact graph matching applied to labelling coronary segments in arteriograms. Proc 11th International Conference on Pattern Recognition 1992 (The Hague Aug 30 - Sept 3 1992):439-442.
3. **van der Geest RJ**, Jansen E, Buller VGM, Reiber JHC. Automated detection of left ventricular epi- and endocardial contours in short-axis MR images. IEEE Comput Comput 1994:33-36
4. **van der Geest RJ**, Buller VGM, Reiber JHC. Automated quantification of flow velocity and volume in the ascending and descending aorta using MR flow velocity mapping. IEEE, Comput Cardiol 1995:29-32.
5. Buller VGM, **van der Geest RJ**, Kool MD, Reiber JHC. Accurate three-dimensional wall thickness measurement from multi-slice short-axis MR imaging. IEEE Comput Cardiol 1995:245-248.
6. Lelieveldt BPF, **van der Geest RJ**, Reiber JHC. Automated model driven localization of the heart and lung surfaces in thoracic MR images. IEEE, Comput Cardiol 1998; 25:9-12.
7. Lelieveldt BPF, Rijdsdam JT, **van der Geest RJ**, Huijsmans DP, Reiber JHC. Model driven interpretation of velocity encoded aortic flow images by means of Voronoi arrangement matrices. IEEE, Comput Cardiol 1998; 25:753-756.
8. Lelieveldt BPF, Sonka M, Bolinger L, Scholtz TD, Kayser HWM, **van der Geest RJ**, Reiber JHC. Anatomical modeling with fuzzy implicit surfaces: application to automated localization of the heart and lung surfaces in thoracic MR Images. In: Samal AKaM, ed. Proc. Information Processing in Medical Imaging, Lecture Notes in Computer Science. Berlin: Springer Verlag, 1999: 400-405.
9. Mitchell SC, Lelieveldt BPF, **van der Geest RJ**, Bosch JG, Reiber JHC, Sonka M. Segmentation of cardiac MR images: An active appearance model approach. proc. SPIE Medical Imaging 2000 Image Processing 2000; 3979:224-234.
10. Egmont-Petersen M, Hogendoorn PCW, **van der Geest RJ**, Bloem JL, and Reiber JHC. Assessment of the influence of preoperative chemotherapy in patients with osteosarcoma by dynamic contrast-enhanced MRI using pharmacokinetic modeling. Bildverarbeitung für der medizin. Handels H, Horst A, Lehmann T, and Meinzer HP. Springer Verslag, Berlin. 399-403, 2001.
11. Schaap JA, de Koning PJH, Janssen JP, Westenberg JJM, **van der Geest RJ**, Reiber JHC. 3D quantification visualization of vascular structures in magnetic resonance angiographic images. International Conference on Computational Science. Sloot PMA, Tan CJK, Dongarra JJ, and Hoekstra AG. 3:242-254, 2002.
12. Guzman R, Remonda L, de Koning PJH, **van der Geest RJ**, Oswald O, Schroth G. Correlation of quantitative MR angiography of the carotid artery with in-vivo measurement during carotid endarterectomy. In: Computer Assisted Radiology and Surgery - CARS 2002. HU Lemke, MW Vannier, K Inamura, AG Farman, K Doi, JHC Reiber (Eds.). Elsevier Science BV 2002: 917-922.
13. Lelieveldt BPF, Uzümcü M, **van der Geest RJ**, Reiber JHC, Sonka M. Multi-view active appearance models for consistent segmentation of multiple standard views: application to long- and short-axis cardiac MR images. In: Computer Assisted Radiology and Surgery - CARS 2003. HU Lemke, MW Vannier, K Inamura, AG Farman, K Doi, JHC Reiber (Eds.). Elsevier Science BV 2003:1141-1146.

14. Angelié E, de Koning PJH, van Assen HC, Danilouchkine M, Koning G, **van der Geest RJ**, Reiber JHC. Automatic tuning of left ventricular segmentation of MR images using genetic algorithms. In: Computer Assisted Radiology and Surgery - CARS 2003. HU Lemke, MW Vannier, K Inamura, AG Farman, K Doi, JHC Reiber (Eds.). Elsevier Science BV 2003:1102-1107.
15. van Assen HC, **van der Geest RJ**, Danilouchkine MG, Lamb HJ, Reiber JHC, Lelieveldt BPF. 3D Active Shape Model matching for left ventricle segmentation in cardiac CT. In: Medical Imaging 2003: Image Processing. M. Sonka, JM Fitzpatrick, Eds. SPIE, Vol. 5032; 2003: 384-93. SPIE, Vol. 5032; 2003:949-957.
16. Van Assen HC, Danilouchkine MG, Behloul F, Lamb HJ, **van der Geest RJ**, Reiber JHC, Lelieveldt BPF. Cardiac LV segmentation using a 3D active shape model driven by fuzzy inference. Proc MICCAI 2003, Lecture Notes in Computer Science 2003; 2878:533-540.
17. Abrahamyan L, Schaap JA, Hoekstra AG, Shamonin D, Box FMA, **van der Geest RJ**, Reiber JHC, Sloot PMA. A problem solving environment for image-based computational hemodynamics. VS Sunderam, GD van Albada, PMA Sloot, JJ Dongarra (Eds.). Computational Science - ICCS 2005: 5th International Conference, Atlanta, GA, USA. Lecture Notes in Computer Science, 3514:287-294. Springer-Verlag Berlin Heidelberg.
18. Milles J, **van der Geest RJ**, Jerosch-Herold M, Reiber JHC, Lelieveldt BPF. Analysis of first-pass myocardial perfusion MRI using independent component analysis. In: SPIE Medical Imaging 2006: Image Processing, JM Reinardt, JPW Pluim Eds. SPIE 2006; Vol 6144: pp-pp 596-604
19. Makowski P, de Koning PJH, Angelié E., Westenberg JJM, **van der Geest RJ**, Reiber JHC. 3D Cylindrical B-Spline Segmentation of Carotid Arteries from MRI Images. In: Lecture Notes in Computer Science, Biomedical Simulation. Springer Berlin/Heidelberg 2006;188-196.

### 11.3 BOOK CHAPTERS AND OTHER PUBLICATIONS

1. Reiber JHC, van der Zwet PMJ, Koning G, von Land CD, Bosch JG, Maurincomme E, **van der Geest RJ**, Gerbrands JJ. Perspectieven in beeldvorming en beeldverwerking. In: Verheugt F (Ed). 'De toekomst van de cardiologie'. Nederlands Hartstichting. 1994: 63-91.
2. Reiber JHC, Goedhart B, Bosch JG, **van der Geest RJ**, Dijkstra J, Koning G, Rezaee MR, Lelieveldt BPF, de Roos A, van der Wall EE, Brusckke AVG. Quantitative cardiovascular image analysis: Current status and what are realistic expectations for the future? In: E.E. van der Wall, V. Manger Cats, J. Baan (Eds) 'Vascular Medicine'. Kluwer Academic Publishers, Dordrecht, 1997:103-131.
3. **van der Geest RJ**, Reiber JHC. Quantification in Cardiac MRI. In: CB Higgins, A de Roos (Eds). 'Cardiovascular MRI and MRA'. Lippincott Williams & Wilkins, Philadelphia, 2003: 70-81.
4. Schaap JA, de Koning PJ, Janssen JP, **van der Geest RJ**, Reiber JH. Quantitative analysis of vascular images, in particular of abdominal aorta aneurysms from 3D CTA data sets. Stud Health Technol Inform. 2004; 103:252-258
5. Lelieveldt BPF, **van der Geest RJ**, Reiber JHC. Towards 'One-Stop' cardiac MR image analysis. Imaging Decision MRI 2004;8:2-12.
6. **van der Geest RJ**, Lelieveldt BPF, Reiber JHC. Quantification in cardiac magnetic resonance imaging and computed tomography. In: C.B. Higgins, A. de Roos (Eds) 'MRI and CT of the cardiovascular system' (second edition). Philadelphia, PN, 2006:91-106.

7. **van der Geest RJ**, Kitslaar PH, de Koning PJH, van 't Klooster R, Jukema WJ, Koning G, Marquering HA, Reiber JHC. Advanced three-dimensional postprocessing in computed tomographic and magnetic resonance angiography. In: Ho VB and Reddy GP (Eds) 'Cardiovascular imaging.' St Louis, MO, 2011:1128-1143.