



Universiteit
Leiden

The Netherlands

Role of fibroblast-like synoviocytes in cartilage degradation during rheumatoid arthritis

Tolboom, Tanja

Citation

Tolboom, T. (2005, October 20). *Role of fibroblast-like synoviocytes in cartilage degradation during rheumatoid arthritis*. Retrieved from <https://hdl.handle.net/1887/4296>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/4296>

Note: To cite this publication please use the final published version (if applicable).

**Role of fibroblast-like synoviocytes
in cartilage degradation during
rheumatoid arthritis**

**Role of fibroblast-like synoviocytes
in cartilage degradation during
rheumatoid arthritis**

PROEFSCHRIFT

*ter verkrijging van
de graad van Doctor aan de Universiteit Leiden,
op gezag van de Rector Magnificus Dr. D. D. Breimer,
hoogleraar in de faculteit Wiskunde en
Natuurwetenschappen en die der Geneeskunde,
volgens besluit van het College voor Promoties
te verdedigen op donderdag 20 oktober 2005
te klokke 15.15 uur*

door

Tanja Annamaria Catharina van Viegen-Tolboom

geboren te Amersfoort in 1977

Promotiecommissie

Promotor: Prof. dr. T.W.J. Huizinga

Copromotor: Dr. R.E.M. Toes

Referent: Prof. Dr. C.L. Verweij (Vrije Universiteit
Amsterdam)

Overige Leden: Prof. Dr. M.H.M. Notermans
Prof. Dr. E.J.H.J. Wiertz

The studies presented in this thesis were performed in Leiden at
the Department of
Rheumatology of the Leiden University Medical Center.

ISBN 909019701x

Contents

1.	Introduction	9
2.	In vitro matrigel fibroblast invasion assay	59
3.	The invasiveness of fibroblast-like synoviocytes is an individual patient characteristic associated with the rate of joint destruction in patients with rheumatoid arthritis	71
4.	Invasive properties of fibroblast-like synoviocytes: correlation with growth characteristics and expression of MMP-1, MMP-3, and MMP-10	83
5.	Correlation between expression of CD44 splice variant v8-v9 and invasiveness of fibroblast-like synoviocytes in an in vitro system	101
6.	Fibroblast-like synoviocytes from rheumatoid arthritis patients express less FLICE-inhibitory protein than fibroblast-like synoviocytes from trauma patients	117
7.	Are the synoviocytes in the lining layer specialized epithelial cells that undergo a transition to mesenchymal cells in rheumatoid arthritis?	123
8.	Fibroblast-like synoviocytes from patients with rheumatoid arthritis are more sensitive to apoptosis induced by the viral protein, apoptin, than fibroblast-like synoviocytes from trauma patients	137
9.	Summary and discussion	151
10.	Nederlandse samenvatting	161
Appendix		
	List of abbreviations	17
	List of publications	179
	Curriculum vitae	181

