



Universiteit
Leiden
The Netherlands

Linkage mapping for complex traits : a regression-based approach

Lebrec, J.J.P.

Citation

Lebrec, J. J. P. (2007, February 21). *Linkage mapping for complex traits : a regression-based approach*. Retrieved from <https://hdl.handle.net/1887/9928>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/9928>

Note: To cite this publication please use the final published version (if applicable).

Bibliography

- Abecasis GR, Cardon LR, and Cookson WO 2000. A general test of association for quantitative traits in nuclear families. *Am J Hum Genet* 66:279–292.
- Abecasis GR, Cherny SS, and Cardon LR 2001. The impact of genotyping error on family-based analysis of quantitative traits. *European Journal of Human Genetics* 9:130–134.
- Abecasis GR, Cherny SS, Cookson WO, and Cardon LR 2002. Merlin - rapid analysis of dense genetic maps using sparse gene flow trees. *Nature Genet* 30:97–101.
- Agresti A 2002. *Categorical Data Analysis*. New York: Wiley Series in Probability and statistics. Second Edition.
- Alcasis L A Abel 2001. Incorporation of covariates in multipoint model-free linkage analysis of binary traits: how important are unaffecteds? *European Journal of Human Genetics* 9:613–620.
- Almasy L and Blangero J 1998. Multipoint quantitative-trait linkage analysis in general pedigrees. *Am J Hum Genet* 62:1198–1211.
- Amos CI 1994. Robust variance-components approach for assessing genetic linkage in pedigrees. *Am J Hum Genet* 54:535–543.
- Amos CI, Elston RC, Wilson AF, and Baileywilson JE 1989. A more powerful robust sib-pair test of linkage for quantitative traits. *Genet Epidemiol* 6:435–449.
- Biernacka JM, Sun L, and Bull SB 2005. Simultaneous localization of two linked disease susceptibility genes. *Genet Epidemiol* 28:33–47.
- Blackwelder WC and Elston RC 1985. A comparison of sib-pair linkage tests for disease susceptibility loci. *Genet Epidemiol* 2:85–97.
- Bohning D, Dietz E, and Schlattmann P 1998. Recent developments in computer-assisted analysis of mixtures. *Biometrics* 2:525–536.
- Boomsma D, Busjahn A, and Peltonen L 2002. Classical twin studies and beyond. *Nat Rev Genet* 3:872–882.
- Breslow NE and Clayton DG 1993. Approximate inference in Generalized Linear Mixed

- models. *J Amer Stat Assoc* 88.
- Burton PR, Tiller KJ, Gurrin LC, Cookson WOCM, Musk AW, and Palmer LJ 1999. Genetic variance components analysis for binary phenotypes using generalized linear mixed models (GLMMs) and gibbs sampling. *Genet Epidemiol* 17:118–140.
- Chen H, Chen J, and Kalbfleisch J 2001. A modified likelihood ratio test for homogeneity in finite mixture models. *J R Statis Soc B* 63:19–29.
- Chen W, Broman K, and Liang K 2004. Quantitative trait linkage analysis by generalized estimating equations: unification of variance components and Haseman-Elston regression. *Genet Epidemiol* 26:265–272.
- Cherny SS, Purcell S, Rijdsdijk F, Hewitt JK, and Sham PC 1999. Selecting maximally informative sibships for QTL linkage analysis. *Behav Genet* 29:352–352.
- Chiou JM, Liang KY, and Chiu YF 2005. Multipoint linkage mapping using sibpairs: Non-parametric estimation of trait effects with quantitative covariates. *Genet Epidemiol* 28:58–69.
- Claus B, Risch N, and Douglas Thompson W 1991. Genetic analysis of breast cancer in the cancer and steroid hormone study. *Am J Hum Genet* 48:232–242.
- Commenges D 1994. Robust genetic linkage analysis based on a score test of homogeneity: the weighted pairwise correlation statistic. *Genet Epidemiol* 11:189–200.
- Cox DR and Hinkley DV 1974. *Theoretical Statistics*. London: Chapman and Hall.
- Cox DR and Reid N 2004. A note on pseudolikelihood constructed from marginal densities. *Biometrika* 91:729–737.
- Cuenco KT, Skatkiewicz JP, and Feingold E 2003. Recent advances in human quantitative-trait-locus mapping: comparison of methods for selected sibling pairs. *Am J Hum Genet* 73:863–873.
- Dempfle A and Loesguen S 2003. Meta-analysis of linkage studies for complex diseases: an overview of methods and a simulation study. *Ann Hum Genet* 68:69–83.
- Dempster AP and Laird DB 1977. Maximum likelihood from incomplete data via the em algorithm (with discussion). *Journal of the Royal Stat Soc, Series B* 39:1–38.
- Deng HW, Xu FH, Liu YZ, Shen H, Deng HY, Huang QY, Liu YJ, Conway T, Li J, Davies K, and Recker RR 2002. A whole-genome linkage scan suggests several genomic regions potentially containing qtls underlying the variation of stature. *Am J Med Genet* 113:29–39.

- DerSimonian R and Laird N 1986. Meta-analysis in clinical trials. *Controlled Clinical Trials* 7:177–188.
- Devlin B and Roeder K 1999. Genomic control for association studies. *Biometrics* 55:997–1004.
- Dolan CV and Boomsma DI 1998a. Optimal selection of sib pairs from random samples for linkage analysis of a qtl using the edac test. *Behav Genet* 28:197–206.
- Dolan CV and Boomsma DI 1998b. Optimal selection of sib pairs from random samples for linkage analysis of a QTL using the EDAC test. *Behav Genet* 28:197–206.
- Dolan CV, Boomsma DI, and Neale MC 1999. A simulation study of the effects of assignment of prior identity-by-descent probabilities to unselected sib pairs, in covariance-structure modeling of a quantitative-trait locus. *Am J Hum Genet* 64:268–280.
- Douglas JA, Boehnke M, and Lange K 2000. A multipoint method for detecting genotyping errors and mutations in sibling-pair linkage data. *Am J Hum Genet* 66:1287–1297.
- Dudoit S and Speed TP 2000. A score test for the linkage analysis of qualitative and quantitative traits based on identity by descent data from sib-pairs. *Biostatistics* 1:1–26.
- Eaves L and Meyer J 1994. Locating human quantitative trait loci - guidelines for the selection of sibling pairs for genotyping. *Behav Genet* 24:443–455.
- Efron B and Tibshirani R 2002. Empirical bayes methods and false discovery rates for microarrays. *Genet Epidemiol* 23:70–86.
- Eilers PHC and Goeman JJ 2004. Enhancing scatterplots with smoothed densities. To appear in *Bioinformatics* 20 .
- Ekstrøm CT 2004. Multipoint linkage analysis of quantitative traits on sex-chromosomes. *Genet Epidemiol* 26:218–230.
- Ekstrøm CT and Dalgaard P 2003. Linkage analysis of quantitative trait loci in the presence of heterogeneity. *Hum Hered* 55:16–26.
- Elston RC, Song D, and Iyengar SK 2005. Mathematical assumptions versus biological reality: Myths in affected sib pair linkage analysis. *Am J Hum Genet* 76:152–156.
- Etzel CJ and Guerra R 2002. Meta-analysis of genetic-linkage analysis of quantitative-trait loci. *Am J Hum Genet* 71:56–65.
- Evans DM and Cardon LR 2004. Guidelines for genotyping in genomewide linkage studies: Single-nucleotide-polymorphism maps versus microsatellite maps. *Am J Hum Genet*

75:687–692.

Feingold E, Brown PO, and Siegmund D 1993. Gaussian models for genetic analysis using complete high-resolution maps of identity by descent. *Am J Hum Genet* 53:234–251.

Fisher RA 1918. The correlation between relatives on the supposition of mendelian inheritance. *Trans of the Royal Soc of Edinburgh* 52:399–433.

Glidden DV, Liang KY, Chiu YF, and Pulver AE 2003. Multipoint affected sibpair linkage methods for localizing susceptibility genes of complex diseases. *Genet Epidemiol* 24:107–117.

Greenwood C and Bull S 1999. Analysis of affected sib pairs, with covariates - with and without constraints. *Am J Hum Genet* 64:871–885.

Gu C, , Todorov A, and Rao DC 1996. Combining extremely concordant sibpairs with extremely discordant sibpairs provides a cost effective way to linkage analysis of qtls. *Genet Epi* 13:513–533.

Gu C, Province M, Todorov A, and Rao DC 1998. Meta-analysis methodology for combining non-parametric sibpair linkage results: genetic homogeneity and identical markers. *Genet Epi* 15:609–626.

Haseman JK and Elston RC 1972. The investigation of linkage between a quantitative trait and a marker locus. *Behav Genet* 2:3–19.

Hirschhorn JN, M LC, Daly MJ, Kirby A, Schaffner S, Burt N, Altshuler D, Parker A, Rioux J, Platko J, Gaudet D, Hudson T, Groop L, and Lander E 2001. analysis of stature in multiple populations reveals several regions with evidence of linkage to adult height. *Am J Hum Genet* 69:106116.

Holliday E, Mowry B, Chant D, and Nyholt D 2005. The importance of modelling heterogeneity in complex disease: application to NIMH schizophrenia genetics initiative data. *Human Heredity* To appear.

Holmans P 1993. Asymptotic properties of affected-sib-pair linkage analysis. *Am J Hum Genet* 52:362–374.

Houwing-Duistermaat JJ, van Houwelingen HC, and de Winter JP 2000. Estimation of individual genetic effects from binary observations on relatives applied to a family history of respiratory illnesses and chronic lung disease of newborns. *Biometrics* 56:808–814.

Kong A and Cox NJ 1997. Allele-sharing models: Lod scores and accurate linkage tests. *Am*

- J Hum Genet 61:1179–1188.
- Kruglyak L, Daly MJ, Reeve-Daly MP, and Lander ES 1996. Parametric and nonparametric linkage analysis: a unified multipoint approach. *Am J Hum Genet* 58:1347–1363.
- Kruglyak L and Lander ES 1995. Complete multipoint sib-pair analysis of qualitative and quantitative traits. *Am J Hum Genet* 57:439–454.
- Lander ES and Botstein D 1989. Mapping mendelian factors underlying quantitative traits using rflp linkage maps. *Genetics* 121:185–199.
- Lander ES and Green P 1987. Construction of multilocus genetic maps in humans. *Proc Natl Acad Sci USA* 84:2363–2367.
- Lange K, Cantor R, Horvath S, Perola M, Sabatti C, Sinsheimer J, and Sobel E 2001. Mendel version 4.0: A complete package for the exact genetic analysis of discrete traits in pedigree and population data sets. *Amer J Hum Genetics* 69(supplement):504–504.
- Lange K, Westale J, and Spence MA 1976. Extensions to pedigree analysis .3. variance components by scoring method. *Ann Hum Genet* 39:485–491.
- le Cessie S and van Houwelingen JC 1994. Logistic regression for correlated binary data. *Applied Statistics* 43:95–108.
- Lebec J, Putter H, and van Houwelingen JC 2004. Score test for detecting linkage to complex traits in selected samples. *Genet Epidemiol* 27:97–108.
- Lebec J, Putter H, and van Houwelingen JC 2006. Potential bias in Generalized Estimating Equations linkage methods under incomplete information. *Genet Epidemiol* 30:94–100.
- Li Z and Rao DC 1996. Random effects model for meta-analysis of multiple quantitative sib pair linkage studies. *Genet Epidemiol* 13:377–383.
- Liang KY, Chiu YF, and Beaty TH 2001. A robust identity-by-descent procedure using affected sib pairs: Multipoint mapping for complex diseases. *Hum Hered* 51:64–78.
- Liang KY and Zeger SL 1986. Longitudinal data analysis using generalized linear models. *Biometrika* 73:13–22.
- Morton NE 1955. Sequential tests for the detection of linkage. *Am J Hum Genet* 7:277–318.
- Mulder E, van Baal C, Gaist D, Kallela M, Kaprio J, Svensson D, Nyholt D, Martin N, MacGregor A, Cherkas L, and Boomsma D 2003. Genetic and environmental influences on migraine: a twin study across six countries. *Twin Research* 6:422–431.
- Neale MC, Boker S, Xie G, and Maes H 1999. *Mx: Statistical Modeling*. Box 126 MCV,

- Richmond, VA 23298: Department of Psychiatry.
- Noh M, Yip B, Lee Y, and Pawitan Y 2005. Multicomponent variance estimation for binary traits in family-based studies. *Genet Epidemiol* 30:37–47.
- Normand ST 1999. Meta-analysis: formulating, evaluating, combining and reporting. *Statistics in Medicine* 18:321–359.
- Olkin I and Sampson A 1998. Comparison of meta-analysis versus analysis of variance of individual patient data. *Biometrics* 54:317–322.
- Olson J 1999. A general conditional-logistic model for affected-relative pair linkage studies. *Am J Hum Genet* 65:1760–1769.
- Ott J 1999. Analysis of human genetic linkage, ed. 3. Baltimore: Johns Hopkins University Press.
- Palmer LJ, Scurrah K, Tobin M, Patel S, Celedon J, Burton P, and ST W 2003. Genome-wide linkage analysis of longitudinal phenotypes using sigma2a random effects (ssars) fitted by gibbs sampling. *BMC Genet* 31:Suppl 1:S12.
- Pearson K 1901. On the correlations of characters not quantitatively measurable. *Phil Trans of the RSS, A* 195:1–47.
- Peng J, Tang H, and Siegmund D 2005. Genome scans with gene-covariate interaction. *Genet Epidemiol* 29:173–184.
- Purcell S, Cherny SS, Hewitt JK, and Sham PC 2001. Optimal sibship selection for genotyping in quantitative trait locus linkage analysis. *Human Heredity* 52:1–13.
- Purcell S and Sham PC 2004. Epistasis in quantitative trait locus linkage analysis: interaction or main effect? *Behavior Genetics* 34:143–152.
- Putter H, Lebec J, and van Houwelingen JC 2003. Selection strategies for linkage studies using twins. *Twin Research* 6:377–382.
- Putter H, Sandkuijl LA, and van Houwelingen JC 2002. Score test for detecting linkage to quantitative traits. *Genet Epidemiol* 22:345–355.
- Rao DC and Province MA 2001. Genetic dissection of complex traits. Academic Press.
- Rijsdijk FV, Hewitt JK, and Sham PC 2001. Analytic power calculation for QTL linkage analysis of small pedigrees. *Eur J Hum Genet* 9:335–340.
- Rijsdijk FV and Sham PC 2000. Effects of pedigree structure and genetic model on the power of QTL linkage analysis. *Behav Genet* 30:417–417.

- Risch N 1990. Linkage strategies for genetically complex traits. ii. the power of affected relative pairs. *Am J Hum Genet* 46:229–241.
- Risch N and Zhang H 1995. Extreme discordant sib pairs for mapping quantitative trait loci in humans. *Science* 268:1584–1589.
- Risch NJ 2000. Searching for genetic determinants in the new millennium. *Nature* 405:847–856.
- Schaid DJ, Guenther J, Christensen G, Hebring S, Rosenow C, Hilker C, McDonnell S, Cunningham J, Slager S, Blute M, and Thibodeau SN 2004. Comparison of microsatellites versus single-nucleotide polymorphisms in a genome linkage screen for prostate cancer-susceptibility loci. *Am J Hum Genet* 75:948–965.
- Schaid DJ, Olson JM, Gauderman WJ, and Elston RC 2003. Regression models for linkage: issues of traits, covariates, heterogeneity, and interaction. *Hum Hered* 55:86–96.
- Schaid DJ, Sinnwell JP, and Thibodeau SN 2005. Robust multipoint identical-by-descent mapping for affected relative pairs. *Am J Hum Genet* 76:128–138.
- Schork NJ 1993. Extended multipoint identity-by-descent analysis of human quantitative traits - efficiency, power, and modeling considerations. *Am J Hum Genet* 53:1306–1319.
- Scurrah K, Palmer L, and Burton P 2000. Variance components analysis for pedigree-based censored survival data using generalized linear mixed models (glmm) and gibbs sampling in bugs. *Genet Epidemiol* 19:127–148.
- Searle SR, Casella G, and McCulloch CE 1992. *Variance Components*. New York: Wiley.
- Self SG and Liang KY 1987. Asymptotic properties of maximum likelihood estimators and likelihood ratio tests under nonstandard conditions. *J Am Stat Assoc* 82:605–610.
- Sham PC 1998. *Statistics in Human Genetics. Applications of Statistics*. London: Arnold.
- Sham PC and Purcell S 2001. Equivalence between Haseman-Elston and Variance-Components linkage analyses for sib-pairs. *Am J Hum Genet* 68:1527–1532.
- Sham PC, Purcell S, Cherny SS, and Abecassis GR 2002. Powerful regression-based quantitative-trait linkage analysis of general pedigrees. *Am J Hum Genet* 71:238–253.
- Sham PC, Zhao JH, Cherny SS, and Hewitt JK 2000. Variance-components qtl linkage analysis of selected and nonnormal samples: Conditioning on trait values. *Genet Epidemiol* 19:S22–S28.
- Shapiro A 1988. Towards a unified theory of inequality constrained testing in multivariate

- analysis. *International Statistical Review* 56:49–62.
- Silventoinen K, Sammalisto S, Perola M, Boomsma DI, Cornes BK, Davis C, Dunkel L, de Lange M, Harris JR, Hjelmberg JVB, Luciano M, Martin NG, Mortensen J, Nisticò L, Pedersen N, Skytthe A, Spector TD, Stazi MA, Willemsen G, and Kapprio J 2003. Heritability of adult body height: a comparative study of twin cohorts in eight countries. *Twin Research* 6:399–408.
- Skatkiewicz JP, Cuenco KT, and Feingold E 2003. Recent advances in human quantitative-trait-locus mapping: comparison of methods for discordant sibling pairs. *Am J Hum Genet* 73:874–885.
- Sobel E, Papp J, and Lange K 2002. Detection and integration of genotyping errors in statistical genetics. *Am J Hum Genet* 70:496–508.
- Tang HK and Siegmund D 2001. Mapping quantitative trait loci in oligogenic models. *Biostatistics* 2:147–162.
- Tang HK and Siegmund D 2002. Mapping multiple genes for complex or quantitative traits. *Genet Epidemiol* 22:313–327.
- Teng J and Siegmund D 1997. Combining information within and between pedigrees for mapping complex traits. *Am J Hum Genet* 60:979–992.
- Teng J and Siegmund D 1998. Multipoint linkage analysis using affected relative pairs and partially informative markers. *Biometrics* 54:1247–1265.
- Tritchler D, Liu Y, and Fallah S 2003. A test of linkage for complex discrete and continuous traits in nuclear families. *Biometrics* 59:382–392.
- van Houwelingen JC, Arends LR, and Stijnen T 2002. Advanced methods in meta-analysis: multivariate approach and meta-regression. *Statistics in Medicine* 21:589–624.
- Verbeke G and Molenberghs G 2003. The use of score tests for inference on variance components. *Biometrics* 59:254–262.
- Wang K 2002. Mapping quantitative trait loci using multiple phenotypes in general pedigrees. *Human Heredity* 55.
- Wang K and Huang J 2002a. A score-statistic approach for the mapping of quantitative-trait loci with sibships of arbitrary size. *Am J Hum Genet* 70:412–424.
- Wang K and Huang J 2002b. Score test for mapping quantitative-trait loci with sibships of arbitrary size when the dominance effect is not negligible. *Genet Epidemiol* 23:498–412.

- Wehrens R, Putter H, and Buydens LMC 2000. The bootstrap: a tutorial. *Chemometrics and Intelligent Lab Sys* 54:35–52.
- Whittemore AS and Halpern J 1994. A class of tests for linkage using affected pedigree members. *Biometrics* 50:118–127.
- Willemsen G, Boomsma DI, Beem AL, Vink JM, Slagboom PE, and Posthuma D 2004. Qtls for height: results of a full genome scan in dutch siblings. *European Journal of Human Genetics* pp. 1–9.
- Williams JT and Blangero J 1999. Power of variance component linkage analysis to detect quantitative trait loci. *Am J Hum Genet* 63:545–563.
- Wise LH, Lanchbury JS, and Lewis CM 1999. Meta-analyses of genome searches. *Ann Hum Genet* 63:263–272.
- Zeegers M, Rice J, Rijdsijk F, Abecasis G, and Sham P 2003. Regression-based sib pair linkage analysis for binary traits. *Human Heredity* 55:125–131.

