



Universiteit
Leiden
The Netherlands

Optimal photosensitzers for photodynamic therapy : the preparation and characterization of novel photosensitzers derived from mesoporphyrin

Haas, H.H.S. van der

Citation

Haas, H. H. S. van der. (2006, June 14). *Optimal photosensitzers for photodynamic therapy : the preparation and characterization of novel photosensitzers derived from mesoporphyrin*. Department Bio-Organic Photochemistry, Faculty of Mathematics and Natural Sciences, Leiden University. Retrieved from <https://hdl.handle.net/1887/11405>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/11405>

Note: To cite this publication please use the final published version (if applicable).

Optimal Photosensitizers for Photodynamic Therapy

The Preparation and Characterization of
Novel photosensitizers derived from
Mesoporphyrin

Proefschrift

Ter verkrijging van de graad van Doctor aan de Universiteit Leiden,
op gezag van de Rector Magnificus Dr. D. D. Breimer,
hoogleraar in de faculteit der Wiskunde en Natuurwetenschappen en die der
Geneeskunde, volgens besluit van het College voor Promoties
te verdedigen op woensdag 14 juni
klokke 14.15 uur.

door

Hendricus Nicolaas Sebastiaan van der Haas

Geboren op 8 april 1972

in Voorburg

Promotor: Prof. Dr. J. Lugtenburg

Co-promotor: Dr. J. J. Schuitmaker

Referent: Prof. Dr. J. Cornelisse

Overige Leden: Prof. Dr. J. Brouwer

Dr. P. Gast

Prof. Dr. J. Reek

The work described in this thesis was financially supported by
Technologiestichting STW as the project with number LGN4890.

Contents

Chapter 1 General introduction.....	1
§ 1.1 Biological role of iron porphyrins.....	2
§ 1.2 Biological role of magnesium porphyrin derivatives.....	4
§ 1.3 Photodynamic therapy.....	5
§ 1.4 Nomenclature of porphyrins.....	7
§ 1.5 Outline of the thesis.....	8
§ 1.6 References.....	9
Chapter 2 The Synthesis of the Dimethylester of Quino[4,4a,5,6-efg]-7-demethyl-8-deethylmesoporphyrin and Three of its Isomers with Unprecedented Peri-Condensed Quinoline Porphyrin Structures. Molecules with outstanding properties as sensitizer for a photodynamic therapy in the near infrared and far red region of the visible spectrum.....	11
§ 2.1 Introduction.....	12
§ 2.2 Synthesis.....	15
§ 2.3 Structural analysis.....	17
§ 2.4 Plausible steps in the formation of the peri-condensed quinoline porphyrin system.....	23
§ 2.5 Photochemical singlet oxygen formation.....	25
§ 2.6 Biological effects of 6a	26
§ 2.7 Conclusions.....	26
§ 2.8 Experimental section.....	27
§ 2.9 Acknowledgements.....	40
§ 2.10 References.....	41
Chapter 3 The Synthesis of the Dimethylester of 2'-Cyano-8'-formyl-N'-methyl-1',1a',5a',6'-tetrahydroacrido-[4,5,5a,6-bcd]-annulated 2,3-Dihydromesoporphyrin. A Novel System with Outstanding Properties as Basis for Photodynamic Therapy in the Far-Red Region of the Visible Spectrum.....	43
§ 3.1 Introduction.....	44

§ 3.2 Synthesis.....	44
§ 3.3 NMR spectroscopy.....	47
§ 3.4 Reaction Mechanism.....	52
§ 3.5 Exploration of the reactivity of [5-(2'-cyanovinyl)mesoporphyrin dimethylester] nickel complex (1) with other electrophiles.....	54
§ 3.6 Photochemical singlet oxygen formation.....	58
§ 3.7 Biological effect of 5	59
§ 3.8 Conclusions.....	59
§ 3.9 Experimental section.....	60
§ 3.10 Acknowledgements.....	66
§ 3.11 References.....	67
Chapter 4 NMR-studies of bis 2,2-Alkoxy-N-ethylamides of Meso-, Proto- and Deuteroporphyrin derivatives.....	69
§ 4.1 Introduction.....	70
§ 4.2 ^1H NMR spectroscopy.....	71
§ 4.3 Conclusion.....	78
§ 4.4 Experimental section.....	79
§ 4.5 References.....	92
Chapter 5 General Discussion and Prospects.....	93
§ 5.1 General discussion.....	94
§ 5.2 Biological properties of the new photosensitizers.....	98
§ 5.3 References.....	99
Samenvatting.....	101
Summary.....	107
Curriculum Vitae.....	111
List of Publications.....	112
Nwoord.....	115