



Universiteit
Leiden
The Netherlands

Automated analysis and visualization of preclinical whole-body microCT data

Baiker, M.

Citation

Baiker, M. (2011, November 17). *Automated analysis and visualization of preclinical whole-body microCT data*. Retrieved from <https://hdl.handle.net/1887/18101>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/18101>

Note: To cite this publication please use the final published version (if applicable).

References

- [1] H. Herschman, “Molecular imaging: looking at problems, seeing solutions,” *Science*, vol. 302, no. 5645, p. 605, 2003.
- [2] T. F. Massoud and S. S. Gambhir, “Molecular imaging in living subjects: seeing fundamental biological processes in a new light,” *Genes Dev*, vol. 17, no. 5, pp. 545–580, Mar 2003.
- [3] R. Weissleder and U. Mahmood, “Molecular imaging,” *Radiology*, vol. 219, no. 2, pp. 316–333, May 2001.
- [4] I. J. Hildebrandt and S. S. Gambhir, “Molecular imaging applications for immunology,” *Clin Immunol*, vol. 111, no. 2, pp. 210–224, May 2004.
- [5] E. Kaijzel, G. van der Pluijm, and C. Löwik, “Whole-body optical imaging in animal models to assess cancer development and progression,” *Clinical Cancer Research*, vol. 13, no. 12, p. 3490, 2007.
- [6] E. Kaijzel, T. Snoeks, J. Buijs, G. van der Pluijm, and C. Löwik, “Multimodal imaging and treatment of bone metastasis,” *Clinical and Experimental Metastasis*, vol. 26, no. 4, pp. 371–379, 2009.
- [7] P. Kok, J. Dijkstra, C. P. Botha, F. H. Post, E. Kaijzel, I. Que, C. W. G. M. Löwik, J. H. C. Reiber, and B. P. F. Lelieveldt, “Integrated visualization of multi-angle bioluminescence imaging and micro CT,” in *Proc. of SPIE Medical Imaging*, vol. 6509, 2007, pp. 1–10.
- [8] G. Wang, W. Cong, K. Durairaj, X. Qian, H. Shen, P. Sinn, E. Hoffman, G. Mcلنан, and M. Henry, “In vivo mouse studies with bioluminescence tomography,” *Optics express*, vol. 14, pp. 7801–7809, 2006.
- [9] G. Alexandrakis, F. Rannou, and A. Chatzioannou, “Effect of optical property estimation accuracy on tomographic bioluminescence imaging: simulation of a combined optical PET (OPET) system,” *Physics in Medicine and Biology*, vol. 51, pp. 2045–2053, 2006.
- [10] M. Baiker, B. Vastenhout, W. Branderhorst, J. H. C. Reiber, F. Beekman, and B. P. F. Lelieveldt, “Atlas-driven scan planning for high-resolution micro-SPECT data acquisition based on multi-view photographs: a pilot study,” in *Proc. of SPIE Medical Imaging*, vol. 7261, 2009, pp. 7261L–1–7261L–8.

References

- [11] S. M. Janib, A. S. Moses, and J. A. MacKay, “Imaging and drug delivery using theranostic nanoparticles,” *Adv Drug Deliv Rev*, vol. 62, no. 11, pp. 1052–1063, Aug 2010.
- [12] J. B. A. Maintz and M. A. Viergever, “A survey of medical image registration,” *Medical Image Analysis*, vol. 2, no. 1, pp. 1–36, 1998.
- [13] D. L. G. Hill, P. G. Batchelor, M. Holden, and D. J. Hawkes, “Medical image registration,” *Physics in Medicine and Biology*, vol. 46, no. 3, pp. R1–R45, 2001.
- [14] B. Zitova and J. Flusser, “Image registration methods: a survey,” *Image and Vision Computing*, vol. 21, no. 11, pp. 977–1000, 2003.
- [15] J. P. W. Pluim, J. B. A. Maintz, and M. A. Viergever, “Mutual-information-based registration of medical images: a survey,” *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. 22, no. 8, pp. 986–1004, Aug 2003.
- [16] P. Kok, M. Baiker, E. Hendriks, F. Post, J. Dijkstra, C. Lowik, B. Lelieveldt, and C. Botha, “Articulated Planar Reformation for Change Visualization in Small Animal Imaging,” *IEEE Transactions on Visualization and Computer Graphics*, vol. 16, no. 6, pp. 1396–1404, 2010.
- [17] M. Baiker, J. Milles, J. Dijkstra, T. D. Henning, A. W. Weber, I. Que, E. L. Kaijzel, C. W. G. M. Löwik, J. H. C. Reiber, and B. P. F. Lelieveldt, “Atlas-based whole-body segmentation of mice from low-contrast Micro-CT data,” *Medical Image Analysis*, vol. 14, no. 6, pp. 723–737, Dec 2010.
- [18] N. Kovacevic, G. Hamarneh, and M. Henkelman, “Anatomically guided registration of whole body mouse MR images,” in *Medical Image Computing and Computer-Assisted Intervention—MICCAI 2003*, 2003, pp. 870–877.
- [19] S. Somayajula, A. A. Joshi, and R. M. Leahy, “Mutual information based non-rigid mouse registration using a scale-space approach,” in *Proc. IEEE Intl. Symp. on Biomedical Imaging*, 2008, pp. 1147–1150.
- [20] A. J. Chaudhari, A. A. Joshi, F. Darvas, and R. M. Leahy, “A method for atlas-based volumetric registration with surface constraints for optical bioluminescence tomography in small animal imaging,” in *Proc. of SPIE Medical Imaging*, vol. 6510, 2007, pp. 651024–1–651024–10.
- [21] A. Joshi, A. Chaudhari, C. Li, J. Dutta, S. Cherry, D. Shattuck, A. Toga, and R. Leahy, “DigiWarp: a method for deformable mouse atlas warping to surface topographic data,” *Physics in Medicine and Biology*, vol. 55, p. 6197, 2010.
- [22] M. Staring, S. Klein, and J. P. W. Pluim, “Nonrigid registration with tissue-dependent filtering of the deformation field,” *Phys. Med. Biol.*, vol. 52, no. 23, pp. 6879–6892, 2007.

References

- [23] ——, “A Rigidity Penalty Term for Nonrigid Registration,” *Medical Physics*, vol. 34, no. 11, pp. 4098 – 4108, November 2007.
- [24] D. Xiao, D. Zahra, P. Bourgeat, P. Berghofer, O. A. Tamayo, C. Wimberley, M. Greigoire, and O. Salvado, “An improved 3D shape context registration method for non-rigid surface registration,” in *Proc. of SPIE Medical Imaging*, 2010.
- [25] X. Li, T. E. Yankeelov, T. E. Peterson, J. C. Gore, and B. M. Dawant, “Constrained non-rigid registration for whole body image registration: method and validation,” in *Proc. of SPIE Medical Imaging*, vol. 6512, 2007, pp. 651202–1–651202–8.
- [26] ——, “Automatic nonrigid registration of whole body CT mice images,” *Medical Physics*, vol. 35, no. 4, pp. 1507–1520, 2008.
- [27] J. W. Suh, D. Scheinost, D. P. Dione, L. W. Dobrucki, A. J. Sinusas, and X. Papademetris, “A non-rigid registration method for serial lower extremity hybrid SPECT/CT imaging,” *Medical Image Analysis*, Sep 2010.
- [28] J. F. Krücker, G. L. LeCarpentier, J. B. Fowlkes, and P. L. Carson, “Rapid elastic image registration for 3-D ultrasound,” *IEEE Transactions on Medical Imaging*, vol. 21, no. 11, pp. 1384–1394, Nov. 2002.
- [29] V. Walimbe and R. Shekhar, “Automatic elastic image registration by interpolation of 3D rotations and translations from discrete rigid-body transformations,” *Medical Image Analysis*, vol. 10, no. 6, pp. 899–914, Dec 2006.
- [30] O. Commowick, V. Arsigny, A. Isambert, J. Costa, F. Dhermain, F. Bidault, P.-Y. Bondiau, N. Ayache, and G. Malandain, “An efficient locally affine framework for the smooth registration of anatomical structures.” *Medical Image Analysis*, vol. 12, no. 4, pp. 427–441, Aug 2008.
- [31] V. Arsigny, O. Commowick, N. Ayache, and X. Pennec, “A fast and log-euclidean polyaffine framework for locally linear registration,” *J. Math. Imaging Vis.*, vol. 33, no. 2, pp. 222–238, 2009.
- [32] M. A. Martín-Fernández, E. Muñoz Moreno, M. Martín-Fernández, and C. Alberola-López, “Articulated registration: elastic registration based on a wire model,” in *Proc. of SPIE Medical Imaging*, vol. 5747, 2005, pp. 182–191.
- [33] A. du Bois d’Aische, M. De Craene, B. Macq, and S. K. Warfield, “An articulated registration method,” in *Proc. IEEE Intl. Conf. on Image Processing*, vol. 1, 2005, pp. 21–24.
- [34] M. Van De Giessen, G. Streekstra, S. Strackee, M. Maas, K. Grimbergen, L. Van Vliet, and F. Vos, “Constrained registration of the wrist joint,” *IEEE Transactions on Medical Imaging*, vol. 28, no. 12, pp. 1861–1869, 2009.

References

- [35] X. Papademetris, D. P. Dione, L. W. Dobrucki, L. Staib, and S. A. J., "Articulated rigid registration for serial lower-limb mouse imaging," in *Medical Image Computing and Computer-Assisted Intervention–MICCAI 2005*, 2005, pp. 919–926.
- [36] B. Dogdas, D. Stout, A. F. Chatzioannou, and R. M. Leahy, "Digimouse: a 3D whole body mouse atlas from CT and cryosection data," *Physics in Medicine and Biology*, vol. 52, no. 3, pp. 577–587, 2007.
- [37] P. J. Slomka, "Software approach to merging molecular with anatomic information," *J Nucl Med*, vol. 45 Suppl 1, pp. 36S–45S, Jan 2004.
- [38] M. Jan, Y. Ni, K. Chen, H. Liang, K. Chuang, and Y. Fu, "A combined micro-PET/CT scanner for small animal imaging," *Nuclear Instruments and Methods in Physics Research Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, vol. 569, no. 2, pp. 314–318, 2006.
- [39] A. Weisenberger, R. Wojcik, E. Bradley, P. Brewer, S. Majewski, J. Qian, A. Ranck, M. Saha, K. Smith, M. Smith *et al.*, "SPECT-CT system for small animal imaging," *IEEE Transactions on Nuclear Science*, vol. 50, no. 1, pp. 74–79, 2003.
- [40] S. Maramraju, S. Smith, S. Junnarkar, D. Schulz, S. Stoll, B. Ravindranath, M. Purschke, S. Rescia, S. Southeekal, J. Pratte *et al.*, "Small animal simultaneous PET/MRI: initial experiences in a 9.4 T microMRI," *Physics in Medicine and Biology*, vol. 56, p. 2459, 2011.
- [41] C. Goetz, E. Breton, P. Choquet, V. Israel-Jost, and A. Constantinesco, "SPECT low-field MRI system for small-animal imaging," *J Nucl Med*, vol. 49, no. 1, pp. 88–93, Jan 2008.
- [42] P. B. Zanzonico and S. A. Nehmeh, "Introduction to clinical and laboratory (small-animal) image registration and fusion," in *28th Annual International Conference of the IEEE Engineering in Medicine and Biology Society*, vol. 1, 2006, pp. 1580–1583.
- [43] D. Stout and H. Zaidi, "Preclinical multimodality imaging in vivo," *PET Clinics*, vol. 3, no. 3, pp. 251–273, 2008.
- [44] D. V. McLaughlin W, "Kodak in vivo imaging system: precise co registration of molecular imaging with anatomical x-ray imaging in animals," Available at: <http://www.carestreamhealth.com/WorkArea/showcontent.aspx?id=5360874>, (Accessed May 3rd, 2011).
- [45] A. Douraghy, F. R. Rannou, R. W. Silverman, and A. F. Chatzioannou, "FPGA Electronics for OPET: A Dual-Modality Optical and Positron Emission Tomograph," *IEEE Transactions on Nuclear Science*, vol. 55, no. 5, pp. 2541–2545, 2008.
- [46] C. Li, G. Mitchell, J. Dutta, S. Ahn, R. Leahy, and S. Cherry, "A three-dimensional multispectral fluorescence optical tomography imaging system for small animals based on a conical mirror design," *Optics express*, vol. 17, no. 9, p. 7571, 2009.

References

- [47] L. Cao, M. Breithaupt, and J. Peter, “Geometrical co-calibration of a tomographic optical system with CT for intrinsically co-registered imaging,” *Physics in Medicine and Biology*, vol. 55, p. 1591, 2010.
- [48] E. Hillman and A. Moore, “All-optical anatomical co-registration for molecular imaging of small animals using dynamic contrast,” *Nature photonics*, vol. 1, no. 9, pp. 526–530, 2007.
- [49] P. Chow, D. Stout, E. Komisopoulou, and A. Chatzioannou, “A method of image registration for small animal, multi-modality imaging,” *Physics in Medicine and Biology*, vol. 51, p. 379, 2006.
- [50] D. Rowland, J. Garbow, R. Laforest, and A. Snyder, “Registration of [18F] FDG microPET and small-animal MRI,” *Nuclear medicine and Biology*, vol. 32, no. 6, pp. 567–572, 2005.
- [51] B. Fei, H. Wang, R. Muzic Jr, C. Flask, D. Wilson, J. Duerk, D. Feyes, and N. Oleinick, “Deformable and rigid registration of MRI and microPET images for photodynamic therapy of cancer in mice,” *Medical Physics*, vol. 33, p. 753, 2006.
- [52] F. Beekman and B. Hutton, “Multi-modality imaging on track,” *European journal of nuclear medicine and molecular imaging*, vol. 34, no. 9, pp. 1410–1414, 2007.
- [53] M. Jan, K. Chuang, G. Chen, Y. Ni, S. Chen, C. Chang, J. Wu, T. Lee, and Y. Fu, “A three-dimensional registration method for automated fusion of micro PET-CT-SPECT whole-body images,” *IEEE Transactions on Medical Imaging*, vol. 24, no. 7, pp. 886–893, 2005.
- [54] C. Kuo, O. Coquoz, T. Troy, H. Xu, and B. Rice, “Three-dimensional reconstruction of in vivo bioluminescent sources based on multispectral imaging,” *Journal of Biomedical Optics*, vol. 12, p. 024007, 2007.
- [55] M. Allard, D. Côté, L. Davidson, J. Dazai, and R. Henkelman, “Combined magnetic resonance and bioluminescence imaging of live mice,” *Journal of Biomedical Optics*, vol. 12, p. 034018, 2007.
- [56] J. Humm, D. Ballon, Y. Hu, S. Ruan, C. Chui, P. Tulipano, A. Erdi, J. Koutcher, K. Zakian, M. Urano *et al.*, “A stereotactic method for the three-dimensional registration of multi-modality biologic images in animals: NMR, PET, histology, and autoradiography,” *Medical Physics*, vol. 30, p. 2303, 2003.
- [57] Z. Xia, X. Huang, X. Zhou, Y. Sun, V. Ntziachristos, and S. Wong, “Registration of 3-D CT and 2-D flat images of mouse via affine transformation,” *IEEE Transactions on Information Technology in Biomedicine*, vol. 12, no. 5, pp. 569–578, 2008.
- [58] A. J. Chaudhari, F. Darvas, J. R. Bading, R. A. Moats, P. S. Conti, D. J. Smith, S. R. Cherry, and R. M. Leahy, “Hyperspectral and multispectral bioluminescence optical tomography for small animal imaging,” *Phys. Med. Biol.*, vol. 50, pp. 5421–5441, 2005.

References

- [59] W. P. Segars, B. M. W. Tsui, E. C. Frey, G. A. Johnson, and S. S. Berr, “Development of a 4D digital mouse phantom for molecular imaging research,” *Molecular Imaging and Biology*, vol. 6, no. 3, pp. 149–159, 2004.
- [60] X. Bai, L. Yu, Q. Liu, J. Zhang, A. Li, D. Han, Q. Luo, and H. Gong, “A high-resolution anatomical rat atlas,” *Aging Cell*, vol. 209, no. 5, pp. 707–708, 2006.
- [61] L. Wu, G. Zhang, Q. Luo, and Q. Liu, “An image-based rat model for monte carlo organ dose calculations,” *Medical Physics*, vol. 35, pp. 3759–3764, 2008.
- [62] J. Talairach and P. Tournoux, *Co-planar stereotaxic atlas of the human brain: 3-dimensional proportional system: an approach to cerebral imaging*. Thieme, ISBN-10: 0865772932, 1988.
- [63] Visible human project, www.nlm.nih.gov/research/visible/visible_human.html, (Accessed April 26th, 2011).
- [64] W. P. Segars, D. S. Lalush, and B. M. W. Tsui, “Modeling respiratory mechanics in the MCAT and spline-based MCAT phantoms,” *IEEE Transactions on Nuclear Science*, vol. 48, no. 1, pp. 89–97, 2001.
- [65] H. Zaidi and B. M. W. Tsui, “Review of computational anthropomorphic anatomical and physiological models,” *Proceedings of the IEEE*, vol. 97, no. 12, pp. 1938–1953, 2009.
- [66] A. Toga, E. Santori, R. Hazani, and K. Ambach, “A 3D digital map of rat brain,” *Brain research bulletin*, vol. 38, no. 1, pp. 77–85, 1995.
- [67] R. Broadwell and R. Bleier, “A cytoarchitectonic atlas of the mouse hypothalamus,” *The Journal of Comparative Neurology*, vol. 167, no. 3, pp. 315–339, 1976.
- [68] M. R. Celio, P. R. Hof, F. E. Bloom, and W. G. Young, “A computerized stereotaxic atlas of the mouse brain,” *Soc. Neurosci. Abst*, vol. 24, pp. 1065–1065, 1998.
- [69] A. MacKenzie-Graham, E.-F. Lee, I. D. Dinov, M. Bota, D. W. Shattuck, S. Ruffins, H. Yuan, F. Konstantinidis, A. Pitiot, Y. Ding, G. Hu, R. E. Jacobs, and A. W. Toga, “A multimodal, multidimensional atlas of the C57BL/6J mouse brain,” *J Anat*, vol. 204, no. 2, pp. 93–102, Feb 2004.
- [70] G. Rosen, A. Williams, J. Capra, M. Connolly, B. Cruz, L. Lu, D. Airey, K. Kulakarni, and R. Williams, “The mouse brain library@ www.mbl.org,” in *Int Mouse Genome Conference*, vol. 14, 2000, p. 166.
- [71] P. Thompson, M. Mega, K. Narr, E. Sowell, R. Blanton, and A. Toga, “Brain image analysis and atlas construction,” in *Handbook of Medical Image Proc. and Analysis*, M. Sonka and J. M. Fitzpatrick, Eds. SPIE, Bellingham, Washington, USA, 2000, ch. 17, pp. 1061 – 1130, ISBN-10: 0819436224.

References

- [72] R. M. Brune, J. B. Bard, C. Dubreuil, E. Guest, W. Hill, M. Kaufman, M. Stark, D. Davidson, and R. A. Baldock, “A three-dimensional model of the mouse at embryonic day 9,” *Dev Biol*, vol. 216, no. 2, pp. 457–468, Dec 1999.
- [73] M. Dhenain, S. W. Ruffins, and R. E. Jacobs, “Three-dimensional digital mouse atlas using high-resolution MRI,” *Dev Biol*, vol. 232, no. 2, pp. 458–470, Apr 2001.
- [74] P. Santi and J. Nietfeld, “Development of a mouse cochlea database,” in *ARO Session K4 Inner Ear Anatomy*, vol. 2, 2002.
- [75] <http://www.amiravis.com>, (Accessed: April 26th, 2011).
- [76] M. J. Cook, *Anatomy of the laboratory mouse*. Academic Press Inc., U.S., ISBN-13: 9780121869502, 1965.
- [77] I. Bab, C. Hajbi-Yonissi, Y. Gabet, and R. Müller, *Micro-Tomographic Atlas of the Mouse Skeleton*. Springer, N.Y., USA, ISBN-13: 9780387392547, 2007.
- [78] G. Cheers, *Anatomica*. Weltbild Verlag, ISBN-10: 3828920683, 2004.
- [79] P. J. Besl and N. D. McKay, “A method for registration of 3D shapes,” *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. 14, no. 2, pp. 239–256, 1992.
- [80] F. L. Bookstein, “Principal warps - Thin-Plate Splines and the decomposition of deformations,” *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. 11, no. 6, pp. 567–585, 1989.
- [81] L. Dice, “Measures of the amount of ecologic association between species,” *Ecology*, pp. 297–302, 1945.
- [82] A. P. Zijdenbos, B. M. Dawant, and R. A. Margolin, “Morphometric analysis of white-matter lesions in MR-images - method and validation,” *IEEE Transactions on Medical Imaging*, vol. 13, no. 4, pp. 716–724, 1994.
- [83] M. H. Wildeman, M. Baiker, J. H. C. Reiber, C. W. G. M. Löwik, M. J. T. Reinders, and B. P. F. Lelieveldt, “2D/3D registration of micro-CT data to multi-view photographs based on a 3D distance map,” in *Proc. IEEE Intl. Symp. on Biomedical Imaging*, 2009, pp. 987–990.
- [84] A. Khmelinskii, M. Baiker, X. J. Chen, J. H. C. Reiber, R. M. Henkelman, and B. P. F. Lelieveldt, “Atlas-based organ & bone approximation for ex-vivo Micro-MRI mouse data: a pilot study,” in *Proc. IEEE Intl. Symp. on Biomedical Imaging*, 2010, pp. 1197–1200.
- [85] Y.-Q. Zhou, L. Davidson, R. M. Henkelman, B. J. Nieman, F. S. Foster, L. X. Yu, and X. J. Chen, “Ultrasound-guided left-ventricular catheterization: a novel method of whole mouse perfusion for microimaging,” *Lab Invest*, vol. 84, no. 3, pp. 385–389, Mar 2004.

References

- [86] M. Baiker, J. Dijkstra, I. Que, C. W. G. M. Löwik, J. H. C. Reiber, and B. P. F. Lelieveldt, “Organ approximation in μ CT data with low soft tissue contrast using an articulated whole-body atlas,” in *Proc. IEEE Intl. Symp. on Biomedical Imaging*, 2008, pp. 1267–1270.
- [87] A. Joshi, A. Chaudhari, C. Li, D. Shattuck, J. Dutta, R. Leahy, and A. Toga, “Posture matching and elastic registration of a mouse atlas to surface topography range data,” in *Proc. IEEE Intl. Symp. on Biomedical Imaging*. IEEE, 2009, pp. 366–369.
- [88] J. R. Landis and G. G. Koch, “The measurement of observer agreement for categorical data.” *Biometrics*, vol. 33, no. 1, pp. 159–174, Mar 1977.
- [89] J. J. Bartko, “Measurement and reliability: statistical thinking considerations.” *Schizophr Bull*, vol. 17, no. 3, pp. 483–489, 1991.
- [90] G. Alexandrakis, F. R. Rannou, and A. F. Chatzioannou, “Tomographic bioluminescence imaging by use of a combined optical-PET (OPET) system: a computer simulation feasibility study,” *Phys. Med. Biol.*, vol. 50, no. 17, pp. 4225–4241, Sep 2005.
- [91] X. Zhang, C. Badea, and G. Johnson, “Three-dimensional reconstruction in free-space whole-body fluorescence tomography of mice using optically reconstructed surface and atlas anatomy,” *Journal of Biomedical Optics*, vol. 14, p. 064010, 2009.
- [92] M. A. Martín-Fernández, R. Cárdenes, E. Muñoz Moreno, R. de Luis-García, M. Martín-Fernández, and C. Alberola-López, “Automated articulated registration of hand radiographs,” *Image and vision computing*, vol. 27, no. 8, pp. 1207–1222, 2009.
- [93] M. Baiker, J. Milles, A. M. Vossepoel, I. Que, E. L. Kaijzel, C. W. G. M. Löwik, J. H. C. Reiber, J. Dijkstra, and B. P. F. Lelieveldt, “Fully automated whole-body registration in mice using an articulated skeleton atlas,” in *Proc. IEEE Intl. Symp. on Biomedical Imaging*, 2007, pp. 728–731.
- [94] W. E. Lorensen and H. E. Cline, “Marching cubes: A high resolution 3D surface construction algorithm,” in *SIGGRAPH ’87: Proceedings of the 14th annual conference on Computer graphics and interactive techniques*, 1987, pp. 163–169.
- [95] T. W. Ridler and S. Calvard, “Picture thresholding using an iterative selection method,” *IEEE Transactions on Systems, Man, and Cybernetics*, vol. 8, no. 8, pp. 630–632, 1978.
- [96] G. W. Zack, W. E. Rogers, and S. A. Latt, “Automatic measurement of sister chromatid exchange frequency,” *J. Histochem. Cytochem.*, vol. 25, no. 7, pp. 741–753, 1977.

References

- [97] M. Garland and E. Shaffer, “A multiphase approach to efficient surface simplification,” in *VIS ’02: Proceedings of the conference on Visualization ’02*. Washington, DC, USA: IEEE Computer Society, 2002, pp. 117–124.
- [98] K. Pearson, “On lines and planes of closest fit to systems of points in space,” *Philosophical Magazine*, vol. 2, no. 6, pp. 559–572, 1901.
- [99] H. Chui and A. Rangarajan, “A new point matching algorithm for non-rigid registration,” *Computer Vision and Image Understanding*, vol. 89, no. 3, pp. 114–141, 2003.
- [100] S. Soutiere, C. Tankersley, and W. Mitzner, “Differences in alveolar size in inbred mouse strains,” *Respiratory physiology & neurobiology*, vol. 140, no. 3, pp. 283–291, 2004.
- [101] T. Coleman and Y. Li, “An interior, trust region approach for nonlinear minimization subject to bounds,” *SIAM J Optim*, vol. 6, no. 5, pp. 418–445, 1996.
- [102] R. W. Sumner and J. Popović, “Deformation transfer for triangle meshes,” in *SIGGRAPH ’04: ACM SIGGRAPH 2004 Papers*. New York, NY, USA: ACM Press, 2004, pp. 399–405.
- [103] R. Zayer, C. Rössl, Z. Karni, and H.-P. Seidel, “Harmonic guidance for surface deformation,” in *The European Association for Computer Graphics 26th Annual Conference : EUROGRAPHICS 2005*, ser. Computer Graphics Forum, M. Alexa and J. Marks, Eds., vol. 24, no. 3, Eurographics. Dublin, Ireland: Blackwell, 2005, pp. 601–609.
- [104] S. Belongie, J. Malik, and J. Puzicha, “Shape matching and object recognition using shape contexts,” *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. 24, no. 4, pp. 509–522, 2002.
- [105] A. Elad and R. Kimmel, “On bending invariant signatures for surfaces,” *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. 25, no. 10, pp. 1285–1295, Oct. 2003.
- [106] V. Jain and H. Zhang, “A spectral approach to shape-based retrieval of articulated 3D models,” *Comput. Aided Des.*, vol. 39, no. 5, pp. 398–407, 2007.
- [107] T. Gatzke and C. Grimm, “Curvature maps for local shape comparison,” in *In Shape Modeling International*, 2005, pp. 244–256.
- [108] Y. M. Wang, B. S. Peterson, and L. H. Staib, “3D brain surface matching based on geodesics and local geometry,” *Computer Vision and Image Understanding*, vol. 89, no. 2-3, pp. 252–271, 2003.
- [109] G. Wahba, *Spline models for observational data*. Philadelphia: SIAM, ISBN-13: 9780898712445, 1990.

References

- [110] M. Holden, “A review of geometric transformations for nonrigid body registration,” *IEEE Transactions on Medical Imaging*, vol. 27, no. 1, pp. 111–128, 2008.
- [111] K. Rohr, H. S. Stiehl, R. Sprengel, T. M. Buzug, J. Weese, and M. H. Kuhn, “Landmark-based elastic registration using approximating thin-plate-splines,” *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. 20, no. 6, pp. 526–534, 2001.
- [112] T. Henning, A. W. Weber, J. S. Bauer, R. Meier, J. M. Carlsen, E. J. Sutton, S. Prevrhal, S. I. Ziegler, H. Feussner, H. E. Daldrup-Link, and E. J. Rummeny, “Imaging characteristics of DHOG, a hepatobiliary contrast agent for preclinical microCT in mice,” *Acad. Radiol.*, vol. 15, no. 3, pp. 342–349, 2008.
- [113] R. Kimmel and J. A. Sethian, “Computing geodesic paths on manifolds,” *Proceedings of the National Academy of Sciences of the United States of America*, vol. 95(15), pp. 8431–8435, 1998.
- [114] T. Rohlfing, C. Maurer Jr, D. Bluemke, and M. Jacobs, “Volume-preserving non-rigid registration of MR breast images using free-form deformation with an incompressibility constraint,” *IEEE Transactions on Medical Imaging*, vol. 22, no. 6, pp. 730–741, 2003.
- [115] A. Kanitsar, D. Fleischmann, R. Wegenkittl, P. Felkel, and M. Gröller, “CPR: curved planar reformation,” in *VIS ’02: Proceedings of the conference on Visualization ’02*. IEEE Computer Society, 2002, pp. 37–44.
- [116] T. Ochi, K. Shimizu, Y. Yasuhara, T. Shigesawa, T. Mochizuki, and J. Ikezoe, “Curved Planar Reformatted CT Angiography: Usefulness for the Evaluation of Aneurysms at the Carotid Siphon,” *AJNR. American journal of neuroradiology*, vol. 20, no. 6, pp. 1025–30, Jun. 1999.
- [117] N. Lee and M. Rasch, “Tangential Curved Planar Reformation for Topological and Orientation Invariant Visualization of Vascular Trees,” in *28th Annual International Conference of the IEEE Engineering in Medicine and Biology Society*, 2006, pp. 1073–1076.
- [118] T. Ropinski, S. Hermann, R. Reich, M. Schäfers, and K. Hinrichs, “Multimodal Vessel Visualization of Mouse Aorta PET/CT Scans,” *IEEE Transactions on Visualization and Computer Graphics*, vol. 15, no. 6, pp. 1515—1522, 2009.
- [119] W. Hong, X. Gu, F. Qiu, M. Jin, and A. Kaufman, “Conformal virtual colon flattening,” in *Proceedings of the 2006 ACM symposium on Solid and physical modeling*. ACM, 2006, pp. 85–93.
- [120] H. Lee, S. Lim, and B. Shin, “Unfolding of virtual endoscopy using ray-template,” *Biological and Medical Data Analysis*, pp. 69–77, 2005.

References

- [121] D. Williams, S. Grimm, E. Coto, A. Roudsari, and H. Hatzakis, “Volumetric Curved Planar Reformation for Virtual Endoscopy,” *IEEE Transactions on Visualization and Computer Graphics*, vol. 14, no. 1, pp. 109–119, januari 2008.
- [122] H. Sonnet, S. Carpendale, and T. Strothotte, “Integrating expanding annotations with a 3D explosion probe,” in *Proceedings of the working conference on Advanced visual interfaces*. ACM, 2004, pp. 63–70, ISBN-10: 1581138679.
- [123] S. Bruckner and M. Gröller, “Exploded Views for Volume Data,” *IEEE Transactions on Visualization and Computer Graphics*, vol. 12, no. 5, p. 1077, 2006.
- [124] M. McGuffin, L. Tancau, and R. Balakrishnan, “Using Deformations for Browsing Volumetric Data,” in *Proceedings of IEEE Visualization*, pp. 401–408, 2003.
- [125] N. Gagvani and D. Silver, “Animating Volumetric Models,” *Graphical Models*, vol. 63, no. 6, pp. 443 – 458, 2001.
- [126] H.-G. Pagendarm and F. H. Post, “Comparative Visualization - Approaches and Examples,” in *Visualization in Scientific Computing*, M. Göbel, H. Müller, and B. Urban, Eds. Springer, 1995, pp. 95–108.
- [127] D. Schneider, A. Wiebel, H. Carr, M. Hlawitschka, and G. Scheuermann, “Interactive Comparison of Scalar Fields Based on Largest Contours with Applications to Flow Visualization,” *IEEE Transactions on Visualization and Computer Graphics*, vol. 14, no. 6, pp. 1475–1482, november 2008.
- [128] V. Verma and A. Pang, “Comparative Flow Visualization,” *IEEE Transactions on Visualization and Computer Graphics*, pp. 609–624, 2004.
- [129] J. Woodring and H.-W. Shen, “Multi-variate, Time Varying, and Comparative Visualization with Contextual Cues,” *IEEE Transactions on Visualization and Computer Graphics*, vol. 12, pp. 909–916, 2006.
- [130] S. Klein, M. Staring, K. Murphy, M. Viergever, and J. Pluim, “Elastix: A toolbox for intensity-based medical image registration,” *IEEE Transactions on Medical Imaging*, vol. 29, no. 1, pp. 196–205, 2010.
- [131] H. Levkowitz, *Color Theory and Modeling for Computer Graphics, Visualization and Multimedia Applications*. Springer, ISBN-10: 0792399285, 1997.
- [132] A. Kallergi, Y. Bei, P. Kok, J. Dijkstra, J. Abrahams, and F. Verbeek, “Cyttron: A Virtualized Microscope Supporting Image Integration and Knowledge Discovery,” *Cell Death and Disease Series (Eds. Backendorf, Noteborn, Tavassoli): Proteins Killing Tumour Cells, ResearchSignPost, Kerala India*, pp. 291–315, 2009.
- [133] R. K. Yin, *Case Study Research: Design and Methods*, 4th ed. Sage Publications, ISBN-10:1412960991, 2009.

References

- [134] T. Munzner, “A Nested Process Model for Visualization Design and Validation,” *IEEE Transactions on Visualization and Computer Graphics*, vol. 15, no. 6, 2009.
- [135] H. L. Abrams, R. Spiro, and N. Goldstein, “Metastases in carcinoma; analysis of 1000 autopsied cases,” *Cancer*, vol. 3, pp. 74–85, Jan 1950.
- [136] T. A. Guise and G. R. Mundy, “Cancer and bone,” *Endocr Rev*, vol. 19, no. 1, pp. 18–54, Feb 1998.
- [137] G. R. Mundy, “Metastasis to bone: causes, consequences and therapeutic opportunities,” *Nat Rev Cancer*, vol. 2, no. 8, pp. 584–593, Aug 2002.
- [138] M. Nakai, G. R. Mundy, P. J. Williams, B. Boyce, and T. Yoneda, “A synthetic antagonist to laminin inhibits the formation of osteolytic metastases by human melanoma cells in nude mice,” *Cancer Res*, vol. 52, no. 19, pp. 5395–5399, Oct 1992.
- [139] A. Sasaki, B. F. Boyce, B. Story, K. R. Wright, M. Chapman, R. Boyce, G. R. Mundy, and T. Yoneda, “Bisphosphonate risedronate reduces metastatic human breast cancer burden in bone in nude mice,” *Cancer Res*, vol. 55, no. 16, pp. 3551–3557, Aug 1995.
- [140] T. J. A. Snoeks, E. L. Kaijzel, I. Que, I. M. Mol, C. W. G. M. Löwik, and J. Dijkstra, “Normalized volume of interest selection and measurement of bone volume in MicroCT scans,” *Bone*, 2011, accepted for publication.
- [141] O. Peyruchaud, B. Winding, I. Pécheur, C. M. Serre, P. Delmas, and P. Clézardin, “Early detection of bone metastases in a murine model using fluorescent human breast cancer cells: application to the use of the bisphosphonate zoledronic acid in the treatment of osteolytic lesions,” *J Bone Miner Res*, vol. 16, no. 11, pp. 2027–2034, Nov 2001.
- [142] A. Wetterwald, G. van der Pluijm, I. Que, B. Sijmons, J. Buijs, M. Karperien, C. W. G. M. Löwik, E. Gautschi, G. N. Thalmann, and M. G. Cecchini, “Optical imaging of cancer metastasis to bone marrow: a mouse model of minimal residual disease.” *Am J Pathol*, vol. 160, no. 3, pp. 1143–1153, Mar 2002.
- [143] A. Webb, *Statistical pattern recognition*. John Wiley & Sons Inc, ISBN-10:0470845147, 2002.
- [144] T. Hildebrand and P. Rüegsegger, “A new method for the model-independent assessment of thickness in three-dimensional images,” *Journal of Microscopy*, vol. 185, no. 1, pp. 67–75, 1997.
- [145] R. J. van der Geest, P. H. Kitslaar, P. J. H. de Koning, R. van ’t Klooster, W. J. Jukema, G. Koning, H. A. Marquering, and J. H. C. Reiber, *Cardiovascular imaging*. Elsevier Saunders, St. Louis, USA, 2011, ch. Advanced three-dimensional postprocessing in computed tomographic and magnetic resonance angiography, pp. 1128–1143, ISBN-13: 978-1416053354.

References

- [146] J. M. Bland and D. G. Altman, “Statistical methods for assessing agreement between two methods of clinical measurement.” *Lancet*, vol. 1, no. 8476, pp. 307–310, Feb 1986.
- [147] A. Field and J. Miles, *Discovering statistics using SAS : (and sex and drugs and rock 'n' roll)*. SAGE Publications, ISBN-13: 9781849200912, 2010.
- [148] J. H. Waarsing, J. S. Day, and H. Weinans, “An Improved Segmentation Method for In Vivo CT Imaging,” *Journal of Bone and Mineral Research*, vol. 19, no. 10, pp. 1640–1650, 2004.
- [149] H. M. Patt and M. A. Maloney, “Bone marrow regeneration after local injury: a review,” *Exp Hematol*, vol. 3, no. 2, pp. 135–148, Apr 1975.
- [150] I. Bab, D. Gazit, A. Muhlrad, and A. Shteyer, “Regenerating bone marrow produces a potent growth-promoting activity to osteogenic cells.” *Endocrinology*, vol. 123, no. 1, pp. 345–352, Jul 1988.
- [151] E. Lim, K. Modi, A. Christensen, J. Meganck, S. Oldfield, and N. Zhang, “Monitoring tumor metastases and osteolytic lesions with bioluminescence and micro ct imaging,” *Journal of Visualized Experiments*, no. 50, 2011.
- [152] W. K. Foster and N. L. Ford, “Investigating the effect of longitudinal micro-CT imaging on tumour growth in mice,” *Phys. Med. Biol.*, vol. 56, no. 2, pp. 315–326, Jan 2011.
- [153] L. C. Johnson, R. W. Johnson, S. A. Munoz, G. R. Mundy, T. E. Peterson, and J. A. Sterling, “Longitudinal live animal micro-CT allows for quantitative analysis of tumor-induced bone destruction,” *Bone*, vol. 48, no. 1, pp. 141–151, Jan 2011.
- [154] S. Klein, J. Pluim, M. Staring, and M. Viergever, “Adaptive stochastic gradient descent optimisation for image registration,” *International journal of computer vision*, vol. 81, no. 3, pp. 227–239, 2009.
- [155] D. Rueckert, L. Sonoda, C. Hayes, D. Hill, M. Leach, and D. Hawkes, “Nonrigid registration using free-form deformations: application to breast MR images,” *IEEE Transactions on Medical Imaging*, vol. 18, no. 8, pp. 712–721, 1999.
- [156] P. Sturm, L. Priese, and H. Wang, “A CSC Based Classification Method for CT Bone Images,” in *Proceedings of the Third International Symposium on 3D Data Processing, Visualization and Transmission (3DPVT'06)*. IEEE Computer Society, 2006, pp. 1080–1084.
- [157] E. B. van de Kraats, G. P. Penney, D. Tomazevic, T. van Walsum, and W. Niessen, “Standardized Evaluation Methodology for 2-D-3-D Registration,” *IEEE Transactions on Medical Imaging*, vol. 24, no. 9, pp. 1177–1189, September 2005.

References

- [158] S. Lavallee and R. Szeliski, “Recovering the Position and Orientation of Free-Form Objects from Image Contours Using 3D Distance Maps,” *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. 17, no. 4, pp. 378–390, 1995.
- [159] J. H. Hipwell, G. P. Penney, R. A. McLaughlin, K. Rhode, P. Summers, T. C. Cox, J. V. Byrne, J. A. Noble, and D. J. Hawkes, “Intensity-based 2-D - 3-D registration of cerebral angiograms,” *IEEE Transactions on Medical Imaging*, vol. 22, no. 11, pp. 1417–1426, Nov. 2003.
- [160] P. Markelj, D. Tomazevic, F. Pernus, and B. Likar, “Robust Gradient-Based 3-D/2-D Registration of CT and MR to X-Ray Images,” *IEEE Transactions on Medical Imaging*, vol. 27, no. 12, pp. 1704–1714, Dec. 2008.
- [161] Y. Iwashita, R. Kurazume, T. Hasegawa, and K. Hara, “Fast Alignment of 3D Geometrical Models and 2D Color Images Using 2D Distance Maps,” in *Fifth International Conference on 3D Digital Imaging and Modeling (3DIM)*. Washington, DC, USA: IEEE Computer Society, 2005, pp. 164–171.
- [162] X. Huang, N. Paragios, and D. Metaxas, “Shape registration in implicit spaces using information theory and free form deformations,” *IEEE Transactions on Pattern Analysis and Machine Intelligence*, pp. 1303–1318, 2006.
- [163] P. Danielsson, “Euclidean distance mapping,” *Computer Graphics and image processing*, vol. 14, no. 3, pp. 227–248, 1980.
- [164] C. J. van Rijsbergen, *Information Retrieval*. Butterworth, ISBN-13: 9780408709293, 1979.
- [165] A. Khmelinskii, M. Baiker, P. Kok, J. de Swart, J. H. C. Reiber, M. de Jong, and B. P. F. Lelieveldt, “Atlas-based articulated skeleton segmentation of μ SPECT mouse data,” in *Proc. IEEE Intl. Symp. on Biomedical Imaging*, 2011.
- [166] Y. Lu, A. Douragh, H. B. Machado, D. Stout, J. Tian, H. Herschman, and A. F. Chatzioannou, “Spectrally resolved bioluminescence tomography with the third-order simplified spherical harmonics approximation,” *Phys. Med. Biol.*, vol. 54, pp. 6477–6493, 2009.
- [167] A. Klose, B. Beattie, H. Dehghani, L. Vider, C. Le, V. Ponomarev, and R. Blasberg, “In vivo bioluminescence tomography with a blocking-off finite-difference SP method and MRI/CT coregistration,” *Medical Physics*, vol. 37, pp. 329–338, 2010.
- [168] D. Jacka, A. Reid, B. Merry, and J. Gain, “A comparison of linear skinning techniques for character animation,” in *Proc. 5th int. conf. Comp. graphics, virtual reality, vis. interaction in Africa*. ACM, 2007, pp. 177–186.
- [169] L. Kavan, S. Collins, J. Žára, and C. O’Sullivan, “Geometric skinning with approximate dual quaternion blending,” *ACM Transactions on Graphics (TOG)*, vol. 27, no. 4, p. 105, 2008.

References

