

Proximity effects in superconducting spin-valve structures Flokstra, M.G.

Citation

Flokstra, M. G. (2010, February 17). *Proximity effects in superconducting spin-valve structures. Casimir PhD Series.* Retrieved from https://hdl.handle.net/1887/14751

Version:	Corrected Publisher's Version
License:	Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden
Downloaded from:	https://hdl.handle.net/1887/14751

Note: To cite this publication please use the final published version (if applicable).

Stellingen

behorende bij het proefschrift Proximity effects in superconducting spin-valve structures

- 1. When magnetic domains appear in the superconducting spin-valve structure, they become the dominant factor in the working of the device. *This thesis, chapters 4,5.*
- 2. The suppression of superconductivity in the antiparallel state of a superconducting spin-valve with strongly spin-polarized magnetic banks may have an intrinsic origin, different from mechanisms involving stray fields. *This thesis, chapter 5.*
- 3. The low-energy muon spin resonance experiment is sensitive enough to establish the existence of magnetism on the superconducting side of a superconductor / ferromagnet interface. This thesis, chapter 6.
- 4. In a mesoscopic superconducting wire, a (new) transition mechanism to the normal state appears which is based on non-thermal quasiparticle distribution functions rather than on the (expected) thermodynamical critical current.

This thesis, chapter 7.

- 5. The theoretical description of (thin film) S/F proximity systems stops at the point where their most intriguing property starts: the generation of (long range) triplet correlations. The experimental research is hindered by the fact that it is unclear how to translate the concept of a spin-active interface into an experimental realization.
- 6. Theory has yet to find a way to incorporate a two-spin-band model in a description of the superconducting proximity effect in ferromagnets.
- 7. In S/F proximity systems, the magnetic anisotropy of the ferromagnet is a small energy scale and does not receive much attention. However, it is perfectly capable in significantly changing the properties of the system, and therefore should be taken into consideration.
- 8. The almost standard usage of Green functions to describe the behavior of electrons in superconducting systems has created a large gap between experimentally and theoretically oriented researchers. A status quo is conveniently kept up by both sides.

Machiel Flokstra