



Universiteit  
Leiden

The Netherlands

## **Proteinuria and function loss in native and transplanted kidneys**

Koop, K.

### **Citation**

Koop, K. (2009, September 2). *Proteinuria and function loss in native and transplanted kidneys*. Retrieved from <https://hdl.handle.net/1887/13951>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/13951>

**Note:** To cite this publication please use the final published version (if applicable).

Proteinuria and function loss  
in native and transplanted kidneys



**Mixed Sources**

Product group from well-managed  
forests, controlled sources and  
recycled wood or fibre

---

Cert no. CU-COC-811465  
[www.fsc.org](http://www.fsc.org)

© 1996 Forest Stewardship Council

Koop, Klaas

Proteinuria and function loss in native and transplanted kidneys

Thesis, Leiden University, Leiden, The Netherlands

Cover The glomerular filtration barrier at ~48,000 times magnification.

Adapted from Pavenstadt H, Kriz W, Kretzler M: Cell biology of the glomerular podocyte.  
Physiological Reviews 2003, used with permission.

Printing Gildeprint, Enschede, the Netherlands

ISBN 9789490122430

# Proteinuria and function loss in native and transplanted kidneys

Proefschrift

ter verkrijging van

de graad van Doctor aan de Universiteit Leiden,

op gezag van Rector Magnificus prof. mr. P.F. van der Heijden,

volgens besluit van het College voor Promoties

te verdedigen op woensdag 2 september 2009

klokke 16:15 uur

door

Klaas Koop

geboren te 's Hertogenbosch

in 1979

## Promotiecommissie

Promotor: Prof. dr. J.A. Bruijn  
Co-promotores: Dr. E. de Heer  
Dr. M. Eikmans  
Overige leden: Prof. dr. G.J. Navis  
Universitair Medisch Centrum Groningen  
Prof. dr. B. van de Water  
Prof. dr. A.J. van Zonneveld

The studies described in this thesis were performed at the Department of Pathology (head: prof. dr. G.J. Fleuren), Leiden University Medical Center, Leiden, The Netherlands.

Financial support for the printing of this thesis by the J.E. Jurriaanse Stichting, Stichting het Scholten-Cordes Fonds, Bristol-Myers Squibb B.V., Genzyme B.V. and Novartis Pharma B.V. is gratefully acknowledged.

# Contents

---

- Chapter 1    General introduction  
              The kidney: development, anatomy and function  
              Causes and consequences of proteinuria  
              Long-term dysfunction of kidney transplants
- Chapter 2    Expression of podocyte-associated molecules in acquired human kidney diseases.  
              J Am Soc Nephrol. 2003 Aug;14(8):2063-71
- Chapter 3    Selective loss of podoplanin protein expression accompanies proteinuria and  
              precedes alterations in podocyte morphology in a spontaneous proteinuric rat  
              model.  
              Am J Pathol. 2008 Aug;173(2):315-26
- Chapter 4    Glomerular expression profiling in spontaneously proteinuric rats reveals  
              regulation of cytoskeleton-associated genes, and protein overload-affected  
              genes.  
              Submitted for publication
- Chapter 5    Differentiation between chronic rejection and chronic cyclosporine toxicity by  
              analysis of renal cortical mRNA.  
              Kidney Int. 2004 Nov;66(5):2038-46
- Chapter 6    Early interstitial accumulation of collagen type I discriminates chronic rejection  
              from chronic cyclosporine nephrotoxicity.  
              J Am Soc Nephrol. 2003 Aug;14(8):2142-9
- Chapter 7    General discussion
- Chapter 8    Nederlandse samenvatting
- Appendices    Color figures  
                  Curriculum vitae  
                  Publications

