



Universiteit
Leiden
The Netherlands

Proteinuria and function loss in native and transplanted kidneys

Koop, K.

Citation

Koop, K. (2009, September 2). *Proteinuria and function loss in native and transplanted kidneys*. Retrieved from <https://hdl.handle.net/1887/13951>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/13951>

Note: To cite this publication please use the final published version (if applicable).

Proteinuria and function loss
in native and transplanted kidneys



Mixed Sources

Product group from well-managed
forests, controlled sources and
recycled wood or fibre

Cert no. CU-COC-811465

www.fsc.org

© 1996 Forest Stewardship Council

Koop, Klaas

Proteinuria and function loss in native and transplanted kidneys

Thesis, Leiden University, Leiden, The Netherlands

Cover The glomerular filtration barrier at ~48,000 times magnification.

Adapted from Pavenstadt H, Kriz W, Kretzler M: Cell biology of the glomerular podocyte.
Physiological Reviews 2003, used with permission.

Printing Gildeprint, Enschede, the Netherlands

ISBN 9789490122430

Proteinuria and function loss in native and transplanted kidneys

Proefschrift

ter verkrijging van
de graad van Doctor aan de Universiteit Leiden,
op gezag van Rector Magnificus prof. mr. P.F. van der Heijden,
volgens besluit van het College voor Promoties
te verdedigen op woensdag 2 september 2009
klokke 16:15 uur

door

Klaas Koop
geboren te 's Hertogenbosch
in 1979

Promotiecommissie

Promotor: Prof. dr. J.A. Bruijn

Co-promotores: Dr. E. de Heer

Dr. M. Eikmans

Overige leden: Prof. dr. G.J. Navis
Universitair Medisch Centrum Groningen

Prof. dr. B. van de Water

Prof. dr. A.J. van Zonneveld

The studies described in this thesis were performed at the Department of Pathology (head: prof. dr. G.J. Fleuren), Leiden University Medical Center, Leiden, The Netherlands.

Financial support for the printing of this thesis by the J.E. Jurriaanse Stichting, Stichting het Scholten-Cordes Fonds, Bristol-Myers Squibb B.V., Genzyme B.V. and Novartis Pharma B.V. is gratefully acknowledged.

Contents

- Chapter 1 General introduction
The kidney: development, anatomy and function
Causes and consequences of proteinuria
Long-term dysfunction of kidney transplants
- Chapter 2 Expression of podocyte-associated molecules in acquired human kidney diseases.
J Am Soc Nephrol. 2003 Aug;14(8):2063-71
- Chapter 3 Selective loss of podoplanin protein expression accompanies proteinuria and precedes alterations in podocyte morphology in a spontaneous proteinuric rat model.
Am J Pathol. 2008 Aug;173(2):315-26
- Chapter 4 Glomerular expression profiling in spontaneously proteinuric rats reveals regulation of cytoskeleton-associated genes, and protein overload-affected genes.
Submitted for publication
- Chapter 5 Differentiation between chronic rejection and chronic cyclosporine toxicity by analysis of renal cortical mRNA.
Kidney Int. 2004 Nov;66(5):2038-46
- Chapter 6 Early interstitial accumulation of collagen type I discriminates chronic rejection from chronic cyclosporine nephrotoxicity.
J Am Soc Nephrol. 2003 Aug;14(8):2142-9
- Chapter 7 General discussion
- Chapter 8 Nederlandse samenvatting
- Appendices Color figures
Curriculum vitae
Publications

