



Universiteit
Leiden
The Netherlands

Patterns of coral species richness and reef connectivity in Malaysia

Waheed, Z.

Citation

Waheed, Z. (2016, November 22). *Patterns of coral species richness and reef connectivity in Malaysia*. Retrieved from <https://hdl.handle.net/1887/44304>

Version: Not Applicable (or Unknown)

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/44304>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/44304> holds various files of this Leiden University dissertation

Author: Waheed, Zarinah

Title: Patterns of coral species richness and reef connectivity in Malaysia

Issue Date: 2016-11-22

References

- Abdullah MP (2005) Marine Research Station Layang-Layang Malaysia (MARSAL) 2004 & 2005 highlights. Department of Fisheries Malaysia and Ministry of Agriculture and Agro- based Industry, 52 pp. <http://www.fri.gov.my/marsal/publications.html>
- Abe N (1937) Post larval development of the coral *Fungia actiniformis* var. *palauensis* Doderlein. Palao Tropical Biology Station Studies 1: 73–79.
- Ablan MCA, McManus JW, Chen CA, Shao KT, Bell J, Cabanban AS, Tuan VS, Arthana IW (2002) Meso-scale transboundary units for the management of coral reefs in the South China Sea area. NAGA Report 25: 4–9.
- Adam A, Mohammad-Noor N, Anton A, Saleh E, Saad S, Muhd Shaleh SR (2011) Temporal and spatial distribution of harmful algal bloom (HAB) species in coastal waters of Kota Kinabalu, Sabah, Malaysia. Harmful Algae 10: 495–502. doi: 10.1016/j.hal.2011.03.006
- Affendi YA, Ho N, Kee Alfian AA, Aazani M, Muhammad Ali SH, Nara A, Munirah SS (2012) Reef status. In: Kassem KR, Hoeksema BW, Affendi YA (Eds) Semporna Marine Ecological Expedition. WWF-Malaysia, NCB Naturalis, Universiti Malaysia Sabah. Kota Kinabalu Malaysia, pp. 118–262.
- Affendi YA, Rosman FR (2012) Current knowledge on scleractinian coral diversity of Peninsular Malaysia. In: Kamarruddin I, Mohamed CAR, Rozaimi MJ, Kee Alfian AA, Fitra AZ, Lee JN (Eds) Malaysia's Marine Biodiversity: Inventory and Current Status. Department of Marine Park Malaysia, Putrajaya, pp. 21–31.
- Akaike H (1974) A new look at the statistical model identification. IEEE Transactions on Automatic Control 19(6): 716–723.
- Akhir MFM (2012) Surface circulation and temperature distribution of southern South China Sea from Global Ocean Model (OCCAM). Sains Malaysiana 41(6): 701–714.
- Alcazar DSR, Kochzius M (2015) Genetic population structure of the blue sea star *Linckia laevigata* in the Visayas (Philippines). Journal of the Marine Biological Association of the United Kingdom 96(3): 707–713. <http://dx.doi.org/10.1017/S0025315415000971>
- Anton A, Teoh PL, Muhd-Shaleh SR, Mohammad-Noor N (2008) First occurrence of *Cochlodinium* blooms in Sabah, Malaysia. Harmful Algae 7: 331–336. doi: 10.1016/j.hal.2007.12.013
- Arrigoni R, Kitano YF, Stolarski J, Hoeksema BW, Fukami H, Stefani F, Galli P, Montano S, Castoldi E, Benzioni F (2014a) A phylogeny reconstruction of the Dendrophylliidae (Cnidaria, Scleractinia) based on molecular and micromorphological criteria, and its ecological implications. Zoologica Scripta 43: 661–688. doi: 10.1111/zsc.12072
- Arrigoni R, Richards ZT, Chen CA, Baird AH, Benzioni F (2014b) Taxonomy and phylogenetic relationships of the coral genera *Australomussa* and *Parascolymia* (Scleractinia, Lobophylliidae). Contributions to Zoology 83(3): 195–215.
- Arrigoni R, Terraneo TI, Galli P, Benzioni F (2014c) Lobophylliidae (Cnidaria, Scleractinia) reshuffled: Pervasive non-monophyly at genus level. Molecular Phylogenetics and Evolution 73: 60–64. doi: 10.1016/j.ympev.2014.01.010
- Atkinson MA (2011) Biogeochemistry of nutrients. In: Dubinsky Z, Stambler N (Eds) Coral Reefs: An Ecosystem in Transition. Springer, Dordrecht, pp. 199–206.
- Avise JC, Arnold J, Ball RM, Bermingham E, Lamb T, Neigel JE, Reeb CA, Saunders NC (1987) Intraspecific phylogeography: The mitochondrial DNA bridge between population genetics and systematics. Annual Review of Ecology and Systematics 18: 489–522. doi: 10.1146/annurev.es.18.110187.002421
- Aw SL (2009) Impact of tourism development and proposed management plan for Mabul Island, Sabah, Malaysia. MSc Thesis, Universiti Malaysia Sabah, Kota Kinabalu, Malaysia.
- Aw SL, Muhammad Ali SH (2012) Coral bleaching event in Kota Kinabalu, Sabah, Malaysia. In: International Seminar on Marine Science and Aquaculture, 11–13 March 2012. Universiti Malaysia Sabah, Kota Kinabalu, pp. 80.
- Baird AH, Pratchett MS, Hoey AS, Herdiana Y, Campbell SJ (2013) *Acanthaster planci* is a major cause of coral mortality in Indonesia. Coral Reefs 32(3): 803–812. doi: 10.1007/s00338-013-1025-1
- Barber PH (2009) The challenge of understanding the Coral Triangle biodiversity hotspot. Journal of Biogeography 36(10): 1845–1846. doi: 10.1111/j.1365-2699.2009.02198.x
- Barber PH, Bellwood DR (2005) Biodiversity hotspots: evolutionary origins of biodiversity in wrasses (*Halichoeres*: Labridae) in the Indo-Pacific and new world tropics. Molecular Phylogenetics and Evolution 35(1): 235–253. doi: 10.1016/j.ympev.2004.10.004

- Barber PH, Erdmann MV, Palumbi SR (2006) Comparative phylogeography of three codistributed stomatopods: origins and timing of regional lineage diversification in the Coral Triangle. *Evolution* 60(9): 1825–1839. doi: 10.1111/j.0014-3820.2006.tb00526.x
- Barber PH, Palumbi SR, Erdmann MV, Moosa MK (2002) Sharp genetic breaks among populations of *Haptosquilla pulchella* (Stomatopoda) indicate limits to larval transport: patterns, causes, and consequences. *Molecular Ecology* 11(4): 659–674. doi: 10.1046/j.1365-294X.2002.01468.x
- Barnes DJ, Chalker BE (1990) Calcification and photosynthesis in reef-building corals and algae. In: Dubinsky Z (Ed) *Coral Reefs. Ecosystems of the World* 25. Elsevier Science BV, Amsterdam, pp. 109–131.
- Becking LE, Cleary DFR, de Voogd NJ, Renema W, de Beer M, van Soest RWM, Hoeksema BW (2006) Beta diversity of tropical marine assemblages in the Spermonde Archipelago, Indonesia. *Marine Ecology* 27(1): 76–88. doi: 10.1111/j.1439-0485.2005.00051.x
- Beger M, Selkoe KA, Trembl E, Barber PH, von der Heyden S, Crandall ED, Toonen RJ, Riginos C (2014) Evolving coral reef conservation with genetic information. *Bulletin of Marine Science* 90(1): 159–185. doi: 10.5343/bms.2012.1106
- Bellwood DR, Hughes TP (2001) Regional-scale assembly rules biodiversity of coral reefs. *Science* 292(5521): 1532–1535. doi: 10.1126/science.1058635
- Bellwood DR, Meyer CP (2009) Searching for heat in a marine biodiversity hotspot. *Journal of Biogeography* 36(4): 569–576. doi: 10.1111/j.1365-2699.2008.02029.x
- Bellwood DR, Renema W, Rosen BR (2012) Biodiversity hotspots, evolution and coral reef biogeography: a review. In: Gower DJ, Johnson KG, Richardson JE, Rosen BR, Rüber L, Williams ST (Eds) *Biotic Evolution and Environmental Change in Southeast Asia*. Cambridge University Press, New York, pp. 216–245. doi: 10.1017/CBO9780511735882.011
- Bellwood DR, Wainwright PC (2002) The history and biogeography of fishes on coral reefs. In: Sale PF (Ed) *Coral Reef Fishes. Dynamics and Diversity in a Complex Ecosystem*. Academic Press, San Diego, pp. 5–32.
- Ben-Avraham Z, Emery KO (1973) Structural framework of Sunda Shelf. *American Association of Petroleum Geologists Bulletin* 57(12): 2323–2366.
- Benzie JAH (1998) Genetic structure of marine organisms and SE Asian biogeography. In: Hall R, Holloway JD (Eds) *Biogeography and Geological Evolution of Southeast Asia*. Backhuys Publishers, Leiden, pp. 197–209.
- Benzoni F, Stefani F (2012) *Porites fontanesii*, a new species of hard coral (Scleractinia, Poritidae) from the southern Red Sea, the Gulf of Tadjoura, and the Gulf of Aden, and its phylogenetic relationships within the genus. *Zootaxa* 3447: 56–68. doi: 10.15468/xftkqn
- Benzoni F, Arrigoni R, Stefani F, Pichon M (2011) Phylogeny of the coral genus *Plesiastrea* (Cnidaria, Scleractinia). *Contributions to Zoology* 80(4): 231–249.
- Benzoni F, Arrigoni R, Stefani F, Reijnen BT, Montano S, Hoeksema BW (2012a) Phylogenetic position and taxonomy of *Cycloseris explanulata* and *C. wellsi* (Scleractinia: Fungiidae): lost mushroom corals find their way home. *Contributions to Zoology* 81(3): 125–146.
- Benzoni F, Arrigoni R, Stefani F, Stolarski J (2012b) Systematics of the coral genus *Craterastrea* (Cnidaria, Anthozoa, Scleractinia) and description of a new family through combined morphological and molecular analyses. *Systematic and Biodiversity* 10(4): 417–433. doi: 10.1080/14772000.2012.744369
- Benzoni F, Arrigoni R, Waheed Z, Stefani F, Hoeksema BW (2014) Phylogenetic relationships and revision of the genus *Blastomussa* (Cnidaria: Anthozoa: Scleractinia) with description of a new species. *Raffles Bulletin of Zoology* 62: 358–378.
- Benzoni F, Stefani F, Pichon M, Galli P (2010) The name game: morpho-molecular species boundaries in the genus *Psammocora* (Cnidaria, Scleractinia). *Zoological Journal of the Linnean Society* 160(3): 421–456. doi: 10.1111/j.1096-3642.2010.00622.x
- Benzoni F, Stefani F, Stolarski J, Pichon M, Mitter G, Galli P (2007) Debating phylogenetic relationships of the scleractinian *Psammocora*: molecular and morphological evidences. *Contributions to Zoology* 76(1): 35–54.
- Best MB, Hoeksema BW, Moka W, Moll H, Suharsono, Nyoman Sutarna I (1989) Recent scleractinian coral species collected during the Snellius-II Expedition in Eastern Indonesia. *Netherlands Journal of Sea Research* 23(2): 107–115. doi: 10.1016/0077-7579(89)90005-7
- Bonar SA, Fehmi JS, Mercado-Silva N (2011) An overview of sampling issues in species diversity and abundance surveys. In: Magurran AE, McGill BJ (Eds) *Biological Diversity Frontiers in Measurement and Assessment*. Oxford University Press, Oxford, pp. 11–24.

- Bongaerts P, Frade PR, Ogier JJ, Hay KB, van Bleijswijk J, Englebert N, Vermeij MJA, Bak RPM, Visser PM, Hoegh-Guldberg O (2013) Sharing the slope: depth partitioning of agariciid corals and associated *Symbiodinium* across shallow and mesophotic habitats (2–60 m) on a Caribbean reef. *BMC Evolutionary Biology* 13: 205. doi: 10.1186/1471-2148-13-205
- Bos AR (2012) Fishes (Gobiidae and Labridae) associated with the mushroom coral *Heliofungia actiniformis* (Scleractinia: Fungiidae) in the Philippines. *Coral Reefs* 31(1): 133. doi: 10.1007/s00338-011-0834-3
- Bos A, Hoeksema B (2015) *Cryptobenthic fishes and co-inhabiting shrimps associated with the mushroom coral Heliofungia actiniformis (Fungiidae) in the Davao Gulf, Philippines*. *Environmental Biology of Fishes* 98(6): 1479–1489. doi: 10.1007/s10641-014-0374-0
- Bos AR, Gumanao GS, Mueller B, Saceda-Cardoza MME (2013) Management of crown-of-thorns sea star (*Acanthaster planci* L.) outbreaks: removal success depends on reef topography and timing within the reproduction cycle. *Ocean and Coastal Management* 71: 116–122. doi: 10.1016/j.ocecoaman.2012.09.011
- Boulenger T, Nichols JD, Sauer JR, Hines JE, Pollock KH (1998) Estimating species richness: the importance of heterogeneity in species detectability. *Ecology* 79(3): 1018–1028. doi: 10.1890/0012-9658(1998)079[1018:ESRTIO]2.0.CO;2
- Bowen BW (1999) Preserving genes, species, or ecosystems? Healing the fractured foundations of conservation policy. *Molecular Ecology* 8(1): S5–S10. doi: 10.1046/j.1365-294X.1999.00798.x
- Bowen BW, Rocha LA, Toonen RJ, Karl SA, Craig MT, DiBattista JD, Eble JA, Gaither MR, Skillings D, Bird CE (2013) The origins of tropical marine biodiversity. *Trends in Ecology and Evolution* 28(6): 359–366. doi: 10.1016/j.tree.2013.01.018
- Bowen BW, Shanker K, Yasuda N, Malay MCD, von der Heyden S, Paulay G, Rocha LA, Selkoe KA, Barber PH, Williams ST, Lessios HA, Crandall ED, Bernardi G, Meyer CP, Carpenter KE, Toonen RJ (2014) Phylogeography unplugged: Comparative surveys in the genomic era. *Bulletin of Marine Science* 90(1): 13–46. doi: 10.5343/bms.2013.1007
- Bradbury RH, Young PC (1981) The effects of a major forcing function, wave energy, on a coral reef ecosystem. *Marine Ecology Progress Series* 5: 229–241.
- Bray JR, Curtis JT (1957) An ordination of the upland forest communities of southern Wisconsin. *Ecological Monograph* 27(4): 325–349. doi: 10.2307/1942268
- Briggs JC (1974) *Marine Zoogeography*. McGraw-Hill, New York, 475 pp.
- Briggs JC (1987) *Biogeography and Plate Tectonics*. Elsevier, Amsterdam, 216 pp.
- Briggs JC, Bowen BW (2013) Marine shelf habitat: biogeography and evolution. *Journal of Biogeography* 40(6): 1023–1035. doi: 10.1111/jbi.12082
- Brown BE, Clarke KR, Warwick RM (2002) Serial patterns of biodiversity change in corals across shallow reef flats in Ko Phuket, Thailand, due to the effects of local (sedimentation) and regional (climatic) perturbations. *Marine Biology* 141(1): 21–29. doi: 10.1007/s00227-002-0810-0
- Brown BE, Holley MC, Sya'rani L, Le Tissier M (1983) Coral assemblages of reef flats around Pulau Pari, Thousand Islands, Indonesia. *Atoll Research Bulletin* 281: 1–17.
- Bruno JF, Selig ER (2007) Regional decline of coral cover in the Indo-Pacific: timing, extent, and subregional comparisons. *PLoS ONE* 2(8): e711. doi: 10.1371/journal.pone.0000711
- Budd AF, Fukami H, Smith ND, Knowlton N (2012) Taxonomic classification of the reef coral family Mussidae (Cnidaria: Anthozoa: Scleractinia). *Zoological Journal of the Linnean Society* 166(3): 465–529. doi: 10.1111/j.1096-3642.2012.00855.x
- Burke L, Reynter K, Spalding MD, Perry A (2011) *Reefs at Risk Revisited*. World Resources Institute, Washington, DC, 114 pp. <http://www.wri.org/publication/reefs-risk-revisited>
- Burke L, Reynter K, Spalding MD, Perry A (2012) *Reefs at Risk Revisited in the Coral Triangle*. World Resources Institute, Washington, DC, 72 pp. <http://www.wri.org/publication/reefs-risk-revisited-coral-triangle>
- Burke L, Selig E, Spalding M (2002) *Reefs at Risk in Southeast Asia*. World Resources Institute, Washington DC, 72 pp. <http://www.wri.org/publication/reefs-risk-southeast-asia>
- Burns T (2004) *Greenforce Borneo Project for coral reef biodiversity. Fourth annual report (January 2003–April 2004)*. Greenforce, London, 73 pp.
- Burns T, Murphy G, Spence F, Davies L, Colmer M (2005) *Greenforce Sabah Project for coral reef biodiversity. Summary of all reports Pantai Kulambu region*. Greenforce, London, 23 pp.

- Cabanban AS, Nais J (2003) The roles of marine protected areas in Sabah with emphasis on tourism. *Sabah Parks Nature Journal* 6: 65–77.
- Cai S, He Y (2010) Association of the Sulu Sea surface circulation with the South China Sea. *Journal of Marine Systems* 81(4): 335–340. doi: 10.1016/j.jmarsys.2010.02.010
- Cai S, He Y, Wang S, Long X (2009) Seasonal upper circulation in the Sulu Sea from satellite altimetry data and a numerical model. *Journal of Geophysical Research* 114: C03026. doi: 10.1029/2008JC005109
- Cai S, Liu H, Li W, Long X (2005) Application of LICOM to the numerical study of the water exchange between the South China Sea and its adjacent oceans. *Acta Oceanologica Sinica* 24(4): 10–19.
- Cai S, Long X, Wang S (2007) Model study of the upper circulation in the Sulu Sea and its relation to the South China Sea circulation. *Acta Oceanologica Sinica* 26(5): 1–10.
- Camerlengo A, Demmler MI (1997) Wind-driven circulation of Peninsular Malaysia's eastern continental shelf. *Scientia Marina* 61(2): 203–211.
- Carpenter KE, Barber PH, Crandall ED, Ablan-Lagman MCA, Ambariyanto, Mahardika GN, Manjaji-Matsumoto BM, Juinio-Meñez MA, Santos MD, Starger CJ, Toha AHA (2011) Comparative phylogeography of the Coral Triangle and implications for marine management. *Journal of Marine Biology* 2011, Article ID 396982, 14 pp. doi: 10.1155/2011/396982
- Chantrapornsyl S, Kittiwattana Wong K, Adulyanukosol K (1996) Distribution and abundance of giant clam around Lee-Pae Island, the Andaman Sea, Thailand. *Phuket Marine Biological Center Special Publication* 16: 195–200.
- Chappell J (1980) Coral morphology, diversity and growth. *Nature* 286: 249–252. doi: 10.1038/286249a0
- Chavanich S, Viyakarn V, Adams P, Klammer J & Cook B (2012) Reef communities after the 2010 mass coral bleaching at Racha Yai Island in the Andaman Sea and Koh Tao in the Gulf of Thailand. *Phuket Marine Biological Center Research Bulletin* 71: 103–110.
- Chen CA (1999) Analysis of scleractinian distribution in Taiwan indicating a pattern congruent with sea surface temperatures and currents: examples from *Acropora* and *Faviidae* corals. *Zoological Studies* 38(2): 119–129.
- Chen H, Malanotte-Rizzoli P, Koh T-Y, Song G (2014) The relative importance of the wind-driven and tidal circulations in Malacca Strait. *Continental Shelf Research* 88: 92–102. doi: 10.1016/j.csr.2014.07.012
- Chou LM, Wilkinson CR, Licuanan WRY, Alino P, Cheshire AC, Loo MGK, Tangjaitrong S, Sudara S, Ridzwan AR, Soekarno (1994) Status of coral reefs in the ASEAN region. In: Wilkinson C, Sudara S, Chou LM (Eds). *Proceedings, Third ASEAN-Australia Symposium on Living Coastal Resources, Volume 1: Status reviews*. Chulalongkorn University, Bangkok, pp. 1–10.
- Chua TE, Adrian SR, Yu H (1997) Malacca Straits environmental profile. MPP-EAS Technical report, Volume 10, GEF/UNDP/IMO Regional Programme for the Prevention and Management of Marine Pollution in the East Asian Seas, Quezon City, 259 pp.
- Chua TE, Charles JJC (1980) Coastal Resources of East Coast Peninsular Malaysia: An Assessment in Relation to Potential Oil Spills. *Universiti Sains Malaysia, Penang*, 507 pp.
- Chua TE, Ross SA (2002) Creating a shared vision for environmental management in the Straits of Malacca. In: Yusoff FM, Shariff M, Ibrahim HM, Tan SG, Tai SY (Eds) *Tropical Marine Environment: Charting Strategies for the Millennium*. Malacca Straits Research and Development Centre (MASDEC), Universiti Putra Malaysia, Serdang, pp. 19–33.
- Claereboudt M, Hoeksema BW (1987) *Fungia (Verrillofungia) spinifer* spec. nov., a new scleractinian coral (Fungiidae) from the Indo-Malayan region. *Zoologische Mededelingen, Leiden* 61: 303–309.
- Clark AM, Rowe FWE (1971) *Monograph of Shallow-Water Indo-West-Pacific Echinoderms*. Trustees of the British Museum (Natural History), London, 238 pp. + 31 pls.
- Clarke KR (1993) Non-parametric multivariate analyses of changes in community structure. *Australian Journal of Ecology* 18(1): 117–143. doi: 10.1111/j.1442-9993.1993.tb00438.x
- Clarke KR, Gorley RN (2006) *PRIMER v6: User manual/tutorial*. PRIMER-E, Plymouth, 190 pp.
- Clarke KR, Somerfield PJ, Gorley RN (2008) Testing of null hypotheses in exploratory community analyses: similarity profiles and biota-environment linkage. *Journal of Experimental Marine Biology and Ecology* 366(1–2): 56–69. doi: 10.1016/j.jembe.2008.07.009
- Clarke KR, Warwick RM (2001) *Change in Marine Communities: An Approach to Statistical Analysis and Interpretation*, 2nd edition. PRIMER-E, Plymouth, 174 pp.

- Cleary DFR, Becking LE, de Voogd NJ, Renema W, de Beer M, van Soest RWM, Hoeksema BW (2005) Variation in the diversity and composition of benthic taxa as a function of distance offshore, depth and exposure in the Spermonde Archipelago, Indonesia. *Estuarine, Coastal and Shelf Science* 65(3): 557–570. doi: 10.1016/j.ecss.2005.06.025
- Cleary DFR, Suharsono, Hoeksema BW (2006) Coral diversity across a disturbance gradient in the Pulau Seribu reef complex off Jakarta, Indonesia. *Biodiversity and Conservation* 15: 3653–3674. doi: 10.1007/s10531-004-4692-y
- Clement M, Posada D, Crandall KA (2000) TCS: a computer program to estimate gene genealogies. *Molecular Ecology* 9(10): 1657–1659. doi: 10.1046/j.1365-294x.2000.01020.x
- Coelho VR, Manfrino C (2007) Coral community decline at a remote Caribbean island: marine no-take reserves are not enough. *Aquatic Conservation* 17(7): 666–685. doi: 10.1002/aqc.822
- Colgan MW (1987) Coral reef recovery on Guam (Micronesia) after catastrophic predation by *Acanthaster planci*. *Ecology* 68(6): 1592–1605. doi: 10.2307/1939851
- Colwell RK (2009) EstimateS: Statistical estimation of species richness and shared species from samples. Version 8.2. User's Guide and application. University of Connecticut, USA. <http://viceroy.eeb.uconn.edu/estimates/>
- Copland JW, Lucas JS (1988) Giant Clams in Asia and the Pacific. Australian Center for International Agricultural Research Monograph No. 9, Canberra, 274 pp.
- Cornell HV, Karlson RH (1996) Species richness of reef-building corals determined by local and regional processes. *Journal of Animal Ecology* 65(2): 233–241. doi: 10.2307/5726
- Cornell HV, Karlson RH (2000) Coral species richness: ecological versus biogeographical influences. *Coral Reefs* 19(1): 37–49. doi: 10.1007/s00380050224
- Cowen RK, Gawarkiewicz G, Pineda J, Thorrold SR, Werner FE (2007) Population connectivity in marine systems: an overview. *Oceanography* 20(3): 14–21. doi: 10.5670/oceanog.2007.26
- Cowen RK, Sponaugle S (2009) Larval dispersal and marine population connectivity. *Annual Review of Marine Science* 1(1): 443–466. doi: 10.1146/annurev.marine.010908.163757
- Cowman PF, Bellwood DR (2013) The historical biogeography of coral reef fishes: global patterns of origination and dispersal. *Journal of Biogeography* 40(2): 209–224. doi: 10.1111/jbi.12003
- Crandall ED, Frey MA, Grosberg RK, Barber PH (2008a) Contrasting demographic history and phylogeographical patterns in two Indo-Pacific gastropods. *Molecular Ecology* 17(2): 611–626. doi: 10.1111/j.1365-294X.2007.03600.x
- Crandall ED, Jones ME, Muñoz MM, Akinronbi B, Erdmann MV, Barber PH (2008b) Comparative phylogeography of two seastars and their ectosymbionts within the Coral Triangle. *Molecular Ecology* 17(24): 5276–5290. doi: 10.1111/j.1365-294X.2008.03995.x
- Crandall ED, Sbrocco EJ, Deboer TS, Barber PH, Carpenter KE (2012) Expansion dating: calibrating molecular clocks in marine species from expansions onto the Sunda Shelf following the Last Glacial Maximum. *Molecular Biology and Evolution* 29(2): 707–719. doi: 10.1093/molbev/msr227
- Crandall ED, Trembl EA, Liggins L, Gleeson L, Yasuda N, Barber PH, Wörheide G, Riginos C (2014) Return of the ghosts of dispersal past: historical spread and contemporary gene flow in the blue sea star *Linckia laevigata*. *Bulletin of Marine Science* 90(1): 399–425. doi: 10.5343/bms.2013.1052
- Culver M, Fitak R, Herrmann H-W (2011) Genetic methods for biodiversity assessment. In: Magurran AE, McGill BJ (Eds) *Biological Diversity Frontiers in Measurement and Assessment*. Oxford University Press, Oxford, pp. 208–218.
- Curnick DJ, Head CEI, Huang D, Crabbe MJC, Gollock M, Hoeksema BW, Johnson KG, Jones R, Koldewey HJ, Obura DO, Rosen BR, Smith DJ, Taylor ML, Turner JR, Wren S, Redding DW (2015) Setting evolutionary-based conservation priorities for a phylogenetically data-poor taxonomic group (Scleractinia). *Animal Conservation* 18(4): 303–312. doi: 10.1111/acv.12185.
- Dai CF, Lin CH (1992) Scleractinia of Taiwan. Part III. Family Agariciidae. *Acta Oceanographica Taiwanica* 28: 80–101.
- Darriba D, Taboada GL, Doallo R, Posada D (2012) jModelTest 2: more models, new heuristics and parallel computing. *Nature Methods* 9(8): 772. doi: 10.1038/nmeth.2109
- Daw T, Wesson H, Harding S, Lowery C (2002) Pulau Banggi Project for coral reef biodiversity. Second annual report (October 2000–October 2001). Greenforce, London, 68 pp.
- Daw T, Wesson H, Harding S, Lowery C, Colmer M (2003) Pulau Banggi Project for coral reef biodiversity. Third annual report (October 2001–December 2002). Greenforce, London, 46 pp.

- De'ath G, Moran PJ (1998) Factors affecting the behaviour of crown of-thorns starfish (*Acanthaster planci* L.) on the Great Barrier Reef: 2: Feeding preferences. *Journal of Experimental Marine Biology and Ecology* 220(1): 107–126. doi: 10.1016/S0022-0981(97)00100-7
- DeBoer TS, Naguit MRA, Erdmann MV, Ablan-lagman MCA, Ambariyanto, Carpenter KE, Toha AHA, Barber PH (2014a) Concordance between phylogeographic and biogeographic boundaries in the Coral Triangle: conservation implications based on comparative analyses of multiple giant clam species. *Bulletin of Marine Science* 90: 277–300. <http://dx.doi.org/10.5343/bms.2013.1003>
- DeBoer TS, Naguit MRA, Erdmann MV, Ablan-lagman MCA, Ambariyanto, Carpenter KE, Toha AHA, Barber PH (2014b) Concordant phylogenetic patterns inferred from mitochondrial and microsatellite DNA in the giant clam *Tridacna crocea*. *Bulletin of Marine Science* 90(1): 301–329. <http://dx.doi.org/10.5343/bms.2013.1002>
- DeBoer TS, Subia MD, Ambariyanto, Erdmann MV, Kovitvongsa K, Barber PH (2008) Phylogeography and limited genetic connectivity in the endangered boring giant clam across the Coral Triangle. *Conservation Biology* 22(5): 1255–1266. doi: 10.1111/j.1523-1739.2008.00983.x
- De Silva MWRN, Cabanban AS, Ditlev H, Ridzwan AR (1999) Status of coral reefs of Darvel Bay. In: De Silva MWRN, Ridzwan AR, Saleem M, Cabanban AS (Eds) *Ekspedisi Galaxea '98. A Study of Living Marine Resources of Darvel Bay, Sabah, Malaysia*. Universiti Malaysia Sabah, Kota Kinabalu, pp. 37–49.
- DeVantier LM, De'ath G, Turak E, Done TJ, Fabricius KE (2006) Species richness and community structure of reef-building corals on the nearshore Great Barrier Reef. *Coral Reefs* 25(3): 329–340. doi: 10.1007/s00338-006-0115-8
- Dinesen ZD (1980) A revision of the coral genus *Leptoseris* (Scleractinia: Fungiina: Agariciidae). *Memoirs of the Queensland Museum* 20: 181–235.
- Dinesen ZD, Bridge TCL, Luck DG, Kahng SE, Bongaerts P (2012) Importance of the coral genus *Leptoseris* to mesophotic coral communities in the Indo-Pacific. Poster 12th International Coral Reef Symposium, Cairns, 2012, P101. <http://www.icrs2012.com/eposters/P101.pdf>
- Ditlev H (2003) New scleractinian corals (Cnidaria: Anthozoa) from Sabah, North Borneo. Description of one new genus and eight new species, with notes on their taxonomy and ecology. *Zoologische Mededelingen, Leiden* 77: 193–219.
- Ditlev H, De Silva MWRN, Ridzwan AR, Toerring D, Widt S (1999) Hard Corals of Darvel Bay. In: De Silva MWRN, Ridzwan AR, Saleem M, Cabanban AS (Eds) *Ekspedisi Galaxea '98. A Study of Living Marine Resources of Darvel Bay, Sabah, Malaysia*. Universiti Malaysia Sabah, Kota Kinabalu, pp. 51–71.
- Dollar SJ (1982) Wave stress and coral community structure in Hawaii. *Coral Reefs* 1(2): 71–81. doi: 10.1007/BF00301688
- Done TJ (1982) Patterns in the distribution of coral communities across the central Great Barrier Reef. *Coral Reefs* 1(2): 95–107. doi: 10.1007/BF00301691
- Done TJ (1983) Coral zonation: Its nature and significance. In: Barnes DJ (Ed) *Perspectives on Coral Reefs*. Manuka, Clouston Publisher, Manuka, pp. 107–147.
- Dorman JG, Castruccio FS, Curchitser EN, Kleypas JA, Powell TM (2015) Modeled connectivity of *Acropora millepora* populations from reefs of the Spratly Islands and the greater South China Sea. *Coral Reefs* 35(1): 169–179. doi: 10.1007/s00338-015-1354-3.
- Dubinsky Z, Falkowski P (2011) Light as a source of information and energy in zooxanthellate corals. In: Dubinsky Z, Stambler N (Eds) *Coral Reefs: An Ecosystem in Transition*. Springer, Dordrecht, pp. 107–118. doi: 10.1007/978-94-007-0114-4_8
- Duda Jr TF, Palumbi SR (1999) Population structure of the black tiger prawn *Penaeus monodon*, among western Indian Ocean and western Pacific populations. *Marine Biology* 134(4): 705–710. doi: 10.1007/s002270050586
- Dumaup JNB, Cola RM, Trono RB, Ingles JA, Miclat EFB, Ibuna NP (2003) Conservation Plan for the Sulu-Sulawesi Marine Ecoregion. Stakeholders of the SSME, Technical Working Groups of Indonesia, Malaysia and the Philippines, and the WWF-SSME Conservation Program Team. World Wide Fund for Nature - Sulu-Sulawesi Marine Ecoregion, Quezon City, 88 pp.
- Dunn DF (1970) Some observations on marine life at Pulau Aur, Johore. *Malayan Nature Journal* 23: 158–167.
- Ekman S (1934) Indo-Westpazifik und Atlanto-Ostpazifik, eine tiergeographische Studie. *Zoogeographica* 2(3): 320–374.
- Ekman S (1935) Tiergeographie des Meeres. Akademische Verlagsgesellschaft M.B.H., Leipzig, 542 pp.
- Ekman S (1953) Zoogeography of the Sea. Sidgwick & Jackson, London, 417 pp.

- Emery KO, Uchupi E, Sunderland J, Uktolseja HL, Young EM (1972) Geological structure and some water characteristics of the Java Sea and adjacent continental shelf. United Nations ECAFE, CCOP Technical Bulletin 6: 197–223.
- Ertfemeijer PLA, Riegl B, Hoeksema BW, Todd PA (2012) Environmental impacts of dredging and other sediment disturbances on corals: a review. Marine Pollution Bulletin 64(9): 1737–1765. <http://dx.doi.org/10.1016/j.marpolbul.2012.05.008>
- Excoffier L and Lischer HEL (2010) Arlequin suite ver 3.5: a new series of programs to perform population genetics analyses under Linux and Windows. Molecular Ecology Resources 10(3): 564–567. doi: 10.1111/j.1755-0998.2010.02847.x
- Eyal G, Eyal-Shaham L, Cohen I, Tamir R, Ben-Zvi O, Sinniger F, Loya Y (2015) *Euphyllia paradivisa*, a successful mesophotic coral in the northern Gulf of Eilat/Aqaba, Red Sea. Coral Reefs 35(1): 91–102. doi: 10.1007/s00338-015-1372-1
- Fairbanks RG (1989) A 17,000-year glacio-eustatic sea level record: influence of glacial melting rates on the Younger Dryas event and deep ocean circulation. Nature 342: 637–642. doi: 10.1038/342637a0
- Falkowski PG, Jokiel PL, Kinzie III RA (1990) Irradiance and corals. In: Dubinsky Z (Ed) Coral Reefs. Ecosystems of the world 25. Elsevier Science BV, Amsterdam, pp. 89–107.
- Fenner D (2001) Reef corals of Banggi area reefs, Sabah, Malaysia. Pulau Banggi Project for Coral Reef Biodiversity. Greenforce, London, 19 pp.
- Fenner D (2014) Coral species diversity and abundance. <http://chagos-trust.org/2014-biot-expedition>
- Fisher H (2000) A socio-economic assessment of coastal communities of Pulau Banggi Sabah, East Malaysia. MSc thesis, University of Minnesota, Minneapolis, United States.
- Fitch FH (1950) Report of the Geological Survey Department for the Year 1950. British Territories in Borneo. WJ Chater Government Printer, Kuching, 99 pp.
- Fleishman E, Noss RF, Noon BR (2006) Utility and limitations of species richness metrics for conservation planning. Ecological Indicators 6(3): 543–553. doi: 10.1016/j.ecolind.2005.07.005
- Flot JF (2010) SeqPHASE: a web tool for interconverting PHASE input/output files and FASTA sequence alignments. Molecular Ecology Resources 10(1): 162–166. doi: 10.1111/j.1755-0998.2009.02732.x
- Folke C, Carpenter SR, Walker BH, Scheffer M, Elmqvist T, Gunderson LH, Holling CS (2004) Regime shifts, resilience and biodiversity in ecosystem management. Annual Review in Ecology, Evolution and Systematics 35: 557–581. doi: 10.1146/annurev.ecolsys.35.021103.105711
- Folmer O, Black M, Hoeh WR, Lutz R, Vrijenhoek RC (1994) DNA primers for amplification of mitochondrial cytochrome *c* oxidase subunit I from diverse metazoan invertebrates. Molecular Marine Biology and Biotechnology 3(5): 294–299.
- Forsman Z, Wellington GM, Fox GE, Toonen RJ (2015) Clues to unravelling the coral species problem: distinguishing species from geographic variation in *Porites* across the Pacific with molecular markers and microstructural traits. PeerJ 3:e751. doi: 10.7717/peerj.751
- Fox HE, Caldwell RL (2006) Recovery from blast fishing on coral reefs: a tale of two scales. Ecological Applications 16(5): 1631–1635. doi:10.1890/1051-0761(2006)016[1631:RFBFOC] 2.0.CO;2
- Fox HE, Pet JS, Dahuri R, Caldwell RL (2003) Recovery in rubble fields: long-term impacts of blast fishing. Marine Pollution Bulletin 46(8): 1024–1031. [http://dx.doi.org/10.1016/S0025-326X\(03\)00246-7](http://dx.doi.org/10.1016/S0025-326X(03)00246-7)
- Fox J, Weisberg S (2011) An R companion to Applied Regression, 2nd Edition. SAGE Publications, Thousand Oaks, 472 pp.
- Fu YX (1997) Statistical tests of neutrality against population growth, hitchhiking and background selection. Genetics 147(2): 915–925.
- Fu YX, Li WH (1993) Statistical tests of neutrality of mutations. Genetics 133(3): 693–709.
- Fukami H, Chen CA, Budd AF, Collins A, Wallace C, Chuang Y-Y, Chen C, Dai C-F, Iwao K, Sheppard C, Knowlton N (2008) Mitochondrial and nuclear genes suggest that stony corals are monophyletic but most families of stony corals are not (Order Scleractinia, Class Anthozoa, Phylum Cnidaria). PLoS ONE 3(9): e3222. doi: 10.1371/journal.pone.0003222
- Gaither MR, Bowen BW, Bordenave T-R, Rocha LA, Newman SJ, Gomez JA, van Herwerden L and Craig MT (2011) Phylogeography of the reef fish *Cephalopholis argus* (Epinephelidae) indicates Pleistocene isolation across the Indo-Pacific Barrier with contemporary overlap in the Coral Triangle. BMC Evolutionary Biology 11: 189. doi: 10.1186/1471-2148-11-189

- Gaither MR, Rocha LA (2013) Origins of species richness in the Indo-Malay-Philippine biodiversity hotspot: evidence for the centre of overlap hypothesis. *Journal of Biogeography* 40(9): 1638–1648. doi: 10.1111/jbi.12126
- Gardiner JS (1905) Madreporaria III. Fungida IV. Turbinolidae. In: *Fauna and Geography of the Maldives and Laccadives Archipelagoes*, Cambridge 2: 933–957, pls. 89–93.
- Gaston KJ (2000) Global patterns in biodiversity. *Nature* 405: 220–227. doi: 10.1038/35012228
- Gaston KJ (2010) Biodiversity. In: Sodhi NS, Ehrlich PR (Eds) *Conservation Biology for All*. Oxford University Press, Oxford, pp. 27–44.
- Gaston KJ, Spicer JJ (2004) *Biodiversity: An Introduction*. Second Edition. Blackwell Publishing, Oxford, 208 pp.
- George JD, George J (1987) Macroinvertebrates. In: *The corals reefs of the Bodgaya Islands (Sabah: Malaysia) and Pulau Sipadan*. *Malayan Nature Journal* 40: 225–260.
- Geological Survey Department (1963) *Annual Report of the Geological Survey, Borneo Region Malaysia*. O.B.E. Government Printer, Kuching, 230 pp.
- Gilmour JP (2004) Size-structures of populations of the mushroom coral *Fungia fungites*: the role of disturbance. *Coral Reefs* 23(4): 493–504. doi: 10.1007/s00338-004-0427-5
- Gittenberger A, Hoeksema BW (2006) Phenotypic plasticity revealed by molecular studies on reef corals of *Fungia* (*Cycloseris*) spp. (Scleractinia: Fungiidae) near river outlets. *Contributions to Zoology* 75(3–4): 195–201.
- Gittenberger A, Reijnen BT, Hoeksema BW (2011) A molecularly based phylogeny reconstruction of mushroom corals (Scleractinia: Fungiidae) with taxonomic consequences and evolutionary implications for life history traits. *Contributions to Zoology* 80(2): 107–132.
- Glynn PW (1974) The impact of *Acanthaster* on corals and coral reefs in the Eastern Pacific. *Environmental Conservation* 1(4): 295–303. doi: 10.1017/S037689290000494X
- Glynn PW, Wellington GM, Riegl B, Olson DB, Borneman E, Wieters EA (2007) Diversity and biogeography of the scleractinian coral fauna of Easter Island (Rapa Nui). *Pacific Science* 61(1): 67–90. doi: 10.1353/psc.2007.0005
- Google Earth (2013) Version 7.1.2.2014. <https://www.google.com/earth/>
- Google Earth (2015) Version 7.1.5.1557. <https://www.google.com/earth/>
- Gower JC (1966) Some distance properties of latent root and vector methods used in multivariate analysis. *Biometrika* 53(3–4): 325–338. doi: 10.1093/biomet/53.3-4.325
- Graham EM, Baird AH, Connolly SR (2008) Survival dynamics of scleractinian coral larvae and implications for dispersal. *Coral Reefs* 27(3): 529–539. doi: 10.1007/s00338-008-0361-z
- Green AL, Fernandes L, Almany G, Abesamis R, McLeod E, Aliño PM, White AT, Salm R, Tanzer J, Pressey RL (2014) Designing marine reserves for fisheries management, biodiversity conservation and climate change adaptation. *Coastal Management* 42(2): 143–159. <http://dx.doi.org/10.1080/08920753.2014.877763>
- Green AL, Mous PJ (2004) Delineating the Coral Triangle, its ecoregions and functional seascapes. Report on an expert workshop, held at the Southeast Asia Center for Marine Protected Areas, Bali, Indonesia (April 30–May 2, 2003). Version 1.1. The Nature Conservancy, Southeast Asia Center for Marine Protected Areas, Bali, Indonesia, 26 pp.
- Green AL, Mous PJ (2008) Delineating the Coral Triangle, its ecoregions and functional seascapes. Version 5.0. TNC Coral Triangle Program Report 1/08, 34 pp.
- Guest JR, Baird AH, Maynard JA, Muttaqin E, Edwards AJ, Campbell SJ, Yewdall K, Affendi YA, Chou LM (2012) Contrasting patterns of coral bleaching susceptibility in 2010 suggest an adaptive response to thermal stress. *PLoS One* 7(3): e33353. doi: 10.1371/journal.pone.0033353
- Halas D, Winterbottom R (2009) A phylogenetic test of multiple proposals for the origins of the East Indies coral reef biota. *Journal of Biogeography* 36(10): 1847–1860. doi: 10.1111/j.1365-2699.2009.02103.x
- Hall TA (1999) BioEdit: a user-friendly biological sequence alignment editor and analysis program for Windows 95/98/NT. *Nucleic Acids Symposium Series* 41: 95–98.
- Halpern BS (2003) The impact of marine reserves: do reserves work and does reserve size matter? *Ecological Applications* 13(1): 117–137. doi: 10.1890/1051-0761(2003)013[0117:TIOMRD] 2.0.CO;2
- Hancox D, Prescott V (1995) A geographical description of the Spratly Islands and an account of hydrographic surveys amongst those islands. *Maritime Briefing*, Volume 1 Number 6. International Boundaries Research Unit, Department of Geography, University of Durham, Durham, UK, 88 pp.

- Harborne AD, Fenner D, Barnes A, Beger M, Harding S, Roxburgh T (2000) Status report on the coral reefs of the east coast of peninsula Malaysia. Coral Cay Conservation Ltd., London, 88 pp.
- Harding S, Lowery C, Wesson H, Colmer M, Daw T (2001) The Pulau Banggi Project for coral reef biodiversity. First annual report (July 1999-September 2000). Greenforce, London, 65 pp.
- Harpending H (1994) Signature of ancient population growth in low-resolution mitochondrial DNA mismatch distribution. *Human Biology* 66(4): 591–600.
- Harpending HC, Batzer MA, Gurven M, Jorde LB, Rogers AR, Sherry ST (1998) Genetic traces of ancient demography. *Proceedings of the National Academy of Sciences of the United States of America* 95(4): 1961–1967.
- Harrison PA, Berry PM, Simpson G, Haslett JR, Blicharska M, Bucur M, Dunford R, Egoh B, Garcia-Llorente M, Geamănă N, Geertsema W, Lommelen E, Meiresonne L, Turkelboom F (2014) Linkages between biodiversity attributes and ecosystem services: a systematic review. *Ecosystem Services* 9: 191–203. doi: 10.1016/j.ecoser.2014.05.006
- Heywood VH, Baste I (1996) Introduction. In: Heywood VH (Ed) *Global Biodiversity Assessment*. United Nations Environment Programme. Cambridge University Press, Cambridge, pp. 1–19.
- Hill J, Wilkinson C (2004) Methods for ecological monitoring of coral reefs: a resource for managers. Australian Institute of Marine Science, Townsville, 117 pp.
- Ho N, Kassem KR (2009) Reef status of Semporna Priority Conservation Area. WWF-Malaysia, Kota Kinabalu, 24 pp.
- Hodgson G (1999) A global assessment of human effects on coral reefs. *Marine Pollution Bulletin* 38(5): 345–355. [http://dx.doi.org/10.1016/S0025-326X\(99\)00002-8](http://dx.doi.org/10.1016/S0025-326X(99)00002-8)
- Hodgson G, Hill J, Kiene W, Maun L, Mihaly J, Liebeler J, Shuman C, Torres R (2006) Reef Check instruction manual: a guide to Reef Check coral reef monitoring. Reef Check Foundation, Pacific
- Hodgson G, Ross MA (1981) Unreported scleractinian corals from the Philippines. *Proceedings of the 4th International Coral Reef Symposium, Manila, the Philippines, Volume 2*: 171–175.
- Hoeksema BW (1989) Taxonomy, phylogeny and biogeography of mushroom corals (Scleractinia: Fungiidae). *Zoologische Verhandelingen, Leiden* 254: 1–295.
- Hoeksema BW (1991) Control of bleaching in mushroom coral populations (Scleractinia: Fungiidae) in the Java Sea: stress tolerance and interference by life history strategy. *Marine Ecology Progress Series* 74: 225–237. doi: 10.3354/meps075225
- Hoeksema BW (1993a) Mushroom corals (Scleractinia: Fungiidae) of Madang Lagoon, northern Papua New Guinea: an annotated checklist with the description of *Cantharellus jebbi* spec. nov. *Zoologische Mededelingen, Leiden* 67(1): 1–19.
- Hoeksema BW (1993b) Phenotypic corallum variability in Recent mobile reef corals. *Courier Forschungsinstitut Senckenberg* 164: 263–272.
- Hoeksema BW (2004) Impact of budding on free-living corals at East Kalimantan, Indonesia. *Coral Reefs* 23(4): 492. doi: 10.1007/s00338-004-0402-1
- Hoeksema BW (2007) Delineation of the Indo-Malayan centre of maximum marine biodiversity: the Coral Triangle. In: Renema W (Ed) *Biogeography, Time, and Place: Distributions, Barriers, and Islands*. Springer, Dordrecht, pp. 117–178. doi: 10.1007/978-1-4020-6374-9_5
- Hoeksema BW (2008) Stony corals (Fungiidae). In: Hoeksema BW, van der Meij SET (Eds) *Cryptic marine biota of the Raja Ampat Islands group*. Progress report Ekspedisi Widya Nusantara (E-Win), pp 8–12.
- Hoeksema BW (2009) Attached mushroom corals (Scleractinia: Fungiidae) in sediment-stressed reef conditions at Singapore, including a new species and a new record. *Raffles Bulletin of Zoology Supplement No. 22*: 81–90.
- Hoeksema BW (2010) Stony corals. In: Hoeksema, BW, van der Meij SET (eds) *Crossing marine lines at Ternate: capacity building of junior scientist in Indonesia for marine biodiversity assessments*. Progress report Ternate Expedition (2009), pp. 19–25.
- Hoeksema BW (2012a) Distribution patterns of mushroom corals (Scleractinia: Fungiidae) across the Spermonde Shelf, South Sulawesi. *Raffles Bulletin of Zoology* 60: 183–212.
- Hoeksema BW (2012b) Mushroom corals (Scleractinia: Fungiidae) of Espiritu Santo (Vanuatu, West Pacific) with the description of a new species. *Zoosystema* 34(2): 429–443. doi: 10.5252/z2012n2a14
- Hoeksema BW (2012c) Evolutionary trends in onshore-offshore distribution patterns of mushroom coral species (Scleractinia: Fungiidae). *Contributions to Zoology*, 81: 199–221.

- Hoeksema BW (2012d) Forever in the dark: the cave-dwelling azooxanthellate reef coral *Leptoseris troglodyta* sp. n. (Scleractinia, Agariciidae). *ZooKeys* 228: 21–37. doi:10.3897/zookeys.228.3798
- Hoeksema BW (2013) In search of the Asian-Pacific centre of maximum marine biodiversity: explanations from the past and present. *Galaxea, Journal of Coral Reef Studies* 15 (Supplement): 1–8.
- Hoeksema BW (2014) The “*Fungia patella* group” (Scleractinia, Fungiidae) revisited with a description of the mini mushroom coral *Cycloseris boschmai* sp. n. *ZooKeys* 371: 57–84. doi: 10.3897/zookeys.371.6677
- Hoeksema BW (2015) Latitudinal species diversity gradient of mushroom corals off eastern Australia: a baseline from the 1970s. *Estuarine, Coastal and Shelf Science* 165: 190–198. doi: 10.1016/j.ecss.2015.05.015
- Hoeksema BW, Benzon F (2013) Multi-species aggregations of mushroom corals in the Gambier Islands, French Polynesia. *Coral Reefs* 32(4): 1041. doi: 10.1007/s00338-013-1054-9
- Hoeksema BW, Bongaerts P, Baldwin CC (2016) High coral cover at lower mesophotic depths: a dense *Agaricia* community at the leeward side of Curaçao, Dutch Caribbean. *Marine Biodiversity*. doi: 10.1007/s12526-015-0431-8
- Hoeksema BW, Dai CF (1991) Scleractinia of Taiwan. II Family Fungiidae (with the description of a new species). *Bulletin of the Institute of Zoology, Academia Sinica* 30(3): 203–228.
- Hoeksema BW, Dautova TN, Savinkin OV, Tuan VS, Ben HX, Hoang PK, Du HT (2010) The westernmost record of the coral *Leptoseris kalayaanensis* in the South China Sea. *Zoological Studies* 49(3): 325.
- Hoeksema BW, Fransen CHJM (2011) Space partitioning by symbiotic shrimp species cohabitating in the mushroom coral *Heliofungia actiniformis* at Semporna, eastern Sabah. *Coral Reefs* 30(2): 519. doi: 10.1007/s00338-011-0736-4
- Hoeksema BW, Gittenberger A (2010) High densities of mushroom coral fragments at West Halmahera, Indonesia. *Coral Reefs* 29(3): 691. doi: 10.1007/s00338-010-0616-3
- Hoeksema BW, Koh EGL (2009) Depauperation of the mushroom coral fauna (Fungiidae) of Singapore (1860s–2006) in changing reef conditions. *Raffles Bulletin of Zoology Supplement No. 22*: 91–101.
- Hoeksema BW, Lane DJW (2014) The mushroom coral fauna (Scleractinia: Fungiidae) of Brunei Darussalam (South China Sea) and its relation to the Coral Triangle. *Raffles Bulletin of Zoology* 62: 566–580.
- Hoeksema BW, Matthews JL (2011) Contrasting bleaching patterns in mushroom coral assemblages at Koh Tao, Gulf of Thailand. *Coral Reefs* 30(1): 95. doi: 10.1007/s00338-010-0675-5
- Hoeksema BW, Matthews JL, Yeemin T (2012a) The 2010 coral bleaching event and its impact on the mushroom coral fauna of Koh Tao, western Gulf of Thailand. *Phuket Marine Biological Center Research Bulletin* 71: 71–81.
- Hoeksema BW, Meij SET van der, Fransen CHJM (2012b) The mushroom coral as a habitat. *Journal of the Marine Biological Association of the United Kingdom* 92(4): 647–663. doi: 10.1017/S0025315411001445
- Hoeksema BW, Moka W (1989) Species assemblages and ecomorph variation of mushroom corals (Scleractinia: Fungiidae) related to reef habitats in the Flores Sea. *Netherlands Journal of Sea Research* 23(2): 149–160. doi: 10.1016/0077-7579(89)90009-4
- Hoeksema BW, Scott C, True JD (2013) Dietary shift in corallivorous *Drupella* snails following a major bleaching event at Koh Tao, Gulf of Thailand. *Coral Reefs* 32(2): 423–428. doi: 10.1007/s00338-012-1005-x
- Hoeksema BW, Suharsono, Cleary DFR (2004) Stony corals. In: Hoeksema BW (Ed) *Marine biodiversity of the coastal area of the Berau region, East Kalimantan, Indonesia. Progress report East Kalimantan Program - Pilot phase (October 2003)*, Kalimantan, Indonesia, pp. 7–16.
- Hoeksema BW, van der Land J, van der Meij SET, van Ofwegen LP, Reijnen BT, van Soest RWM, de Voogd NJ (2011) Unforeseen importance of historical collections as baselines to determine biotic change of coral reefs: the Saba Bank case. *Marine Ecology* 32(2): 135–141. doi: 10.1111/j.1439-0485.2011.00434.x
- Hoeksema BW, Waheed Z (2011) Initial phase of autotomy in fragmenting *Cycloseris* corals at Semporna, eastern Sabah, Malaysia. *Coral Reefs* 30: 1087. doi: 10.1007/s00338-011-0807-6
- Hoeksema BW, Waheed Z (2012) It pays to have a big mouth: mushroom corals ingesting salps at Sabah, Malaysia. *Marine Biodiversity* 42(2): 297–302. doi: 10.1007/s12526-012-0110-y
- Hoeksema BW, Wirtz P (2013) Over 130 years of survival by a small, isolated population of *Favia gravida* corals at Ascension Island (South Atlantic). *Coral Reefs* 32(2): 551. doi: 10.1007/s00338-012-1002-0
- Hoeksema BW, Yeemin T (2011) Late detachment conceals serial budding by the free-living coral *Fungia fungites* in the Inner Gulf of Thailand. *Coral Reefs* 30(4): 975. doi: 10.1007/s00338-011-0784-9
- Huang D (2012) Threatened reef corals of the world. *PLoS One*, 7(3): e34459. doi: 10.1371/journal.pone.0034459

- Huang D, Benzoni F, Arrigoni R, Baird AH, Berumen ML, Bouwmeester J, Chou LM, Fukami H, Licuanan WY, Lovell ER, Meier R, Todd PA, Budd AF (2014) Towards a phylogenetic classification of reef corals: the Indo-Pacific genera *Merulina*, *Goniastrea* and *Scapophyllia* (Scleractinia, Merulinidae). *Zoologica Scripta* 43(5): 531–548. doi: 10.1111/zsc.12061
- Huang D, Hoeksema BW, Affendi YA, Ang PO, Chen CA, Huang H, Lane DJW, Licuanan WY, Vibol O, Vo ST, Yeemin T, Chou LM (2016) Conservation of reef corals in the South China Sea based on species and evolutionary diversity. *Biodiversity and Conservation* 25(2): 331–344. doi: 10.1007/s10531-016-1052-7
- Huang D, Licuanan WY, Hoeksema BW, Chen CA, Ang PO, Huang H, Lane DJW, Vo ST, Waheed Z, Affendi YA, Yeemin T, Chou LM (2015) Extraordinary diversity of reef corals in the South China Sea. *Marine Biodiversity* 45(2): 157–168. doi: 10.1007/s12526-014-0236-1
- Huelsenbeck JP, Ronquist F (2001) MRBAYES: Bayesian inference of phylogeny. *Bioinformatics* 17(8): 754–755. doi: 10.1093/bioinformatics/17.8.754
- Huelsken T, Keyse J, Liggins L, Penny S, Treml EA, Riginos C (2013) A novel widespread cryptic species and phylogeographic patterns within several giant clam species (Cardiidae: *Tridacna*) from the Indo-Pacific Ocean. *PLoS ONE* 8(11): e80858. doi: 10.1371/journal.pone.0080858
- Hughes TP, Bellwood DR, Connolly SR (2002) Biodiversity hotspots, centres of endemism, and the conservation of coral reefs. *Ecology Letters* 5(6): 775–784. doi: 10.1046/j.1461-0248.2002.00383.x
- Hughes TP, Connell JH (2000) Multiple stressors on coral reefs: a long-term perspective. *Limnology and Oceanography* 44(3): 932–940. doi: 10.4319/lo.1999.44.3_part_2.0932
- Hui M, Kraemer WE, Seidel C, Nuryanto A, Joshi A, Kochzius M (2016) Comparative genetic population structure of three endangered giant clams (Cardiidae: *Tridacna* species) throughout the Indo-West Pacific: implications for divergence, connectivity and conservation. *Journal of Molluscan Studies*. doi: 10.1093/mollus/eyw001
- Huntington BE, Karnauskas M, Lirman D (2011) Corals fail to recover at a Caribbean marine reserve despite ten years of reserve designation. *Coral Reefs* 30: 1077–1085. doi: 10.1007/s00338-011-0809-4
- Hutchison CS, Vijayan VR (2010) What are the Spratly Islands? *Journal of Asian Earth Sciences* 39: 371–385. doi: 10.1016/j.jseas.2010.04.013
- International Hydrographic Organization (1953) Limits of Oceans and Seas. Special Publication no. 28. Third edition. http://www.iho-ohi.net/iho_pubs/standard/S-23/S23_1953.pdf
- Isley J, Christopher S, Enderby S, Oldfield M, Munns R (2005) Sipadan Mabul Kapalai: Sabah's Underwater Treasure. Natural History Publications (Borneo), Kota Kinabalu, 198 pp.
- Ismail G, Shizuri Y, Oakley S, Pilcher N, Miyachi S (1998) Evaluation of marine communities: their potential as bioresources. In: Proceedings of the Tokyo International Forum on Conservation and Sustainable Use of Tropical Bioresources, Tokyo, Japan, 9-10 November 1998. New Energy and Industrial Technology Development Organization (NEDO) and Japan Bioindustry Association (JBA), Japan, pp. 48–83.
- Jakobsen F, Hartstein N, Frachisse J, Golingi T (2007) Sabah shoreline management plan (Borneo, Malaysia): ecosystems and pollution. *Ocean and Coastal Management* 50: 84–102. <http://dx.doi.org/10.1016/j.ocecoaman.2006.03.013>
- Jensen JL, Bohonak AJ, Kelley ST (2005) Isolation by distance, web service. Ver. 3.23 *BMC Genetics* 6: 13. <http://ibdws.sdsu.edu/>
- Jontila JBS, Alarcon R, Bundal M, Parcon J (2010) Benthic communities of Tubbataha Reef Natural Park: status and trends from 1997 to 2010. http://tubbatahareef.org/downloads/research_reports/benthic_report_2010_trnp.pdf
- Juinio-Menez MA (2015) Biophysical and genetic connectivity considerations in marine biodiversity conservation and management in the South China Sea. *Journal of International Wildlife Law and Policy* 18(2): 110–119. doi: 10.1080/13880292.2015.1044803
- Juinio-Meñez MA, Magsino RM, Ravago-Gotanco R, Yu ET (2003) Genetic structure of *Linckia laevigata* and *Tridacna crocea* populations in the Palawan shelf and shoal reefs. *Marine Biology* 142(4): 717–726. doi: 10.1007/s00227-002-0998-z
- Jumin R (2009) Occurrence and threats of saltwater crocodile in the proposed Tun Mustapha Park. WWF Malaysia report.
- Jumin R, Kassem K (2009) Ecosystem-based management in a proposed marine protected area: Tun Mustapha Park, Sabah. Malaysian Environmental NGOs. <http://www.mengo.org/resources/articles/19-ecosystem-based-management-in-a-proposed-marine-protected-area-tun-mustapha-park-sabah>

- Jumin R, Kassem K, Lim S, Magupin S (2011) Conserving Tun Mustapha Park. Conservation, sustainability and community wellbeing in Malaysia. Decision Point 49: 4.
<http://community.eldis.org/.59ed3610>
- Kahng SE, Garcia-Sais JR, Spalding HL, Brokovich E, Wagner D, Weil E, Hinderstein L, Toonen RJ (2010) Community ecology of mesophotic coral reef ecosystems. Coral Reefs 29(2): 255–275. doi: 10.1007/s00338-010-0593-6
- Kahng SE, Kelley CD (2007) Vertical zonation of megabenthic taxa on a deep photosynthetic reef (50–140 m) in the Au‘au Channel, Hawaii. Coral Reefs 26(3): 679–687. doi: 10.1007/s00338-007-0253-7
- Kahng SE, Maragos J E (2006) The deepest, zooxanthellate scleractinian corals in the world? Coral Reefs 25(2): 254. doi: 10.1007/s00338-006-0098-5
- Karlson RH (1999) Dynamics of Coral Communities. Springer, Dordrecht, 250 pp.
- Karlson RH, Cornell HV (1998) Scale-dependent variation in local vs. regional effects on coral species richness. Ecological Monographs 68(2): 259–274. doi: 10.1890/0012-9615(1998)068[0259:SDVILV]2.0.CO;2
- Karlson RH, Cornell HV (1999) Integration of local and regional perspectives on the species richness of coral assemblages. American Zoologist 39(1): 104–112.
- Kee Alfian AA, Wong WS, Badrul H, Affendi YA (2005) Macroinvertebrates diversity of Kg. Tekek, Pulau Tioman Marine Park. Proceedings of Second Regional Symposium on Environment and Natural Resources, Volume 2, 22–23 March 2005, Pan Pacific Hotel, Kuala Lumpur, Malaysia, pp. 79–84.
- Keith SA, Baird AH, Hughes TP, Madin JS, Connolly SR (2013) Faunal breaks and species composition of Indo-Pacific corals: the role of plate tectonics, environment and habitat distribution. Proceedings of the Royal Society B 280: 20130818. <http://dx.doi.org/10.1098/rspb.2013.0818>
- Keshavmurthy S, Yang S-Y, Alamaru A, Chuang Y-Y, Pichon M, Obura D, Fontana S, De Palmas S, Stefani F, Benzoni F, MacDonald A, Noreen AME, Chen C, Wallace CC, Pillay RM, Denis V, Affendi YA, Reimer JD, Mezaki T, Sheppard C, Loya Y, Abelson A, Mohammed MS, Baker AC, Mostafavi PG, Suharsono BA, Chen CA (2013) DNA barcoding reveals the coral “laboratory-rat”, *Stylophora pistillata* encompasses multiple identities. Scientific Reports 3: 1520. doi: 10.1038/srep01520.
- Keyse J, Crandall ED, Toonen RJ, Meyer CP, Trembl EA, Riginos C (2014) The scope of published population genetic data for Indo-Pacific marine fauna and future research opportunities in the region. Bulletin of Marine Science 90(1): 47–78. doi: 10.5343/bms.2012.1107
- Kimura M, Weiss GH (1964) The stepping stone model of population structure and the decrease of genetic correlation with distance. Genetics 49(4): 561–576.
- Kirk HJC (1962) The geology and mineral resources of the Semporna Peninsula, North Borneo. Geological Survey Department, British Territories in Borneo. Memoir 14: 1–178.
- Kitahara MV, Cairns SD, Stolarski J, Blair D, Miller DJ (2010) A comprehensive phylogenetic analysis of the Scleractinia (Cnidaria, Anthozoa) based on mitochondrial CO1 sequence data. PLoS ONE 5(7): e11490. doi: 10.1371/journal.pone.0011490
- Kitahara MV, Stolarski J, Cairns SD, Benzoni F, Stake JL, Miller DJ (2012) The first modern solitary Agariciidae (Anthozoa, Scleractinia) revealed by molecular and microstructural analysis. Invertebrate Systematics 26(3): 303–315. doi: 10.1071/IS11053
- Kitano YF, Benzoni F, Arrigoni R, Shirayama Y, Wallace CC, Fukami H (2014) A phylogeny of the family Poritidae (Cnidaria, Scleractinia) based on molecular and morphological analyses. PLoS ONE 9(5): e98406. doi: 10.1371/journal.pone.0098406
- Knittweis L, Kraemer WE, Timm J, Kochzius M (2009a) Genetic structure of *Heliofungia actiniformis* (Scleractinia: Fungiidae) populations in the Indo-Malay Archipelago: implications for live coral trade management efforts. Conservation Genetics 10: 241–249. doi: 10.1007/s10592-008-9566-5
- Knittweis L, Wolff M (2010) Live coral trade impacts on the mushroom coral *Heliofungia actiniformis* in Indonesia: Potential future management approaches. Biological Conservation 143(11): 2722–2729. <http://dx.doi.org/10.1016/j.biocon.2010.07.019>
- Knittweis L, Wolff M, Jompa J, Richter C (2009b) Population dynamics of the mushroom coral *Heliofungia actiniformis* in the Spermonde Archipelago, South Sulawesi, Indonesia. Coral Reefs 28(3): 793–804. doi: 10.1007/s00338-009-0513-9
- Kochzius M, Nuryanto A (2008) Strong genetic population structure in the boring giant clam, *Tridacna crocea*, across the Indo-Malay Archipelago: implications related to evolutionary processes and connectivity. Molecular Ecology 17: 3775–3787. doi: 10.1111/j.1365-294X.2008.03803.x

- Kochzius M, Seidel C, Hauschild J, Kirchhoff S, Mester P, Meyer-Wachsmuth I, Nuryanto A, Timm J (2009) Genetic population structure of the blue starfish *Linckia laevigata* and its gastropod ectoparasite *Thyca crystallina*. Marine Ecology Progress Series 396: 211–219. doi: 10.3354/meps08281
- Koh LL, Chou LM, Tun KPP (2002) The status of coral reefs of Pulau Banggi and its vicinity, Sabah, based on surveys in June 2002. REST technical report 2/02. National University of Singapore, Singapore, 36 pp.
- Kohn AJ (1967) Environmental complexity and species diversity in the gastropod genus *Conus* on Indo-West Pacific reef platforms. American Naturalist 101(919): 251–259.
- Kool JT, Paris CB, Barber PH, Cowen RK (2011) Connectivity and the development of population genetic structure in Indo-West Pacific coral reef communities. Global Ecology and Biogeography 20(5): 695–706. doi: 10.1111/j.1466-8238.2010.00637.x
- Kottelat M (1990) New species and populations of cave nemacheilines in South and Southeast Asia (Osteichthyes: Balitoridae). Mémoires de Biospéologie 17: 49–55.
- Ku Yaacob KK, Ibrahim M (2004) Temperature, salinity and density properties of the south- eastern South China Sea: Pulau Layang Layang area. In: Abdullah MP (Ed) Marine Biodiversity of Pulau Layang-Layang Malaysia, Fisheries Research Institute, Department of Fisheries Malaysia, pp. 89–102. <http://www.fri.gov.my/marsal/penerbitan/temperature1.pdf>
- Lamarck, JBPA de M de (1816) Histoire des animaux sans vertèbres, présentant les caractères généraux et particuliers de ces animaux, leur distribution, leurs classes, leurs familles, leurs genres, et la citation des principales espèces qui s’y rapportent; précédée d’une introduction offrant la détermination des caractères essentiels de l’animal, sa distinction du végétal et des autres corps naturels, enfin, l’exposition des principes fondamentaux de la zoologie. Détéville & Verdière, Paris, 568 pp.
- Lamarck JBPA de M de (1819) Histoire naturelle des animaux sans vertèbres. Tome sixième, 1re partie. Paris: published by the Author, vi + 343 pp.
- Lane DJW (2011) Bleaching and predation episodes on Bruneian coral reefs. Scientia Bruneiana 12: 51–58.
- Lane DJW (2012) *Acanthaster planci* impact on coral communities at permanent transect sites on Bruneian reefs, with a regional overview and a critique on outbreak causes. Journal of the Marine Biological Association of the United Kingdom 92(4): 803–809. doi: 10.1017/S0025315411000890
- Lane DJW, Hoeksema BW (2016) Mesophotic mushroom coral records at Brunei Darussalam support westward extension of the Coral Triangle to the South China Sea waters of Northwest Borneo. Raffles Bulletin of Zoology 64: 204–212.
- Lee JN, Mohamed CAR (2011) Accumulation of settling particles in some coral reef areas of Peninsular Malaysia. Sains Malaysiana 40(6): 549–554.
- Lee JN, Mohd S, Ismail MN, Norhayati BA (2012) Carrying capacity of Pulau Redang Marine Park 2011. Department of Marine Parks Malaysia, Putrajaya, 124 pp.
- Lee W, Chou LM (2003) The status of coral reefs of Pulau Banggi and its vicinity, Sabah, based on surveys in June 2003. REST technical report 2/03. National University of Singapore, Singapore, 32 pp.
- Lee WS (1994) Kajian komuniti karang keras dan ikan chatodontid (Famili Chaetodontidae) di Pulau Mengalum Sabah. BSc Dissertation, Universiti Kebangsaan Malaysia, Malaysia, 193 pp.
- Lee YL, Jumin R (2007) Establishing sociological and ecological criteria for zoning in the proposed Tun Mustapha Park. WWF-Malaysia.
- Leffler EM, Bullaughey K, Matute DR, Meyer WK, Ségurel L, Venkat A, Andolfatto P, Przeworski M (2012) Revisiting an old riddle: what determines genetic diversity levels within species? PLoS Biology 10(9): e1001388. doi: 10.1371/journal.pbio.1001388
- Legendre P, Legendre L (2012) Numerical Ecology. 3rd English Edition. Elsevier, 1006 pp.
- Lennon JJ, Koleff P, Greenwood JJD, Gaston KJ (2004) Contribution of rarity and commonness to patterns of species richness. Ecology Letters 7(2): 81–87. doi: 10.1046/j.1461-0248.2004.00548.x
- Licuanan WY, Aliño PM (2009) *Leptoseris kalayaanensis* (Scleractinia: Agariciidae), a new coral species from the Philippines. Raffles Bulletin of Zoology 57(1): 1–4.
- Linnaeus C (1758) Systema Naturae per regna tria naturae, secundum classes, ordines, genera, species, cum characteribus, differentiis, synonymis, locis. Tomus I. Editio decima, reformata. Holmiae, Laurentii Salvii (Stockholm), 824 pp.
- Liu Q, Kaneko A, Jilan S (2008) Recent progress in studies of the South China Sea circulation. Journal of Oceanography 64: 753–762. doi: 10.1007/s10872-008-0063-8.

- Lourey MJ, Ryan DAJ, Miller IR (2000) Rates of decline and recovery of coral cover on reefs impacted by, recovering from and unaffected by crown-of-thorns starfish *Acanthaster planci*: a regional perspective of the Great Barrier Reef. *Marine Ecology Progress Series* 196: 179–186. doi: 10.3354/meps196179
- Lucas JS (1988) Giant clams: description, distribution and life history. In: Copland JW, Lucas JS (Eds) *Giant Clams in Asia and the Pacific*. Australian Centre for International Agricultural Research, Canberra, Australia, pp. 21–32.
- Luck DG, Forsman ZH, Toonen RJ, Leicht SJ, Kahng SE (2013) Polyphyly and hidden species among Hawai'i's dominant mesophotic coral genera, *Leptoseris* and *Pavona* (Scleractinia: Agariciidae). *PeerJ* 1: e132. doi: 10.7717/peerj.132
- Lulofs RB (1973) A reef survey of Pulau Gaya and associated islands Part I. WWF-Malaysia, 16 pp.
- Lulofs RB, Langham NPE, Mathias JA (1974) A reef survey of Pulau Gaya and associated islands Part II. WWF-Malaysia, 7 pp.
- Magurran AE (2004) *Measuring Biological Diversity*. Blackwell, Oxford, 256 pp.
- Malaysian Meteorological Department. Monsoon: changing winds. 2013.
http://www.met.gov.my/index.php?option=com_content&task=view&id=69&Itemid=160&lang=english
- Manly BFJ (1994) *Multivariate Statistical Methods: A Primer* 2nd edition. Chapman and Hall, New York, 232 pp.
- Mantel N (1967) The detection of disease clustering and a generalized regression approach. *Cancer Research* 27(2): 209–220.
- Maragos JE, Jokiel PL (1986) Reef corals of Johnston Atoll: one of the world's most isolated reefs. *Coral Reefs* 4: 141–150. doi: 10.1007/BF00427935
- Marques CR and Pressey RL (2000) Systematic conservation planning. *Nature* 405: 243–253. doi: 10.1038/35012251
- Marine Research Unit of Sabah Parks (2005) Hard corals of Tunku Abdul Rahman Park. Unpublished list, 13 pp.
- Marsh LM (1974) Shallow-water asterozoans of southeastern Polynesia. I. Asteroidea. *Micronesica* 10: 65–104.
- Marsh LM (1992) Hard corals of the Tunku Abdul Rahman Park, reefs off Semporna and Pulau Sipadan. In: Meagher, TD (Ed) *Proposed Semporna Marine Park: Environmental Evaluation for Expanded Tourism Development, Malaysia*, 10 pp.
- Mathias JA, Langham NPE (1978) Coral reefs. In: Chua TH, Mathias JA (Eds) *Coastal resources of West Sabah*. Universiti Sains Malaysia, Penang, pp. 117–151.
- McClanahan TR, Sala E, Stickels PA, Cokos BA, Baker AC, Starger CJ, Jones IV SH (2003) Interaction between nutrients and herbivory in controlling algal communities and coral condition on Glover's Reef, Belize. *Marine Ecology Progress Series* 261: 135–147.
- McCook LJ (1999) Macroalgae, nutrients and phase shifts on coral reefs: scientific issues and management consequences for the Great Barrier Reef. *Coral Reefs* 18(4): 357–367. doi: 10.1007/s003380050213
- McIntosh RP (1967) An index of diversity and the relation of certain concepts to diversity. *Ecology* 48(3): 392–404.
- McManus JW (1985) Marine speciation, tectonics and sea-level changes in Southeast Asia. *Proceedings of the Fifth International Coral Reef Congress, Tahiti*, 4: 133–138.
- McManus JW (1994) The Spratly Islands: A marine park. *Ambio* 23(3): 181–186.
- McMonagle LB (2012) A diverse assemblage of corals from the Late Oligocene of eastern Sabah, Borneo: pre-Miocene origins of the Indo-West Pacific marine biodiversity hotspot. MPhil thesis, Durham University, Durham, United Kingdom, 373 pp. <http://etheses.dur.ac.uk/5252/>
- McMonagle LB, Lunt P, Wilson MEJ, Johnson KG, Manning C, Young J (2011) A re-assessment of age dating of fossiliferous limestones in eastern Sabah, Borneo: Implications for understanding the origins of the Indo-Pacific marine biodiversity hotspot. *Palaeogeography, Palaeoclimatology, Palaeoecology* 305(1–4): 28–42. doi: 10.1016/j.palaeo.2011.02.009
- Meagher TD (1992) *Proposed Semporna Marine Park. Environmental evaluation for expanded tourism development*, 92 pp.
- Milne-Edwards H, Haime J (1849) *Recherches sur les polypiers*. Monographie des Astréides. *Annales des Sciences Naturelles, Série 3, Zoologie* 11: 233–312.
- Mitchell A, Worthington S, Gin O, Bates A, Rushforth J, le Boutillier L (1999) Coral reef survey of TARP. In: Preliminary Report of Oxford University Expedition to Sabah 1999, Oxford, United Kingdom, 60 pp.
- Moberg F, Folke C (1999) Ecological goods and services of coral reef ecosystems. *Ecological Economics* 29(2): 215–233. doi: 10.1016/S0921-8009(99)00009-9

- Mohamed MIH, Rahman RA, Abdullah MP (1994) Impact of development on Pulau Layang-Layang coral reefs. In: Sudara S, Wilkinson CR, Chou LM (Eds) Proceedings, Third ASEAN-Australia Symposium on Living Coastal Resources, Volume 2 Research Papers, May 1994. Chulalongkorn University, Bangkok, pp. 35–40.
- Mohd. Firdaus AN (2013) Preliminary survey of saltwater crocodiles *Crocodylus porosus* and human-crocodile conflicts in Balambangan Island, Kudat Sabah. BSc thesis, Universiti Malaysia Sabah, Kota Kinabalu, Malaysia.
- Moll H (1983) Zonation and diversity of Scleractinia on reefs off S.W. Sulawesi, Indonesia. PhD Thesis, Leiden University, Leiden, The Netherlands, 107 pp.
- Moll H, Suharsono (1986) Distribution, diversity and abundance of reef corals in Jakarta Bay and Kepulauan Seribu. In: Brown BE (Ed) Human induced damage to coral reefs: results of a regional UNESCO (COMAR) workshop with advanced training. UNESCO Reports in Marine Science 40: 112–125.
- Mollusc Specialist Group. 1996. *Tridacna crocea*. The IUCN Red List of Threatened Species 1996: e.T22135A9361892. <http://dx.doi.org/10.2305/IUCN.UK.1996.RLTS.T22135A9361892.en>
- Moolengraaff GAF (1922) Geologie. In: Stok JP van der (Ed) De Zeeën van Nederlandsch Oost-Indië, Brill, Leiden, pp. 272–357, maps I–VII.
- Moolengraaff GAF (1929) The coral reefs in the East Indian Archipelago: their distribution and mode of development. Proceedings Fourth Pacific Science Congress, Java, pp. 1–35.
- Moolengraaff GAF, Weber M (1921) On the relation between the Pleistocene glacial period and the origin of the Sunda Sea (Java- and South China-Sea), and its influence on the distribution of coral reefs and on the land- and freshwater fauna. Proceedings of the Section of Sciences 23: 395–439. [English translation].
- Moran PJ (1986) The *Acanthaster* phenomenon. Oceanography and Marine Biology: an Annual Review 24: 379–480.
- Morris PG (1973) Some preliminary notes on Sabah coral reefs. Borneo Research Bulletin 5(2): 57–61.
- Morris PG (1977) A note on the occurrence of the Crown of Thorns starfish *Acanthaster planci* (L) on some Sabah coral reefs. Malayan Nature Journal 30(1): 79–85.
- Morris PG (1978) Notes on the distribution, geology and invertebrate faunas of some coral reefs in Darvel Bay, Sabah, Malaysia. Sarawak Museum Journal 26: 211–234.
- Morton B, Blackmore G (2001) South China Sea. Marine Pollution Bulletin 42: 1236–1263. doi: 10.1016/S0025-326X(01)00240-5
- Mouillot D, Parravicini V, Bellwood DR, Leprieur F, Huang D, Cowman PF, Albouy C, Hughes TP, Thuiller W, Guilhaumon F (2016) Global marine protected areas do not secure the evolutionary history of tropical corals and fishes. Nature Communications 7: 10359. doi: 10.1038/ncomms10359
- Mumby PJ, Harborne AR (2010) Marine reserves enhance the recovery of corals on Caribbean reefs. PLoS ONE 5(1): e8657. doi: 10.1371/journal.pone.0008657
- Munro C (2005) Diving systems. In: Eleftheriou A, McIntyre A (Eds) Methods for the Study of Marine Benthos. Blackwell Science, Oxford, pp. 112–159.
- Murphy G, Davies L, Spence F (2005) Greenforce Borneo Project for coral reef biodiversity. Fifth annual report. Greenforce, London, 58 pp.
- Musa G, Kadir SLSA, Lee L (2006) Layang Layang: an empirical study on SCUBA divers' satisfaction. Tourism in Marine Environments 2(2): 89–102.
- Nasrullhakim M, Daud A, Mushidi H (2010) Study of population, distribution and proposed method to control Crown-of-thorns (COT) starfish species outbreak in the waters of Layang- Layang Island, Malaysia. Unpublished report, 15 pp.
- Nei M (1987) Molecular Evolutionary Genetics. Columbia University Press, New York, 512 pp.
- Nei M, Li W-H (1979) Mathematical model for studying genetic variation in terms of restriction endonucleases. Proceedings of the National Academy of Sciences of the United States of America 76(10): 5269–5273.
- Neo ML, Eckman W, Vicentuan K, Teo SL-M, Todd PA (2015) The ecological significance of giant clams in coral reef ecosystems. Biological Conservation 181: 111–123. <http://dx.doi.org/10.1016/j.biocon.2014.11.004>
- Neo ML, Todd PA (2012a) Giant clams (Mollusca: Bivalvia: Tridacninae) in Singapore: history, research and conservation. Raffles Bulletin of Zoology Supplement No. 25: 67–78.
- Neo ML, Todd PA (2012b) Population density and genetic structure of the giant clams *Tridacna crocea* and *T. squamosa* on Singapore's reefs. Aquatic Biology 14: 265–275. doi: 10.3354/ab00400
- Ng PKL (1988) The freshwater crabs of Peninsular Malaysia and Singapore. Department of Zoology, National University of Singapore, Shinglee Press, Singapore, 156 pp.

- Ng PKL, Yong HS, Sodhi NS (1999) Biodiversity research on Pulau Tioman, Peninsular Malaysia: a historical perspective. *Raffles Bulletin of Zoology Supplement* No. 6: 5–10.
- Nishihira M, Veron JEN (1995) *Hermatypic corals of Japan*. Kaiyusha Publishers, Tokyo, 440 pp.
- Norse EA, Rosenbaum KL, Wilcove DS, Wilcox BA, Romme WH, Johnston DW, Stout ML (1986) Conserving biological diversity in our national forests. *Wilderness Society*, Washington DC, 116 pp.
- Nuryanto A, Kochzius M (2009) Highly restricted gene flow and deep evolutionary lineages in the giant clam *Tridacna maxima*. *Coral Reefs*. 28(3): 607–619. <http://dx.doi.org/10.1007/s00338-009-0483-y>
- Nyanti L (1984) *Ekologi terumbu karang di Taman Tunku Abdul Rahman*. BSc Dissertation, Universiti Kebangsaan Malaysia, Malaysia, 152 pp.
- Nyanti L, Johnston NA (1992) The coral reefs of the Tunku Abdul Rahman Park, Sabah. *Sabah Society Journal* 9(4): 323–348.
- Oakley S, Pilcher N (1996) Marine Protected Areas for sustainable fisheries management: Layang Layang reef as a source of larvae in the South China Sea. *Proceedings of Workshop on Aquaculture and Sustainable reef fisheries*, Kota Kinabalu, Sabah Malaysia, 4–8th December 1996.
- Ong C, Yusoff K, Yap C, Tan S (2009) Genetic characterization of *Perna viridis* L. in Peninsular Malaysia using microsatellite markers. *Journal of Genetics* 88(2): 153–163. doi: 10.1007/s12041-009-0023-0
- Oksanen J, Blanchet FG, Kindt R, Legendre P, Minchin PR, O'Hara RB, Simpson GL, Solymos P, Henry M, Stevens H, Wagner H (2015) *vegan: Community Ecology Package*. R package version 2.2-1. <http://CRAN.R-project.org/package=vegan>
- Ormond RFG, Hanscomb NJ, Beach DH (1976) Food selection and learning in the crown- of-thorns starfish *Acanthaster planci* (L). *Marine Behaviour and Physiology* 4(2): 93–105. doi: 10.1080/10236247609386944
- Osborne K, Dolman AM, Burgess SC, Johns KA (2011) Disturbance and the dynamics of coral cover on the Great Barrier Reef (1995–2009). *PLoS ONE* 6(3): e17516. doi: 10.1371/journal.pone.0017516
- Othman AS, Goh GHS, Todd PA (2010) The distribution and status of giant clams (Family Tridacnidae) – A short review. *Raffles Bulletin of Zoology* 58(1): 103–111.
- Palumbi SR (1997) Molecular biogeography of the Pacific. *Coral Reefs* 16: S47–S52. doi: 10.1007/s003380050241
- Paulay G (1997) Diversity and distribution of reef organisms. In: Birkeland C (Ed) *Life and Death of Coral Reefs*. Chapman & Hall, New York, pp. 298–353.
- Pelé J, Becu JM, Abdi H, Chabbert M (2012) *bios2mds: From BIOlogical Sequences to MultiDimensional Scaling*. R package version 1.2.2. <http://CRAN.R-project.org/package=bios2mds>
- Penn O, Privman E, Ashkenazy H, Landan G, Graur D, Pupko T (2010a) GUIDANCE: a web server for assessing alignment confidence scores. *Nucleic Acids Research* 38: W23–W28. doi: 10.1093/nar/gkq443
- Penn O, Privman E, Landan G, Graur D, Pupko T (2010b) An alignment confidence score capturing robustness to guide-tree uncertainty. *Molecular Biology and Evolution* 27(8): 1759–1767. doi: 10.1093/molbev/msq06
- Perry CT, Larcombe P (2003) Marginal and non-reef-building coral environments. *Coral Reefs* 22(4): 427–432. doi: 10.1007/s00338-003-0330-5
- Phillips A (1979) Notes on some corals from the west coast of Sabah, Malaysia. *Malayan Nature Journal* 32(3&4): 327–340.
- Pichon M (2007) Scleractinia of New Caledonia: check list of reef dwelling species. In: Payri C, Richer De Forges B (Eds) *Compendium of Marine Species of New Caledonia*. Documents Scientifiques et Techniques IRD, Nouméa 117(2): 147–157.
- Pichon M, Benzoni F (2007) Taxonomic re-appraisal of zooxanthellate scleractinian corals in the Maldivé Archipelago. *Zootaxa* 1441: 21–33. doi: 10.1353/psc.2007.0011
- Pilcher NJ, Cabanban AS (2000) The status of coral reefs in eastern Malaysia. *Global Coral Reef Monitoring Network (GCRMN) Report*. Australia Institute of Marine Science, Townsville, 87 pp.
- Pilcher NJ, Oakley SG (1997) Unsustainable fishing practices: crisis in coral reef ecosystems of Southeast Asia. *Proceedings of Oceanology International 97 Pacific Rim*, Singapore. Spearhead Exhibitions, Surrey, United Kingdom, pp. 77–87.
- Pilcher N, Oakley S, Ismail G (1999) *Layang Layang a drop in the ocean*. Natural History Publications, Kota Kinabalu, 126 pp.
- Pillai CSG, Scheer G (1976) Report on the stony corals from the Maldivé Archipelago. *Zoologica, Stuttgart* 126: 1–83, pls. 1–32.

- Pope LC, Riginos C, Ovenden J, Keyse J, Blomberg SP (2015) Population genetic diversity in the Australian 'seascape': a bioregion approach. *PLoS ONE* 10(9): e0136275. doi: 10.1371/journal.pone.0136275
- Potts DC (1983) Evolutionary disequilibrium among Indo-Pacific corals. *Bulletin of Marine Science* 33(3): 619–632.
- Potts DC (1984) Generation times and the Quaternary evolution of reef-building corals. *Paleobiology* 10(1): 48–58.
- Potts DC (1985) Sea-level fluctuations and speciation in the Scleractinia. *Proceedings of the Fifth International Coral Reef Congress, Tahiti, Volume 4*: 127–132.
- Pratchett MS (2007) Feeding preferences of *Acanthaster planci* (Echinodermata: Asteroidea) under controlled conditions of food availability. *Pacific Science* 61(1): 113–120. doi: 10.1353/psc.2007.0011
- Pratchett MS (2010) Changes in coral assemblages during an outbreak of *Acanthaster planci* at Lizard Island, northern Great Barrier Reef (1995–1999). *Coral Reefs* 29(3): 717–725. doi: 10.1007/s00338-010-0602-9
- Pratchett MS, Shenk TJ, Baine M, Syms C, Baird AH (2009) Selective coral mortality associated with outbreaks of *Acanthaster planci* L. in Bootless Bay, Papua New Guinea. *Marine Environmental Research* 67(4–5): 230–236. doi: 10.1016/j.marenvres.2009.03.001
- Purchon RD (1956) A list of corals collected in the vicinity of Singapore. *Proceedings of the Linnaean Society of New South Wales* 81(2): 157–158.
- Putchakarn S, Sonchaeng P (2004) Echinoderm fauna of Thailand. History and inventory reviews. *Science Asia* 30: 417–428.
- Qu T (2000) Upper-layer circulation in the South China Sea. *Journal of Physical Oceanography* 30(6): 1450–1460. doi: 10.1175/1520-0485(2000)030<1450:ULCITS>2.0.CO;2
- Quelch JJ (1886) Report on the reef corals collected by H.M.S. Challenger during the years 1873–76. In: Thomson CW, Murray J (Eds) Report on the scientific results of the voyage of H.M.S. Challenger during the years 1873–76. *Zoology, Volume 16*, 203 pp.
- Quoy JRC, Gaimard JP (1833). *Zoologie IV: Zoophytes*. In: *Zoologie. Voyage de la corvette l'Astrolabe : exécuté par ordre du roi, pendant les années 1826-1827-1828-1829 / sous le commandement de J. Dumont d'Urville*, pp. 1–390.
- R Core Team (2013) R: A language and environment for statistical computing. R Foundation for Statistical Computing, Vienna, Austria. <http://www.R-project.org>
- Ravago-Gotanco RG, Magsino RM, Juinio-Menez MA (2007) Influence of the North Equatorial Current on the population genetic structure of *Tridacna crocea* (Mollusca: Tridacnidae) along the eastern Philippine seaboard. *Marine Ecology Progress Series* 336: 161–168. <http://dx.doi.org/10.3354/meps336161>
- Raymundo LJ, Maypa AP, Gomez ED, Cadiz P (2007) Can dynamite-blasted reefs recover? A novel, low-tech approach to stimulating natural recovery in fish and coral populations. *Marine Pollution Bulletin* 54(7): 1009–1019. <http://dx.doi.org/10.1016/j.marpolbul.2007.02.006>
- Reed DH, Frankham R (2003) Correlation between fitness and genetic diversity. *Conservation Biology* 17(1): 230–237. doi: 10.1046/j.1523-1739.2003.01236.x
- Reef Check Malaysia (2010). Reef Check Malaysia annual survey report 2010. Reef Check Malaysia, Kuala Lumpur, Malaysia. http://www.reefcheck.org.my/images/documents/survey_report/RCMSUR_2010.pdf
- Rice WR (1989) Analyzing tables of statistical tests. *Evolution* 43(1): 223–225.
- Rizal S, Damm P, Wahid MA, Sundermann J, Ilhamsyah Y, Iskandar T (2012) General circulation in the Malacca strait and Andaman Sea: a numerical model study. *American Journal of Environmental Sciences* 8(5): 479–488. doi: 10.3844/ajessp.2012.479.488
- Rizal S, Setiawan I, Iskandar T, Ilhamsyah Y, Wahid MA, Musman M (2010) Currents simulation in the Malacca Straits by using three-dimensional numerical model. *Sains Malaysiana* 39(4): 519–524.
- Roberts CM (1997) Connectivity and management of Caribbean coral reefs. *Science* 278(5342): 1454–1457. doi: 10.1126/science.278.5342.1454
- Roberts CM, Polunin NVC (1991) Are marine reserves effective in management of reef fisheries? *Reviews in Fish Biology and Fisheries* 1(1): 65–91.
- Roe FW (1951) Report of the Geological Survey Department for the Year 1951. British Territory in Borneo. Malaya Publishing House, Singapore, 143 pp.
- Rogers AR (1995) Genetic evidence for Pleistocene population expansion. *Evolution* 49(4): 608–615.
- Rogers AR, Harpending H (1992) Population growth makes waves in the distribution of pairwise genetic differences. *Molecular Biology and Evolution* 9(3): 552–569.

- Rogers CS (1990) Responses of coral reefs and reef organisms to sedimentation. *Marine Ecology Progress Series* 62: 185–202.
- Romiguier J, Gayral P, Ballenghien M, Bernard A, Cahais V, Chenuil A, Chiari Y, Dernat R, Duret L, Faivre N, Loire E, Lourenco JM, Nabholz B, Roux C, Tsagkogeorga G, Weber AA-T, Weinert LA, Belkhir K, Bierne N, Glémin S, Galtier N (2014) Comparative population genomics in animals uncovers the determinants of genetic diversity. *Nature* 515: 261–263. doi: 10.1038/nature13685
- Ronquist F, Huelsenbeck JP (2003) MRBAYES 3: Bayesian phylogenetic inference under mixed models. *Bioinformatics* 19(12): 1572–1574. doi: 10.1093/bioinformatics/btg180
- Ronquist F, Teslenko M, van der Mark P, Ayres DL, Darling A, Höhna S, Larget B, Liu L, Suchard MA, Huelsenbeck JP (2012) MrBayes 3.2: efficient Bayesian phylogenetic inference and model choice across a large model space. *Systematic Biology* 61: 539–542. doi: 10.1093/sysbio/sys029
- Rooney J, Donham E, Montgomery A, Spalding H, Parrish F, Boland R, Fenner D, Gove J, Vetter O (2010) Mesophotic coral ecosystems in the Hawaiian Archipelago. *Coral Reefs* 29(2): 361–367. doi: 10.1007/s00338-010-0596-3
- Rosen BR (1988) Progress, problems and patterns in the biogeography of reef corals and other tropical marine organisms. *Helgoländer Meeresuntersuchungen* 42: 269–301. doi: 10.1007/BF02366046
- Rosly HAM, Mohd Nor SA, Yahya K, Naim DM (2013) Mitochondrial DNA diversity of mud crab *Scylla olivacea* (Portunidae) in Peninsular Malaysia: a preliminary assessment. *Molecular Biology Reports* 40(11): 6407–6418. doi: 10.1007/s11033-013-2755-4
- Rousseau L (1854) Zoophytes. In: Voyage au pôle Sud et dans l’Océanie sur les corvettes l’Astrolabe et la Zélée sous le commandement de MJ Dumont-d’Urville. *Zoologie*, Paris, pp. 119–124, pls. 27–29.
- Roy RN (1977) Red tide and outbreak of paralytic shellfish poisoning in Sabah. *The Medical Journal of Malaysia* 31(3): 247–251.
- Rozihan M, Ismail E (2012) Impact of Malaysian continental drift on the genetic diversity of horseshoe crab inferred through mtDNA sequence analysis. *International Journal of Biology* 4(1): 104–110. <http://dx.doi.org/10.5539/ijb.v4n1p104>
- Rozihan M, Ismail E, Akbar John B, Jalal KCA, Mohd-Adnan A (2013) Genetic diversity of horseshoe crab (*Tachypleus gigas*) in Malaysia revealed using microsatellite markers. *Asian Journal of Animal and Veterinary Advances* 8(1): 63–72. doi: 10.3923/ajava.2013.63.72
- Russ GR, Alcalá AC (1996) Do marine reserves export adult fish biomass? Evidence from Apo Island, central Philippines. *Marine Ecology Progress Series* 132: 1–9. doi: 10.3354/meps132001
- Saadon N, Lim PK, Snidvong A, Rojana-Anawat P (1999) Physical characteristics of watermass in the South China Sea, area II: Sarawak, Sabah and Brunei Darussalam waters. In: Proceedings of the second technical seminar on marine fishery resources survey in the South China Sea Area II: Sarawak, Sabah and Brunei Darussalam waters, Kuala Lumpur, Malaysia, 14–15 December 1998. Southeast Asian Fisheries Development Center, Samutprakan, Thailand, pp. 1–22.
- Sabah Parks Visitor Statistics (2013) Sabah Parks, Sabah, Malaysia. <http://www.sabahparks.org.my/eng/public/visitorfigure.htm>
- Sabah State Government (1999) Shoreline Management in the ICZM Context. Sabah State Government, Sabah, Malaysia <http://www.townplanning.sabah.gov.my/iczm/Reports/Shoreline%20Management/mst.pdf>
- Sahari A, Ilias Z, Sulong N, Ibrahim K (2004) Giant clam species and distribution at Pulau Layang-Layang, Sabah. In: Abdullah MP (Ed.) *Marine Biodiversity of Pulau Layang-Layang Malaysia*, Fisheries Research Institute, Department of Fisheries Malaysia, pp. 25–28. <http://www.fri.gov.my/marsal/penerbitan/giantclam1.pdf>
- Sanciangco JC, Carpenter KE, Etnoyer PJ, Moretzsohn F (2013) Habitat availability and heterogeneity and the Indo-Pacific warm pool as predictors of marine species richness in the tropical Indo-Pacific. *PLoS ONE* 8(2): e56245. doi: 10.1371/journal.pone.0056245
- Santodomingo N, Renema W, Johnson KG (2016) Understanding the murky history of the Coral Triangle: Miocene corals and reef habitats in East Kalimantan (Indonesia). *Coral Reefs* 35(3): 765–781. doi: 10.1007/s00338-016-1427-y
- Saponari L, Montano S, Seveso D, Galli P (2014) The occurrence of an *Acanthaster planci* outbreak in Ari Atoll, Maldives. *Marine Biodiversity* 45(4): 599–600. doi: 10.1007/s12526-014-0276-6
- Scheer G, Pillai CSG (1983) Report on the stony corals from the Red Sea. *Zoologica* 45(3): 1–198.

- Schmitt EF, Sluka RD, Sullivan-Sealey KM (2002) Evaluating the use of roving diver and transect surveys to assess the coral reef fish assemblage of southeastern Hispaniola. *Coral Reefs* 21(2): 216–223. doi: 10.1007/s00338-002-0216-y
- Schneider S, Excoffier L (1999) Estimation of past demographic parameters from distribution of pairwise differences when the mutation rates vary among sites: application to human mitochondrial DNA. *Genetics* 152(3): 1079–1089.
- Scott CM, Mehrotra R, Urgell P (2014) Spawning observation of *Acanthaster planci* in the Gulf of Thailand. *Marine Biodiversity* 45(4): 621–622. doi: 10.1007/s12526-014-0300-x
- Searle AG (1956) An illustrated key to Malayan hard corals. *Malayan Nature Journal* 11: 1–26.
- Selig ER, Bruno JF (2010) A global analysis of the effectiveness of Marine Protected Areas in preventing coral loss. *PLoS ONE* 5(2): e9278. doi: 10.1371/journal.pone.0009278
- Selig ER, Turner WR, Troëng S, Wallace BP, Halpern BS, Kaschner K, Lascelles BG, Carpenter KE, Mittermeier RA (2014) Global priorities for marine biodiversity conservation. *PLoS ONE* 9(1): e82898. doi: 10.1371/journal.pone.0082898
- Sheppard CRC (1982) Coral populations on reef slopes and their major controls. *Marine Ecology Progress Series* 7: 83–115.
- Shokita S, Kakazu K, Tomori A, Toma T (1991) *Aquaculture in Tropical Areas*. Midori Shobo, Tokyo, 360 pp.
- Slatkin M, Hudson RR (1991) Pairwise comparisons of mitochondrial DNA sequences in stable and exponentially growing populations. *Genetics* 129(2): 555–562.
- Smith TB, Bruford MW, Wayne RK (1993) The preservation of process: the missing element of conservation programs. *Biodiversity Letters* 1(6): 164–167. doi: 10.2307/2999740
- Soegiarto A (2000) Pollution management and mitigation in the Straits of Malacca: priorities, uncertainties and decision making. In: Shariff M, Yusoff FM, Gopinath N, Ibrahim HM, Nik Mustapha RA (Eds) *Towards sustainable management of the Straits of Malacca*, Malacca Straits Research and Development Center (MASDEC), Faculty of Science and Environmental Studies, Universiti Putra Malaysia, Serdang, pp. 503–518.
- Somerfield PJ, Jaap WC, Clarke KR, Callahan M, Hackett K, Porter J, Lybolt M, Tsokos C, Yanev G (2008) Changes in coral reef communities among the Florida Keys, 1996–2003. *Coral Reefs* 27(4): 951–965. doi: 10.1007/s00338-008-0390-7
- Spait M (2001) Marine park management: issues and challenges. 6th Sabah Inter-Agency Tropical Ecosystems (SITE) Research Seminar, 13–14 September 2001. SITE, Kota Kinabalu, Malaysia. 11 pp. <http://ww2.sabah.gov.my/jpas/news/SITE/SITEppr16.pdf>
- Spalding MD, Fox HE, Allen GR, Davidson N, Ferdaña ZA, Finlayson M, Halpern BS, Jorge MA, Lombana A, Lourie SA, Martin KD, McManus E, Molnar J, Recchia CA, Robertson J (2007) Marine ecoregions of the world: a bioregionalization of coastal and shelf areas. *Bioscience* 57(7): 573–583. doi: 10.1641/B570707
- Spalding MD, Ravilious C, Green EP (2001) *World Atlas of Coral Reefs*. University of California Press, Berkeley. 416 pp.
- Stefani F, Benzoni F, Pichon M, Cancelliere C, Galli P (2008) A multidisciplinary approach to the definition of species boundaries in branching species of the coral genus *Psammocora* (Cnidaria, Scleractinia). *Zoologica Scripta* 37(1): 71–91. doi: 10.1111/j.1463-6409.2007.00309.x
- Stefani F, Benzoni F, Yang S-Y, Pichon M, Galli P, Chen CA (2011) Comparison of morphological and genetic analyses reveals cryptic divergence and morphological plasticity in *Stylophora* (Cnidaria, Scleractinia). *Coral Reefs* 30(4): 1033–1049. doi: 10.1007/s00338-011-0797-4
- Stephens M, Donnelly P (2003) A comparison of Bayesian methods for haplotype reconstruction from population genotype data. *American Journal of Human Genetics* 73(5): 1162–1169. doi: 10.1086/379378
- Stephens M, Smith NJ, Donnelly P (2001) A new statistical method for haplotype reconstruction from population data. *American Journal of Human Genetics* 68(4): 978–989. doi: 10.1086/319501
- Stubbs GC (1961) Some island races of butterflies and their conservation. In: Wyatt-Smith J, Wycherley PR (Ed) *Nature Conservation in Western Malaysia*. Malayan Nature Journal Special Issue pp. 240–243.
- Sturrock K, Rocha J (2000) A multidimensional scaling stress evaluation table. *Field Methods* 12(1): 49–60. doi: 10.1177/1525822X0001200104
- Sukumaran J, Holder MT (2010) DendroPy: A Python library for phylogenetic computing. *Bioinformatics* 26(12): 1569–1571. doi: 10.1093/bioinformatics/btq228

- Sutthacheep M, Yucharoen M, Klinthong W, Pengsakun S, Sangmanee K, Yeemin T (2012) Coral mortality following the 2010 mass bleaching event at Kut Islands, Thailand. Phuket Marine Biological Center Research Bulletin 71: 83–92.
- Svrčula K (2008) Layang Layang diving Malaysia's last frontier. Marshall Cavendish Editions, Malaysia, 168 pp.
- Swofford DL (2002) PAUP*: Phylogenetic Analysis Using Parsimony (*and other methods), Version 4.0. Sinauer Associates, Sunderland, Massachusetts.
- Tajima F (1989) Statistical method for testing the neutral mutation hypothesis by DNA polymorphism. Genetics 123(3): 585–595.
- Tajima F (1993) Measurement of DNA polymorphism. In: Takahata N, Clark AG (Eds) Mechanisms of Molecular Evolution. Introduction to Molecular Paleopopulation Biology. Scientific Societies Press, Sinauer Associates Inc., Tokyo, Sunderland, MA, pp. 37–59.
- Takabayashi M, Carter DA, Loh WKW, Hoegh-Guldberg O (1998a) A coral-specific primer for PCR amplification of the internal transcribed spacer region in ribosomal DNA. Molecular Ecology 7: 928–930.
- Takabayashi M, Carter D, Ward S, Hoegh-Guldberg O (1998b) Inter- and intra-specific variability in ribosomal DNA sequence in the internal transcribed spacer region of corals. In: Greenwood JG, Hall NJ (Eds) Proceedings of the Australian Coral Reef Society 75th Anniversary Conference, The University of Queensland, Brisbane, pp. 241–248.
- Tamura K, Stecher G, Peterson D, Filipski A, Kumar S (2013) MEGA6: Molecular Evolutionary Genetics Analysis version 6.0. Molecular Biology and Evolution 30(12): 2725–2729. doi: 10.1093/molbev/mst197
- Tan ASH, Yasin ZB, Salleh IB, Yusof AA (1998) Status of giant clams in Pulau Tioman, Malaysia. Malayan Nature Journal 52(3, 4): 205–216.
- Tanggang FT, Xia C, Qiao F, Juneng L, Shan F (2011) Seasonal circulations in the Malay Peninsula Eastern Continental Shelf from a Wave–Tide–Circulation Coupled Model. Ocean Dynamics 61: 1317. doi: 10.1007/s10236-011-0432-5
- Tanzil JTI, Chou LM (2004) The status of coral reefs of Pulau Banggi, Pulau Malawali and the vicinity, Sabah, based on surveys in June 2004. REST technical report no. 6 2004. National University of Singapore, Singapore. 52 pp.
- Teh L, Cabanban AS, Sumaila UR (2005) The reef fisheries of Pulau Banggi, Sabah: a preliminary profile and assessment of ecological and socio-economic sustainability. Fisheries Research 76(3): 359–367. <http://dx.doi.org/10.1016/j.fishres.2005.07.009>
- Teh L, Sumaila UR (2007) Malthusian overfishing in Pulau Banggi? Marine Policy 31(4): 451–457. <http://dx.doi.org/10.1016/j.marpol.2007.01.001>
- Teh LSL, Zeller D, Cabanban A, Teh LCL, Sumaila UR (2007) Seasonality and historic trends in the reef fisheries of Pulau Banggi, Sabah, Malaysia. Coral Reefs 26(2): 251–263. doi: 10.1007/s00338-006-0182-x
- Templeton AR (1994) Biodiversity at the molecular genetic level: experiences from disparate macroorganisms. Philosophical Transactions: Biological Sciences 345(1311): 59–64.
- Templeton AR (1998) The role of molecular genetics in speciation studies. In: DeSalle R, Schierwater B (Eds) Molecular Approaches to Ecology and Evolution. Birkhäuser, Basel, pp. 131–156.
- Templeton AR, Crandall KA, Sing CF (1992) A cladistic analysis of phenotypic associations with haplotypes inferred from restriction endonuclease mapping and DNA sequence data. III. Cladogram estimation. Genetics 132(2): 619–633.
- Terraneo TI, Berumen ML, Arrigoni R, Waheed Z, Bouwmeester J, Caragnano A, Stefani F, Benzoni F (2014) *Pachyseris inattesa* sp. n. (Cnidaria, Anthozoa, Scleractinia): a new reef coral species from the Red Sea and its phylogenetic relationships. ZooKeys 433: 1–30. doi: 10.3897/zookeys.433.8036
- Tittensor DP, Mora C, Jetz W, Lotze HK, Ricard D, Berghe EV, Worm B (2010) Global patterns and predictors of marine biodiversity across taxa. Nature 466(7310): 1098–1101. doi: 10.1038/nature09329
- Toda T, Okashita T, Maekawa T, Alfian BAAK, Rajuddin MKM, Nakajima R, Chen W, Takahashi KT, Othman BHR, Terazaki M (2007) Community structures of coral reefs around Peninsular Malaysia. Journal of Oceanography 63(1): 113–123. doi: 10.1007/s10872-007-0009-6
- Todd PA (2008) Morphological plasticity in scleractinian corals. Biological Reviews 83(3): 315–337. doi: 10.1111/j.1469-185X.2008.00045.x

- Tun K, Chou LM, Low J, Yeemin T, Phongsuwan N, Setiasih N, Wilson J, Amri AY, Adzis KAA, Lane D, van Bochove JW, Kluskens B, van Long N, Tuan VS, Gomez E (2010) A regional overview on the 2010 coral bleaching event in Southeast Asia. In: Status of Coral Reefs in East Asian Seas Region 2010. Ministry of the Environment, Japan, pp. 9–27.
- Turak E, DeVantier L (2011) Field Guide to the Reef-Building Corals of Brunei Darussalam. Fisheries Department, Ministry of Industry and Primary Resources, Government of Brunei Darussalam, Brunei Darussalam, 256 pp.
- Turak E, Sheppard C, Wood E (2008a) *Euphyllia paradivisa*. The IUCN Red List of Threatened Species 2008: e.T133057A3586802.
<http://dx.doi.org/10.2305/IUCN.UK.2008.RLTS.T133057A3586802.en>
- Turak E, Sheppard C, Wood E (2008b) *Nemenezophyllia turbida*. The IUCN Red List of Threatened Species 2008: e.T133219A3637817.
<http://dx.doi.org/10.2305/IUCN.UK.2008.RLTS.T133219A3637817.en>
- Umbgrove JHF (1929) The influence of the monsoons on the geomorphology of coral islands. Proceedings of the 4th Pacific Science Congress, Batavia-Bandoeng (Java) 2A: 49–54.
- Umbgrove JHF (1940) Madrepora from the Togian Reefs (Gulf of Tomini, North-east Celebes). Zoologische Mededelingen 22: 265–310.
- Umbgrove JHF (1947) Coral reefs of the East Indies. Geological Society of America Bulletin 58(8): 729–778. doi: 10.1130/0016-7606(1947)58[729:CROTEI]2.0.CO;2
- UNEP/IUCN (1988) Coral reefs of the world. Volume 2: Indian Ocean, Red Sea and Gulf. UNEP Regional Seas Directories and Bibliographies. IUCN Gland, Switzerland and Cambridge, UK/UNEP, Nairobi, Kenya, 389 pp.
- UNEP-WCMC (2013) Convention on international trade in endangered species of wild fauna and flora. www.cites.org.
- Usup G, Ajmad A & Ismail N (1989) *Pyrodinium bahamense* var. *compressum* red tide studies in Sabah, Malaysia. In: Hallegraeff GM & Maclean JL (eds.) Biology, epidemiology and management of *Pyrodinium* red tides. ICLARM Conference Proceedings 21. Fisheries Department, Ministry of Development, Brunei Darussalam, and International Center for Living Aquatic Resources Management, Manila, Philippines, pp. 97–110.
- Van der Meij SET, Hoeksema BW (2013) Distribution of gall crabs inhabiting mushroom corals on Semporna reefs, Malaysia. Marine Biodiversity 43(1): 53–59. doi: 10.1007/s12526-012-0135-2
- Van der Meij SET, Suharsono, Hoeksema BW (2010) Long-term changes in coral assemblages under natural and anthropogenic stress in Jakarta Bay (1920–2005). Marine Pollution Bulletin 60(9): 1442–1454.
<http://dx.doi.org/10.1016/j.marpolbul.2010.05.011>
- Van der Meij SET, Visser RR (2011) The *Acropora humilis* Group (Scleractinia) of the Snellius Expedition (1929–30). Raffles Bulletin of Zoology 59: 9–17.
- Vaughan TW (1907) Recent Madreporaria of the Hawaiian Islands and Laysan. Bulletin of the United States National Museum 59: 1–427. doi: 10.5479/si.03629236.59.i
- Veron JEN (1990) New scleractinia from Japan and other Indo-West Pacific countries. Galaxea 9(2): 95–173.
- Veron JEN (1995) Corals in Space and Time: The Biogeography and Evolution of the Scleractinia. Cornell University Press, New York, 336 pp.
- Veron JEN (2000) Corals of the World, Volume 2. Australian Institute of Marine Science, Townsville, 429 pp.
- Veron JEN, Devantier LM, Turak E, Green AL, Kininmonth S, Stafford-Smith M, Peterson N (2009) Delineating the coral triangle. Galaxea Journal of Coral Reef Studies 11(2): 91–100. doi: 10.3755/galaxea.11.91
- Veron JEN, DeVantier LM, Turak E, Green AL, Kininmonth S, Stafford-Smith M, Peterson N (2011) The Coral Triangle. In: Dubinsky Z, Stambler N (Eds) Coral reefs: An Ecosystem in Transition. Springer, Dordrecht, pp. 47–55. doi: 10.1007/978-94-007-0114-4_5
- Veron JEN, Pichon M (1980) Scleractinia of Eastern Australia Part III. Families Agariciidae, Siderastreaeidae, Fungiidae, Oculinidae, Merulinidae, Mussidae, Pectiniidae, Caryophylliidae, Dendrophylliidae. Australian Institute of Marine Science Monograph Series 4: 1–459. doi: 10.5962/bhl.title.60646
- Veron J, Stafford-Smith M, DeVantier L, Turak E (2015) Overview of distribution patterns of zooxanthellate Scleractinia. Frontiers in Marine Science 1: 81. doi: 10.3389/fmars.2014.00081

- von der Heyden S, Beger M, Toonen RJ, van Herwerden L, Juinio-Meñez, MA, Ravago-Gotanco R, Fauvelot C, Bernardi G (2014) The application of genetics to marine management and conservation: examples from the Indo-Pacific. *Bulletin of Marine Science* 90(1): 123–158. <http://dx.doi.org/10.5343/bms.2012.1079>
- Von Fritsch K (1878) Fossile korallen der Nummulitenschichten von Borneo. *Palaeontographica Supplement* 3(1): 93–135, pls. 14–19.
- Voris HK (2000) Maps of Pleistocene sea levels in Southeast Asia: shorelines, river systems and time durations. *Journal of Biogeography* 27(5): 1153–1167. doi: 10.1046/j.1365-2699.2000.00489.x
- Wabnitz C, Taylor M, Green E, Razak T (2003) From ocean to aquarium. UNEP-WCMC, Cambridge, United Kingdom, 64 pp.
http://www.unep.org/pdf/from_ocean_to_aquarium_report.pdf
- Waheed Z, Adnan FAF, Lee CH & Mohd. Hashim SR (2007) Status of coral reefs and sedimentation at Kota Kinabalu: a preliminary study at Gaya Bay and Sepangar Bay. *Borneo Science* 21: 29–44.
- Waheed Z, Ariff AJ, Mustapa I, Brunt H, Yusuf Y, Rahman RA (2009) The status of coral reefs at southeast Malawali, Kudat. *Universiti Malaysia Sabah, Kota Kinabalu*, 40 pp.
- Waheed Z, Rahman RA, Ariff AJ (2012) The status of hard coral diversity in Sabah. In: Kamarruddin I, Mohamed CAR, Rozaimi MJ, Kee Alfian AA, Fitra AZ, Lee JN (Eds) *Malaysia's Marine Biodiversity: Inventory and Current Status*. Department of Marine Park Malaysia, Putrajaya, pp. 1–19.
- Wallace CC (1999) *Staghorn Corals of the World: A Revision of the Coral Genus Acropora* (Scleractinia; Astrocoeniina; Acroporidae) Worldwide, with Emphasis on Morphology, Phylogeny and Biogeography. CSIRO Publishing, Melbourne, 421 pp.
- Warta Kerajaan Negeri Sabah (2014). Enakmen Taman-Taman 1984. Jil. LXIX. No. 34. 28 Ogos 2014. ms. 1671–1707. <https://www.sabah.gov.my/gazette/docs/002352.pdf>
- Watts ME, Ball IR, Stewart RS, Klein CJ, Wilson K, Steinback C, Lourival R, Kircher L, Possingham HP (2014) Marxan with zones: Software for optimal conservation based land- and sea-use zoning. *Environmental Modelling & Software* 24(12): 1513–1521.
<http://dx.doi.org/10.1016/j.envsoft.2009.06.005>
- Weeks R, Aliño PM, Atkinson S, Beldia II P, Binson A, Campos WL, Djohani R, Green AL, Hamilton R, Horigue V, Jumin R, Kalim K, Kasasiah A, Kereseka J, Klein C, Laroya L, Magupin S, Masike B, Mohan C, Da Silva Pinto RM, Vave-Karamui A, Villanoy C, Welly M, White AT (2014) Developing marine protected area networks in the Coral Triangle: best practices for expanding the Coral Triangle marine protected area system. *Coastal Management* 42(2): 183–205. doi: 10.1080/08920753.2014.877768
- Weissel JK (1980) Evidence for Eocene oceanic crust in the Celebes Basin. In: Hayes DE (Ed) *The Tectonic and Geologic Evolution of Southeast Asian Seas and Islands*. American Geophysical Union, Washington DC, pp. 37–47. doi: 10.1029/GM023p0037
- Wells DR (1977) The Balambangan report 1977. A survey of the proposed Pulau Balambangan National Park, Sabah. *Universiti Malaya, Kuala Lumpur*, 68 pp.
- Wells JW (1954) Recent corals of the Marshall Islands. Bikini and nearby atolls, Part 2, *Oceanography (Biologic)*. United States Geological Survey Professional Paper 260-I: 385–486.
- Wells JW (1969) Aspects of Pacific coral reefs. *Micronesica* 5: 317–322.
- White AT, Aliño PM, Cros A, Ahmad Fatani N, Green AL, Teoh SJ, Laroya L, Peterson N, Tan S, Tighe S, Venegas-Li R, Walton A, Wen Wen (2014) Marine protected areas in the Coral Triangle: progress, issues, and options. *Coastal Management* 42(2): 87–106. doi: 10.1080/08920753.2014.878177
- White TJ, Bruns T, Lee S, Taylor J (1990) Amplification and direct sequencing of fungal ribosomal RNA genes for phylogenetics. In: Innis MA, Gelfand DH, Sninsky JJ, White TJ (Eds) *PCR Protocols: A Guide to Methods and Application*. Academic Press Inc., San Diego, pp. 315–322. doi: 10.1016/b978-0-12-372180-8.50042-1
- Whitaker D, Christman M (2014) clustsig: significant cluster analysis. R package version 1.1. <http://CRAN.R-project.org/package=clustsig>
- Whittaker RH (1972) Evolution and measurement of species diversity. *Taxon* 21(2/3): 213–251. doi: 10.2307/1218190
- Whittaker RJ, Willis KJ, Field R (2001) Scale and species richness: towards a general, hierarchical theory of species diversity. *Journal of Biogeography* 28(4): 453–470. doi: 10.1046/j.1365-2699.2001.00563.x
- Wilkinson CR (1998) The 1997–1998 mass bleaching event around the world. In: Wilkinson CR (Ed) *Status of Coral Reefs of the World: 1998*. Australian Institute of Marine Science, Cape Ferguson, Western Australia, pp. 15–38.

- Wilkinson C (2008) Status of Coral Reefs of the World: 2008. Global Coral Reef Monitoring Network and Reef and Rainforest Research Centre, Townsville, Australia, 296 pp.
- Williams ST (2000) Species boundaries in the starfish genus *Linckia*. *Marine Biology* 136(1): 137–148. doi: 10.1007/s002270050016.
- Williams ST, Benzie JAH (1996) Genetic uniformity of widely separated populations of the coral reef starfish *Linckia laevigata* from the East Indian and West Pacific Oceans, revealed by allozyme electrophoresis. *Marine Biology* 126(1): 99–107. doi: 10.1007/BF00571381
- Williams ST, Benzie JAH (1997) Indo-West Pacific patterns of genetic differentiation in the high-dispersal starfish *Linckia laevigata*. *Molecular Ecology* 6(6): 559–573. doi: 10.1046/j.1365-294X.1997.00221.x
- Williams ST, Benzie JAH (1998) Evidence of a biogeographic break between populations of a high dispersal starfish: congruent regions within the Indo-West Pacific defined by colour morphs, mtDNA, and allozyme data. *Evolution* 52(1): 87–99. doi: 10.2307/2410923
- Williams ST, Jara J, Gomez E, Knowlton N (2002) The marine Indo-West Pacific break: contrasting the resolving power of mitochondrial and nuclear genes. *Integrative and Computational Biology* 42(5): 941–952.
- Wilson JR, Harrison PL (1998) Settlement-competency periods of larvae of three species of scleractinian corals. *Marine Biology* 131(2): 339–345. doi: 10.1007/s002270050327
- Wilson MEJ, Rosen BR (1998) Implications of paucity of corals in the Paleogene of SE Asia: plate tectonics or centre of origin? In: Hall R, Holloway JD (Eds) *Biogeography and Geological Evolution of SE Asia*. Backhuys Publisher, Leiden, pp. 165–195.
- Winter M, Devictor V, Schweiger O (2013) Phylogenetic diversity and nature conservation: where are we? *Trends in Ecology & Evolution* 28(4): 199–204. <http://dx.doi.org/10.1016/j.tree.2012.10.015>
- Wong NLWS, Arshad A (2011) A brief review on marine shelled mollusca (Gastropoda and Bivalvia) record in Malaysia. *Journal of Fisheries and Aquatic Science* 6(7): 669–699. doi: 10.3923/jfas.2011.669.699
- Wood CR (1987) Physical features of the islands and coral reefs. In: *The corals reefs of the Bodgaya Islands (Sabah: Malaysia) and Pulau Sipadan*. *Malayan Nature Journal* 40: 169–188.
- Wood CR (1994) Physical features of the Sipadan reef. In: *Pulau Sipadan: Reef life and ecology*. Technical report, WWF Project Number MYS 233/92, Petaling Jaya, Malaysia, pp. 11–22.
- Wood CR, Wood EM (1987) Fishes. In: *The corals reefs of the Bodgaya Islands (Sabah: Malaysia) and Pulau Sipadan*. *Malayan Nature Journal* 40: 285–310.
- Wood EM (1977) Coral reefs in Sabah: present damage and potential dangers. *Malayan Nature Journal* 31(1): 49–57.
- Wood EM (1978) Ecological study of coral reefs in Sabah. Technical report, WWF Project Number MYS 15, Petaling Jaya, Malaysia, 163 pp.
- Wood EM (Ed) (2001) Management plan for the Semporna Islands Park, Sabah, Malaysia, proposed through the Semporna Islands Project. Marine Conservation Society, Sabah Parks, WWF-Malaysia, Nature Link, 168 pp.
- Wood EM (2006a) Report of fish blasting incident in the Tun Sakaran Marine Park, and the need for increased surveillance. Darwin Initiative, Semporna Islands Darwin Project, Marine Conservation Society, 4 pp.
- Wood EM (2006b) Sustainable use and conservation of biodiversity in the Tun Sakaran Marine Park. Action plan and proposed regulations. Sabah Parks, Darwin Initiative, Marine Conservation Society, 167 pp.
- Wood EM, Dipper F (2008) What is the future for extensive areas of reef impacted by fish blasting and coral bleaching and now dominated by soft corals? A case study from Malaysia. *Proceedings of the 11th International Coral Reef Symposium, Fort Lauderdale, Florida, Volume 1*, pp. 410–415.
- Wood EM, Dipper F, Angkaji A (2004) Patterns of change in reef communities revealed by the monitoring programme for the Semporna Island reefs, Sabah, Malaysia. *Proceedings of the 10th International Coral Reef Symposium, Okinawa, Japan*, pp. 1943–1949.
- Wood EM, Irwanshah M, Brunt H (2008) Stop fish blasting campaign: Tun Sakaran Marine Park. Semporna Islands Darwin Project, Sabah Parks, Darwin Initiative, Marine Conservation Society, 7 pp.
- Wood EM, Tan BS (1987) Hard Coral. In: *The corals reefs of the Bodgaya Islands (Sabah: Malaysia) and Pulau Sipadan*. *Malayan Nature Journal* 40: 189–224.
- Wood S, Paris CB, Ridgwell A, Hendy EJ (2014) Modelling dispersal and connectivity of broadcast spawning corals at the global scale. *Global Ecology and Biogeography* 23(1): 1–11. doi: 10.1111/geb.12101

- Woodman G, Wilson S (1994) Changes to coral reef communities in the Tunku Abdul Rahman National Park, Sabah, Malaysia between 1987 and 1994. Final report of Oxford University Expedition to Sabah 1994, Oxford University, Oxford, United Kingdom, 110 pp.
- Woodman GH, Wilson SC, Li VYF, Renneberg R (2004) A direction-sensitive underwater blast detector and its application for managing blast fishing. *Marine Pollution Bulletin* 49(11–12): 964–973. <http://dx.doi.org/10.1016/j.marpolbul.2004.06.022>
- Wooldridge SA (2014) Assessing coral health and resilience in a warming ocean: why looks can be deceptive. *Bioessays* 36(11): 1041–1049. doi: 10.1002/bies.201400074
- Wyrki K (1961) Physical oceanography of the Southeast Asian waters. NAGA Report Volume 2: Scientific Results of Marine Investigations of the South China Sea and the Gulf of Thailand, 1959–1961. University of California, La Jolla, USA, 195 pp.
- WWF factsheet (2013a) Developing zoning plan for Tun Mustapha Park. November 2013. http://www.coraltriangleinitiative.org/sites/default/files/resources/20_Developing%20Zoning%20Plan%20for%20TMP%20%28factsheet%29.pdf.
- WWF factsheet (2013b) Establishment of Tun Mustapha Park (TMP). June 2013. http://www.coraltriangleinitiative.org/sites/default/files/resources/38_Establishment%20of%20TMP%20Factsheet.pdf
- Xu D, Malanotte-Rizzoli P (2013) The seasonal variation of the upper layers of the South China Sea (SCS) circulation and the Indonesian through flow (ITF): an ocean model study. *Dynamics of Atmospheres and Oceans* 63: 103–130. doi: 10.1016/j.dynatmoce.2013.05.002
- Yamaguchi M (1973) Early life histories of coral reef asteroids, with special reference to *Acanthaster planci* (L.). In: Jones OA, Edean R (Eds) *Biology and Geology of Coral Reefs*. Academic Press, New York and London, pp. 369–387.
- Yamaguchi M (1977) Population structure, spawning and growth of the coral reef asteroid *Linckia laevigata* (Linnaeus). *Pacific Science* 31(1): 13–30. <http://hdl.handle.net/10125/1178>
- Yap CK, Tan SG, Ismail A, Omar H (2002) Genetic variation of green-lipped mussel *Perna viridis* (L.) (Mytilidae: Mytiloida: Mytilicae) from the west coast of Peninsular Malaysia. *Zoological Studies* 41(1): 376–387.
- Yeemin T, Pengsakun S, Yucharoen M, Klinthong W, Sangmanee K, Sutthacheep M (2013) Long-term decline in *Acropora* species at Kut Island, Thailand, in relation to coral bleaching events. *Marine Biodiversity* 43(1): 23–29. doi: 10.1007/s12526-012-0138-z
- Zainal Abidin DH, Mustaffa S, Rahim MA, Nair DM, Naim DM, Mohd Nor SA (2016) Population genetics of the black scar oyster, *Crassostrea iredalei*: repercussion of anthropogenic interference. *Mitochondrial DNA Part A* 27(1): 647–658. doi: 10.3109/19401736.2014.913137
- Zainuddin I, Pauzi MA, Abdul Razak L, Yazid MY (2000) Preliminary study on the diversity and distribution of sponges at Pulau Layang-Layang, Sabah, Malaysia. *Malayan Nature Journal* 54(2): 77–86.
- Zakariah ZM, Ahmad AR, Tan KH, Basiron MN, Yusoff NA (2007) National report on coral reefs in the coastal waters of the South China Sea – Malaysia. In: *National reports on coral reefs in the coastal waters of the South China Sea*. UNEP/GEF/SCS Technical Publication 11: 37–54. http://www.unepscs.org/components/com_remository_files/downloads/National-Report-Coral-Reefs-Malaysia.pdf
- Zwickl DJ (2006) Genetic algorithm approaches for the phylogenetic analysis of large biological sequence datasets under the maximum likelihood criterion. PhD dissertation, The University of Texas, Austin, United States, 115 pp.

Affiliation of co-authors

Francesca Benzoni, Department of Biotechnology and Biosciences, University of Milano-Bicocca, Piazza della Scienza 2, 20126 Milan, Italy.

Bobita Golam Ahad, Scubazoo Images Sdn Bhd., Mile 3-1/2, Jalan Nosoob, 88300 Kota Kinabalu, Sabah, Malaysia.

Bert W. Hoeksema, Department of Taxonomy & Systematics, Naturalis Biodiversity Center, Darwinweg 2, 2333 CR Leiden, the Netherlands.

Robecca Jumin, WWF-Malaysia, 6th Floor, CPS Tower, Centre Point Complex, No. 1, Jalan Centre Point, 88000 Kota Kinabalu, Sabah, Malaysia.

Marc Kochzius, Department of Biology, Vrije Universiteit Brussel (VUB), Pleinlaan 2, 1050 Brussels, Belgium.

Department of Biotechnology and Molecular Genetics, FB2-UFT, University of Bremen, Leobener Straße UFT, 28359 Bremen, Germany.

Bastian T. Reijnen, Naturalis Biodiversity Center, Darwinweg 2, 2333 CR Leiden, the Netherlands.

Muhammad Ali Syed Hussein, Borneo Marine Research Institute, Universiti Malaysia Sabah, Jalan UMS, 88400 Kota Kinabalu, Sabah, Malaysia.

Tullia I. Terraneo, Red Sea Research Center, King Abdullah University of Science and Technology (KAUST), Thuwal 23955, Kingdom of Saudi Arabia.

Sancia E.T. van der Meij, Oxford University Museum of Natural History, Parks Road, Oxford OX1 3PW, United Kingdom.

Naturalis Biodiversity Center, Darwinweg 2, 2333 CR Leiden, the Netherlands.

Harald G.J. van Mil, Institute of Biology Leiden, Leiden University, Sylvius Laboratory, Sylviusweg 72, 2333 BE Leiden, the Netherlands.

Affendi Yang Amri, Institute of Biological Sciences, Faculty of Science, University of Malaya, 50603 Kuala Lumpur, Malaysia.

