

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/26921> holds various files of this Leiden University dissertation

Author: Doan, Nhat Trung

Title: Quantitative analysis of human brain MR images at ultrahigh field strength

Issue Date: 2014-06-17

Quantitative Analysis of Human Brain MR Images at Ultrahigh Field Strength

Nhat Trung Doan

Quantitative Analysis of Human Brain MR Images at Ultrahigh Field Strength
Nhat Trung Doan

ISBN: 978-90-5335-870-2
Printed by Ridderprint BV

The covers show T_2^* -weighted magnitude image (back cover) and phase image (front cover) of an elderly subject acquired with a 7 Tesla MR scanner. Among other brain structures, the cerebral cortex is segmented and shown at the bottom right of the phase image.

© 2014 Nhat Trung Doan, Leiden, the Netherlands
All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording, or any information storage and retrieval system, without permission in writing from the copyright owner.

Quantitative Analysis of Human Brain MR Images at Ultrahigh Field Strength

Proefschrift

ter verkrijging van
de graad van Doctor aan de Universiteit Leiden,
op gezag van Rector Magnificus prof. mr. C.J.J.M. Stolker,
volgens besluit van het College voor Promoties
te verdedigen op dinsdag 17 juni 2014
klokke 11:15 uur

door

Nhat Trung Doan
geboren te Vietnam
in 1983

Promotiecommissie

Promotores: Prof. dr. ir. B. P. F. Lelieveldt
Prof. dr. M. A. van Buchem

Co-promotor: Dr. ir. J. R. Milles

Overige leden: Prof. dr. S. Ourselin
University College London, London
Dr. M. Barth
Radboud University Nijmegen, Nijmegen
Prof. dr. G. J. Blauw



This work was carried out in the ASCI graduate school.
ASCI dissertation series number 306.

This research was performed within the framework of CTMM, the Center for Translational Molecular Medicine (www.ctmm.nl), project LeARN (grant 02N-101).

Financial support for the publication of this thesis was kindly provided by:

- ASCI research school,
- Bontius Stichting inz. Doelfonds beeldverwerking,
- Library of the University of Leiden,
- Philips Healthcare, Best.

Contents

Contents	i
1 Introduction	1
1.1 Neurodegenerative diseases	1
1.1.1 Alzheimer’s disease	1
1.1.2 Huntington’s disease	1
1.1.3 Magnetic resonance imaging as a biomarker	1
1.2 T_2^* -weighted imaging at ultrahigh field strength	2
1.2.1 T_2^* -weighted sequence	2
1.2.2 MR phase contrast	2
1.2.3 Ultrahigh field MR imaging	3
1.3 Texture analysis	3
1.3.1 Feature extraction	4
1.3.2 Feature selection	4
1.3.3 Texture analysis of brain MR images	5
1.4 Problem statement	5
1.5 Goals and contributions of the thesis	6
2 Texture analysis of ultrahigh field T_2^*-weighted MR images of the brain: application to Huntington’s disease	9
2.1 Introduction	11
2.2 Materials and methods	12
2.2.1 Subjects	12
2.2.2 MR acquisition	12
2.2.3 Overall framework	13
2.2.4 Image processing	13
2.2.5 Texture computation	14
2.2.6 Statistical testing	16
2.3 Results	17
2.3.1 Premanifest HD versus Controls	17
2.3.2 Manifest HD versus Controls	18
2.4 Discussion	19
2.5 Acknowledgement	21
3 Combined magnitude and phase-based segmentation of the cerebral cortex in 7T MR images of the elderly	23

3.1	Introduction	25
3.2	Materials and methods	26
3.2.1	Segmentation algorithm	26
3.2.2	Validation data	31
3.2.3	Validation approach	32
3.2.4	Validation measurements	32
3.2.5	Robustness with regard to initial inner boundary positioning	33
3.2.6	Accuracy of the segmentation method	33
3.2.7	Added value of combining phase and magnitude	33
3.2.8	Comparison with T ₁ -based segmentation	34
3.3	Results	34
3.3.1	Sensitivity to the initial inner boundary position	34
3.3.2	Accuracy of the segmentation method	34
3.3.3	Added value of combining phase and magnitude	36
3.3.4	Comparison with T ₁ -based segmentation	37
3.4	Discussion	37
3.5	Acknowledgement	39
4	Group-wise cortical feature analysis using high field T₂*-weighted MR images highlights local differences between young and elderly healthy subjects	41
4.1	Introduction	43
4.2	Materials and methods	43
4.2.1	Subjects	43
4.2.2	MR imaging	44
4.2.3	Overview	44
4.2.4	Pre-processing	45
4.2.5	Cortex segmentation	45
4.2.6	Registration	45
4.2.7	Parcellation	45
4.2.8	Computation of local cortical measures	46
4.2.9	Statistical testing	47
4.3	Results	48
4.4	Discussion	53
4.5	Conclusions	55
4.6	Acknowledgements	56
5	Cortical analysis using 7T MR phase images reveals regional differences between early and late onset Alzheimer's disease	57
5.1	Introduction	59
5.2	Materials and methods	59
5.2.1	Participants	59
5.2.2	MR acquisition	60
5.2.3	Image analysis	60
5.2.4	Statistics	61
5.3	Results	62
5.4	Discussion	66
5.5	Acknowledgement	67

6	Deformation texture-based features for classification in Alzheimer's disease	69
6.1	Introduction	71
6.2	Materials and methods	71
6.2.1	Materials	71
6.2.2	Methods	72
6.3	Results and discussion	74
6.3.1	Performance of the proposed approach	77
6.3.2	Our approach <i>versus</i> Klein's approach and the hybrid approach . . .	77
6.3.3	Pairwise registration <i>versus</i> registration to a single template	77
6.3.4	Global dissimilarity feature <i>versus</i> global and local textural features	77
6.3.5	<i>k</i> -NN classifier <i>versus</i> linear SVM	78
6.4	Conclusions	78
7	Summary and conclusion	79
7.1	Summary and conclusion	79
7.2	Future work	81
	Samenvatting en conclusie	83
	References	89
	Acknowledgements	107
	Curriculum Vitae	109

