

Expression of human leukocyte antigens in diffuse large B cell lymphomas

Riemersma, Sietske Annette

Citation

Riemersma, S. A. (2006, March 28). *Expression of human leukocyte antigens in diffuse large B cell lymphomas*. Retrieved from https://hdl.handle.net/1887/4348

Version: Corrected Publisher's Version

License: License agreement concerning inclusion of doctoral thesis in the

Institutional Repository of the University of Leiden

Downloaded from: https://hdl.handle.net/1887/4348

Note: To cite this publication please use the final published version (if applicable).

Contents

Chapter 1 General Introduction	ç
Chapter 2 Extensive Genetic Alterations of the HLA Region Including Homozygous Deletions of HLA Class II genes in B-cell lymphomas Arising in Immune Privileged Sites. Blood 2000; 96 (10): 3569-3577	55
Chapter 3 Hemizygous deletions in the HLA-region account for loss of heterozygosity in the majority of diffuse large B-cell lymphomas of the testis and the central nervous system GENES, CHROMOSOMES & CANCER 2002; 35 (1): 38-48	s 77
Chapter 4 High numbers of tumor infiltrating activated CTLs and frequent loss of HLA class I and II expression in aggressive B cell lymphomas of the brain and testis. Journal of Pathology 2005; 206(3): 328-336	95
Chapter 5 The relationship between HLA class II polymorphisms and somatic deletions in testicular B cell lymphomas of Dutch patients. Submitted for publication	113
Chapter 6 General Discussion	129
Samenvatting Publicaties Curriculum Vitae	139 145 151 155 157