



Universiteit
Leiden
The Netherlands

Expression of human leukocyte antigens in diffuse large B cell lymphomas

Riemersma, Sietske Annette

Citation

Riemersma, S. A. (2006, March 28). *Expression of human leukocyte antigens in diffuse large B cell lymphomas*. Retrieved from <https://hdl.handle.net/1887/4348>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/4348>

Note: To cite this publication please use the final published version (if applicable).

Publications

- *High numbers of tumour-infiltrating activated cytotoxic T lymphocytes, and frequent loss of HLA class I and II expression, are features of aggressive B cell lymphomas of the brain and testis.* SA Riemersma, JJ Oudejans, MJ Vonk, Dreef EJ, Prins FA, Jansen PM, Vermeer MH, Blok P, Kibbelaar RE, Muris JJ, Schuuring EM, Kluin PM. *J Pathol.* 2005 Jul;206(3):328-36.
- *Flow cytometric sorting of paraffin-embedded tumor tissues considerably improves molecular genetic analysis.* ES Jordanova, WE Corver, MJ Vonk, MP Leers, SA Riemersma, E Schuuring, PM Kluin. *Am J Clin Pathol.* 2003 Sep;120(3):327-34.
- *Beta2-microglobulin aberrations in diffuse large B-cell lymphoma of the testis and the central nervous system.* ES Jordanova, SA Riemersma, K Philippo, E Schuuring, PM Kluin. *Int J Cancer.* 2003 Jan 20;103(3):393-8.
- *Hemizygous deletions in the HLA region account for loss of heterozygosity in the majority of diffuse large B-cell lymphomas of the testis and the central nervous system.* ES Jordanova, SA Riemersma, K Philippo, M Giphart-Gassler, E Schuuring, PM Kluin. *Genes Chromosomes Cancer.* 2002 Sep;35(1):38-48.
- *Extensive genetic alterations of the HLA region, including homozygous deletions of HLA class II genes in B-cell lymphomas arising in immune-privileged sites.* SA Riemersma, ES Jordanova, RF Schop, K Philippo, LH Looijenga, E Schuuring, PM Kluin. *Blood.* 2000 Nov 15;96(10):3569-77.
- *Antibodies affecting ion channel function in acquired neuromyotonia, in seropositive and seronegative myasthenia gravis, and in antibody-mediated arthrogryposis multiplex congenita.* A Vincent, L Jacobson, P Plested, A Polizzi, T Tang, S Riemersma, C Newland, S Ghorazian, J Farrar, C MacLennan, N Willcox, D Beeson, J Newsom-Davis. *Ann N Y Acad Sci.* 1998 May 13;841:482-96. Review.
- *Age-related susceptibility to experimental autoimmune myasthenia gravis: immunological and electrophysiological aspects.* AC Hoedemaekers, JJ Verschueren, F Spaans, YF Graus, S Riemersma, PJ van Breda Vriesman, MH De Baets. *Muscle Nerve.* 1997 Sep;20(9):1091-101.
- *Association of arthrogryposis multiplex congenita with maternal antibodies inhibiting fetal acetylcholine receptor function.* S Riemersma, A Vincent, D Beeson, C Newland, S Hawke, B Vernet-der Garabedian, B Eymard, J Newsom-Davis. *J Clin Invest.* 1996 Nov 15;98(10):2358-63.
- *Arthrogryposis multiplex congenita with maternal autoantibodies specific for a fetal antigen.* A Vincent, C Newland, L Brueton, D Beeson, S Riemersma, SM Huson, J Newsom-Davis. *Lancet.* 1995 Jul 1;346(8966):24-5.

