



Universiteit  
Leiden  
The Netherlands

## **Different strategies to improve the use of the umbilical cord and cord blood for hematopoietic and other regenerative cell therapies**

Garde, Mark Paul van der

### **Citation**

Garde, M. P. van der. (2016, February 9). *Different strategies to improve the use of the umbilical cord and cord blood for hematopoietic and other regenerative cell therapies*. Retrieved from <https://hdl.handle.net/1887/37810>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/37810>

**Note:** To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden




The handle <http://hdl.handle.net/1887/37810> holds various files of this Leiden University dissertation.

**Author:** Garde, Mark Paul van der

**Title:** Different strategies to improve the use of the umbilical cord and cord blood for hematopoietic and other regenerative cell therapies

**Issue Date:** 2016-02-09

***Different strategies to improve the use of the umbilical cord and cord blood for hematopoietic and other regenerative cell therapies***



*Mark van der Garde*

*Different strategies to improve the use of the umbilical cord and cord blood for hematopoietic and other regenerative cell therapies*

*Mark van der Garde*