



Universiteit
Leiden
The Netherlands

Borneo : a quantitative analysis of botanical richness, endemism and floristic regions based on herbarium records

Raes, N.

Citation

Raes, N. (2009, February 11). *Borneo : a quantitative analysis of botanical richness, endemism and floristic regions based on herbarium records*. Retrieved from <https://hdl.handle.net/1887/13470>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/13470>

Note: To cite this publication please use the final published version (if applicable).

REFERENCES

- Aiba, S.-I., Kitayama, K. & Repin, R. (2002) Species composition and species-area relationships of trees in nine permanent plots in altitudinal sequences on different geological substrates of Mount Kinabalu. *Sabah Parks Nature Journal*, **5**, 7-69
- Anderson, R.P., Gomez-Laverde, M. & Peterson, A.T. (2002) Geographical distributions of spiny pocket mice in South America: insights from predictive models. *Global Ecology and Biogeography*, **11**, 131-141
- Anderson, R.P., Lew, D. & Peterson, A.T. (2003) Evaluating predictive models of species' distributions: criteria for selecting optimal models. *Ecological Modelling*, **162**, 211-232
- Anon. (1959-2007) *Flora Malesiana, Series II, Pteridophyta*. Nationaal Herbarium Nederland, University Leiden branch.
- Araújo, M.B. & Guisan, A. (2006) Five (or so) challenges for species distribution modelling. *Journal of Biogeography*, **33**, 1677-1688
- Araújo, M.B., Noguez-Bravo, D., Diniz-Filho, J.A.F., Haywood, A.M., Valdes, P.J. & Rahbek, C. (2008) Quaternary climate changes explain diversity among reptiles and amphibians. *Ecography*, **31**, 8-15
- Araújo, M.B. & Pearson, R.G. (2005) Equilibrium of species' distributions with climate. *Ecography*, **28**, 693-695
- Araújo, M.B., Pearson, R.G., Thuiller, W. & Erhard, M. (2005) Validation of species-climate impact models under climate change. *Global Change Biology*, **11**, 1504-1513
- Ashton, P.S. (1983) Dipterocarpaceae. *Flora Malesiana I* (ed. by C.G.G.J. van Steenis), pp. 237-552. Martinus Nijhoff, The Hague.
- Ashton, P.S. (1992) Plant conservation in the Malaysian region. *Proc. Intern. Conf. Tropical Biodiversity "In Harmony with Nature"* (ed. by S.K. Yap and S.W. Lee), pp. 86-93. Malayan Nature Society, Kuala Lumpur.
- Ashton, P.S. (2005) Lambir's Forest: The World's Most Diverse Known Tree Assemblage? *Pollination Ecology and the Rain Forest: Sarawak Studies* (ed. by D.W. Roubik, S. Sakai and A.A. Hamid Karim), pp. 191-216. Springer, New York.
- Ashton, P.S. & Hall, P. (1992) Comparisons of Structure Among Mixed Dipterocarp Forests of North-Western Borneo. *The Journal of Ecology*, **80**, 459-481
- Barthlott, W., Mutke, J., Rafiqpoor, D., Kier, G. & Kreft, H. (2005) Global Centers of Vascular Plant Diversity. *Nova Acta Leopoldina*, **342**, 61-83
- Beaman, J.H. (2005) Mount Kinabalu: hotspot of plant diversity in Borneo. *Biologiske Skrifter*, **55**, 103-127
- Bell, J.F. (1999) Tree-based methods. *Machine learning methods for ecological applications* (ed. by A.H. Fielding), pp. 89-106. Kluwer Academic, Boston, MA.
- Bird, M.I., Taylor, D. & Hunt, C. (2005) Palaeoenvironments of insular Southeast Asia during the Last Glacial Period: a savanna corridor in Sundaland? *Quaternary Science Reviews*, **24**, 2228-2242
- Borcard, D., Legendre, P. & Drapeau, P. (1992) Partialling out the spatial component of ecological variation. *Ecology*, **73**, 1045-1055
- Breiman, L., Friedman, J.H., Olshen, R.A. & Stone, C.J. (1984) *Classification and Regression Trees*. Wadsworth, Pacific Grove, CA.
- Buys, D.W., Witkamp, H., Ender, F.H., Siebers, H.C. & Bosch, D.F.K. (1927) *Midden-Oost-Borneo Expeditie 1925*. G. Kolff & Co., Weltevreden.
- Cannon, C.H., Curran, L.M., Marshall, A.J. & Leighton, M. (2007) Long-term reproductive behaviour of woody plants across seven Bornean forest types in the Gunung Palung National Park (Indonesia): suprannual synchrony, temporal productivity and fruiting diversity. *Ecology Letters*, **10**, 956-969
- Corner, E.J.H. (1960) The Malayan Flora. In: *Proceedings of the Centenary and*

- Bicentenary Congress of Biology (ed. R.D. Purchon), pp. 21-24, Singapore
- Costa, G.C., Nogueira, C., Machado, R.B. & Colli, G.R. (2007) Squamate richness in the Brazilian Cerrado and its environmental-climatic associations. *Diversity and Distributions*, **13**, 714-724
- Crisp, M.D., Laffan, S., Linder, H.P. & Monro, A. (2001) Endemism in the Australian flora. *Journal of Biogeography*, **28**, 183-198
- Curran, L.M., Trigg, S.N., McDonald, A.K., Astiani, D., Hardiono, Y.M., Siregar, P., Caniogo, I. & Kasischke, E. (2004) Lowland forest loss in protected areas of Indonesian Borneo. *Science*, **303**, 1000-1003
- Dalton, B. (1978) *Indonesia Handbook, Second Edition*. Moon Publications, London.
- Dennis, R.A. & Colfer, C.P. (2006) Impacts of land use and fire on the loss and degradation of lowland forest in 1983-2000 in East Kutai District, East Kalimantan, Indonesia. *Singapore Journal of Tropical Geography*, **27**, 30-48
- Diniz-Filho, J.A.F., Hawkins, B.A., Mauricio Bini, L., De Marco Jr, P. & Blackburn, T.M. (2007) Are spatial regression methods a panacea or a Pandora's box? A reply to Beale et al. (2007). *Ecography*, **30**, 848-851
- Dolédec, S., Chessel, D. & Gimaret-Carpentier, C. (2000) Niche separation in community analysis: A new method. *Ecology*, **81**, 2914-2927
- Dormann, C.F., McPherson, J.M., Araújo, M.B., Bivand, R., Bolliger, J., Carl, G., Davies, R.G., Hirzel, A., Jetz, W., Kissling, W.D., Kühn, I., Ohlemüller, R., Peres-Neto, P.R., Reineking, B., Schröder, B., Schurr, F.M. & Wilson, R. (2007) Methods to account for spatial autocorrelation in the analysis of species distributional data: a review. *Ecography*, **30**, 609-628
- Duda, R.O., Hart, P.E. & Stork, D.G. (2001) *Pattern classification (2nd Edition)*. Wiley-interscience, New York, NY.
- Dufrêne, M. & Legendre, P. (1997) Species assemblages and indicator species: The need for a flexible asymmetrical approach. *Ecological Monographs*, **67**, 345-366
- Dunselman, J. (1939) Aantekeningen over zandpadangs in Borneo's Westerafdeeling. *De Tropische Natuur*, **28**, 71-82
- Elith, J., Graham, C.H., Anderson, R.P., Dudik, M., Ferrier, S., Guisan, A., Hijmans, R.J., Huettmann, F., Leathwick, J.R., Lehmann, A., Li, J., Lohmann, L.G., Loiselle, B.A., Manion, G., Moritz, C., Nakamura, M., Nakazawa, Y., Overton, J.M.C., Peterson, A.T., Phillips, S.J., Richardson, K., Scachetti-Pereira, R., Schapire, R.E., Soberon, J., Williams, S., Wisz, M.S. & Zimmermann, N.E. (2006) Novel methods improve prediction of species' distributions from occurrence data. *Ecography*, **29**, 129-151
- Endert, F.H. (1933) De proefbaanmetingen in Sangkoelirang (Z.O. Borneo). *Tectona*, **26**, 50-92
- FAO (2002) Terrastat; Global land resources GIS models and databases for poverty and food insecurity mapping. Land and Water Digital Media Series #20.
- FAO (2006) *Global Forest Resource Assessment 2005*. FAO, Rome, Italy.
- Ferrier, S. & Guisan, A. (2006) Spatial modelling of biodiversity at the community level. *Journal of Applied Ecology*, **43**, 393-404
- Ferrier, S., Watson, G., Pearce, J. & Drielsma, M. (2002) Extended statistical approaches to modelling spatial pattern in biodiversity in northeast New SouthWales. I. Species-level modelling. *Biodiversity and Conservation*, **11**, 2275-2307
- Fielding, A.H. & Bell, J.F. (1997) A review of methods for the assessment of prediction errors in conservation presence/absence models. *Environmental Conservation*, **24**, 38-49
- Gathorne-Hardy, F.J., Syaukani, Davies, R.G., Eggleton, P. & Jones, D.T. (2002) Quaternary rainforest refugia in south-east Asia: using termites (Isoptera) as indicators. *Biological Journal of the Linnean Society*, **75**, 453-466
- GLC2000 (2003) Global Land Cover 2000 database. European Commission, Joint Research Centre. <http://www-gem.jrc.it/glc2000>
- Gotelli, N.J. & McGill, B.J. (2006) Null versus neutral models: What's the difference? *Ecography*, **29**, 793-800
- Graham, C.H., Elith, J., Hijmans, R.J., Guisan, A., Peterson, A.T. & Loiselle, B.A. (2008) The influence of spatial errors in species occurrence data used in distribution models. *Journal of Applied Ecology*, **45**, 239-247
- Graham, C.H., Ferrier, S., Huettman, F., Moritz, C. & Peterson, A.T. (2004) New developments in museum-based informatics and applications in biodiversity analysis. *Trends in Ecology & Evolution*, **19**, 497-503
- Graham, C.H., Moritz, C. & Williams, S.E. (2006) Habitat history improves prediction of biodiversity in rainforest fauna. *PNAS*, **103**, 632-636
- Graham, M.H. (2003) Confronting multicollinearity in ecological multiple regression. *Ecology*, **84**, 2809-2815
- Grytnes, J.A. & Beaman, J.H. (2006) Elevational species richness patterns for vascular plants on Mount Kinabalu, Borneo. *Journal of Biogeography*, **33**, 1838-1849
- Guisan, A., Lehmann, A., Ferrier, S., Austin, M., Overton, J.M.C., Aspinall, R. & Hastie, T. (2006) Making better biogeographical predictions of species' distributions. *Journal of Applied Ecology*, **43**, 386-392
- Guisan, A. & Thuiller, W. (2005) Predicting species distribution: offering more than simple habitat models. *Ecology Letters*, **8**, 993-1009
- Guisan, A. & Zimmermann, N.E. (2000) Predictive habitat distribution models in ecology. *Ecological Modelling*, **135**, 147-186
- Guralnick, R.P., Hill, A.W. & Lane, M. (2007) Towards a collaborative, global infrastructure for biodiversity assessment. *Ecology Letters*, **10**, 663-672
- Hall, R. (1997) Cenozoic plate tectonic reconstructions of SE Asia. *Petroleum Geology of Southeast Asia* (ed. by A.J. Fraser, S.J. Matthews and R.W. Murphy), pp. 11-23. The Geological Society, London.
- Hall, R. (1998) The plate tectonics of Cenozoic SE Asia and the distribution of land and sea. *Biogeography and Geological Evolution of SE Asia* (ed. by R. Hall and J.D. Holloway), pp. 99-131. Backhuys Publishers, Leiden, The Netherlands.
- Hall, R. (2009) Southeast Asia's changing palaeogeography. *Blumea* 54(1)
- Hall, R., van Hattum, M.W.A. & Spakman, W. (2008) Impact of India-Asia collision on SE Asia: The record in Borneo. *Tectonophysics*, **451**, 366-389
- Hallier, H. (1895) Rapport over de botanische tochten in Borneo's Westerafdeeling gedurende de Borneo-expeditie 1893-94. *Natuurkundig Tijdschrift*, **54**, 406-449
- Hannibal, L.W. (1950) Vegetation map of Indonesia. Planning Department, Forest Service, Jakarta, Indonesia
- Hawkins, B.A., Diniz-Filho, J.A.F., Mauricio Bini, L., De Marco, P. & Blackburn, T.M. (2007) Red herrings revisited: spatial autocorrelation and parameter estimation in geographical ecology. *Ecography*, **30**, 375-384
- Heaney, L.R. (1991) A synopsis of climatic and vegetational change in Southeast Asia. *Climatic Change*, **19**, 53-61
- Hernandez, P.A., Graham, C.H., Master, L.L. & Albert, D.L. (2006) The effect of sample size and species characteristics on performance of different species distribution modeling methods. *Ecography*, **29**, 773-785
- Hijmans, R.J., Cameron, S.E., Parra, J.L., Jones, P.G. & Jarvis, A. (2005) Very high resolution interpolated climate surfaces for global

- land areas. *International Journal of Climatology*, **25**, 1965-1978
- Hirzel, A.H., Hauser, J., Chessel, D. & Perrini, N. (2002) Ecological-niche factor analysis: How to compute habitat-suitability maps without absence data. *Ecology*, **83**, 2027-2036
- Hortal, J., Garcia-Pereira, P. & Garcia-Barros, E. (2004) Butterfly species richness in mainland Portugal: predictive models of geographic distribution patterns. *Ecography*, **27**, 68-82
- Hortal, J., Lobo, J.M. & Jiménez-Valverde, A. (2007) Limitations of biodiversity databases: Case study on seed-plant diversity in Tenerife, Canary Islands. *Conservation Biology*, **21**, 853-863
- Jetz, W., Rahbek, C. & Colwell, R.K. (2004) The coincidence of rarity and richness and the potential signature of history in centres of endemism. *Ecology Letters*, **7**, 1180-1191
- Jiménez-Valverde, A. & Lobo, J.M. (2007) Threshold criteria for conversion of probability of species presence to either-or presence-absence. *Acta Oecologica*, **31**, 361-369
- Johns, R.J. (1995) Malesia - An introduction. *Curtis's Botanical Magazine*, **12**, 52-62
- Kadmon, R., Farber, O. & Danin, A. (2003) A systematic analysis of factors affecting the performance of climatic envelop models. *Ecological Applications*, **13**, 853-867
- Kadmon, R., Farber, O. & Danin, A. (2004) Effect of roadside bias on the accuracy of predictive maps produced by bioclimatic models. *Ecological Applications*, **14**, 401-413
- Kennedy, M. (2000) *Understanding map projections*. Environmental Systems Research Institute, Inc., Redlands, USA.
- Kier, G. & Barthlott, W. (2001) Measuring and mapping endemism and species richness: a new methodological approach and its application on the flora of Africa. *Biodiversity and Conservation*, **10**, 1513-1529
- Kier, G., Mutke, J., Dinerstein, E., Ricketts, T.H., Kuper, W., Kreft, H. & Barthlott, W. (2005) Global patterns of plant diversity and floristic knowledge. *Journal of Biogeography*, **32**, 1107-1116
- Küper, W., Sommer, J.H., Lovett, J.C. & Barthlott, W. (2006) Deficiency in African plant distribution data - missing pieces of the puzzle. *Botanical Journal of the Linnean Society*, **150**, 355-368
- Langner, A., Miettinen, J. & Siegert, F. (2007) Land cover change 2002-2005 in Borneo and the role of fire derived from MODIS imagery. *Global Change Biology*, **13**, 2329-2340
- Legendre, P. (2008) Studying beta diversity: ecological variation partitioning by multiple regression and canonical analysis. *Journal of Plant Ecology*, **1**, 3-8
- Leigh Jr., E.G. (2004) How Wet are the Wet Tropics? *Tropical Forest Diversity and Dynamism* (ed. by E.C. Losos and E.G. Leigh Jr.), pp. 43-55. The University of Chicago Press, London.
- Lennon, J.J., Koleff P., Greenwood J.J., Gaston K.J. 2004. Contribution of rarity and commonness to patterns of species richness. *Ecology Letters*, **7**, 81-87.
- Linder, H.P., Lovett, J.C., Mutke, J., Barthlott, W., Jürgens, N., Rebelo, T. & Küper, W. (2005) A numerical re-evaluation of the sub-Saharan phytochoria of mainland Africa. *Biologische Skrifter*, **55**, 229-252
- Liu, C., Berry, P.M., Dawson, T.P. & Pearson, R.G. (2005) Selecting thresholds of occurrence in the prediction of species distributions. *Ecography*, **28**, 385-393
- Lobo, J.M. & Martín-Piera, F. (2002) Searching for a Predictive Model for Species Richness of Iberian Dung Beetle Based on Spatial and Environmental Variables. *Conservation Biology*, **16**, 158-173
- Loiselle, B.A., Jorgensen, P.M., Consiglio, T., Jimenez, I., Blake, J.G., Lohmann, L.G. & Montiel, O.M. (2008) Predicting species distributions from herbarium collections: does climate bias in collection sampling influence model outcomes? *Journal of Biogeography*, **35**, 105-116
- MacKinnon, J. (1997) *Protected areas systems review of the Indo-Malayan realm*. ABC / WCMC / World Bank, Canterbury, England.
- MacKinnon, K., Hata, G., Halim, H. & Mangalik, A. (1996) *The Ecology of Kalimantan*. Periplus Editions, Hong Kong.
- Manel, S., Williams, H.C. & Ormerod, S.J. (2001) Evaluating presence-absence models in ecology: the need to account for prevalence. *Journal of Applied Ecology*, **38**, 921-931
- McCune, B. & Grace, J.B. (2002) *Analysis of ecological communities*. MjM Software Design, Oregon.
- McPherson, J.M. & Jetz, W. (2007) Effects of species' ecology on the accuracy of distribution models. *Ecography*, **30**, 135-151
- McPherson, J.M., Jetz, W. & Rogers, D.J. (2004) The effects of species' range sizes on the accuracy of distribution models: ecological phenomenon or statistical artefact? *Journal of Applied Ecology*, **41**, 811-823
- Millennium-Ecosystem-Assessment (2005) *Ecosystems and Human Well-being: Biodiversity Synthesis*. World Resources Institute, Washington, DC.
- Moerman, D.E. & Estabrook, G.F. (2006) The botanist effect: counties with maximal species richness tend to be home to universities and botanists. *Journal of Biogeography*, **33**, 1969-1974
- Molengraaff, G.A.F. (1900) *Borneo-Expeditie - Geologische verkenningstochten in Centraal-Borneo (1893-94) - Atlas 22 bladen*. E.J. Brill & H. Gerlings, Leiden-Amsterdam.
- Müller, S. (1857) *Reizen en onderzoekingen in den Indische Archipel gedaan op last der Nederlandsche Indische regering tusschen de jaren 1828 en 1836*. Frederik Muller, Amsterdam.
- Mutke, J. & Barthlott, W. (2005) Patterns of vascular plant diversity at continental to global scales. *Biologische Skrifter*, **55**, 521-531
- Myers, N., Mittermeier, R.A., Mittermeier, C.G., da Fonseca, G.A.B. & Kent, J. (2000) Biodiversity hotspots for conservation priorities. *Nature*, **403**, 853-858
- Newbery, D.M.C. (1991) Floristic variation within kerangas (heath) forest: re-evaluation of data from Sarawak and Brunei. *Plant Ecology*, **96**, 43-86
- Nieuwenhuis, A.W. (1910) Tochten naar Boven-Boeloengan en de Apo-Kajan. *Tijdschrift van het Koninklijke Nederlandse Aardrijkskundige Genootschap*, **27**, 263-306
- Olden, J.D., Jackson, D.A. & Peres-Neto, P.R. (2002) Predictive Models of Fish Species Distributions: A Note on Proper Validation and Chance Predictions. *Transactions of the American Fisheries Society*, **131**, 329-336
- Olson, D.M. & Dinerstein, E. (2002) The Global 200: Priority ecoregions for global conservation. *Annals of the Missouri Botanical Garden*, **89**, 199-224
- Olson, D.M., Dinerstein, E., Wikramanayake, E.D., Burgess, N.D., Powell, G.V.N., Underwood, E.C., D'Amico, J.A., Itoua, I., Strand, H.E., Morrison, J.C., Loucks, C.J., Allnutt, T.F., Ricketts, T.H., Kura, Y., Lamoreux, J.F., Wettengel, W.W., Hedao, P. & Kassem, K.R. (2001) Terrestrial ecoregions of the world: A new map of life on earth. *Bioscience*, **51**, 933-938
- Parnell, J.A.N., Simpson, D.A., Moat, J., Kirkup, D.W., Chantaranonthai, P., Boyce, P.C., Bygrave, P., Dransfield, S., Jebb, M.H.P., Macklin, J., Meade, C., Middleton, D.J., Muasya, A.M., Prajaksood, A., Pendry, C.A., Pooma, R., Suddee, S. & Wilkin, P. (2003) Plant collecting spread and densities: their potential impact on biogeographical studies in Thailand. *Journal of*

- Biogeography*, **30**, 193-209
- Pearce, J. & Ferrier, S. (2000) Evaluating the predictive performance of habitat models developed using logistic regression. *Ecological Modelling*, **133**, 225-245
- Pearce, J.L. & Boyce, M.S. (2006) Modelling distribution and abundance with presence-only data. *Journal of Applied Ecology*, **43**, 405-412
- Pearson, R.G., Raxworthy, C.J., Nakamura, M. & Peterson, A.T. (2007) Predicting species distributions from small numbers of occurrence records: a test case using cryptic geckos in Madagascar. *Journal of Biogeography*, **34**, 102-117
- Pearson, R.G., Thuiller, W., Araújo, M.B., Martinez-Meyer, E., Brotons, L., McClean, C., Miles, L., Segurado, P., Dawson, T.P. & Lees, D.C. (2006) Model-based uncertainty in species range prediction. *Journal of Biogeography*, **33**, 1704-1711
- Perrin, P.M., Martin, J.R., Barron, S.J. & Roche, J.R. (2006) A cluster analysis approach to classifying Irish native woodlands. *Biology and Environment*, **106**, 261-275
- Peterson, A.T. (2006) Uses and requirements of ecological niche models and related distributional models. *Biodiversity Informatics*, **3**, 59-72
- Peterson, A.T., Papes, M. & Eaton, M. (2007) Transferability and model evaluation in ecological niche modeling: a comparison of GARP and Maxent. *Ecography*, **30**, 550-560
- Phillips, S.J., Anderson, R.P. & Schapire, R.E. (2006) Maximum entropy modeling of species geographic distributions. *Ecological Modelling*, **190**, 231-259
- Phillips, S.J., Dudík, M. & Schapire, R.E. (2004) A Maximum Entropy Approach to Species Distribution Modeling. In: *Twenty-First International Conference on Machine Learning, 2004*, p. 9
- Potts, M.D., Ashton, P.S., Kaufman, L.S. & Plotkin, J.B. (2002) Habitat patterns in tropical rain forests: a comparison of 105 plots in northwest Borneo. *Ecology*, **83**, 2782-2797
- Proches, S. (2005) The world's biogeographical regions: cluster analyses based on bat distributions. *Journal of Biogeography*, **32**, 607-614
- Proctor, J., Anderson, J.M., Chai, P. & Vallack, H.W. (1983) Ecological Studies in Four Contrasting Lowland Rain Forests in Gunung Mulu National Park, Sarawak: I. Forest Environment, Structure and Floristics. *The Journal of Ecology*, **71**, 237-260
- Proctor, J., Lee, Y.F., Langley, A.M., Munro, W.R.C. & Nelson, T. (1988) Ecological Studies on Gunung Silam, A Small Ultrabasic Mountain in Sabah, Malaysia. I. Environment, Forest Structure and Floristics. *The Journal of Ecology*, **76**, 320-340
- Raes, N., Mols, J.B., Willemse, L.P.M. & Smets, E.F. (2009 - Chapter 2) Georeferencing specimens by combining digitized maps with SRTM digital elevation data and satellite images. *Blumea*, **54(1)**
- Raes, N., Roos, M.C., Slik, J.W.F., van Loon, E.E. & ter Steege, H. (accepted - Chapter 4) Botanical richness and endemism patterns of Borneo derived from species distribution models. *Ecography*
- Raes, N. & ter Steege, H. (2007 - Chapter 3) A null-model for significance testing of presence-only species distribution models. *Ecography*, **30**, 727-736
- Raes, N., van Loon, E.E., Roos, M.C. & ter Steege, H. (submitted - Chapter 5) The floristic regions of Borneo inferred from species distribution models.
- Rahbek, C., Gotelli, N.J., Colwell, R.K., Entsminger, G.L., Rangel, T.F.L.V.B. & Graves, G.R. (2007) Predicting continental-scale patterns of bird species richness with spatially explicit models. *Proceedings of the Royal Society: Biological Sciences*, **274**, 165-174
- Rangel, T.F.L.V.B., Diniz-Filho, J.A.F. & Bini, L.M. (2006) Towards an integrated computational tool for spatial analysis in macroecology and biogeography. *Global Ecology and Biogeography*, **15**, 321-327
- Reddy, S. & Davalos, L.M. (2003) Geographical sampling bias and its implications for conservation priorities in Africa. *Journal of Biogeography*, **30**, 1719-1727
- Reid, W.V. (1998) Biodiversity hotspots. *Trends in Ecology & Evolution*, **13**, 275-280
- Romo, H., Garcia-Barros, E. & Lobo, J.M. (2006) Identifying recorder-induced geographic bias in an Iberian butterfly database. *Ecography*, **29**, 873-885
- Roos, M.C., Keßler, P.J.A., Gradstein, R.S. & Baas, P. (2004) Species diversity and endemism of five major Malesian islands: diversity-area relationships. *Journal of Biogeography*, **31**, 1893-1908
- Sakai, S. (2001) Phenological diversity in tropical forests. *Population Ecology*, **43**, 77-86
- Schmidt, M., Kreft, H., Thiombiano, A. & Zizka, G. (2005) Herbarium collections and field data-based plant diversity maps for Burkina Faso. *Diversity and Distributions*, **11**, 509-516
- Slatyer, C., Rosauer, D. & Lemckert, F. (2007) An assessment of endemism and species richness patterns in the Australian Anura. *Journal of Biogeography*, **34**, 583-596
- Slik, J.W.F. (2004) El Niño droughts and their effects on tree species composition and diversity in tropical rain forests. *Oecologia*, **141**, 114-120
- Slik, J.W.F., Poulsen, A.D., Ashton, P.S., Cannon, C.H., Eichhorn, K.A.O., Kartawinata, K., Lanniari, I., Nagamasu, H., Nakagawa, M., van Nieuwstadt, M.G.L., Payne, J., Saridan, A., Sidiyasa, K., Verburg, R.W., Webb, C.O. & Wilkie, P. (2003) A floristic analysis of the lowland dipterocarp forests of Borneo. *Journal of Biogeography*, **30**, 1517-1531
- Soberón, J. & Peterson, A.T. (2005) Interpretation of models of fundamental ecological niches and species' distributional areas. *Biodiversity Informatics*, **2**, 1-10
- Sodhi, N.S., Koh, L.P., Brook, B.W. & Ng, P.K.L. (2004) Southeast Asian biodiversity: an impending disaster. *Trends in Ecology & Evolution*, **19**, 654-660
- Soethe, N., Lehmann, J. & Engels, C. (2008) Nutrient availability at different altitudes in a tropical montane forest in Ecuador. *Journal of Tropical Ecology*, **24**, 397-406
- Stibig, H.J., Belward, A.S., Roy, P.S., Rosalina-Wasrin, U., Agrawal, S., Joshi, P.K., Hildanus, Beuchle, R., Fritz, S., Mubareka, S. & Giri, C. (2007) A land-cover map for South and Southeast Asia derived from SPOT-VEGETATION data. *Journal of Biogeography*, **34**, 625-637
- Stockwell, D. & Peters, D. (1999) The GARP modelling system: problems and solutions to automated spatial prediction. *International Journal of Geographical Information Science*, **13**, 143-158
- Stockwell, D.R.B. & Peterson, A.T. (2002) Effects of sample size on accuracy of species distribution models. *Ecological Modelling*, **148**, 1-13
- Stolk, J.J. (1907) Opsporing van den zwerfenden stam der Penjaboeng-Poenan's op de waterscheiding der Barito met de Mahakan en Kapoeas (Midden-Borneo), in Oct. 1905. *Tijdschrift van het Koninklijke Nederlandse Aardrijkskundige Genootschap*, **24**, 1-27
- Stone, R. (2007) Last-Gasp Effort to Save Borneo's Tropical Rainforests. *Science*, **317**, 192
- Svenning, J.-C., Normand, S. & Skov, F. (2008) Postglacial dispersal limitation of widespread forest plant species in nemoral Europe. *Ecography*, **31**, 316-326
- Swets, J.A. (1988) Measuring the accuracy of diagnostic systems. *Science*, **240**, 1285-1293

- Swets, J.A., Dawes, R.M. & Monahan, J. (2000) Better decisions through science. *Scientific American*, **283**, 82-87
- ter Steege, H., Pitman, N., Sabatier, D., Castellanos, H., van der Hout, P., Daly, D.C., Silveira, M., Phillips, O., Vasquez, R., van Andel, T., Duivenvoorden, J., de Oliveira, A.A., Ek, R., Lilwah, R., Thomas, R., van Essen, J., Baider, C., Maas, P., Mori, S., Terborgh, J., Vargas, P.N., Mogollon, H. & Morawetz, W. (2003) A spatial model of tree alpha-diversity and tree density for the Amazon. *Biodiversity and Conservation*, **12**, 2255-2277
- Thuiller, W., Richardson, D.M., Pysek, P., Midgley, G.F., Hughes, G.O. & Rouget, M. (2005) Niche-based modelling as a tool for predicting the risk of alien plant invasions at a global scale. *Global Change Biology*, **11**, 2234-2250
- Urban, D., Goslee, S., Pierce, K. & Lookingbill, T. (2002) Extending community ecology to landscapes. *Ecoscience*, **9**, 200-212
- van Balen, S. (1996) The ornithological importance of the Danau Sentarum Wildlife reserve in West Kalimantan. *Sarawak Museum Journal*, **50**, 123-144
- van Balgooy, M.M.J., Hovenkamp, P.H. & van Welzen, P.C. (1996) Phytogeography of the Pacific - floristic and historical distribution patterns in plants. *The origin and evolution of Pacific Island biotas, New Guinea to Eastern Polynesia: patterns and processes* (ed. by A. Keast and S.E. Miller), pp. 191-213. SPB Academic Publishing, Amsterdam, The Netherlands.
- van Diessen, J.R., van den Brink, P. & Bek, W. (2004) *Grote Atlas van Nederlands Oost-Indië / Comprehensive atlas of the Netherlands East Indies*. Asia Maior Publishers/KNAG, second extended edition, Zierikzee.
- van Steenis, C.G.G.J. (1935a) Maleische vegetatieschetsen I; Toelichting bij de plantengeografische kaart van Nederlandsch Oost Indië. *Tijdschrift van het Koninklijke Nederlandse Aardrijkskundige Genootschap*, **52**, 25-67
- van Steenis, C.G.G.J. (1935b) Maleische vegetatieschetsen II. *Tijdschrift van het Koninklijke Nederlandse Aardrijkskundige Genootschap*, **52**, 171-203; 365-398
- van Steenis, C.G.G.J. (1948) Hoofdlijnen van de plantengeographie van de Indische archipel op grond van de verspreiding de Phanerogamen geslachten. *Tijdschrift van het Koninklijke Nederlandse Aardrijkskundige Genootschap*, **65**, 193-208
- van Steenis, C.G.G.J. (1950) The delimitation of Malaysia and its main plant geographical divisions. *Flora Malesiana series 1* (ed. by C.G.G.J. van Steenis), pp. LXX-LXXV. Noordhoff-Kolff N.V., Jakarta.
- van Steenis, C.G.G.J. (1958a) Concise history of the map and an outline of Malaysian vegetation mapping and literature. *Proceedings of the Symposium on Humid Tropics Vegetation, Kandy*. Unesco, Paris.
- van Steenis, C.G.G.J. (1958b) Vegetation map of Malaysia [in collaboration with UNESCO for the UNESCO Humid Tropics Research Project].
- van Steenis, C.G.G.J. (1979) Plant-geography of east Malesia. *Botanical Journal of the Linnean Society*, **79**, 97-178
- van Walcheren, E.W.F. (1907) Eene reis naar de bovenstreken van Boeloengan (Midden-Borneo) [12 Nov. 1905 - 11 April 1906]. *Tijdschrift van het Koninklijke Nederlandse Aardrijkskundige Genootschap*, **24**, 755-844
- van Welzen, P.C. & Slik, J.W.F. (2009) Patterns in species richness and composition of plant families in the Malay Archipelago. *Blumea*, **54(1)**
- van Welzen, P.C., Slik, J.W.F. & Alahuhta, J. (2005) Plant distribution patterns and plate tectonics in Malesia. *Biologische Skrifter*, **55**, 199-217
- Verstappen, H.T. (1997) The effect of climatic change on southeast Asian geomorphology. *Journal of Quaternary Science*, **12**, 413-418
- Voris, H.K. (2000) Maps of Pleistocene sea levels in Southeast Asia: shorelines, river systems and time durations. *Journal of Biogeography*, **27**, 1153-1167
- Wakita, K. & Metcalfe, I. (2005) Ocean Plate Stratigraphy in East and Southeast Asia. *Journal of Asian Earth Sciences*, **24**, 679-702
- Wallace, A.R. (1860) On the zoological geography of the Malay Archipelago. *Journal of the Linnean Society of London* **4**, 172-184
- Walsh, R.P.D. (1996) Climate. *The Tropical Rain Forest* (ed. by P.W. Richards), pp. 159-205. Cambridge University Press, Cambridge, U.K.
- Waltari, E., Hijmans, R.J., Peterson, A.T., Nyári, Á.S., Perkins, S.L. & Guralnick, R.P. (2007) Locating Pleistocene Refugia: Comparing Phylogeographic and Ecological Niche Model Predictions. *PLoS ONE*, **2**, e563
- WDPA (2007) World Database on Protected Areas, web-download. UNEP-WCMC and IUCN World Commission on Protected Areas December 2007. <http://www.unep-wcmc.org/wdpa/>
- Whitmore, T.C. (1984a) *Tropical rain forests of the Far East*. Clarendon Press, Oxford.
- Whitmore, T.C. (1984b) A vegetation map of Malesia at scale 1:5 million. *Journal of Biogeography*, **11**, 461-471
- Whittaker, R.J., Araújo, M.B., Jepson, P., Ladle, R.J., Watson, J.E.M. & Willis, K.J. (2005) Conservation Biogeography: assessment and prospect. *Diversity and Distributions*, **11**, 3-23
- Wikramanayake, E., Dinerstein, E., Loucks, C.J., Olson, D.M., Morrison, J. & Lamoureux, J. (2002) *Terrestrial ecoregions of the Indo-Pacific: A conservation assessment*. Island Press, Washington, D.C.
- Winkler, H. (1927) *Die planzendecke Süd-Ost Borneos?* Institut für allgemeine Botanik, Hamburg.
- Wisz, M.S., Hijmans, R. J., Li, J., Peterson, A. T., Graham, C. H., Guisan, A. (2008). Effects of sample size on the performance of species distribution models. *Diversity and Distributions*, **14**, 763-773.
- Witkamp, H. (1932) Langs de Mahakam. *Tijdschrift van het Koninklijke Nederlandse Aardrijkskundige Genootschap*, **49**, 30-65
- Witt, C.C. & Maliakal-Witt, S. (2007) Why are diversity and endemism linked on islands? *Ecography*, **30**, 331-333
- WWF-Germany (2005) *Borneo: Treasure Island at Risk*. WWF-Germany, Frankfurt am Main.
- WWF & IUCN (1995) *Centres of Plant Diversity, a guide and strategy for their conservation; Volume 2 Asia, Australasia and the Pacific*. The world Wide Fund for Nature (WWF) and the IUCN - The World Conservation Union.
- Yesson, C. & Culham, A. (2006a) Phyloclimatic Modeling: Combining Phylogenetics and Bioclimatic Modeling. *Systematic Biology*, **55**, 785 - 802
- Yesson, C. & Culham, A. (2006b) A phyloclimatic study of Cyclamen. *BMC Evolutionary Biology*, **6**, 1-23
- Zaniewski, A.E., Lehmann, A. & Overton, J.M. (2002) Predicting species spatial distributions using presence-only data: a case study of native New Zealand ferns. *Ecological Modelling*, **157**, 261-280
- Zollinger, H. (1857) Over het begrip en den omvang eener Flora Malesiana. *Natuurkundig Tijdschrift voor Nederlandsch-Indië*, **13**, 293-322