



Universiteit  
Leiden  
The Netherlands

## Taxonomy, systematics, and biogeography of *Ficus* subsection *Urostigma* (Moraceae)

Chantarasawan, B.

### Citation

Chantarasawan, B. (2014, September 3). *Taxonomy, systematics, and biogeography of Ficus subsection Urostigma (Moraceae)*. Retrieved from <https://hdl.handle.net/1887/28481>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/28481>

**Note:** To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/28481> holds various files of this Leiden University dissertation

**Author:** Chantarasuwan, Bhanumas

**Title:** Taxonomy, systematics, and biogeography of *Ficus* subsection *Urostigma* (Moraceae)

**Issue Date:** 2014-09-03



230

## References



231

## REFERENCES

- Aiton, W.** 1789. A Catalogue of the Plants cultivated in the Royal Botanic Garden at Kew. *Hortus Kewensis* 3: 449–453.
- Ali, J.R. and Aitchison, J.C.** 2008. Gondwana to Asia: plate tectonics, palaeogeography and the biological connectivity of the Indian sub-continent from the Middle Jurassic through the latest Eocene (166–35 Ma). *Earth-Science Reviews* 88: 145–166.
- Ambasta, S.S.P. (ed.).** 1986. *The Useful Plants of India*. p. 918. Publication & Information Directorate CSIR, Hillside Road, New Delhi.
- Anstett, M.C., Hossaert-McKey, M. and Kjellberg, F.** 1997. Figs and fig pollinators; evolutionary conflicts in a coevolved mutualism. *Trends in Ecology and Evolution* 12: 94–99.
- Baas, P.** 1972. Anatomical contribution to plant taxonomy II: The affinities of Hua Pierre and Afrostyrax Perkins et Gilg. *Blumea* 20: 161–192.
- Baas, P., van Oosterhoud, E. and Scholtes, C.J.L.** 1982. Leaf anatomy and classification of the Olacaceae, Octoknema, and Erythropalum. *Allertonia* 3: 155–210.
- Berg, C.C.** 1989. Classification and distribution of *Ficus*. *Experientia* 45 : 605–611.
- Berg, C.C.** 2003. Flora Malesiana Precursor for the Treatment of Moraceae 1: The main subdivision of *Ficus*: the subgenera. *Blumea* 48: 167–178.
- Berg, C.C.** 2004. Flora Malesiana Precursor for the Treatment of Moraceae 7: *Ficus* subgenus *Urostigma*. *Blumea* 49: 463–480.
- Berg, C.C.** 2007a. *Ficus longensis* (Moraceae) recovered and redefined. *Blumea* 52: 595–600.
- Berg, C.C.** 2007b. Precursory taxonomic studies on *Ficus* (Moraceae) for the Flora of Thailand. *Thai Forest Bulletin* (Botany) 35: 1–28.
- Berg, C.C. and Corner, E.J.H.** 2005. Moraceae. In: *Flora Malesiana* Ser. 1, 17 (ed. by Nooteboom, H.P.), pp. 1–730. National Herbarium Nederland, Leiden.
- Berg, C.C. and Wiebes, J.T.** 1992. *African fig trees and fig wasps*. p. 298. Koninklijke Nederlandse Akademie van Wetenschappen, Verhandelingen Afdeling Natuurkunde, Tweede Reeks, Deel 89. Amsterdam, Oxford, New York.
- Berg, C.C., Patthahirantricin, N. and Chantarasuwan, B.** 2011. Moraceae. In: *Flora of Thailand* 10, 4 (eds. by Santisuk, T. and Larsen, K.), pp. 475–675. The Forest Herbarium, Department of National Parks, Wildlife and Plant Conservation, Bangkok.
- Blume, C.L.** 1825. *Bijdragen tot de Flora van Nederlandsch Indië* 9, pp. 436–479. Batavia.
- Boer, E. and Ella, A.B. (eds.)**, 2000. Plant Resources of South-East Asia 18. *Plants producing exudates*, p. 189. Backhuys Publishers, Leiden.
- Briggs, J.C.** 1989. The historic biogeography of India: Isolation or Contact? *Systematic Zoology*, 38, 322–332.
- Burman, N.** 1768. *Flora indica: cui accedit series Zoophytorum Indicorum, nec non Prodromus Flora Capensis*, pp. 225–227. Cornelius Haak, Amsterdam.
- Chantarasuwan, B., Berg, C.C. and van Welzen, P.C.** 2013. A revision of *Ficus* subsection *Urostigma* (Moraceae). *Systematic Botany* 38: 653–686.
- Chantarasuwan, B., Baas, P., van Heuven, B.-J., Baider, C. and van Welzen, P.C.** 2014. Leaf anatomy of *Ficus* subsection *Urostigma* (Moraceae). *Botanical Journal of the Linnean Society*, 175: 259 – 281. DOI:10.1111/boj.12165.
- Chantarasuwan, B., Peng, Y.-Q., Baas, P., Rasplus, J.-Y., van Heuven, B.-J. and van Welzen, P.C.** 2014. *Ficus cornelisiana*, a new species of *Ficus* subsection *Urostigma* (Moraceae) from Sino-himalayan region. *Blumea* 59: 6–9.
- Chantarasuwan, B., Garcia, M., Kjellberg, F., Rønsted, N., Baider, C. and van Welzen, P.C. (in prep.).** A new classification of *Ficus* subsection *Urostigma* (Moraceae) based on four nuclear DNA markers (ITS, ETS, G3pdh, and ncpGS), morphology and leaf anatomy.
- Chew, W.-L.** 1989. Moraceae. In: *Flora of Australia* 3, *Hamamelidales to Casuarinales* (ed. by George, A.S.), pp. 15–68. Australian Government Publishing Service, Canberra.
- Collinson, M.E.** 1989. The fossil history of the Moraceae, Urticaceae (including Cecropiaceae), and Cannabaceae. *Evolution, Systematics, and Fossil History of the Hamamelidae* 2 (eds. by Crane, P.R. and Blackmore, S.), pp. 319–339. Clarendon Press, Oxford.
- Conti, E., Eriksson, T., Schönenberger, J., Sytsma, K.J. and Baum, D.A.** 2002. Early Tertiary out-of-India dispersal of Crypteroniaceae: evidence from phylogeny and molecular dating. *Evolution*, 56: 1931–1942.
- Corner, E.J.H.** 1958. An introduction to the distribution of *Ficus*. *Reinwardtia* 4: 325–355.
- Corner, E.J.H.** 1959. Taxonomic note on *Ficus* L., Asia and Australasia; I. Subgen. *Urostigma* (Gasp.) Miq. *The Gardens' Bulletin of Singapore* 17: 368–415.
- Corner, E.J.H.** 1960. Taxonomic note on *Ficus* L., Asia and Australasia addendum. *The Gardens' Bulletin of Singapore* 18: 98–97.
- Corner, E.J.H.** 1965. Check-list of *Ficus* in Asia and Australasia with keys to identification. *The Gardens' Bulletin of Singapore* 21: 1–162.
- Corner, E.J.H.** 1975. New Taxa of *Ficus* (Moraceae) 2. *Blumea* 22: 299–309.
- Corner, E.J.H.** 1981. Moraceae in: *A revised Handbook to the Flora of Ceylon* 3. (ed. by Dassanayake, M.D.), pp. 213–292. Amerind Publishing Co Pvt Ltd, New Delhi.
- Cruaud, A., Jabbour-Zahab, R., Genson, G., Cruaud, C., Couloux, A., Kjellberg, F., van Noort, S. and Rasplus, J.Y.** 2009. Laying the foundations for a new classification of Agaonidae (Hymenoptera: Chalcidoidea), a multilocus phylogenetic approach. *Cladistics* 25: 1–29.

- Cruaud A., Rønsted N., Chantarasuwan B., Chou L.S., Clement W.L., Couloux A., Cousins B., Genson G., Harrison R.D., Hanson P.E., Hossaert-McKey M., Jabbour-Zahab R., Jousselin E., Kerdelhué C., Kjellberg F., Lopez-Vaamonde C., Peebles J., Peng Y., Pereira R.A.S., Schramm T., Ubaidillah R., van Noort S., Weible G.D., Yang D., Yodpinyanee A., Libeskind-Hadas R., Cook J.M., Rasplus J.-Y. and Savolainen V. 2012.** An Extreme Case of Plant-Insect codiversification: Figs and fig-pollinating wasps. *Systematic Biology* 61: 1029–1047.
- Dereeper, A., Guignon, V., Blanc, G., Audic, S., Buffet, S., Chevenet, F., Dufayard, J.-F., Guindon, S., Lefort, V., Lescot, M., Claverie, J.-M. and Gascuel, O. 2008.** Phylogeny.fr: robust phylogenetic analysis for the non-specialist. *Nucleic Acids Research* 36 (Web Server Issue): W465-9.
- Drummond, A.J. and Rambaut, A. 2007.** BEAST: Bayesian evolutionary analysis by sampling trees. *BMC Evolutionary Biology*, 7: 214.
- Drummond, A.J., Rambaut, A. and Suchard, M.A. 2012a.** BEAST v. 1.7.5 ([http://beast.bio.ed.ac.uk/Main\\_Page](http://beast.bio.ed.ac.uk/Main_Page) - last checked: Sep. 05, 2013).
- Drummond, A.J., Suchard, M.A., Xie, D. and Rambaut, A. 2012b.** Bayesian phylogenetics with BEAUti and the BEAST 1.7. *Molecular Biology and Evolution*, 29: 1969-1973. (version 1.8: [http://beast.bio.ed.ac.uk/Main\\_Page](http://beast.bio.ed.ac.uk/Main_Page); last checked Feb. 2014).
- de Padua, L.S., Bunyaphraphatsara, N. and Lemmens, R.H.M.J. (Eds). 1999.** Plant Resources of South-East Asia 12(1). *Medicinal and poisonous plants 1*, p. 711. Backhuys Publishers, Leiden.
- Eiadthong, W. 2004.** Species diversity of edible figs in Thailand. *Thai Journal of Forestry* 23: 37-49.
- Erixon, P., Svensson, B., Britton, T. and Oxelman, B. 2003.** Reliability of bayesian posterior probabilities and bootstrap frequencies in phylogenetics. *Systematic Biology* 52: 665–673.
- Felsenstein, J. 1993.** PHYLIP (Phylogeny Inference Package) version 3.5c. Distributed by the author. Seattle: Department of Genetics, University of Washington.
- Forster, G. 1786.** *Florulae Insularum Australium Prodromus*, pp.76–77. Joann Cristian Dietrich, Göttingen.
- Galtier, N., Gouy, M. and Gautier, C. 1996.** SeaView and Phylo\_win, two graphic tools for sequence alignment and molecular phylogeny. *Computer Applications in the Biosciences* 12: 543 – 548.
- Gasparrini, G. 1844.** *Nova genera quae super nonnullis Fici speciebus stribat*. p. 11. Francisci del Vecchio, Naples.
- Goor, A. 1965.** The History of the Fig in the Holy Land from Ancient times to Present Day. *Economic Botany* 19: 124-135.
- Grambast, N. 1954.** Sur la structure et le développement de l'appareil stomatique dans le genre *Ficus*. *Revue Générale de Botanique* 61: 607–631.
- Gregory, M., Vithalrao, K.P., Franklin, G. and Kalaichelavan, V. 2009.** Anti-ulcer (ulcer-preventive) activity of *Ficus arnottiana* Miq. (Moraceae) leaf methanolic extract. *American Journal of Pharmacology and Toxicology* 4:89-93.
- Hall, R. 2002.** Cenozoic geological and plate tectonic evolution of Southeast Asia and the Southwest Pacific: computer-based reconstructions, model and animations. *Journal of Asian Earth Sciences*, 20: 353–434.
- Hall, R. 2009.** Southeast Asia's changing palaeogeography. *Blumea*, 54: 148–161.
- Hall, R. 2012.** Later Jurassic-Cenozoic reconstructions of the Indonesian region and the Indian Ocean. *Tectonophysics*, 570–571: 1–41.
- Harrison, R.D., Rønsted, N., Xu, L., Rasplus, J.-Y. and Cruaud, A. 2012.** Evolution of Fruit Traits in *Ficus* Subgenus Sycomorus (Moraceae): To what extent do Frugivores determine seed dispersal Mode? *PlosOne* 7, e38432, doi 10.1371/journal.pone.0038432.
- Ho, S.Y.W. 2007.** Calibrating molecular estimates of substitution rates and divergence times in birds. *Journal of Avian Biology* 38: 409–414.
- Horowitz, A. and Baum, B. 1967.** The arboreal pollen flora of Israel. *Pollen et Spores* 9: 71–93.
- Jousselin, E., Rasplus, J.-Y. and Kjellberg, F. 2003.** Convergence and coevolution in a mutualism: Evidence from a molecular phylogeny of *Ficus*. *Evolution*, 57: 125–1269.
- Kawakita, A. and Kato, M. 2004.** Obligate pollination mutualism in *Breynia* (Phyllanthaceae): Further documentation of pollination Mutualism involving Epicephala moths (Gracillariidae). *American Journal of Botany* 91: 1319–1325.
- Khan, K.Y., Khan, M.A., Shah, G.M., Ahmad, M., Munir, M., Hussain, I., Fazal, H., Ali, B., Seema, N. and Bokhari, S.H. 2011.** Palynomorphological characterization of some species of *Ficus* L. from Pakistan. *Journal of Medicinal Plants Research* 5: 5067–5070.
- Khanna, K.K. and Kumar, A. 2002.** Recollection of an endemic plant, *Ficus cupulata* Haines from type locality (Pachmarhi Biosphere Reserve). *Bulletin of the Botanical Survey of India* 44: 145–146.
- King, G. 1887.** The species of *Ficus* of the Indo–Malayan and Chinese countries. *Annals of the Royal Botanic Garden (Calcutta)* 1: 1–66, t. 1–87.
- Kjellberg, F., Jousselin, E., Brounstein, J.L., Patel, A., Yokoyama, J. and Rasplus, J.-Y. 2001.** Pollination mode in fig wasps: the predictive power of correlated traits. *Proceedings of the Royal Society B: Biological Sciences* 268: 1113–1121.
- Langeveld, J.M. and van der Ham, R.W.J.M. 2005.** Pollen morphology. In: Berg, C.C. and Corner, E.J.H., *Flora Malesiana Moraceae: Ficeae* (ed. by Nooteboom, H.P.), 1, 17, pp. 50–51. Nationaal Herbarium Nederland, Leiden.

- Léveillé, H.** 1907. Nouveaux *Ficus* chinois. In: Fedde F., *Repertorium Specierum Novarum Regni Vegetabilis, Centralblatt für Sammlung und Veröffentlichung von Einzeldiagnosen neuer Pflanzen* 4: 65–67. Berlin.
- Li, Y., Dressler, S., Zhang, D. and Renner, S.S.** 2009. More Miocene dispersal between Africa and Asia – the case of Bridelia (Phyllanthaceae). *Systematic Botany* 34: 521–529.
- Linnaei, C.** 1753. *Species Plantarum, exhibentes Plantas rite cognitas, ad Genera ralatas cum Differentiis specificis, Nominibus trivialibus, Synonymis selectis, Locis natalibus* 2: 1059 - 1060.
- Machado, C.A., Robbins, N., Gilbert, M.T.P. and Herr, E.A.** 2005. Critical review of host specificity and its coevolutionary implications in the fig/fig-wasp mutualism. *Proceedings of the National Academy of Sciences USA* 102: 6558–6565.
- Maddison, D.R., and Maddison, W.P.** 2005. MacClade 4: Analysis of phylogeny and character evolution. Version 4.08a. <http://macclade.org>
- Maddison, W.P. and Maddison, D.R.** 2011. Mesquite: A modular system for evolutionary analysis, version 2.7.5. Available from <http://mesquiteproject.org> (last checked 21 Jan. 2013)
- McKenna, M.C.C.** 1973. Sweepstakes, filters, corridors, Noah's Arks, and beached Viking funeral ships in palaeogeography. *Implications of continental drift to the earth sciences* (ed. by D.H. Tarling and S.K. Runcorn), pp. 291–304. Academic Press, London.
- Miquel, F.A.G.** 1847. Prodromus Monographiae Ficuum. *The London Journal of Botany* 6: 514–588.
- Miquel, F.A.G.** 1867. Annotationes de *Ficus Speciebus*. *Annales Musei Botanici Lugduno-Batavi* 3: 260–288.
- Morley, R.J.** 1998. Palynological evidence for Tertiary plant dispersals in the SE Asian region in relation to plate tectonics and climate. *Biogeography and geological evolution of SE Asia* (ed. by R. Hall and J.D. Holloway), pp. 211–234. Backhuys Publishers, Leiden.
- Morley, R.J.** 2000. *Origin and evolution of tropical rain forests*. p. 378. John Wiley, New York.
- Morley, R.J.** 2007. Cretaceous and Tertiary climate change and the past distribution of megathermal rainforests. *Tropical rainforest responses to climate changes* (ed. by M.B. Bush and J.R. Flenley), pp. 1–31. Praxis, Chichester, UK.
- Moyersoen, B.** 2006. Pakaraimaea dipterocarpacea is ectomycorrhizal, indicating an ancient Gondwanaland origin for the ectomycorrhizal habit in Dipterocarpaceae. *New Phytologist* 172: 753–762.
- Myrty, D.** 2014. Story of the Bothi tree, Buddhist council if NSW from <http://www.buddhistcouncil.org> (last checked 16 June 2014)
- Pellmyr, O., Thompson, J.N., Brown, J.M. and Harrison, R.G.** 1996. Evolution of pollination and mutualism in the Yucca Moth lineage. *The American Naturalist* 148: 827 – 847.
- Pellmyr, O.** 2003. Yuccas, Yucca moths, and Coevolution: A review. *Annals of the Missouri Botanical Garden* 90: 3 – 55.
- Proctor, M., Yeo, P. and Lack, A.** 1996. *A home as a reward: Brood-site pollination* In: *The natural history of pollination*, pp. 311 – 320. Harper Collins Publishers, London, Glasgow, Sydney, Auckland, Toronto, Johannesburg.
- Punt, W., Hoen, P.P., Blackmore, S., Nilsson, S. and Le Thomas, A.** 2007. Glossary of pollen and spore terminology. *Review of Palaeobotany and Palynology* 143: 1–81.
- Raes, N. and van Welzen, P.C.** 2009. The demarcation and internal division of Flora Malesiana: 1857 – present. *Blumea*, 54: 6–8.
- Ramamoorthy, T.P., and Gandhi, K.N.** 1976. Moraceae. In: *Flora of Hassan district*, (eds. by Saldanha, C.J. and Nicolson, D.H.), pp. 75–85. Amerind Publishing Co. Pvt. Ltd. Karnataka, New Delhi.
- Rambaut, A.** 2009. FIGTREE v.1.4. (<http://tree.bio.ed.ac.uk/software/figtree/> – last checked 15 May 2014).
- Rambaut, A. and Drummond, A.J.** 2009. TRACER v1.6 (<http://tree.bio.ed.ac.uk/software/tracer/> – last checked 15 May 2014).
- Rambaut, A., Suchard, M.A., Xie, D. and Drummond, A.J.** 2013. Tracer v1.6 (<http://tree.bio.ed.ac.uk/software/tracer/>; last checked Feb. 2014) .
- Ramírez, B.W.** 1969. Fig wasps: mechanism of pollen transfer. *Science* 163: 580–581.
- Renner, O.** 1907. Beiträge zur Anatomie und Systematik der Artocarpeen und Conocephaleen, insbesondere der Gattung *Ficus*. *Botanische Jahrbücher für Systematik* 39: 319–448.
- Renner, O.** 1910. Die Lithocysten der Gattung *Ficus*. *Beihefte zum Botanischen Centralblatt* 25: 183–120.
- Rheede, H.** 1682. *Hortus Indicus Malabaricus*. Amstelodami: Joannis van Someren et Joannis van Dyck.
- Rögl, F.** 1999. Mediterranean and Parathethys Palaeogeography during the Oligocene and Miocene. *The Evolution of Neogene Terrestrial Ecosystems in Europe* (ed. by J. Agustí, L. Rook and P. Andrews), pp. 8–22. Cambridge University Press, Cambridge (UK).
- Ronquist, F.** 1997. Dispersal–vicariance analysis: a new approach to the quantification of historical biogeography. *Systematic Biology* 46: 195–203.
- Ronquist, F. and Huelsenbeck, J.P.** 2003. Mr Bayes 3: Bayesian phylogenetic inference under mixed models. *Bioinformatics* 19: 1572–1574.
- Rønsted, N., Weiblen, G.D., Cook, J.M., Salamin, N., Machado, C.A. and Savolainen, V.** 2005. 60 million years of co-divergence in the fig-wasp symbiosis. *Proceedings of the Royal Society B, Biological Sciences* 272: 2593–2599.

- Rønsted, N., Weiblen, G.D., Clement, W.L., Zerega, N.J.C. and Savolainen, V. 2008.** Reconstructing the phylogeny of figs (*Ficus*, Moraceae) to reveal the history of the fig pollination mutualism. *Symbiosis* 45: 45–55.
- Rudall, P. 1992.** *The leaf Anatomy of flowering plants : an introduction to structure and development*, second edition. Cambridge University Press, Cambridge, UK.
- Sajwan, V.S., Harjal, N. and Paliwal, G.S. 1977.** Developmental Anatomy of the Leaf of *Ficus religiosa* L. *Annals of Botany* 41: 293–302.
- Samonds, K.E., Godfrey, L.R., Ali, J.R., Goodman, S.M., Vences, M., Sutherland, M.R., Irwin, M.T. and Krause, D.W. 2012.** Spatial and temporal arrival patterns of Madagascar's vertebrate fauna explained by distance, ocean currents, and ancestor type. *Proceedings of the National Academy of Sciences USA*, 109: 5352–5357.
- Shanahan, M., So, S., Comton, S.G. and Corlett, R. 2001.** Fig-eating by vertebrate frugivores: a global review. *Biological reviews* 76: 529 – 572.
- Siemonsma, J.S. and Piluek, K. (eds.), 1993.** *Plant Resources of South-East Asia* 8. Vegetables, p. 370. Pudoc Scientific Publishers, Wageningen.
- Sirichamorn, Y., Thomas, D.C., Adema, F.A.C.B. and van Welzen, P.C. 2014.** Historical biogeography of Aganope, Brachypterum and Derris (Fabaceae, tribe Millettiae): insights into the origins of Palaeotropical intercontinental disjunctions and general biogeographical patterns in Southeast Asia. *Journal of Biogeography* 41: 882–893.
- Solereder, H.(ed.) 1899.** Moraceae. In: *Systematische Anatomie der Dicotyledonen*. pp. 866–872. Verlag von Ferdinand Enke, Stuttgart.
- Solereder, H.(ed.) 1908.** Moraceae. In: *Systematische Anatomie der Dicotyledonen, Ergänzungsband*. pp. 866–872. Verlag von Ferdinand Enke, Stuttgart.
- Sonibare, M.A., Jayeola, A.A., Egunyomi, A. and Murata, J. 2005.** A survey of epidermal morphology in *Ficus* L. (Moraceae) of Nigeria. *Botanical Bulletin of Academia Sinica* 46: 231–238.
- Sonibare, M.A., Jayeola, A.A. and Egunyomi, A. 2006.** Comparative leaf anatomy of *Ficus* L. species (Moraceae) from Nigeria. *Journal of Applied Sciences* 6: 3016–3025.
- Storey, M., Mahoney, J.J., Saunders, A.D., Duncan, R.A., Kelley, S.P. and Coffin, M.F. 1995.** Timing of Hot Spot-related volcanism and the Breakup of Madagascar and India. *Science* 267: 852–855.
- Strand, A.E., Leebens-Mack, J. and Milligan, B.G. 1997.** Nuclear DNA-based markers for plant evolutionary biology. *Molecular Ecology* 6: 113–118.
- Sugardjito, J., te Boekhorst, I.J.A. and van Hooff, J.A.R.A.M. 1987.** Ecological constraints on the grouping of wild orang-utans (*Pongo pygmaeus*) in the Gunung Leuser National Park, Sumatra, Indonesia. *International Journal of Primatology* 8: 17–41.
- Sun, Y., Skinner, D.Z., Liang, G.H. and Hulbert, S.H. 1994.** Phylogenetic analysis of Sorghum and related taxa using internal transcribed spacers of nuclear ribosomal DNA. *Theoretical and Applied Genetics* 89: 26–32.
- Swofford, D.L. 2003.** PAUP\*: Phylogenetic Analysis Using Parsimony (\*and other methods), version 4.0b10. Sunderland, Massachusetts: Sinauer Associates.
- Tzeng, H.Y., Ou, C.H., Lu, F.Y. and Wang, C.C. 2009.** Pollen morphology of *Ficus* L. (Moraceae) in Taiwan. *Quarterly Journal of Chinese Forestry* 31: 33–46.
- Van Cotthem, W.R.J. 1971.** Vergleichende morphologische Studien über Stomata und eine neue Klassifikation ihrer Typen. *Berichte der Deutschen Botanischen Gesellschaft* 84: 141–168.
- Van Greuning, J.V., Robbertse, P.J. and Grobbelaar, N. 1984.** The taxonomic value of Leaf anatomy in the genus *Ficus*. *South African Journal of Botany* 3: 297–305.
- Van der Ham, R.W.J.M. 1990.** Nephelieae pollen (Sapindaceae): form, function, and evolution. *Leiden Botanical Series* 13: XII + 255 pp.
- Van Welzen, P.C. and Baas, P. 1984.** A leaf anatomical contribution to the classification of the Linaceae complex. *Blumea* 29: 453–479.
- Van Welzen, P.C., Parnell, J.A.N. and Slik, J.W.F. 2011.** Wallace's line and plant distributions: two or three phytogeographical areas and where to group Java? *Biological Journal of the Linnean Society* 103: 531–545.
- Van Welzen, P.C., Strijk, J.S., van Konijnenburg-van Cittert, J.H.A., Nucete, M. and Merckx, V.S.F.T. 2014.** Dated phylogenies of the sister genera Macaranga and Mallotus (Euphorbiaceae): Congruence in historical biogeographic patterns? *PLOS One*, 9: e85713, doi: 10.1371/journal.pone.0085713.
- Verheij, E.W.M. and Coronel, R.E. (Editors). 1991.** *Plant Resources of South-East Asia 2. Edible fruits and nuts*, p. 446. Pudoc Scientific Publishers, Wageningen.
- Wallace, A.R. 1859.** Letter from Mr. Wallace concerning the geographical distribution of birds. *Ibis*, 1: 449–454.
- Warren, B.H., Strasberg, D., Bruggeman, J.H., Prys-Jones, R.P. and Thébaud, C. 2010.** Why does the biota of Madagascar region have such a strong Asiatic flavour? *Cladistics* 26: 526–538.
- Weiblen, G.D. 2000.** Phylogenetic relationships of functionally dioecious *Ficus* (Moraceae) based on ribosomal DNA sequences and morphology. *American Journal of Botany* 87: 1342–1357.
- Weiblen, G.D. 2004.** Correlated evolution in fig pollination. *Systematic Biology* 128: 128-139.
- Wiebes, J.T. 1979.** Co-evolution of Figs and their Insect Pollinators. *Annual Review of Ecology and Systematics* 10: 1–12.

- Wiebes, J.T.** 1992. Agaonidae (Hymenoptera Chalcidoidea) and *Ficus* (Moraceae): fig wasps and their figs. VIII (Eupristina s.l.). *Proceeding of the Koninklijke Nederlandse Akademie Wetenschappen* 95: 109-125.
- Wiens, J.J.** 2004. The role of morphological data in phylogeny reconstruction. *Systematic Biology* 53: 653-661.
- Wilkinson, H.P.** 1979. The Plant Surface (Mainly Leaf). In: *Anatomy of the Dicotyledons* 2(1) (eds. by Metcalfe, C.R. and Chalk, L.), pp. 97-166. Clarendon Press, Oxford.
- Wolfe, J.A.** 1975. Some aspects of plant geography of the Northern Hemisphere during the Late Cretaceous and Tertiary. *Annals of the Missouri Botanical Garden* 62: 264-279.
- Wu, C. and Kuo-Huang, L.** 1997. Calcium crystals in the leaves of some species of Moraceae. *Botanical Bulletin of Academia Sinica* 38: 97-104.
- Xu, L., Harrison, R.D., Yang, P. and Yang, D.-R.** 2011. New insight into the phylogenetic and biogeographic history of genus *Ficus*: Vicariance played a relatively minor role compared with ecological opportunity and dispersal. *Journal of Systematics and Evolution* 49: 546-557.
- Yu, Y., Harris, A.J. and He, X.-J.** 2010. S-DIVA (Statistical Dispersal-Vicariance Analysis): a tool for inferring biogeographic histories. *Molecular Phylogenetics and Evolution* 56: 848-850.
- Yu, Y., Harris, A.J. and He, X.-J.** 2013. RASP (Reconstruct Ancestral State in Phylogenies) 2.1 beta (<http://mnh.scu.edu.cn/soft/blog/RASP>, last checked 11 March 2013).
- Zachos, J., Pagani, M., Sloan, L., Thomas, E. and Billups, K.** 2001. Trends, rhythms, and aberration in global climate 65 Ma to present. *Science* 292: 686-693.
- Zhou, L., Su, Y.C.F., Thomas, D.C. and Saunders, R.M.K.** 2012. 'Out-of-Africa' dispersal of tropical floras during the Miocene climatic optimum: evidence from *Uvaria* (Annonaceae). *Journal of Biogeography* 39: 322-335.

## CURRICULUM VITAE

Bhanumas Chantarasawan was born on 6 August 1971 in Krabi province, Thailand, where he lived in a rural village. His first botanical contacts were initiated by the village elders, who learned him to recognise edible plants in the nearby forest. Bhanumas finished his secondary education at Nuaklongprachabamrung School, Krabi, in 1992, and left for Bangkok to study at the Faculty of Forestry, Kasetsart University. He obtained his Bachelor degree of Sciences (Forestry) in 1996. During his Bachelor study he was drawn into botany by Associate Professor in dendrology Somnuek Phongampai, especially during the two-week dendrological field course in the forest. Next, he had to fulfil his military service in the navy in 1998 and he spent one year in the marine base at Sattahib, Chon Buri. Three years later (2001) he became a permanent staff member in The Thailand National Science museum, where his routine work is surveying plant diversity and collecting plant specimens for the museum. In 2007, he fulfilled his master degree in Forest Biology, also in Kasetsart University. His interest in *Ficus* (Moraceae) was inspired by Mrs. Sumon Masuthon, a lecturer in the Botany Department, a pioneer researcher in the taxonomy of Thai *Ficus*. During a field trip in 2003 Prof.dr. Cornelis C. Berg was the second person who stimulated him to work on *Ficus*. Bhanumas could fulfill his ideal to study *Ficus* when he was granted a scholarship for taxonomic studies by the Ministry of Science and Technology on behalf of the Royal Thai Government, under the responsibility of the Thailand National Science Museum. He started his Ph.D. at the National Herbarium of the Netherlands, Leiden University (now Naturalis Biodiversity Center), under the supervision of Prof.dr. Peter C. van Welzen and Prof. dr. Berg. After his graduation he will continue his career as a staff member of the Thailand National Science Museum, Pathum Thani province, Thailand.

## LIST OF PUBLICATIONS

- Chantarasuwan, B.** and Kumtong, P. 2005. The *Ficus* L. (Moraceae) in Khao Ang Reu Nai wildlife sanctuary, South-east Thailand. *The Thailand Natural History Museum Journal* 1: 11–18
- Chantarasuwan, B.** and Kumtong, P. 2005. On two varieties of *Ficus hispida* L.f. (Moraceae) in Thailand. *The Thailand Natural History Museum Journal* 1: 79–85.
- Chantarasuwan, B.** and Thong–aree, S. 2006. Five species of *Ficus* (Moraceae) new for Thailand. *Thai Forest Bulletin (Botany)* 34: 25–37.
- Chantarasuwan, B.** and Thong–aree, S. 2007. The utilization of *Ficus obpyramidata* King in local knowledge. *The Thailand Natural History Museum Journal* 2: 59–61.
- Chantarasuwan, B.**, Marod, D. and Pattanakeat, S. 2007. Species diversity and habitat suitability assessment for genus *Ficus* in Mae Klong Watershed Research Station, Amphoe Thong Pha Phum, Changwat Kanchanaburi. *The Thailand Natural History Museum Journal* 2: 43–54.
- Berg, C.C. and **Chantarasuwan, B.** 2007. A study on the taxonomy of some stoloniflorous species of *Ficus* subsection *Sycocarpus* (Moraceae) in Thailand and Malesia. *Blumea* 52: 313–326.
- Chantarasuwan, B.** and Charernsook, A. 2008. Known edible fig plants in Khao Nan national park, Nakhon Si Thammarat province, Peninsular Thailand. *The Thailand Natural History Museum Journal* 3: 75–78.
- Berg, C.C., Pattharahirantricin, N. and **Chantarasuwan, B.** 2011. Moraceae In Santisuk, T. and Larsen, K. (eds.), *Flora of Thailand* 10(4). The Forest Herbarium, Bangkok.
- Bain, A., **Chantarasuwan, B.**, Chou, L.S., Hosseart–McKey, M., Chat, B. and Kjellberg, F. 2012. A new case of ants nesting within branches of fig tree: The case of *Ficus subpisocarpa* in Taiwan. *Sociobiology* 59: 415–434.
- Cruaud, A., Rønsted, N., **Chantarasuwan, B.**, Chou, L.S., Clement, W.L., Couloux, A., Cousina, B., Genson, G., Harrison, R.D., Hanson, P.E., Hosseart– McKey, M., Jabbour–Zahab, R., Ousselin, E., Kerdelhué, C., Kjellberg, F., Lopez–Vaamonde, C., Peebles, J., Peng, Y.Q., Pereira, R.A. S., Schramm, T., Ubaidillah, R., Van Noort, S., Weiblen, G.D., Yang, D.R., Yopinyanee, A., Libeskind-Hadas, R., Cook, J.M., Rasplus, J.Y. and Savolainen, V. 2012. An Extreme Case of Plant-Insect Co-Diversification: Figs and Fig–Pollinating Wasps. *Systematic Biology* 61:1029–1047.
- Chantarasuwan, B.** and van Welzen, P.C. 2012. Which species of *Ficus* subsection *Urostigma* in Thailand are used as food, ornamental plants or sacred trees? *The Thailand Natural History Museum Journal* 6: 145– 151.
- Chantarasuwan, B.**, Berg, C.C. and van Welzen, P.C. 2013. A revision of *Ficus* subsection *Urostigma* (Moraceae). *Systematic Botany* 38: 653–686.
- Chantarasuwan, B.**, Peng, Y.-Q., Baas. P., Rasplus, J.-Y., van Heuven, B.-J. and van Welzen, P.C. 2014. *Ficus cornelisiana*, a new species of *Ficus* subsection *Urostigma* (Moraceae) from the Sino-himalayan region. *Blumea* 59: 6–9.
- Chantarasuwan, B.**, Baas. P., van Heuven, B.-J., Baider, C. and van Welzen, P.C. 2014. Leaf anatomy of *Ficus* subsection *Urostigma* (Moraceae). *Botanical Journal of the Linnean Society*, 175: 259 – 281. DOI:10.1111/boj.12165.

## ACKNOWLEDGEMENTS

I would like to express my gratitude to the Royal Thai Government and the Ministry of Science and Technology for the scholarship I received to study in The Netherlands. I also like to acknowledge the strong support of the Thailand National Science Museum to fulfil my study in Plant Taxonomy at Leiden University.

I am grateful to all staff members and curators of A, AAU, B, BK, BKF,BM, BR, BRI, E, K, L, P, PERTH, SING, THNHM, U, WAG, and Z for providing herbarium material, specimen data and help during visits. I like to acknowledge Finn Kjellberg and Nina Rønsted for their hospitality during my stays in France and Denmark and I like to mention Bob Harwood, Claudia Baider, and Sukonthip Sirimongkol for providing plant material precious for my work. Anita Walsmit Sachs, Esmée Winkel, and Pajaree Inthachup made the beautiful and outstanding drawings.

I would like to express my deepest gratitude to my family and my relatives: My parents, who carefully raised me and encouraged me to love learning since I was young; my wife and my son, who always supported and motivated me to finish the PhD, and my great sister, Naovarat Ratanopas, who took care of me like a son.

I would like to thanks to all my friends for their help and friendship: Anne van Oostrum, Annick Lang, Atchara Teerawattananon, Chatchai Jaitrong Dome Potikanond, Dome Prathomthong, Judith Aiglsperger, Kanchana Pruesapan, Lalin Kovudhikulrungsri, Luis Morgado, Marc Appelhans, Mega Atria, Narongsak Kidsom, Nicolas Davin, Nor Yahaya, Nurul Hazlina, Onanong Nuchuchua, Piya Temviriyanukul, Ponchai Kleangnin, Sanchai Makchai, Saranyapin Potikanond, Sarawood Sungkaew, Saroj Ruchisansakul, Sita Polpok, Sunwan Klaassen, Suthee Duangjai, Tanawat Chaowasku, Tamara Vernimmen, Weyawat Jaitrong, Yodchai Chuaykern and Yotsawate Sirichamorn.

Finally, I like to dedicate this thesis to Dr. Jarujin Nabhetabha (1950–2008), my former director, who encouraged me to focus on a study of *Ficus*, and who also advised me to study abroad for my PhD. I also like to dedicate the thesis to Prof. dr. Cornelis C. Berg (1934–2012), the world expert on the taxonomy of *Ficus*, my great supervisor, who provided the taxonomic fundaments without which I could never have studied for a PhD on figs.