



Universiteit
Leiden
The Netherlands

Nonlinear optical studies of single gold nanoparticles

Dijk, M.A. van

Citation

Dijk, M. A. van. (2007, October 17). *Nonlinear optical studies of single gold nanoparticles*. *Casimir PhD Series*. Retrieved from <https://hdl.handle.net/1887/12380>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/12380>

Note: To cite this publication please use the final published version (if applicable).

Bibliography

- [1] M. Salerno, J. R. Krenn, B. Lamprecht, G. Schider, H. Ditlbacher, N. Felidj, A. Leitner, and F. R. Aussenegg, "Plasmon polaritons in metal nanostructures: the optoelectronic route to nanotechnology," *Opto-Electron. Rev.* **10**(3), 217–224 (2002).
- [2] J. R. Krenn, "Nanoparticle waveguides - Watching energy transfer," *Nat. Mater.* **2**(4), 210–211 (2003).
- [3] S. A. Maier, P. G. Kik, H. A. Atwater, S. Meltzer, E. Harel, B. E. Koel, and A. A. G. Requicha, "Local detection of electromagnetic energy transport below the diffraction limit in metal nanoparticle plasmon waveguides," *Nat. Mater.* **2**(4), 229–232 (2003).
- [4] W. L. Barnes, A. Dereux, and T. W. Ebbesen, "Surface plasmon sub-wavelength optics," *Nature* **424**(6950), 824–830 (2003).
- [5] Y. H. Liao, A. N. Unterreiner, Q. Chang, and N. F. Scherer, "Ultrafast dephasing of single nanoparticles studied by two-pulse second-order interferometry," *J. Phys. Chem. B* **105**(11), 2135–2142 (2001).
- [6] D. Yelin, D. Oron, S. Thiberge, E. Moses, and Y. Silberberg, "Multiphoton plasmon-resonance microscopy," *Optics Express* **11**(12), 1385–1391 (2003).
- [7] J. Nappa, G. Revillod, I. Russier-Antoine, E. Benichou, C. Jonin, and P. F. Brevet, "Electric dipole origin of the second harmonic generation of small metallic particles," *Phys. Rev. B* **71**(16), 165,407 (2005).
- [8] H. Ditlbacher, J. R. Krenn, B. Lamprecht, A. Leitner, and F. R. Aussenegg, "Spectrally coded optical data storage by metal nanoparticles," *Opt. Lett.* **25**(8), 563–565 (2000).

BIBLIOGRAPHY

- [9] J. W. M. Chon, C. Bullen, P. Zijlstra, and M. Gu, "Spectral encoding on gold nanorods doped in a silica sol-gel matrix and its application to high-density optical data storage," *Adv. Funct. Mater.* **17**(6), 875–880 (2007).
- [10] K. Kneipp, H. Kneipp, I. Itzkan, R. R. Dasari, and M. S. Feld, "Surface-enhanced Raman scattering and biophysics," *J. Phys.-Condes. Matter* **14**(18), R597–624 (2002).
- [11] H. G. Boyen, G. Kastle, F. Weigl, B. Koslowski, C. Dietrich, P. Ziemann, J. P. Spatz, S. Riethmuller, C. Hartmann, M. Moller, G. Schmid, M. G. Garnier, and P. Oelhafen, "Oxidation-resistant gold-55 clusters," *Science* **297**(5586), 1533–1536 (2002).
- [12] J. Yguerabide and E. E. Yguerabide, "Light-scattering submicroscopic particles as highly fluorescent analogs and their use as tracer labels in clinical and biological applications- II. Experimental characterization," *Anal. Biochem.* **262**(2), 157–176 (1998).
- [13] G. Raschke, S. Kowarik, T. Franzl, C. Sönnichsen, T. A. Klar, J. Feldmann, A. Nichtl, and K. Kurzinger, "Biomolecular recognition based on single gold nanoparticle light scattering," *Nano Lett.* **3**(7), 935–938 (2003).
- [14] P. K. Jain, I. H. El-Sayed, and M. A. El-Sayed, "Au nanoparticles target cancer," *Nano Today* **2**(1), 18–29 (2007).
- [15] S. Link and M. A. El-Sayed, "Size and temperature dependence of the plasmon absorption of colloidal goldnanoparticles," *J. Phys. Chem. B* **103**(21), 4212–4217 (1999).
- [16] C. Voisin, N. Del Fatti, D. Christofilos, and F. Vallée, "Ultrafast electron dynamics and optical nonlinearities in metal nanoparticles," *J. Phys. Chem. B* **105**(12), 2264–2280 (2001).
- [17] G. V. Hartland, "Measurements of the material properties of metal nanoparticles by time-resolved spectroscopy," *Phys. Chem. Chem. Phys.* **6**(23), 5263–5274 (2004).
- [18] B. Lamprecht, J. R. Krenn, A. Leitner, and F. R. Aussenegg, "Resonant and off-resonant light-driven plasmons in metal nanoparticles studied by femtosecond-resolution third-harmonic generation," *Phys. Rev. Lett.* **83**(21), 4421–4424 (1999).

BIBLIOGRAPHY

- [19] S. Link and M. A. El-Sayed, "Shape and size dependence of radiative, non-radiative and photothermal properties of gold nanocrystals," *Int. Rev. Phys. Chem.* **19**(3), 409–453 (2000).
- [20] E. Dulkeith, T. Niedereichholz, T. A. Klar, J. Feldmann, G. von Plessen, D. I. Gittins, K. S. Mayya, and F. Caruso, "Plasmon emission in photoexcited gold nanoparticles," *Phys. Rev. B* **70**(20), 205,424 (2004).
- [21] B. Palpant, H. Portales, L. Saviot, J. Lerme, B. Prevel, M. Pellarin, E. Duval, A. Perez, and M. Broyer, "Quadrupolar vibrational mode of silver clusters from plasmon-assisted Raman scattering," *Phys. Rev. B* **60**(24), 17,107–17,111 (1999).
- [22] Special issue on Single Molecules, *Science* **283**(5408), 1593–1804 (1999).
- [23] P. Tamarat, A. Maali, B. Lounis, and M. Orrit, "Ten years of single-molecule spectroscopy," *J. Phys. Chem. A* **104**(1), 1–16 (2000).
- [24] X. Michalet, F. Pinaud, T. D. Lacoste, M. Dahan, M. P. Bruchez, A. P. Alivisatos, and S. Weiss, "Properties of fluorescent semiconductor nanocrystals and their application to biological labeling," *Single Mol.* **2**(4), 261–276 (2001).
- [25] G. Mie, "Beiträge zur Optik trüber Medien, speziell kolloidaler Metallösungen," *Ann. Physik* **330**(3), 377–442 (1908).
- [26] C. F. Bohren and D. R. Huffman, *Absorption and Scattering of Light by Small Particles* (Wiley, 1998).
- [27] P. B. Johnson and R. W. Christy, "Optical-Constants Of Noble-Metals," *Phys. Rev. B* **6**(12), 4370–4379 (1972).
- [28] U. Kreibig and M. Vollmer, *Optical Properties of Metal Clusters*, vol. 25 of *Springer Series in Materials Science* (Springer, Berlin, 1995).
- [29] M. Otter, "Temperaturabhängigkeit Der Optischen Konstanten Massiver Metalle," *Z. Phys.* **161**(5), 539–549 (1961).
- [30] F. Ercolessi, W. Andreoni, and E. Tosatti, "Melting Of Small Gold Particles - Mechanism And Size Effects," *Phys. Rev. Lett.* **66**(7), 911–914 (1991).
- [31] G. V. Hartland, M. Hu, and J. E. Sader, "Softening of the symmetric breathing mode in gold particles by laser-induced heating," *J. Phys. Chem. B* **107**(30), 7472–7478 (2003).

BIBLIOGRAPHY

- [32] A. Plech, V. Kotaidis, S. Gresillon, C. Dahmen, and G. von Plessen, "Laser-induced heating and melting of gold nanoparticles studied by time-resolved x-ray scattering," *Phys. Rev. B* **70**(19), 195,423 (2004).
- [33] S. Inasawa, M. Sugiyama, and Y. Yamaguchi, "Laser-induced shape transformation of gold nanoparticles below the melting point: The effect of surface melting," *J. Phys. Chem. B* **109**(8), 3104–3111 (2005).
- [34] H. C. van de Hulst, *Light Scattering by Small Particles* (Dover Publications, 1981).
- [35] R. W. Schoenlein, W. Z. Lin, J. G. Fujimoto, and G. L. Eesley, "Femtosecond studies of nonequilibrium electronic processes in metals," *Phys. Rev. Lett.* **58**(16), 1680–1683 (1987).
- [36] S. D. Brorson, A. Kazeroonian, J. S. Moodera, D. W. Face, T. K. Cheng, E. P. Ippen, M. S. Dresselhaus, and G. Dresselhaus, "Femtosecond Room-Temperature Measurement Of The Electron-Phonon Coupling Constant Lambda In Metallic Superconductors," *Phys. Rev. Lett.* **64**(18), 2172–2175 (1990).
- [37] R. H. J. Kop and R. Sprik, "Phase-sensitive interferometry with ultra-short optical pulses," *Rev. Sci. Instrum.* **66**(12), 5459–5463 (1995).
- [38] M. Nisoli, S. DeSilvestri, A. Cavalleri, A. M. Malvezzi, A. Stella, G. Lanzani, P. Cheyssac, and R. Kofman, "Coherent acoustic oscillations in metallic nanoparticles generated with femtosecond optical pulses," *Phys. Rev. B* **55**(20), 13,424–13,427 (1997).
- [39] J. H. Hodak, I. Martini, and G. V. Hartland, "Observation of acoustic quantum beats in nanometer sized Au particles," *J. Chem. Phys.* **108**(22), 9210–9213 (1998).
- [40] N. Del Fatti, S. Tzortzakis, C. Voisin, C. Flytzanis, and F. Vallée, "Time resolved investigation of coherent acoustic mode oscillations in silver nanoparticles," *Physica B* **263**, 54–56 (1999).
- [41] G. V. Hartland, "Coherent vibrational motion in metal particles: Determination of the vibrational amplitude and excitation mechanism," *J. Chem. Phys.* **116**(18), 8048–8055 (2002).
- [42] M. Hu and G. V. Hartland, "Heat dissipation for Au particles in aqueous solution: Relaxation time versus size," *J. Phys. Chem. B* **106**(28), 7029–7033 (2002).

BIBLIOGRAPHY

- [43] J. H. Hodak, A. Henglein, and G. V. Hartland, "Size dependent properties of Au particles: Coherent excitation and dephasing of acoustic vibrational modes," *J. Chem. Phys.* **111**(18), 8613–8621 (1999).
- [44] M. Perner, S. Gresillon, J. Marz, G. von Plessen, J. Feldmann, J. Porstendorfer, K. J. Berg, and G. Berg, "Observation of hot-electron pressure in the vibration dynamics of metal nanoparticles," *Phys. Rev. Lett.* **85**(4), 792–795 (2000).
- [45] H. Lamb, "On the Vibrations of an Elastic Sphere," *Proc. London Math. Soc.* **13**, 189–212 (1882).
- [46] L. Saviot, B. Champagnon, E. Duval, I. A. Kudriavtsev, and A. I. Eki-mov, "Size dependence of acoustic and optical vibrational modes of CdSe nanocrystals in glasses," *J. Non-Cryst. Solids* **197**(2-3), 238–246 (1996).
- [47] J. Park, T. R. A. Song, J. Tromp, E. Okal, S. Stein, G. Roult, E. Clevede, G. Laske, H. Kanamori, P. Davis, J. Berger, C. Braitenberg, M. Van Camp, X. Lei, H. P. Sun, H. Z. Xu, and S. Rosat, "Earth's free oscillations excited by the 26 December 2004 Sumatra-Andaman earthquake," *Science* **308**(5725), 1139–1144 (2005).
- [48] D. B. Murray and L. Saviot, "Acoustic vibrations of embedded spherical nanoparticles," *Physica E* **26**(1-4), 417–421 (2005).
- [49] V. A. Dubrovskiy and V. S. Morozhnik, "Natural vibrations of a spherical inhomogeneity in an elastic medium," *Izv. Earth Phys.* **17**, 494–504 (1981).
- [50] C. Voisin, D. Christofilos, N. Del Fatti, and F. Vallée, "Environment effect on the acoustic vibration of metal nanoparticles," *Physica B* **316**, 89–94 (2002).
- [51] D. B. Murray and L. Saviot, "Phonons in an inhomogeneous continuum: Vibrations of an embedded nanoparticle," *Phys. Rev. B* **69**(9), 094305 (2004).
- [52] M. Perner, P. Bost, U. Lemmer, G. von Plessen, J. Feldmann, U. Becker, M. Mennig, M. Schmitt, and H. Schmidt, "Optically induced damping of the surface plasmon resonance in gold colloids," *Phys. Rev. Lett.* **78**(11), 2192–2195 (1997).

BIBLIOGRAPHY

- [53] M. R. Beversluis, A. Bouhelier, and L. Novotny, "Continuum generation from single gold nanostructures through near-field mediated intraband transitions," *Phys. Rev. B* **68**(11), 115,433 (2003).
- [54] C. D. Geddes, A. Parfenov, and J. R. Lakowicz, "Luminescent blinking from noble-metal nanostructures: New probes for localization and imaging," *J. Fluoresc.* **13**(4), 297–299 (2003).
- [55] L. A. Peyser, A. E. Vinson, A. P. Bartko, and R. M. Dickson, "Photoactivated fluorescence from individual silver nanoclusters," *Science* **291**(5501), 103–106 (2001).
- [56] M. Pelton, M. Z. Liu, S. Park, N. F. Scherer, and P. Guyot-Sionnest, "Ultrafast resonant optical scattering from single gold nanorods: Large nonlinearities and plasmon saturation," *Phys. Rev. B* **73**(15), 155,419 (2006).
- [57] M. Lippitz, M. A. van Dijk, and M. Orrit, "Third-harmonic generation from single gold nanoparticles," *Nano Lett.* **5**(4), 799–802 (2005).
- [58] C. Sönnichsen, S. Geier, N. E. Hecker, G. von Plessen, J. Feldmann, H. Ditlbacher, B. Lamprecht, J. R. Krenn, F. R. Aussenegg, V. Z. H. Chan, J. P. Spatz, and M. Moller, "Spectroscopy of single metallic nanoparticles using total internal reflection microscopy," *Appl. Phys. Lett.* **77**(19), 2949–2951 (2000).
- [59] S. Schultz, D. R. Smith, J. J. Mock, and D. A. Schultz, "Single-target molecule detection with nonbleaching multicolor optical immunolabels," *Proc. Natl. Acad. Sci. U. S. A.* **97**(3), 996–1001 (2000).
- [60] S. Berciaud, L. Cognet, P. Tamarat, and B. Lounis, "Observation of intrinsic size effects in the optical response of individual gold nanoparticles," *Nano Lett.* **5**(3), 515–518 (2005).
- [61] O. L. Muskens, N. Del Fatti, and F. Vallée, "Femtosecond response of a single metal nanoparticle," *Nano Lett.* **6**(3), 552–556 (2006).
- [62] M. A. van Dijk, M. Lippitz, and M. Orrit, "Detection of acoustic oscillations of single gold nanospheres by time-resolved interferometry," *Phys. Rev. Lett.* **95**(26), 267,406 (2005).
- [63] J. Gelles, B. J. Schnapp, and M. P. Sheetz, "Tracking Kinesin-Driven Movements With Nanometre-Scale Precision," *Nature* **331**(6155), 450–453 (1988).

BIBLIOGRAPHY

- [64] A. Arbouet, D. Christofilos, N. Del Fatti, F. Vallée, J. R. Huntzinger, L. Arnaud, P. Billaud, and M. Broyer, "Direct measurement of the single-metal-cluster optical absorption," *Phys. Rev. Lett.* **93**(12), 127,401 (2004).
- [65] T. Plakhotnik and V. Palm, "Interferometric signatures of single molecules," *Phys. Rev. Lett.* **87**18(18), 183,602 (2001).
- [66] K. Lindfors, T. Kalkbrenner, P. Stoller, and V. Sandoghdar, "Detection and spectroscopy of gold nanoparticles using supercontinuum white light confocal microscopy," *Phys. Rev. Lett.* **93**(3), 037,401 (2004).
- [67] S. Berciaud, D. Lasne, G. A. Blab, L. Cognet, and B. Lounis, "Photothermal heterodyne imaging of individual metallic nanoparticles: Theory versus experiment," *Phys. Rev. B* **73**(4), 045,424 (2006).
- [68] D. Boyer, P. Tamarat, A. Maali, B. Lounis, and M. Orrit, "Photothermal imaging of nanometer-sized metal particles among scatterers," *Science* **297**(5584), 1160–1163 (2002).
- [69] F. V. Ignatovich and L. Novotny, "Real-time and background-free detection of nanoscale particles," *Phys. Rev. Lett.* **96**(1), 013,901 (2006).
- [70] M. A. van Dijk, M. Lippitz, D. Stolwijk, and M. Orrit, "A common-path interferometer for time-resolved and shot-noise-limited detection of single nanoparticles," *Opt. Express* **15**(5), 2273–2287 (2007).
- [71] S. Berciaud, L. Cognet, G. A. Blab, and B. Lounis, "Photothermal heterodyne imaging of individual nonfluorescent nanoclusters and nanocrystals," *Phys. Rev. Lett.* **93**(25), 257,402 (2004).
- [72] H. C. van de Hulst, "On The Attenuation Of Plane Waves By Obstacles Of Arbitrary Size And Form," *Physica* **15**(8-9), 740–746 (1949).
- [73] M. Born and E. Wolf, *Principles of Optics 6th ed.* (Pergamon Press, Oxford, England, 1986).
- [74] M. Bruchez, M. Moronne, P. Gin, S. Weiss, and A. P. Alivisatos, "Semiconductor nanocrystals as fluorescent biological labels," *Science* **281**(5385), 2013–2016 (1998).
- [75] S. Link and M. A. El-Sayed, "Spectral properties and relaxation dynamics of surface plasmon electronic oscillations in gold and silver nanodots and nanorods," *J. Phys. Chem. B* **103**(40), 8410–8426 (1999).

BIBLIOGRAPHY

- [76] A. Arbouet, C. Voisin, D. Christofilos, P. Langot, N. Del Fatti, F. Vallée, J. Lerne, G. Celep, E. Cottancin, M. Gaudry, M. Pellarin, M. Broyer, M. Maillard, M. P. Pileni, and M. Treguer, “Electron-phonon scattering in metal clusters,” *Phys. Rev. Lett.* **90**(17), 177,401 (2003).
- [77] C. Sönnichsen, T. Franzl, T. Wilk, G. von Plessen, J. Feldmann, O. Wilson, and P. Mulvaney, “Drastic reduction of plasmon damping in gold nanorods,” *Phys. Rev. Lett.* **88**(7), 077,402 (2002).
- [78] L. Canioni, S. Rivet, L. Sarger, R. Barille, P. Vacher, and P. Voisin, “Imaging of Ca $2+$ intracellular dynamics with a third-harmonic generation microscope,” *Opt. Lett.* **26**(8), 515–517 (2001).
- [79] S. V. Fomichev, S. V. Popruzhenko, D. F. Zaretsky, and W. Becker, “Laser-induced nonlinear excitation of collective electron motion in a cluster,” *J. Phys. B* **36**, 3817–3834 (2003).
- [80] J. M. Schins, T. Schrama, J. Squier, G. J. Brakenhoff, and M. Müller, “Determination of material properties by use of third-harmonic generation microscopy,” *J. Opt. Soc. Am. B* **19**(7), 1627–1634 (2002).
- [81] J. Y. Courtois, J. M. Courty, and J. C. Mertz, “Internal dynamics of multilevel atoms near a vacuum-dielectric interface,” *Phys. Rev. A* **53**(3), 1862–1878 (1996).
- [82] S. V. Fomichev, S. V. Popruzhenko, D. F. Zaretsky, and W. Becker, “Nonlinear excitation of the Mie resonance in a laser-irradiated cluster,” *Optics Express* **11**(19), 2433–2439 (2003).
- [83] D. Carroll and X. H. Zheng, “Spatial and angular distributions of third harmonic generation from metal surfaces,” *Eur. Phys. J. D* **5**(1), 135–144 (1999).
- [84] D. Lasne, G. A. Blab, S. Berciaud, M. Heine, L. Groc, D. Choquet, L. Cognet, and B. Lounis, “Single nanoparticle photothermal tracking (SNaPT) of 5-nm gold beads in live cells,” *Biophys. J.* **91**(12), 4598–4604 (2006).
- [85] L. Cognet, C. Tardin, D. Boyer, D. Choquet, P. Tamarat, and B. Lounis, “Single metallic nanoparticle imaging for protein detection in cells,” *Proc. Natl. Acad. Sci. U. S. A.* **100**(20), 11,350–11,355 (2003).

BIBLIOGRAPHY

- [86] R. C. Jin, J. E. Jureller, H. Y. Kim, and N. F. Scherer, "Correlating second harmonic optical responses of single Ag nanoparticles with morphology," *J. Am. Chem. Soc.* **127**(36), 12,482–12,483 (2005).
- [87] M. A. van Dijk, M. Lippitz, and M. Orrit, "Far-field optical microscopy of single metal nanoparticles," *Accounts Chem. Res.* **38**(7), 594–601 (2005).
- [88] P. Stoller, V. Jacobsen, and V. Sandoghdar, "Measurement of the complex dielectric constant of a single gold nanoparticle," *Opt. Lett.* **31**(16), 2474–2476 (2006).
- [89] M. A. van Dijk, A. L. Tchebotareva, M. Orrit, M. Lippitz, S. Berciaud, D. Lasne, L. Cognet, and B. Lounis, "Absorption and scattering microscopy of single metal nanoparticles," *Phys. Chem. Chem. Phys.* **8**, 3486 – 3495 (2006).
- [90] F. Zernike, "Phase contrast, a new method for the microscopic observation of transparent objects," *Physica* **9**, Part I, 686–698, Part II, 974–986 (1942).
- [91] J. Hwang, M. M. Fejer, and W. E. Moerner, "Scanning interferometric microscopy for the detection of ultrasmall phase shifts in condensed matter," *Phys. Rev. A* **73**(2), 021,802 (2006).
- [92] M. J. LaGasse, D. Liu-Wong, J. G. Fujimoto, and H. A. Haus, "Ultrafast switching with a single-fiber interferometer," *Opt. Lett.* **14**(6), 311–313 (1989).
- [93] N. S. Patel, K. L. Hall, and K. A. Rauschenbach, "Interferometric all-optical switches for ultrafast signal processing," *Appl. Opt.* **37**(14), 2831–2842 (1998).
- [94] D. H. Hurley and O. B. Wright, "Detection of ultrafast phenomena by use of a modified Sagnac interferometer," *Opt. Lett.* **24**(18), 1305–1307 (1999).
- [95] Y. Sugawara, O. B. Wright, O. Matsuda, M. Takigahira, Y. Tanaka, S. Tamura, and V. E. Gusev, "Watching ripples on crystals," *Phys. Rev. Lett.* **88**(18), 185,504 (2002).
- [96] T. Tachizaki, T. Muroya, O. Matsuda, Y. Sugawara, D. H. Hurley, and O. B. Wright, "Scanning ultrafast Sagnac interferometry for imaging

BIBLIOGRAPHY

- two-dimensional surface wave propagation," *Rev. Sci. Instrum.* **77**(4), 043,713 (2006).
- [97] F. L. Pedrotti and L. S. Pedrotti, *Introduction to Optics* (Prentice Hall, 1993).
- [98] H.-A. Bachor, *A Guide to Experiments in Quantum Optics* (Wiley-VCH, 1998).
- [99] R. J. McIntyre, "Multiplication Noise In Uniform Avalanche Diodes," *IEEE Trans. Electron Devices* **ED13**(1), 164–168 (1966).
- [100] G. P. Wiederrecht, "Near-field optical imaging of noble metal nanoparticles," *Eur. Phys. J.-Appl. Phys.* **28**(1), 3–18 (2004).
- [101] E. M. H. P. van Dijk, J. Hernando, J. J. Garcia-Lopez, M. Crego-Calama, D. N. Reinhoudt, L. Kuipers, M. F. Garcia-Parajo, and N. F. van Hulst, "Single-molecule pump-probe detection resolves ultrafast pathways in individual and coupled quantum systems," *Phys. Rev. Lett.* **94**(7), 078,302 (2005).
- [102] T. Guenther, C. Lienau, T. Elsaesser, M. Glanemann, V. M. Axt, T. Kuhn, S. Eshlaghi, and A. D. Wieck, "Coherent nonlinear optical response of single quantum dots studied by ultrafast near-field spectroscopy," *Phys. Rev. Lett.* **89**(5), 057,401 (2002).
- [103] C. Voisin, D. Christofilos, P. A. Loukakos, N. Del Fatti, F. Vallée, J. Lerme, M. Gaudry, E. Cottancin, M. Pellarin, and M. Broyer, "Ultrafast electron-electron scattering and energy exchanges in noble-metal nanoparticles," *Phys. Rev. B* **69**(19), 195,416 (2004).
- [104] N. Del Fatti, C. Voisin, D. Christofilos, F. Vallée, and C. Flytzanis, "Acoustic vibration of metal films and nanoparticles," *J. Phys. Chem. A* **104**(18), 4321–4326 (2000).
- [105] A. Nelet, A. Crut, A. Arbouet, N. Del Fatti, F. Vallée, H. Portales, L. Saviot, and E. Duval, "Acoustic vibrations of metal nanoparticles: high order radial mode detection," *Appl. Surf. Sci.* **226**(1-3), 209–215 (2004).
- [106] O. L. Muskens, N. Del Fatti, F. Vallée, P. Huntzinger, J. R. and Billaud, and M. Broyer, "Single metal nanoparticle absorption spectroscopy and optical characterization," *Appl. Phys. Lett.* **88**(6), 063,109 (2006).

BIBLIOGRAPHY

- [107] K. S. Lee and M. A. El-Sayed, "Dependence of the enhanced optical scattering efficiency relative to that of absorption for gold metal nanorods on aspect ratio, size, end-cap shape, and medium refractive index," *J. Phys. Chem. B* **109**(43), 20,331–20,338 (2005).
- [108] B. T. Draine and P. J. Flatau, "Discrete-Dipole Approximation For Scattering Calculations," *J. Opt. Soc. Am. A-Opt. Image Sci. Vis.* **11**(4), 1491–1499 (1994).
- [109] L. M. LizMarzan, M. Giersig, and P. Mulvaney, "Synthesis of nanosized gold-silica core-shell particles," *Langmuir* **12**(18), 4329–4335 (1996).
- [110] J. E. Sader, G. V. Hartland, and P. Mulvaney, "Theory of acoustic breathing modes of core-shell nanoparticles," *J. Phys. Chem. B* **106**(6), 1399–1402 (2002).
- [111] M. Danckwerts and L. Novotny, "Optical frequency mixing at coupled gold nanoparticles," *Phys. Rev. Lett.* **98**(2), 026,104 (2007).

