



Universiteit  
Leiden  
The Netherlands

## **Anti sense and sensibility : renal and skin effects of (antisense) oligonucleotides**

Meer, L. van

### **Citation**

Meer, L. van. (2017, January 19). *Anti sense and sensibility : renal and skin effects of (antisense) oligonucleotides*. Retrieved from <https://hdl.handle.net/1887/45389>

Version: Not Applicable (or Unknown)

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/45389>

**Note:** To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/45389> holds various files of this Leiden University dissertation.

**Author:** Meer, L. van

**Title:** Anti sense and sensibility : renal and skin effects of (antisense) oligonucleotides

**Issue Date:** 2017-01-19

ANTI SENSE AND SENSIBILITY



Aan mijn grootouders,  
die mij voor gingen en inspireerden

## **ANTI SENSE AND SENSIBILITY**

*Renal and skin effects of (antisense) oligonucleotides*

PROEFSCHRIFT  
ter verkrijging van  
de graad van Doctor aan de Universiteit Leiden  
op gezag van Rector Magnificus prof. mr. C.J.J.M. Stolker  
volgens besluit van het College voor Promoties  
te verdedigen op 19 januari 2017  
klokke 16:15

DOOR  
Leonie van Meer  
Geboren te Haarlem in 1984

PROMOTORES:  
Prof. dr. A. F. Cohen  
Prof. dr. J. Burggraaf

CO-PROMOTOR:  
Dr. M. Moerland (CHDR)

LEDEN PROMOTIECOMMISSIE:  
Dr. M. van Buren  
Prof. dr. H. Pijl  
Prof. dr. J.A. Romijn

FUNDING  
Publication of this thesis was financially supported by the foundation  
Centre for Human Drug Research in Leiden, the Netherlands

DESIGN  
Caroline de Lint, Voorburg (caro@delint.nl)

**CHAPTER I**  
Introduction and outline of this thesis  
7

**CHAPTER II**  
First-in-man studies with novel SGLT2 inhibitor: antisense compound  
is associated with unexpected renal effects  
21

**CHAPTER III**  
Novel antisense SGLT2 inhibitor causes serum creatinine increases  
without affecting renal blood flow or glomerular filtration  
43

**CHAPTER IV**  
Renal effects of SGLT2 inhibition with a novel antisense oligonucleotide  
59

**CHAPTER V**  
Urinary kidney biomarkers for early detection of nephrotoxicity  
in clinical drug development  
79

**CHAPTER VI**  
Injection Site Reactions after subcutaneous oligonucleotide therapy  
101

**CHAPTER VII**  
Discussion and Summary  
123

**CHAPTER VII**  
Nederlandse Samenvatting  
137

Curriculum Vitae – 147  
Bibliography – 149