



Universiteit  
Leiden  
The Netherlands

## **Nuclear magnetic resonance force microscopy at millikelvin temperatures**

Haan, A.M.J. den

### **Citation**

Haan, A. M. J. den. (2016, March 9). *Nuclear magnetic resonance force microscopy at millikelvin temperatures. Casimir PhD Series*. Retrieved from <https://hdl.handle.net/1887/38444>

Version: Not Applicable (or Unknown)

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/38444>

**Note:** To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/38444> holds various files of this Leiden University dissertation

**Author:** Haan, Arthur den

**Title:** Nuclear magnetic resonance force microscopy at millikelvin temperatures

**Issue Date:** 2016-03-09

---

# Nuclear magnetic resonance force microscopy at millikelvin temperatures

---

## PROEFSCHRIFT

ter verkrijging van  
de graad van Doctor aan de Universiteit Leiden,  
op gezag van Rector Magnificus prof. mr. C.J.J.M. Stolker,  
volgens besluit van het College voor Promoties  
te verdedigen op woensdag 9 maart 2016  
klokke 15.00 uur

door

Arthur Mattheus Johannes den Haan

geboren te Brouwershaven  
in 1985

Promotor: Prof. dr. ir. T. H. Oosterkamp

Promotiecommissie: Prof. dr. C. L. Degen (ETH Zurich, Zurich, Switzerland)  
Dr. R. J. C. Spreeuw (University of Amsterdam)  
Prof. dr. J. Aarts  
Dr. M. P. Allan  
Prof. dr. E. R. Eliel

Casimir PhD series, Delft-Leiden 2015-37

ISBN 978-90-8593-243-7

An electronic version of this thesis can be found at <https://openaccess.leidenuniv.nl>

The work described in this thesis is part of the research programme of the Foundation for Fundamental Research on Matter (FOM), which is part of the Netherlands Organisation for Scientific Research (NWO).

The cover shows an optical microscope image of a part of the MRFM setup with the cantilever and the sample.

*To my parents*



# Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
<b>2</b>	<b>Experimental setup and methods</b>	<b>5</b>
2.1	Measuring forces and force gradients in magnetic resonance force microscopy . . . . .	5
2.2	Overview of the experimental setup . . . . .	7
2.3	Detecting the cantilever motion with a SQUID . . . . .	8
2.4	Sample characterization . . . . .	11
2.5	Sample fabrication . . . . .	13
2.6	Basic protocol of the experiment . . . . .	16
2.7	Experimental limitations . . . . .	17
<b>3</b>	<b>Theory and experimental improvements</b>	<b>19</b>
3.1	Sensitivity and force noise . . . . .	19
3.2	Frequency noise . . . . .	21
3.3	Comparison of a force measurement and a frequency measurement . . . . .	23
3.4	$T_1$ requirements of spins . . . . .	26
3.5	RF wire: dissipation . . . . .	26
3.6	NbTiN RF wire: reduced repulsion . . . . .	28
<b>4</b>	<b>Probing the magnetic moment of FePt micromagnets prepared by Focused Ion Beam milling</b>	<b>31</b>
4.1	Introduction . . . . .	31
4.2	Fabrication . . . . .	32
4.3	Characterization . . . . .	34
4.4	Discussion . . . . .	37
4.5	Conclusion . . . . .	37
<b>5</b>	<b>Atomic resolution scanning tunneling microscopy in a cryogen free dilution refrigerator at 15 mK</b>	<b>39</b>
5.1	Introduction . . . . .	39
5.2	Vibration isolation of the cryostat . . . . .	40
5.3	STM setup and experimental preparation . . . . .	44
5.4	Results . . . . .	47
5.5	Conclusion . . . . .	49

<b>6 Spin-mediated dissipation and frequency shifts of a cantilever at millikelvin temperatures</b>	<b>51</b>
6.1 Introduction . . . . .	52
6.2 Theory . . . . .	52
6.3 Experimental setup . . . . .	55
6.4 Methods . . . . .	55
6.5 Discussion . . . . .	58
6.6 Conclusion . . . . .	59
<b>7 Nuclear magnetic resonance force microscopy at millikelvin temperatures</b>	<b>61</b>
7.1 Introduction . . . . .	61
7.2 Experimental setup . . . . .	62
7.3 Methods . . . . .	62
7.4 Results . . . . .	65
7.5 Discussion . . . . .	67
7.5.1 The Korringa constant . . . . .	67
7.5.2 The resonance slice thickness . . . . .	68
7.6 Conclusion . . . . .	69
<b>8 Radio frequency pulses for nuclear magnetic resonance force microscopy</b>	<b>71</b>
8.1 The motion of a magnetic moment in an external magnetic field . . . . .	71
8.2 Time varying magnetic field . . . . .	72
8.3 Sending an RF field . . . . .	73
8.4 Common RF pulses . . . . .	74
8.5 Adiabatic inversion . . . . .	74
8.6 $T_2$ measurements with $B_1$ insensitive rotation (BIR) . . . . .	78
8.7 Pulse sequences for MRFM: OSCAR and CERMIT . . . . .	80
8.8 Pulse sequences for MRFM: cyclic adiabatic driving . . . . .	82
8.9 $T_1$ and $T_2$ measurements with a single adiabatic inversion . . . . .	84
<b>A Copper sample fabrication</b>	<b>89</b>
A.1 Patterning pick-up coil and RF-line . . . . .	89
A.2 Reactive ion etching . . . . .	89
A.3 Fabricating the second copper layer . . . . .	90
A.4 Sputtering copper and gold . . . . .	90
A.5 Lift off . . . . .	91
<b>B Transformation algorithm for cantilever positioning</b>	<b>93</b>
<b>Bibliography</b>	<b>101</b>
<b>Samenvatting</b>	<b>111</b>
<b>Publications</b>	<b>115</b>



<b>Curriculum Vitae</b>	<b>117</b>
<b>Acknowledgments</b>	<b>119</b>

