



Universiteit
Leiden
The Netherlands

Facets of radio-loud AGN evolution : a LOFAR surveys perspective

Williams, W.L.

Citation

Williams, W. L. (2015, December 10). *Facets of radio-loud AGN evolution : a LOFAR surveys perspective*. PhD Thesis. Retrieved from <https://hdl.handle.net/1887/37016>

Version: Not Applicable (or Unknown)

License: [Leiden University Non-exclusive license](#)

Downloaded from: <https://hdl.handle.net/1887/37016>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/37016> holds various files of this Leiden University dissertation.

Author: Williams, Wendy L.

Title: Facets of radio-loud AGN evolution : a LOFAR surveys perspective

Issue Date: 2015-12-10

Facets of radio-loud AGN evolution

a LOFAR surveys perspective

Wendy L. Williams

© 2015 Wendy L. Williams

ISBN:

Cover: LOFAR 150 MHz image of the Boötes field with
an artistic impression of source J142912+332634.

Facets of radio-loud AGN evolution

a LOFAR surveys perspective

Proefschrift

ter verkrijging van
de graad van Doctor aan de Universiteit Leiden,
op gezag van Rector Magnificus prof. mr. C.J.J.M. Stolker,
volgens besluit van het College voor Promoties
te verdedigen op donderdag 10 december 2015
klokke 10:00 uur

door

Wendy L. Williams
geboren te Johannesburg, Zuid-Afrika
in 1986

Promotiecommissie

Promotor: Prof. dr. Huub Röttgering Leiden University

Co-Promotor: Dr. Reinout van Weeren Harvard-Smithsonian Center for Astrophysics

Overige leden: Prof. dr. Philip Best University of Edinburgh
Dr. Jarle Brinchmann Leiden University
Prof. dr. Marijn Franx Leiden University
Prof. dr. Michael Garrett ASTRON/Leiden University
Prof. dr. George Miley Leiden University
Dr. Raffaella Morganti ASTRON/University of Groningen

For my parents.

*For my part I know nothing with any certainty,
but the sight of the stars makes me dream.*

Vincent Van Gogh

Contents

1	Introduction	1
1.1	Active Galactic Nuclei	1
1.1.1	Accretion Modes	2
1.1.2	Radio AGN	4
1.1.3	Feedback Processes	6
1.2	Low Frequency Radio Astronomy	7
1.3	This Thesis	9
1.4	Future Prospects	10
2	The Two-meter Radio Mini Survey	13
2.1	Introduction	14
2.2	Observations and Data Reduction	15
2.2.1	Observations	15
2.2.2	Data Reduction	17
2.3	Source Detection and Characterisation	20
2.3.1	Detection	20
2.3.2	Resolved Sources	23
2.3.3	Completeness and Reliability	23
2.3.4	Astrometric and Flux Uncertainties	26
2.3.5	Diffuse Sources	29
2.4	Analysis	29
2.4.1	Source Counts	30
2.4.2	Spectral Index Distributions	33
2.5	Conclusion	35
2.A	Selected Radio Images	39
2.A.1	Note on source J144102+3530	39
3	LOFAR LBA 3C 295 and Boötes	43
3.1	Introduction	44
3.2	Observations & data reduction	45
3.2.1	Data reduction	45
3.2.2	Imaging and CLEANing	50
3.3	Results	51
3.3.1	Source detection	56
3.3.2	Astrometric uncertainties	56
3.3.3	Flux density uncertainties	59
3.3.4	Completeness and reliability	61
3.4	Analysis	63

Contents

3.4.1	Source counts	63
3.4.2	Spectral indices	67
3.4.3	Ultra-steep spectrum sources	70
3.5	Conclusions	73
3.A	Extended sources at 62 MHz	75
3.B	SED & photo-z fitting results	80
3.C	Source counts at 62 MHz for the Boötes field and 3C 295 fields	84
4	LOFAR HBA Boötes	85
4.1	Introduction	86
4.2	Observations	87
4.3	Data Reduction	88
4.3.1	Direction-independent calibration	90
4.3.2	Directional calibration – ‘Facet’ scheme	95
4.4	Final Image and Catalogue	101
4.4.1	Source Detection and Characterisation	102
4.4.2	Astrometric and Flux Density Uncertainties	102
4.4.3	Reliability	109
4.4.4	Resolved Sources	109
4.4.5	Source Catalogue	112
4.5	Results	113
4.5.1	Spectral Index Distributions	113
4.5.2	Source Counts	115
4.6	Conclusion	121
4.A	Postage stamp images	122
4.B	Source size distribution	122
5	Radio-AGN Feedback	129
5.1	Introduction	130
5.2	Radio-Loud AGN Samples	131
5.2.1	Local SDSS Sample	132
5.2.2	Distant VLA-COSMOS Sample	132
5.3	The Stellar-Mass dependent Luminosity Function	133
5.3.1	The Luminosity Function	133
5.3.2	Space Density Evolution	136
5.4	The Radio-Loud Fraction	136
5.4.1	The Stellar Mass Function	138
5.4.2	The Radio-Loud Fraction	138
5.5	Interpretation	139
5.6	Summary and Conclusions	142
6	Radio AGN in the Boötes field	143
6.1	Introduction	144
6.2	Radio Data	145
6.3	Multiwavelength Data	146
6.3.1	Combined Photometry Catalogue	146
6.3.2	Additional Multiwavelength Surveys	147

6.3.3	The AGN and Galaxy Evolution Survey	148
6.4	SED fitting	148
6.4.1	Photometric Redshifts	148
6.4.2	Stellar Masses, Star Formation Rates and Rest-frame Colours	151
6.5	Optical identification of Radio Sources	152
6.5.1	Visual Classification	152
6.5.2	Likelihood Ratio	153
6.5.3	Match Results	154
6.5.4	Contamination	155
6.6	Properties of Radio Sources	155
6.6.1	Local Reference Sample	155
6.6.2	Subsample Selection	157
6.6.3	IR SED fitting	157
6.6.4	Star Formation contribution	159
6.6.5	Colour-mass distribution	161
6.6.6	Radio-loud fraction	167
6.7	Conclusion	169
6.7.1	Future work	169
6.A	Radio-Optical Matches	171
6.B	Example SED fits	171
	Bibliography	179
	Summary	189
	Samenvatting	195
	Publications	201
	Curriculum Vitae	203
	Acknowledgements	205

