



Universiteit
Leiden
The Netherlands

Chaotic Dynamics in N-body systems

Boekholt, T.C.N.

Citation

Boekholt, T. C. N. (2015, November 10). *Chaotic Dynamics in N-body systems*. Retrieved from <https://hdl.handle.net/1887/36077>

Version: Not Applicable (or Unknown)

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/36077>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden




The handle <http://hdl.handle.net/1887/36077> holds various files of this Leiden University dissertation

Author: Boekholt, Tjarda

Title: Chaotic dynamics in N-body systems

Issue Date: 2015-11-10



Ever since Isaac Newton in 1687 posed the N-body problem, astronomers have been looking for its solutions in order to understand the evolution of dynamical systems, such as our own solar system, star clusters and galaxies. The main difficulty is that small errors grow exponentially, so that numerical solutions diverge easily from the mathematical solution.

This thesis presents two new state of the art N-body algorithms, one of which is designed for high precision (Brutus) and the other for speed (Sakura). The assumption that N-body results are accurate in a statistical sense, is put to the test for three-body configurations. Finally, a new mathematical model is constructed that describes the origin of chaos in a dynamical system, and explains the short Liapounov time of Comet Halley's orbit.

Chaotic Dynamics in N-body Systems

Tjarda C. N. Boekholt

Chaotic Dynamics in N-body Systems

Tjarda C. N. Boekholt