



Universiteit
Leiden
The Netherlands

A multidimensional study of streptomyces morphogenesis and development

Celler, K.A.

Citation

Celler, K. A. (2013, November 27). *A multidimensional study of streptomyces morphogenesis and development*. Retrieved from <https://hdl.handle.net/1887/22617>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/22617>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/22617> holds various files of this Leiden University dissertation.

Author: Celler, Katherine Anna

Title: A multidimensional study of streptomyces morphogenesis and development

Issue Date: 2013-11-27

REFERENCES

REFERENCES

- Adams, D.W., Errington, J. (2009) Bacterial cell division: assembly, maintenance and disassembly of the Z-ring. *Nat Rev Microbiol* **7**:642-53.
- Addinall, S.G., Lutkenhaus, J. (1996) FtsZ-spirals and -arcs determine the shape of the invaginating septa in some mutants of *Escherichia coli*. *Mol Microbiol* **22**:231-237.
- Akiyama, Y., Kanehara, K., Ito, K. (2004) RseP (YaeL), an *Escherichia coli* RIP protease, cleaves transmembrane sequences. *EMBO J* **23**(22):4434-4442.
- Alberts, B., Johnson, A., Lewis, J., Raff, M., Roberts, K., Walter, P. (2002) *Molecular Biology of the Cell*, 4 ed. Garland Science, New York.
- Alexandre, S., Colé, G., Coutard, S., Monnier, C., Norris, V., Margolin, W., Yu, X., Valleton, J.M. (2002) Interaction of FtsZ protein with a DPPE Langmuir film. *Colloids Surf., B* **23**(4):391-395.
- Alexeeva, S., Gadella, Jr., T.W., Verheul, J., Verhoeven, G.S., den Blaauwen, T. (2010) Direct interactions of early and late assembling division proteins in *Escherichia coli* cells resolved by FRET. *Mol Microbiol* **77**:384-398.
- Anttonen, M., Salminen, A., Mikkonen, T., Taivalsaari, A. (2011) Transforming the web into a real application platform: new technologies, emerging trends and missing pieces. *ACM Symposium on Applied Computing*, ACM, New York.
- Arechaga, I., Miroux, B., Karrasch, S., Huijbregts, R., de Kruijff, B., Runswick, M.J., Walker, J.E. (2000) Characterisation of new intracellular membranes in *Escherichia coli* accompanying large scale over-production of the b subunit of F1(F₀) ATP synthase. *FEBS Lett* **482**(3):215-219.
- Ausmees, N., Kuhn, J.R., Jacobs-Wagner, C. (2003) The bacterial cytoskeleton: an intermediate filament-like function in cell shape. *Cell* **115**:705-13.
- Bagchi, S., Tomenius, H., Belova, L.M., N. Ausmees, N. (2008) Intermediate filament-like proteins in bacteria and a cytoskeletal function in *Streptomyces*. *Mol Microbiol* **70**:1037-50.
- Banga, I., Szent-György, A. (1942) Preparation and properties of myosin A and B. *Stud. Inst. Med. Chem. Univ. Szeged*. I:5-15.
- Banigan, E.J., Gelbart, M.A., Gitai, Z., Wingreen, N.S., Liu, A.J. (2011) Filament depolymerization can explain chromosome pulling during bacterial mitosis. *PLoS Comput Biol* **7**:e1002145.
- Barak, I., Muchová, K. (2013) The role of lipid domains in bacterial cell processes. *Int J Mol Sci* **14**(2):4050-4065.
- Barak, I., Muchová, K., Wilkinson, A.J., O'Toole, P.J., Pavlendová, A. (2008) Lipid spirals in *Bacillus subtilis* and their role in cell division. *Mol Microbiol* **68**(5):1315-1327.
- Barak, I., Wilkinson, A.J. (2007) Division site recognition in *Escherichia coli* and *Bacillus subtilis*. *FEMS Microbiol Rev* **31**(3):311-326.
- Bennett, J.A., Yarnall, J., Cadwallader, A.B., Kuennen, R., Bidey, P., Stadelmaier, B., McCormick, J.R. (2009) Medium-dependent phenotypes of *Streptomyces coelicolor* with mutations in *ftsI* or *ftsW*. *J Bacteriol* **191**(2):661-664.
- Bernander, R., Ettema, T.J. (2010) FtsZ-less cell division in archaea and bacteria. *Curr Opin Microbiol* **13**:747-52.
- Bernhardt, T.G., de Boer, P.A. (2005) SlmA, a nucleoid-associated, FtsZ binding protein required for blocking septal ring assembly over Chromosomes in *E. coli*. *Mol Cell* **18**:555-64.
- Bi, E.F., Lutkenhaus, J. (1991) FtsZ ring structure associated with division in *Escherichia coli*. *Nature* **354**:161-4.
- Bierman, M., R. Logan, O'Brien, K., Seno, E.T., Nagaraja Rao, R., Schoner, B.E. (1992) Plasmid cloning vectors for the conjugal transfer of DNA from *Escherichia coli* to *Streptomyces* spp. *Gene* **116**(1):43-49.
- Birol, G., Ündey, C., Parulekar, S.J., Çınar, A. (2002) A morphologically structured model for penicillin production. *Biotechnol Bioeng* **77**(5):538-552.
- Brady, S.T. (1985) A novel brain ATPase with properties expected for the fast axonal transport motor. *Nature* **317**:73-5.
- Briegel, A., Chen, S., Koster, A.J., Plitzko, J.M., Schwartz, C.L., Jensen, G.J. (2010) Correlated light and electron cryo-microscopy. *Methods Enzymol* **481**:317-41.
- Briegel, A., Dias, D.P., Li, Z., Jensen, R.B., Frangakis, A.S., Jensen, G.J. (2006) Multiple large filament bundles observed in *Caulobacter crescentus* by electron cryotomography. *Mol Microbiol* **62**:5-14.
- Cabeen, M.T., Jacobs-Wagner, C. (2005) Bacterial cell shape. *Nat Rev Microbiol* **3**:601-10.
- Cabeen, M.T., Jacobs-Wagner, C. (2010) The bacterial cytoskeleton. *Annu Rev Genet* **44**:365-92.
- Caldwell, I.Y., Trinci, A.P. (1973) The growth unit of the mould *Geotrichum candidum*. *Arch Mikrobiol* **88**(1):1-10.
- Capoulade, J., Wachsmuth, M., Hufnagel, L., Knop, M. (2011) Quantitative fluorescence imaging of protein diffusion and interaction in living cells. *Nat Biotechnol* **29**:835-839.
- Carballido-Lopez, R., Errington, J. (2003) The bacterial cytoskeleton: in vivo dynamics of the actin-like protein Mbl of *Bacillus subtilis*. *Dev Cell* **4**(1):19-28.
- Celler, K., Koning, R.I., Koster, A.J., van Wezel, G.P. (2013) Multidimensional view of the bacterial cytoskeleton, *J Bacteriol* **195**:1627-1636.
- Celler, K., Picioreanu, C., van Loosdrecht, M.C., van Wezel, G.P. (2012) Structured morphological modeling as a framework for rational strain design of *Streptomyces* species. *Antonie van Leeuwenhoek* **102**:409-423.

- Charbon, G., Cabeen, M.T., Jacobs-Wagner, C. (2009) Bacterial intermediate filaments: in vivo assembly, organization, and dynamics of crescentin. *Genes Dev* **23**:1131-44.
- Chater, K.F. (1972) A morphological and genetic mapping study of white colony mutants of *Streptomyces coelicolor*. *J Gen Microbiol* **72**(1):9-28.
- Chater, K.F., Losick, R. (1997) Mycelial life style of *Streptomyces coelicolor* A3(2) and its relatives. In: Shapiro JA, Dworkin M (eds) Bacteria as multicellular organisms. Oxford University Press, New York, pp 149-182.
- Claessen, D., de Jong, W., Dijkhuizen, L., Wösten, H.A.B. (2006) Regulation of *Streptomyces* development: reach for the sky! *Trends Microbiol* **14**(7):313-319.
- Colson, S., van Wezel, G.P., Craig, M., Noens, E.E., Nothhaft, H., Mommaas, A.M., Tittgemeyer, F., Joris, B., Rigali, S. (2008) The chitobiose-binding protein, DasA, acts as a link between chitin utilization and morphogenesis in *Streptomyces coelicolor*. *Microbiol* **154**:373-382.
- Cui, Y.Q., Okkerse, W.J., van der Lans, R.G., Luyben, K.C. (1998) Modeling and measurements of fungal growth and morphology in submerged fermentations. *Biotechnol Bioeng* **60**(2):216-229.
- Dabney-Smith, C., Mori, H., Cline, K. (2006) Oligomers of Tha4 organize at the thylakoid Tat translocase during protein transport. *J Biol Chem* **281**:5476-5483.
- Dajkovic, A., Lutkenhaus, J. (2006) Z-ring as executor of bacterial cell division. *J Mol Microbiol Biotechnol* **11**:140-51.
- de Boer, P.A. (2010) Advances in understanding *E. coli* cell fission. *Curr Opin Microbiol* **13**:730-7.
- de Bruin, K., Ruthardt, N., von Gersdorff, K., Bausinger, R., Wagner, E., Ogris, M., Bräuchle, C. (2007) Cellular dynamics of EGF receptor-targeted synthetic viruses. *Mol Ther* **15**:1297-1305.
- Defeu Soufo, H.J., Graumann, P.L. (2005) *Bacillus subtilis* actin-like protein MreB influences the positioning of the replication machinery and requires membrane proteins MreC/D and other actin-like proteins for proper localization. *BMC Cell Biology* **6**.
- Defeu Soufo, H.J., Graumann, P.L. (2003) Actin-like proteins MreB and Mbl from *Bacillus subtilis* are required for bipolar positioning of replication origins. *Curr Biol* **13**:1916-20.
- Dempwolff, F., H. M. Wischhusen, Specht, M., Graumann, P.L. (2012) The deletion of bacterial dynamin and flotillin genes results in pleiotropic effects on cell division, cell growth and in cell shape maintenance. *BMC Microbiol* **12**:298.
- Domínguez-Escobar, J., Chastanet, A., Crevenna, A.H., Fromion, V., Wedlich-Söldner, R., Carballido-López, R. (2011) Processive movement of MreB-associated cell wall biosynthetic complexes in bacteria. *Science* **333**:225-8.
- Dye, N.A., Pincus, Z., Theriot, J.A., Shapiro, L., Gitai, Z. (2005) Two independent spiral structures control cell shape in *Caulobacter*. *Proc Natl Acad Sci USA* **102**:18608-13.
- Edwards, D.H., Errington, J. (1997) The *Bacillus subtilis* DivIVA protein targets to the division septum and controls the site specificity of cell division. *Mol Microbiol* **24**(5):905-915.
- Ellis, R.J. (2001) Macromolecular crowding: obvious but underappreciated. *Trends Biochem Sci* **26**:597-604.
- Erickson, H.P. (1995) FtsZ, a prokaryotic homolog of tubulin? *Cell* **80**:367-70.
- Erickson, H.P. (1997) FtsZ, a tubulin homologue in prokaryote cell division. *Trends Cell Biol* **7**:362-7.
- Erickson, H.P., Anderson, D.E., Osawa, M. (2010) FtsZ in bacterial cytokinesis: cytoskeleton and force generator all in one. *Microbiol Mol Biol Rev* **74**:504-528.
- Erickson, H.P., Taylor, D.W., Taylor, K.A., Bramhill, D. (1996) Bacterial cell division protein FtsZ assembles into protofilament sheets and minirings, structural homologs of tubulin polymers. *Proc Natl Acad Sci USA* **93**:519-523.
- Ericson, C. (2005) Real-time collision detection. Morgan Kaufmann series in interactive 3D technology. Elsevier, Amsterdam; Boston.
- Eriksson, H.M., Wessman, P. et al. (2009) Massive formation of intracellular membrane vesicles in *Escherichia coli* by a monotopic membrane-bound lipid glycosyltransferase. *J Biol Chem* **284**(49):33904-33914.
- Errington, J., Daniel, R.A., Scheffers, D.J. (2003) Cytokinesis in bacteria. *Microbiol Mol Biol Rev* **67**(1):52-65.
- Fedoryshyn, M., Welle, E., Bechthold, A., Luzhetskyy, A. (2008) Functional expression of the Cre recombinase in actinomycetes. *Appl Microbiol Biotechnol* **78**(6):1065-1070.
- Fernandez, M., Sanchez, J. (2001) Viability staining and terminal deoxyribonucleotide transferase-mediated dUTP nick end labeling of the mycelium in submerged cultures of *Streptomyces antibioticus* ETH7451. *J Microbiol Meth* **47**(3):293-298.
- Fernández-Martínez, L.T., Del Sol, R., Evans, M.C., Fielding, S., Herron, P.R., Chandra, G., Dyson, P.J. (2011) A transposon insertion single-gene knockout library and new ordered cosmid library for the model organism *Streptomyces coelicolor* A3(2). *Antonie van Leeuwenhoek* **99**(3):515-522.
- Figge, R.M., Divakaruni, A.V., Gober, J.W. (2004) MreB, the cell shape-determining bacterial actin homologue, co-ordinates cell wall morphogenesis in *Caulobacter crescentus*. *Mol Microbiol* **51**:1321-32.
- Fishov, I., Norris, V. (2012) Membrane heterogeneity created by transertion is a global regulator in bacteria. *Curr Opin Microbiol* **15**(6):724-730.
- Fishov, I., Woldringh, C.L. (1999) Visualization of membrane domains in *Escherichia coli*. *Mol Microbiol* **32**(6):1166-1172.

References

- Flårdh, K. (2003) Essential role of DivIVA in polar growth and morphogenesis in *Streptomyces coelicolor* A3(2). *Mol Microbiol* **49**(6):1523-1536.
- Flårdh, K. (2003) Growth polarity and cell division in *Streptomyces*. *Curr Opin Microbiol* **6**(6):564-571.
- Flårdh, K. (2010) Cell polarity and the control of apical growth in *Streptomyces*. *Curr Opin Microbiol* **13**(6):758-765.
- Flårdh, K., Buttner, M.J. (2009) *Streptomyces* morphogenetics: dissecting differentiation in a filamentous bacterium. *Nat Rev Microbiol* **7**(1):36-49
- Flårdh, K., Leibovitz, E., Buttner, M.J., Chater, K.F. (2000) Generation of a non-sporulating strain of *Streptomyces coelicolor* A3(2) by the manipulation of a developmentally controlled *ftsZ* promoter. *Mol Microbiol* **38**:737-49.
- Floriano, B., Bibb, M.J. (1996) *afsR* is a pleiotropic but conditionally required regulatory gene for antibiotic production in *Streptomyces coelicolor* A3(2). *Mol Microbiol* **21**(2):385-396.
- Frangakis, A.S., Hegerl, R. (2001) Noise reduction in electron tomographic reconstructions using nonlinear anisotropic diffusion. *J Struct Biol* **135**(3):239-250.
- Fuchino, K., Bagchi, S., Cantlay, S., Sandblad, L., Wu, D., Bergman, J., Kamali-Moghaddam, M., Flårdh, K., Ausmees, N. (2013) Dynamic gradients of an intermediate filament-like cytoskeleton are recruited by a polarity landmark during apical growth. *Proc Natl Acad Sci USA* **110**(21):E1889-1897.
- Garner, E.C., Bernard, R., Wang, W., Zhuang, X., Rudner, D.Z., Mitchison, T. (2011) Coupled, circumferential motions of the cell wall synthesis machinery and MreB filaments in *B. subtilis*. *Science* **333**:222-5.
- Gayathri, P., Fujii, T., Møller-Jensen, J., van den Ent, F., Namba, K., Löwe, J. (2012) A bipolar spindle of antiparallel ParM filaments drives bacterial plasmid segregation. *Science* **338**:1334-7.
- Gerdes, K., Howard, M., Szardenings, F. (2010) Pushing and pulling in prokaryotic DNA segregation. *Cell* **141**:927-42.
- Gibbons, I. R., A. J. Rowe. (1965) Dynein: a protein with adenosine triphosphatase activity from cilia. *Science* **149**:424-6.
- Gitai, Z., Dye, N., Shapiro, L. (2004) An actin-like gene can determine cell polarity in bacteria. *Proc Natl Acad Sci USA* **101**:8643-8.
- Gitai, Z., Dye, N.A., Reisenauer, A., Wachi, M., Shapiro, L. (2005) MreB actin-mediated segregation of a specific region of a bacterial chromosome. *Cell* **120**:329-41.
- Giudici, R., Pamboukian, C.R., Facciotti, M.C. (2004) Morphologically structured model for antitumoral retamycin production during batch and fed-batch cultivations of *Streptomyces olindensis*. *Biotechnol Bioeng* **86**(4):414-424.
- Glauert, A.M., Hopwood, D.A. (1959) A membranous component of the cytoplasm in *Streptomyces coelicolor*. *J Biophys Biochem Cytol* **6**: 515-516.
- Glauert, A.M., Hopwood, D.A. (1960) The fine structure of *Streptomyces coelicolor*. I. The cytoplasmic membrane system. *J Biophys Biochem Cytol* **7**: 479-488.
- Glazebrook, M.A., Doull, J.L., Stuttard, C., Vining, L.C. (1990) Sporulation of *Streptomyces venezuelae* in submerged cultures. *J Gen Microbiol* **136**(Pt 3):581-588.
- Goehring, N.W., Beckwith, J. (2005) Diverse paths to midcell: assembly of the bacterial cell division machinery. *Curr Biol* **15**(13):R514-526.
- Grantcharova, N., Lustig, U., Flårdh, K. (2005) Dynamics of FtsZ assembly during sporulation in *Streptomyces coelicolor* A3(2). *J Bacteriol* **187**(9):3227-3237.
- Grantcharova, N., Ubhayasekera, W., Mowbray, S.L., McCormick, J.R., Flårdh, K. (2003) A missense mutation in *ftsZ* differentially affects vegetative and developmentally controlled cell division in *Streptomyces coelicolor* A3(2). *Mol Microbiol* **47**(3):645-656.
- Graumann, P.L. (2007) Cytoskeletal elements in bacteria. *Annu Rev Microbiol* **61**:589-618.
- Graumann, P.L. (2009) Dynamics of bacterial cytoskeletal elements. *Cell Motil Cytoskeleton* **66**:909-14.
- Gray, D.I., Gooday, G.W., Prosser, J.I. (1990) Apical hyphal extension in *Streptomyces coelicolor* A3(2). *J Gen Microbiol* **136**(6):1077-1084.
- Grund, A.D., Ensign, J.C. (1982) Activation of *Streptomyces-Viridochromogenes* spores by detergents. *Curr Microbiol* **7**(4):223-228.
- Gueiros-Filho, F.J., Losick, R. (2002) A widely conserved bacterial cell division protein that promotes assembly of the tubulin-like protein FtsZ. *Genes Dev* **16**:2544-56.
- Hale, C.A., de Boer, P.A. (1997) Direct binding of FtsZ to ZipA, an essential component of the septal ring structure that mediates cell division in *E. coli*. *Cell* **88**:175-185.
- Hamoen, L.W., Meile, J.C., de Jong, W., Noirrot, P., Errington, J. (2006) SepF, a novel FtsZ-interacting protein required for a late step in cell division. *Mol Microbiol* **59**:989-99.
- Hamon, L., Curmi, P.A., Pastre, D. (2010) High-resolution imaging of microtubules and cytoskeleton structures by atomic force microscopy. *Methods Cell Biol* **95**:157-74.
- Harry, E., Monahan, L., Thompson, L. (2006) Bacterial cell division: the mechanism and its precision. *Int Rev Cytol* **253**:27-94.
- Hayes, F., Barilla, D. (2006) The bacterial segrosome: a dynamic nucleoprotein machine for DNA trafficking and segregation. *Nat Rev Microbiol* **4**:133-43.

- Heichlinger, A., Ammelburg, M., Kleinschnitz, E.M., Latus, A., Maldener, I., Flärth, K., Wohlleben, W., Muth, G. (2011) The MreB-like protein Mbl of *Streptomyces coelicolor* A3(2) depends on MreB for proper localization and contributes to spore wall synthesis. *J Bacteriol* **193**:1533-42.
- Hempel, A.M., Wang, S.B., Letek, M., Gil, J.A., Flärth, K. (2008) Assemblies of DivIVA mark sites for hyphal branching and can establish new zones of cell wall growth in *Streptomyces coelicolor*. *J Bacteriol* **190**(22):7579-7583.
- Herrmann, H., Aebi, U. (2004) Intermediate filaments: molecular structure, assembly mechanism, and integration into functionally distinct intracellular scaffolds. *Annu Rev Biochem* **73**:749-789.
- Hicks, M.G., Guymier, D., Buchanan, G., Widdick, D.A., Caldelari, I., Berks, B.C., Palmer, T. (2006) Formation of functional Tat translocases from heterologous components. *BMC Microbiol* **6**:64.
- Higgins, M.L., Tsien, H.C. et al. (1976) Organization of mesosomes in fixed and unfixed cells. *J Bacteriol* **127**(3): 1519-1523.
- Hille, A., Neu, T.R., Hempel, D.C., Horn, H. (2005) Oxygen profiles and biomass distribution in biopellets of *Aspergillus niger*. *Biotechnol Bioeng* **92**(5):614-623.
- Hinderhofer, M., Walker, C.A., Friemel, A., Stuermer, C.A.O., Möller, H.M., Reuter, A. (2009) Evolution of prokaryotic SPFH proteins. *BMC Evol Biol* **9**.
- Holmes, N.A., Walshaw, J., Leggett, R.M., Thibessard, A., Dalton, K.A., Gillespie, M.D., Hemmings, A.M., Gust, B., Kelemen, G.H. (2013) Coiled-coil protein Scy is a key component of a multiprotein assembly controlling polarized growth in *Streptomyces*. *Proc Natl Acad Sci USA* **110**(5):E397-406.
- Hopwood, D.A. (2007) *Streptomyces* in nature and medicine: the antibiotic makers. Oxford University Press, New York.
- Horinouchi, S. (2007) Mining and polishing of the treasure trove in the bacterial genus *Streptomyces*. *Biosci Biotechnol Biochem* **71**:283-299.
- Hu, Z., Lutkenhaus, J. (1999) Topological regulation of cell division in *Escherichia coli* involves rapid pole to pole oscillation of the division inhibitor MinC under the control of MinD and MinE. *Mol Microbiol* **34**:82-90.
- Hui, M.P., Galkin, V.E., Yu, X., Stasiak, A.Z., Stasiak, A., Waldor, M.K., Egelman, E.H. (2010) ParA2, a *Vibrio cholerae* chromosome partitioning protein, forms left-handed helical filaments on DNA. *Proc Natl Acad Sci USA* **107**:4590-5.
- Ingerson-Mahar, M., Briegel, A., Werner, J.N., Jensen, G.J., Gitai, Z. (2010) The metabolic enzyme CTP synthase forms cytoskeletal filaments. *Nat Cell Biol* **12**:739-46.
- Ingerson-Mahar, M., Gitai, Z. (2012) A growing family: the expanding universe of the bacterial cytoskeleton. *FEMS Microbiol Rev* **36**:256-266.
- Inoué, S., Sato, H. (1967). Cell motility by labile association of molecules - nature of mitotic spindle fibers and their role in chromosome movement. *J Gen Physiol* **50**:259.
- Izard, J., McEwen, B.F., Barnard, R.M., Portuese, T., Samsonoff, W.A., Limberger, R.J. (2004) Tomographic reconstruction of treponemal cytoplasmic filaments reveals novel bridging and anchoring components. *Mol Microbiol* **51**:609-18.
- Jack, R.J., Sargent, F., Berks, B.C., Sawers, G., Palmer, T. (2001) Constitutive expression of *Escherichia coli* *tat* genes indicates an important role for the twin-arginine translocase during aerobic and anaerobic growth. *J Bacteriol* **183**:1801-1804.
- Jakimowicz, D., van Wezel, G.P. (2012) Cell division and DNA segregation in *Streptomyces*: how to build a septum in the middle of nowhere? *Mol Microbiol* **85**:393-404.
- Janik, P. (2012) Under the Hood: Using WebGL to Accelerate Advanced Physics Simulations in the Browser. <http://concord.org/publications/newsletter/2012-fall/under-the-hood>.
- Jenkins, C., Samudrala, R., Anderson, I., Hedlund, B.P., Petroni, G., Michailova, N., Pinel, N., Overbeek, R., Rosati, G., Staley, J.T. (2002) Genes for the cytoskeletal protein tubulin in the bacterial genus *Prostheco bacter*. *Proc Natl Acad Sci USA* **99**:17049-54.
- Jones, L.J., Carballido-López, R., Errington, J. (2001) Control of cell shape in bacteria: helical, actin-like filaments in *Bacillus subtilis*. *Cell* **104**:913-22.
- Jyothikumar, V., Tilley, E.J., Wali, R., Herron, P.R. (2008) Time-lapse microscopy of *Streptomyces coelicolor* growth and sporulation. *Appl Environ Microbiol* **74**:6774-6781.
- Kaplan, G. (1977) Differences in the mode of phagocytosis with Fc and C3 receptors in macrophages. *Scand J Immunol* **6**:797-807.
- Karr, J.R., Sanghvi, J.C., Macklin, D.N., Gutschow, M.V., Jacobs, J.M., Bolival, B. Jr., Assad-Garcia, N., Glass, J.I., Covert, M.W. (2012) A whole-cell computational model predicts phenotype from genotype. *Cell* **150**(2):389-401.
- Kawamoto, S., Watanabe, H., Hesketh, A., Ensign, J.C., Ochi, K. (1997) Expression analysis of the *ssgA* gene product, associated with sporulation and cell division in *Streptomyces griseus*. *Microbiol* **143**:1077-1086.
- Keijsers, B.J., Noens, E.E., Kraal, B., Koerten, H.K., van Wezel, G.P. (2003) The *Streptomyces coelicolor* *ssgB* gene is required for early stages of sporulation. *FEMS Microbiol Lett* **225**:59-67.
- Kendrick, K.E., Ensign, J.C. (1983) Sporulation of *Streptomyces griseus* in submerged culture. *J Bacteriol* **155**(1):357-366.
- Kieser, T., Bibb, M.J., Buttner, M.J., Chater, K.F., Hopwood, D.A. (2000) *Practical Streptomyces genetics*. The John Innes Foundation, Norwich, United Kingdom.
- Koning, R.I., Koster, A.J. (2009) Cryo-electron tomography in biology and medicine. *Ann Anat* **191**:427-45.
- Koonin, E.V. (1993) A superfamily of ATPases with diverse functions containing either classical or deviant ATP-binding motif. *J Mol Biol* **229**:1165-74.

References

- Kossen, N.W. (2000) The morphology of filamentous fungi. *Advances Biochem Eng Biotechnol* **70**:1-33.
- Krabben, P., Nielsen, J. (1998) Modeling the mycelium morphology of *Penicillium* species in submerged cultures. *Advances Biochem Eng Biotechnol* **60**:125-152.
- Kremer, J.R., Mastronarde, D.N., McIntosh, J.R. (1996) Computer visualization of three-dimensional image data using IMOD. *J Struct Biol* **116**(1):71-76.
- Kruse, T., Bork-Jensen, J., Gerdes, K. (2005) The morphogenetic MreBCD proteins of *Escherichia coli* form an essential membrane-bound complex. *Mol Microbiol* **55**(1):78-89.
- Kruse, T., Møller-Jensen, J., Løbner-Olesen, A., Gerdes, K. (2003) Dysfunctional MreB inhibits chromosome segregation in *Escherichia coli*. *EMBO J* **22**:5283-92.
- Kühn, J., Briegel, A., Morschel, E., Kahnt, J., Leser, K., Wick, S., Jensen, G.J., Thanbichler, M. (2010) Bactofilins, a ubiquitous class of cytoskeletal proteins mediating polar localization of a cell wall synthase in *Caulobacter crescentus*. *EMBO J* **29**:327-39.
- Kürner, J., Frangakis, A.S., Baumeister, W. (2005) Cryo-electron tomography reveals the cytoskeletal structure of *Spiroplasma melliferum*. *Science* **307**:436-8.
- Lafontaine, C., Valletton, J.M., Orange, M., Norris, V., Mileykovskaya, E., Alexandre, S. (2007) Behaviour of bacterial division protein FtsZ under a monolayer with phospholipid domains. *Biochim Biophys Acta* **1768**(11):2812-2821.
- Landgraf, D., Okumus, B., Chien, P., Baker, T.A., Paulsson, J. (2012) Segregation of molecules at cell division reveals native protein localization. *Nature Meth* **9**:480-U498.
- Larsen, R.A., Cusumano, C., Fujioka, A., Lim-Fong, G., Patterson, P., Pogliano, J. (2007) Treadmilling of a prokaryotic tubulin-like protein, TubZ, required for plasmid stability in *Bacillus thuringiensis*. *Genes Dev* **21**:1340-52.
- Larson, J.L., Hershberger, C.L. (1986) The minimal replicon of a streptomycete plasmid produces an ultrahigh level of plasmid DNA. *Plasmid* **15**(3):199-209.
- Leake, M.C., Greene, N.P., Godun, R.M., Granjon, T., Buchanan, G., Chen, S., Berry, R.M., Palmer, T., Berks, B.C. (2008) Variable stoichiometry of the TatA component of the twin-arginine protein transport system observed by in vivo single-molecule imaging. *Proc Natl Acad Sci USA* **105**:15376-15381.
- Lejeune, R., Baron, G.V. (1997) Simulation of growth of a filamentous fungus in 3 dimensions. *Biotechnol Bioeng* **53**(2):139-150.
- Lenarcic, R., Halbedel, S., Visser, L., Shaw, M., Wu, L.J., Errington, J., Marenduzzo, D., Hamoen, L.W. (2009) Localisation of DivIVA by targeting to negatively curved membranes. *EMBO J* **28**(15):2272-2282.
- Leonard, T.A., Butler, P.J., Löwe, J. (2004) Structural analysis of the chromosome segregation protein Spo0J from *Thermus thermophilus*. *Mol Microbiol* **53**:419-32.
- Leonard, T.A., Møller-Jensen, J., Löwe, J. (2005) Towards understanding the molecular basis of bacterial DNA segregation. *Philos T Roy Soc B* **360**:523-35.
- Letek, M., Fiuza, M., Villadangos, A.F., Mateos, L.M., Gil, J.A. (2012) Cytoskeletal proteins of *Actinobacteria*. *Int J Cell Biol*.
- Li, Z., Trimble, M.J., Brun, Y.V., Jensen, G.J. (2007) The structure of FtsZ filaments in vivo suggests a force-generating role in cell division. *EMBO J* **26**:4694-708.
- Liu, G., Chater, K.F., Chandra, G., Niu, G., Tan, H. (2013) Molecular regulation of antibiotic biosynthesis in *Streptomyces*. *Microbiol Mol Biol Rev* **77**:112-143.
- Liu, G., Xing, M., Han, Q.G. (2005) A population-based morphologically structured model for hyphal growth and product formation in streptomycin fermentation. *World J Microb Biot* **21**(8-9):1329-1338.
- López, D., Kolter, R. (2010) Functional microdomains in bacterial membranes. *Genes Dev* **24**:1893-1902.
- Lu, C. L., Stricker, J., Erickson, H.P. (2001) Site-specific mutations of FtsZ - effects on GTPase and assembly in vitro, and cell division in vivo. *Mol Biol Cell* **11**:190a-191a.
- Lu, S., Cutting, S., Kroos, L. (1995) Sporulation protein SpoIVFB from *Bacillus subtilis* enhances processing of the sigma factor precursor Pro- σ^k in the absence of other sporulation gene products. *J Bacteriol* **177**(4):1082-1085.
- Lucić, V., Förster, F., Baumeister, W. (2005) Structural studies by electron tomography: from cells to molecules. *Annu Rev Biochem* **74**:833-65.
- Lupas, A., Van Dyke, M., Stock, J. (1991) Predicting coiled coils from protein sequences. *Science* **252**(5009):1162-1164.
- Lutkenhaus, J., Addinall, S.G. (1997) Bacterial cell division and the Z-ring. *Annu Rev Biochem* **66**:93-116.
- Löwe, J., Amos, L.A. (1998) Crystal structure of the bacterial cell-division protein FtsZ. *Nature* **391**:203-6.
- MacNeil, D.J., Gewain, K.M., Ruby, C.L., Dezeny, G., Gibbons, P.H., MacNeil, T. (1992) Analysis of *Streptomyces avermitilis* genes required for avermectin biosynthesis utilizing a novel integration vector. *Gene* **111**(1):61-68.
- Männik, J., Wu, F., Hol, F.J.H., Biscicchia, P., Sherratt, D.J., Keymer, J.E., Dekker, C. (2012) Robustness and accuracy of cell division in *Escherichia coli* in diverse cell shapes. *Proc Natl Acad Sci USA* **109**(18):6957-6962.
- Manteca, A., Alvarez, R., Salazar, N., Yagüe, P., Sanchez, J. (2008) Mycelium differentiation and antibiotic production in submerged cultures of *Streptomyces coelicolor*. *Appl Environ Microbiol* **74**(12):3877-3886.
- Marchler-Bauer, A., Zheng, C., Chitsaz, F., Derbyshire, M.K., Geer, L.Y., Geer, R.C., Gonzales, N.R., Gwadz, M., Hurwitz, D., Lanczycki, C.J., Lu, F., Lu, S., Marchler, G.H., Song, J.S., Thanki, N., Yamashita, R.A., Zhang, D., Bryant, S.H. (2013) CDD: conserved domains and protein three-dimensional structure. *Nucleic Acids Res* **41**(Database issue):D348-352.

- Margolin, W. (2009) Sculpting the bacterial cell. *Curr Biol* **19**:R812-22.
- Margolin, W. (2012) The price of tags in protein localization studies. *J Bacteriol* **194**:6369-71.
- Marston, A. L., Thomaides, H.B., Edwards, D.H., Sharpe, M.E., Errington, J. (1998) Polar localization of the MinD protein of *Bacillus subtilis* and its role in selection of the mid-cell division site. *Genes Dev* **12**:3419-30.
- Matsumoto, K., J. Kusaka, Nishibori, A., Hara, H. (2006) Lipid domains in bacterial membranes. *Mol Microbiol* **61**(5):1110-1117.
- Mauriello, E.M., Mouhamar, F., Nan, B., Ducret, A., Dai, D., Zusman, D.R., Mignot, T. (2010) Bacterial motility complexes require the actin-like protein, MreB and the Ras homologue, MglA. *EMBO J* **29**:315-26.
- Mazouni, K., Pehau-Arnaudet, G., England, P., Bourhy, P., Saint Girons, I., Picardeau, M. (2006) The Scc spirochetal coiled-coil protein forms helix-like filaments and binds to nucleic acids generating nucleoprotein structures. *J Bacteriol* **188**:469-76.
- Mazza, P., Noens, E.E., Schirner, K., Grantcharova, N., Mommaas, A.M., Koerten, H.K., Muth, G., Flårdh, K., van Wezel, G.P., Wohlleben, W. (2006) MreB of *Streptomyces coelicolor* is not essential for vegetative growth but is required for the integrity of aerial hyphae and spores. *Mol Microbiol* **60**:838-52.
- McCormick, J.R. (2009) Cell division is dispensable but not irrelevant in *Streptomyces*. *Curr Opin Microbiol* **12**:689-98.
- McCormick, J.R., Flårdh, K. (2012) Signals and regulators that govern *Streptomyces* development. *FEMS Microbiol Rev* **36**:206-231.
- McCormick, J.R., Su, E.P., Driks, A., Losick, R. (1994) Growth and viability of *Streptomyces coelicolor* mutant for the cell division gene *ftsZ*. *Mol Microbiol* **14**:243-54.
- McIntosh, R., Nicastro, D., Mastronarde, D. (2005) New views of cells in 3D: an introduction to electron tomography. *Trends Cell Biol* **15**:43-51.
- Megee, R.D. 3rd, Kinoshita, S., Fredrickson, A.G., Tsuchiya, H.M. (1970) Differentiation and product formation in molds. *Biotechnol Bioeng* **12**(5):771-801.
- Meyer, P., Dworkin, J. (2007) Applications of fluorescence microscopy to single bacterial cells. *Res Microbiol* **158**:187-194.
- Meyerhoff, J., Tiller, V., Bellgardt, K.H. (1995) Two mathematical models for the development of a single microbial pellet. *Biotechnol Bioeng* **12**:305-313
- Michel, F.C. Jr., Grulke, E.A., Reddy, C.A. (1992) Determination of the respiration kinetics for mycelial pellets of *Phanerochaete chrysosporium*. *Appl Environ Microbiol* **58**(5):1740-1745.
- Michie, K.A., Löwe, J. 2006. Dynamic filaments of the bacterial cytoskeleton. *Annu Rev Biochem* **75**:467-92.
- Mignot, T. (2007) The elusive engine in *Myxococcus xanthus* gliding motility. *Cell Mol Life Sci* **64**:2733-45.
- Mignot, T., Shaevitz, J.W., Hartzell, P.L., Zusman, D.R. (2007) Evidence that focal adhesion complexes power bacterial gliding motility. *Science* **315**:853-6.
- Miguélez, E.M., Hardisson, C., Manzanal, M.B. (2000) Streptomycetes: a new model to study cell death. *Int Microbiol* **3**(3):153-158.
- Mika, J.T., Poolman, B. (2011) Macromolecule diffusion and confinement in prokaryotic cells. *Curr Opin Biotechnol* **22**:117-126.
- Mileykovskaya, E., Dowhan, W. (2005) Role of membrane lipids in bacterial division-site selection. *Curr Opin Microbiol* **8**(2):135-142.
- Mileykovskaya, E., Sun, Q., Margolin, W., Dowhan, W. (1998) Localization and function of early cell division proteins in filamentous *Escherichia coli* cells lacking phosphatidylethanolamine. *J Bacteriol* **180**(16): 4252-4257.
- Miyawaki, A., Llopis, J., Heim, R., McCaffery, J.M., Adams, J.A., Ikura, M., Tsien, R.Y. (1997) Fluorescent indicators for Ca²⁺ based on green fluorescent proteins and calmodulin. *Nature* **388**:882-7.
- Møller-Jensen, J., Jensen, R.B., Löwe, J., Gerdes, K. (2002) Prokaryotic DNA segregation by an actin-like filament. *EMBO J* **21**:3119-27.
- Mori, H., Cline, K. (2002) A twin arginine signal peptide and the pH gradient trigger reversible assembly of the thylakoid ΔpH/Tat translocase. *J Cell Biol* **157**:205-210.
- Moriya, S., Rashid, R.A., Rodrigues, C.D., Harry, E.J. (2010) Influence of the nucleoid and the early stages of DNA replication on positioning the division site in *Bacillus subtilis*. *Mol Microbiol* **76**(3):634-647.
- Mukherjee, P., Sureka, K., Datta, P., Hossain, T., Barik, S., Das, K.P., Kundu, M., Basu, J. (2009) Novel role of Wag31 in protection of mycobacteria under oxidative stress. *Mol Microbiol* **73**(1):103-119.
- Müller, M., Klösgen, R.B. (2005) The Tat pathway in bacteria and chloroplasts (review). *Mol Membr Biol* **22**:113-121.
- Müller-Reichert, T., Srayko, M., Hyman, A., O'Toole, E.T., McDonald, K. (2007) Correlative light and electron microscopy of early *Caenorhabditis elegans* embryos in mitosis. *Methods Cell Biol* **79**:101-19.
- Murray, H., Errington, J. (2008) Dynamic control of the DNA replication initiation protein DnaA by Soj/ParA. *Cell* **135**:74-84.
- Nan, B., Zusman, D.R. (2011) Uncovering the mystery of gliding motility in the myxobacteria. *Annu Rev Genet* **45**:21-39.
- Nanninga, N. (1971) The mesosome of *Bacillus subtilis* as affected by chemical and physical fixation. *J Cell Biol* **48**(1):219-224.
- Nielsen, J. (1993) A simple morphologically structured model describing the growth of filamentous microorganisms. *Biotechnol Bioeng* **41**(7):715-727.
- Nielsen, J., Villadsen, J. (1992) Modeling of microbial kinetics. *Chem Eng Sci* **47**(17-18):4225-4270.

References

- Nieminen, L., Webb, S., Smith, M.C., Hoskisson, P.A. (2013) A flexible mathematical model platform for studying branching networks: experimentally validated using the model actinomycete, *Streptomyces coelicolor*. *PLoS ONE* **8**:e54316.
- Nishibori, A., Kusaka, J., Hara, H., Umeda, M., Matsumoto, K. (2005) Phosphatidylethanolamine domains and localization of phospholipid synthases in *Bacillus subtilis* membranes. *J Bacteriol* **187**(6):2163-2174.
- Noens, E.E., Mersinias, V., Willems, J., Traag, B.A., Laing, E., Chater, K.F., Smith, C.P., Koerten, H.K., van Wezel, G.P. (2007) Loss of the controlled localization of growth stage-specific cell-wall synthesis pleiotropically affects developmental gene expression in an *ssgA* mutant of *Streptomyces coelicolor*. *Mol Microbiol* **64**:1244-1259.
- Noens, E.E., Mersinias, V., Traag, B.A., Smith, C.P., Koerten, H.K., van Wezel, G.P. (2005) SsgA-like proteins determine the fate of peptidoglycan during sporulation of *Streptomyces coelicolor*. *Mol Microbiol* **58**:929-44.
- Norris, V., Woldringh, C., Mileykovskaya, E. (2004) A hypothesis to explain division site selection in *Escherichia coli* by combining nucleoid occlusion and Min. *FEBS Lett* **561**(1-3): 3-10.
- Palmer, T., Berks, B.C. (2012) The twin-arginine translocation (Tat) protein export pathway. *Nat Rev Microbiol* **10**:483-496.
- Pamboukian, C.R.D., Guimaraes, L.M., Facciotti, M.C.R. (2002) Applications of image analysis in the characterization of *Streptomyces olindensis* in submerged culture. *Braz J Microbiol* **33**(1):17-21.
- Paul, G.C., Thomas, C.R. (1996) A structured model for hyphal differentiation and penicillin production using *Penicillium chrysogenum*. *Biotechnol Bioeng* **51**(5):558-572.
- Pichoff, S., Lutkenhaus, J. (2002) Unique and overlapping roles for ZipA and FtsA in septal ring assembly in *Escherichia coli*. *EMBO J* **21**:685-93.
- Piette, A., Derouaux, A., Gerkens, P., Noens, E.E., Mazzucchelli, G., Vion, S., Koerten, H.K., Titgemeyer, F., De Pauw, E., Leprince, P., van Wezel, G.P., Galleni, M., Rigali, S. (2005) From dormant to germinating spores of *Streptomyces coelicolor* A3(2): new perspectives from the *crp* null mutant. *J Proteome Res* **4**(5):1699-1708.
- Pilhofer, M., Jensen, G.J. (2012) The bacterial cytoskeleton: more than twisted filaments. *Curr Opin Cell Biol* **25**:125-133.
- Pilhofer, M., Ladinsky, M.S., McDowell, A.W., Petroni, G., Jensen, G.J. (2011) Microtubules in bacteria: ancient tubulins build a five-protofilament homolog of the eukaryotic cytoskeleton. *PLoS Biol* **9**:e1001213.
- Plitzko, J.M., Rigort, A., Leis, A. (2009) Correlative cryo-light microscopy and cryo-electron tomography: from cellular territories to molecular landscapes. *Curr Opin Biotechnol* **20**:83-9.
- Pogliano, J., N. Osborne, et al. (1999) A vital stain for studying membrane dynamics in bacteria: a novel mechanism controlling septation during *Bacillus subtilis* sporulation. *Mol Microbiol* **31**(4):1149-1159.
- Ptacin, J.L., Lee, S.F., Garner, E.C., Toro, E., Eckart, M., Comolli, L.R., Moerner, W.E., Shapiro, L. (2010) A spindle-like apparatus guides bacterial chromosome segregation. *Nat Cell Biol* **12**:791-8.
- Ramamurthi, K.S., Lecuyer, S., Stone, H.A., Losick, R. (2009) Geometric cue for protein localization in a bacterium. *Science* **323**(5919): 1354-1357.
- Raskin, D.M., de Boer, P.A. (1997) The MinE ring: an FtsZ-independent cell structure required for selection of the correct division site in *E. coli*. *Cell* **91**:685-94.
- Raskin, D.M., de Boer, P.A. (1999) Rapid pole-to-pole oscillation of a protein required for directing division to the middle of *Escherichia coli*. *Proc Natl Acad Sci USA* **96**:4971-4976.
- RayChaudhuri, D. (1999) ZipA is a MAP-Tau homolog and is essential for structural integrity of the cytokinetic FtsZ ring during bacterial cell division. *EMBO J* **18**:2372-83.
- Reichl, U., Yang, H., Gilles, E.D., Wolf, H. (1990) An improved method for measuring the interseptal spacing in hyphae of *Streptomyces tendae* by fluorescence microscopy coupled with image processing. *FEMS Microbiol Lett* **67** (1-2):207-209.
- Reusch, V.M. Jr., Burger, M.M. (1973) The bacterial mesosome. *Biochim Biophys Acta* **300**(1):79-104.
- Rodrigues, C.D., Harry, E.J. (2012) The Min system and nucleoid occlusion are not required for identifying the division site in *Bacillus subtilis* but ensure its efficient utilization. *PLoS Genet* **8**:e1002561.
- Romberg, L., Levin, P.A. (2003) Assembly dynamics of the bacterial cell division protein FtsZ: poised at the edge of stability. *Annu Rev Microbiol* **57**:125-154.
- Rothfield, L., Taghbalout, A., Shih, Y.L. (2005) Spatial control of bacterial division-site placement. *Nat Rev Microbiol* **3**(12): 959-968.
- Ruban-Ośmiałowska, B., Jakimowicz, D., Smulczyk-Krawczynszyn, A., Chater, K.F., Zakrzewska-Czerwińska, J. (2006) Replisome localization in vegetative and aerial hyphae of *Streptomyces coelicolor*. *J Bacteriol* **188**:7311-7316.
- Salje, J., Zuber, B., Löwe, J. (2009) Electron cryomicroscopy of *E. coli* reveals filament bundles involved in plasmid DNA segregation. *Science* **323**:509-12.
- Salzberg, L.I., Helmann, J.D. (2008) Phenotypic and transcriptomic characterization of *Bacillus subtilis* mutants with grossly altered membrane composition. *J Bacteriol* **190**(23):7797-7807.
- Sambrook, J., Fritsch, E.F., Maniatis, T. (1989) Molecular cloning: a laboratory manual. N.Y., Cold Spring Harbor Laboratory Press.
- Sartori, A., Gatz, R., Beck, F., Rigort, A., Baumeister, W., Plitzko, J.M. (2007) Correlative microscopy: bridging the gap between fluorescence light microscopy and cryo-electron tomography. *J Struct Biol* **160**:135-45.
- Saxena, R., Fingland, N., Patil, D., Sharma, A.K., Crooke, E. (2013) Crosstalk between DnaA protein, the initiator of *Escherichia coli* chromosomal replication, and acidic phospholipids present in bacterial membranes. *Int J Mol Sci* **14**(4):8517-8537.

- Schaerlaekens, K., Schierova, M., Lammertyn, E., Geukens, N., Anné, J., van Mellaert, L. (2001) Twin-arginine translocation pathway in *Streptomyces lividans*. *J Bacteriol* **183**:6727-6732.
- Schlieper, D., Oliva, M.A., Andreu, J.M., Löwe, J. (2005) Structure of bacterial tubulin BtubA/B: evidence for horizontal gene transfer. *Proc Natl Acad Sci USA* **102**:9170-5.
- Scholefield, G., Errington, J., Murray, H. (2012) Soj/ParA stalls DNA replication by inhibiting helix formation of the initiator protein DnaA. *EMBO J* **31**:1542-55.
- Schroeder, T.E. (1972) The contractile ring. II. Determining its brief existence, volumetric changes, and vital role in cleaving *Arbacia* eggs. *J Cell Biol* **53**:419-34.
- Schwartz, C. L., V. I. Sarbash, F. I. Ataullakhanov, J. R. McIntosh, D. Nicastro. (2007) Cryo-fluorescence microscopy facilitates correlations between light and cryo-electron microscopy and reduces the rate of photobleaching. *J Microsc* **227**:98-109.
- Schwedock, J., McCormick, J.R., Angert, E.R., Nodwell, J.R., Losick, R. (1997) Assembly of the cell division protein FtsZ into ladder-like structures in the aerial hyphae of *Streptomyces coelicolor*. *Mol Microbiol* **25**(5):847-858.
- Shapiro, L., McAdams, H.H., Losick, R. (2009) Why and how bacteria localize proteins. *Science* **326**:1225-1228.
- Shih, Y.L., Rothfield, L. (2006) The bacterial cytoskeleton. *Microbiol Mol Biol Rev* **70**:729-54.
- Silva, M.T., Sousa, J.C.F., Polónia, J.J., Macedo, M.A.E., Parente, A.M. (1976) Bacterial mesosomes - real structures or artifacts. *Biochim Biophys Acta* **443**(1):92-105.
- Sontag, C.A., Staley, J.T., Erickson, H.P. (2005) *In vitro* assembly and GTP hydrolysis by bacterial tubulins BtubA and BtubB. *J Cell Biol* **169**:233-8.
- Specht, M., Schätzle, S., Graumann, P.L., Waidner, B. (2011) *Helicobacter pylori* possesses four coiled-coil rich proteins that form extended filamentous structures and control cell shape and motility. *J Bacteriol* **193**:4523-4530.
- Srivastava, P., Demarre, G., Karpova, T.S., McNally, J., Chattoraj, D.K. (2007) Changes in nucleoid morphology and origin localization upon inhibition or alteration of the actin homolog, MreB, of *Vibrio cholerae*. *J Bacteriol* **189**:7450-63.
- Steinberg, G. (2007) Hyphal growth: a tale of motors, lipids, and the Spitzenkörper. *Eukaryot Cell* **6**(3): 351-360.
- Strahl, H., Hamoen, L.W. (2010) Membrane potential is important for bacterial cell division. *Proc Natl Acad Sci USA* **107**(27): 12281-12286.
- Stuart, D.C. Jr. (1959) Fine structure of the nucleoid and internal membrane systems of *Streptomyces*. *J Bacteriol* **78**: 272-281.
- Subramaniam, S. (2005) Bridging the imaging gap: visualizing subcellular architecture with electron tomography. *Curr Opin Microbiol* **8**:316-22.
- Sun, M., Wartel, M., Cascales, E., Shaevitz, J.W., Mignot, T. (2011) Motor-driven intracellular transport powers bacterial gliding motility. *Proc Natl Acad Sci USA* **108**:7559-64.
- Sun, Q., Margolin, W. (1998) FtsZ dynamics during the division cycle of live *Escherichia coli* cells. *J Bacteriol* **180**(8):2050-2056.
- Swilius, M.T., Chen, S., Jane Ding, H., Li, Z., Briegel, A., Pilhofer, M., Tocheva, E.I., Lybarger, S.R., Johnson, T.L., Sandkvist, M., Jensen, G.J. (2011) Long helical filaments are not seen encircling cells in electron cryotomograms of rod-shaped bacteria. *Biochem Biophys Res Commun* **407**:650-5.
- Swilius, M.T., Jensen, G.J. (2012) The helical MreB cytoskeleton in *E. coli* MC1000/pLE7 is an artifact of the N-terminal YFP tag. *J Bacteriol* **194**(23):6382-6.
- Taivalsaari, A., Mikkonen, T., Anttonen, M., Salminen, A. (2011) The death of binary software: end-user software moves to the web. Ninth International Conference on Creating, Connecting and Collaborating through Computing, IEEE Computer Society: 17-23.
- Tinsley, E., Khan, S.A. (2006) A novel FtsZ-like protein is involved in replication of the anthrax toxin-encoding pXO1 plasmid in *Bacillus anthracis*. *J Bacteriol* **188**:2829-35.
- Tocheva, E.I., Li, Z., Jensen, G.J. (2010) Electron cryotomography. *Cold Spring Harb Perspect Biol* **2**(6):a003442.
- Tough, A.J., Prosser, J.I. (1996) Experimental verification of a mathematical model for pelleted growth of *Streptomyces coelicolor* A3(2) in submerged batch culture. *Microbiol* **142**(3):639-648.
- Traag, B.A., van Wezel, G.P. (2008) The SsgA-like proteins in actinomycetes: small proteins up to a big task. *Anthonie van Leeuwenhoek* **94**(1):85-97.
- Tresner, H.D., Hayes, J.A., Backus, E.J. (1967) Morphology of submerged growth of streptomycetes as a taxonomic aid (I) Morphological development of *Streptomyces aureofaciens* in agitated liquid media. *Appl Microbiol* **15** (5):1185-1191.
- Treuner-Lange, A., Aguiluz, K., van der Does, C., Gómez-Santos, N., Harms, A., Schumacher, D., Lenz, P., Hoppert, M., Kahnt, J., Munoz-Dorado, J., Søggaard-Andersen, L. (2012) PomZ, a ParA-like protein, regulates Z-ring formation and cell division in *Mycococcus xanthus*. *Mol Microbiol* **87**(2):235-53.
- Vale, R.D., Reese, T.S., Sheetz, M.P. (1985) Identification of a novel force-generating protein, kinesin, involved in microtubule-based motility. *Cell* **42**:39-50.
- van den Brink-van der Laan, E., Boots, J.W., Spelbrink, R.E., Kool, G.M., Breukink, E., Killian, J.A., de Kruijff, B. (2003) Membrane interaction of the glycosyltransferase MurG: a special role for cardiolipin. *J Bacteriol* **185**(13): 3773-3779.
- van den Ent, F., Amos, L.A., Löwe, J. (2001) Prokaryotic origin of the actin cytoskeleton. *Nature* **413**:39-44.

References

- van den Ent, F., Møller-Jensen, J., Amos, L.A., Gerdes, K., Löwe, J. (2002) F-actin-like filaments formed by plasmid segregation protein ParM. *EMBO J* **21**:6935-43.
- van Driel, L.F., Valentijn, J.A., Valentijn, K.M., Koning, R.I., Koster, A.J. (2009) Tools for correlative cryo-fluorescence microscopy and cryo-electron tomography applied to whole mitochondria in human endothelial cells. *Eur J Cell Biol* **88**:669-84.
- van Suijdam, J.C., Hols, H., Kossen, N.W. (1982) Unstructured model for growth of mycelial pellets in submerged cultures. *Bio-technol Bioeng* **24**(1):177-191.
- van Teeffelen, S., Wang, S., Furchtgott, L., Huang, K.C., Wingreen, N.S., Shaeviz, J.W., Gitai, Z. (2011) The bacterial actin MreB rotates, and rotation depends on cell-wall assembly. *Proc Natl Acad Sci USA* **108**:15822-7.
- van Wezel, G.P., Krabben, P., Traag, B.A., Keijsers, B.J., Kerste, R., Vijgenboom, E., Heijnen, J.J., Kraal, B. (2006) Unlocking *Streptomyces* spp. for use as sustainable industrial production platforms by morphological engineering. *Appl Environ Microbiol* **72**:5283-8.
- van Wezel, G.P., Mahr, K., König, M., Traag, B.A., Pimentell-Schmitt, E.F., Willimek, A., Titgemeyer, F. (2005) GlcP constitutes the major glucose uptake system of *Streptomyces coelicolor* A3(2). *Mol Microbiol* **55**(2):624-636.
- van Wezel, G.P., McDowall, K.J. (2011) The regulation of the secondary metabolism of *Streptomyces*: new links and experimental advances. *Nat Prod Rep* **28**(7):1311-1333.
- van Wezel, G.P., McKenzie, N.L., Nodwell, J.R. (2009) Chapter 5. Applying the genetics of secondary metabolism in model actinomycetes to the discovery of new antibiotics. *Methods Enzymol* **458**:117-141.
- van Wezel, G.P., van der Meulen, J., Kawamoto, S., Luiten, R.G., Koerten, H.K., Kraal, B. (2000a) *ssgA* is essential for sporulation of *Streptomyces coelicolor* A3(2) and affects hyphal development by stimulating septum formation. *J Bacteriol* **182**(20):5653-5662.
- van Wezel, G.P., van der Meulen, J., Taal, E., Koerten, H.K., Kraal, B. (2000b) Effects of increased and deregulated expression of cell division genes on the morphology and on antibiotic production of streptomycetes. *Antonie van Leeuwenhoek* **78** (3-4):269-276.
- van Wezel, G.P., White, J., Hoogvliet, G., Bibb, M.J. (2000c) Application of *redD*, the transcriptional activator gene of the undecylprodigiosin biosynthetic pathway, as a reporter for transcriptional activity in *Streptomyces coelicolor* A3(2) and *Streptomyces lividans*. *J Mol Microbiol Biotechnol* **2**:551-556.
- Vara, J., Lewandowska-Skarbek, Wang, Y.G., Donadio, S., Hutchinson, C.R. (1989) Cloning of genes governing the deoxysugar portion of the erythromycin biosynthesis pathway in *Saccharopolyspora erythraea* (*Streptomyces erythreus*). *J Bacteriol* **171**(11):5872-5881.
- Vats, P., Rothfield, L. (2007) Duplication and segregation of the actin (MreB) cytoskeleton during the prokaryotic cell cycle. *Proc Natl Acad Sci USA* **104**:17795-800.
- Vats, P., Yu, J., Rothfield, L. (2009) The dynamic nature of the bacterial cytoskeleton. *Cell Mol Life Sci* **66**:3353-62.
- Waidner, B., Specht, M., Dempwolff, F., Haeberer, K., Schaetzle, S., Speth, V., Kist, M., Graumann, P.L. (2009) A novel system of cytoskeletal elements in the human pathogen *Helicobacter pylori*. *PLoS Pathog* **5**(11):e1000669.
- Walshaw, J., Gillespie, M.D., Keleman, G.H. (2010) A novel coiled-coil repeat variant in a class of bacterial cytoskeletal proteins. *J Struct Biol* **170**(2):202-215.
- Wang, L., Khattar, M.K., Donachie, W.D., Lutkenhaus, J. (1998) FtsI and FtsW are localized to the septum in *Escherichia coli*. *J Bacteriol* **180**(11):2810-2816.
- Wardell, J.N., Stocks, S.M., Thomas, C.R., Bushell, M.E. (2002) Decreasing the hyphal branching rate of *Saccharopolyspora erythraea* NRRL 2338 leads to increased resistance to breakage and increased antibiotic production. *Biotechnol Bioeng* **78**:141-146.
- Widdick, D.A., Dilks, K., Chandra, G., Bottrill, A., Naldrett, M., Pohlschroder, M., Palmer, T. (2006) The twin-arginine translocation pathway is a major route of protein export in *Streptomyces coelicolor*. *Proc Natl Acad Sci USA* **103**:17927-17932.
- Willemsse, J., Borst, J.W., de Waal, E., Bisseling, T., van Wezel, G.P. (2011) Positive control of cell division: FtsZ is recruited by SsgB during sporulation of *Streptomyces*. *Genes Dev* **25**:89-99.
- Willemsse, J., Mommaas, A.M., van Wezel, G.P. (2012) Constitutive expression of *ftsZ* overrides the *whi* developmental genes to initiate sporulation of *Streptomyces coelicolor*. *Antonie van Leeuwenhoek* **101**:619-32.
- Willemsse, J., Ruban-Ośmiałowska, B., Widdick, D., Celler, K., Hutchings, M.I., van Wezel, G.P., Palmer, T. (2012) Dynamic localization of Tat protein transport machinery components in *Streptomyces coelicolor*. *J Bacteriol* **194**:6272-6281.
- Willemsse, J., van Wezel, G.P. (2009) Imaging of *Streptomyces coelicolor* A3(2) with reduced autofluorescence reveals a novel stage of FtsZ localization. *PLoS One* **4**:e4242.
- Wintrebert, P. (1931) La rotation immédiate de l'oeuf pondue et la rotation d'activation chez *Discoglossus pictus*. *Oth Comptes Rend Soc Biol* **106**:439-442.
- Wolański, M., Wali, R., Tilley, E., Jakimowicz, D., Zakrzewska-Czerwińska, J., Herron, P. (2011) Replisome trafficking in growing vegetative hyphae of *Streptomyces coelicolor* A3(2). *J Bacteriol* **193**:1273-1275.
- Woldringh, C.L., Mulder, E., Huls, P.G., Vischer, N. (1991) Toporegulation of bacterial division according to the nucleoid occlusion model. *Res Microbiol* **142**:309-20.
- Wolgemuth, C., Hoicyk, E., Kaiser, D., Oster, G. (2002) How myxobacteria glide. *Curr Biol* **12**:369-77.

- Wright, C.S. (1984) Structural comparison of the two distinct sugar binding sites in wheat germ agglutinin isolectin II. *J Mol Biol* **178**(1):91-104.
- Wu, L.J., Errington, J. (2004) Coordination of cell division and chromosome segregation by a nucleoid occlusion protein in *Bacillus subtilis*. *Cell* **117**:915-25.
- Wu, L.J., Errington, J. (2011) Nucleoid occlusion and bacterial cell division. *Nat Rev Microbiol* **10**:8-12.
- Xu, Q., B. A. Traag, B.A., Willemse, J., McMullan, D., Miller, M.D., Elsliger, M.A., Abdubek, P., Astakhova, T., Axelrod, H.L., Bakolitsa, C., Carlton, D., Chen, C., Chiu, H.J., Chruszcz, M., Clayton, T., Das, D., Deller, M.C., Duan, L., Ellrott, K., Ernst, D., Farr, C.L., Feuerhelm, J., Grant, J.C., Grzechnik, A., Grzechnik, S. K., Han, G.W., Jaroszewski, L., Jin, K.K., Klock, H.E., Knuth, M.W., Kozbial, P., Krishna, S.S., Kumar, A., Marciano, D., Minor, W., Mommaas, A.M., Morse, A.T., Nigoghossian, E., Nopakun, A., Okach, L., Oommachen, S., Paulsen, J., Puckett, C., Reyes, R., Rife, C.L., Sefcovic, N., Tien, H.J., Trame, C.B., van den Bedem, H., Wang, S., Weekes, D., Hodgson, K.O., Wooley, J., Deacon, A.M., Godzik, A., Lesley, S.A., Wilson, I.A., van Wezel, G.P. (2009) Structural and functional characterizations of SsgB, a conserved activator of developmental cell division in morphologically complex actinomycetes. *J Biol Chem* **284**:25268-79.
- Yang, H., King, R., Reichl, U., Gilles, E.D. (1992a) Mathematical-model for apical growth, septation, and branching of mycelial microorganisms. *Biotechnol Bioeng* **39**(1):49-58.
- Yang, H., Reichl, U., King, R., Gilles, E.D. (1992b) Measurement and simulation of the morphological development of filamentous microorganisms. *Biotechnol Bioeng* **39**(1):44-48.
- Yang, R.F., Bartle, S., Otto, R., Stassinopoulos, A., Rogers, M., Plamann, L., Hartzell, P. (2004) AglZ is a filament-forming coiled-coil protein required for adventurous gliding motility of *Myxococcus xanthus*. *J Bacteriol* **186**:6168-6178.
- You, Y., Elmore, S., Colton, L.L., Mackenzie, C., Stoops, J.K., Weinstock, G.M., Norris, S.J. (1996) Characterization of the cytoplasmic filament protein gene (*cfpA*) of *Treponema pallidum* subsp. *pallidum*. *J Bacteriol* **178**:3177-87.
- Young, K.D. (2010) Bacterial shape: two-dimensional questions and possibilities. *Annu Rev Microbiol* **64**:223-40.
- Zangirolami, T.C., Johansen, C.L., Nielsen, J., Jørgensen, S.B. (1996) Simulation of penicillin production in fed-batch cultivations using a morphologically structured model. *Biotechnol Bioeng* **56**(6):593-604.

CURRICULUM VITAE

Katherine Anna Celler was born on the 30th of July, 1985, in Vancouver, Canada. In 2002, she graduated from St. Thomas Aquinas High School in North Vancouver. Between 2002-2007 she studied at the University of British Columbia (UBC) in Vancouver, obtaining a Bachelor of Applied Sciences (BASc) in Chemical and Biological Engineering. During her studies she completed three internships, fulfilling the requirements for the UBC co-operative education option. These internships involved operation of several pilot-scale bioleaching extraction columns at Outokumpu Research Oy, in Pori, Finland; testing of anti-stiction coatings for acceleration Micro-Electro Mechanical Systems or MEMS at Robert BOSCH GmbH in Stuttgart, Germany; and quantifying metal extraction and circuit stage efficiency at the smelter operations of Teck Cominco Metals Ltd. in Trail, Canada. In 2009 she obtained her MSc in Chemical Engineering from the Delft University of Technology. Her MSc project, completed under the supervision of Dr. Cristian Picioreanu of the Environmental Biotechnology group, involved modeling the formation of microbial streamers in river biofilms. In the fall of 2009 she started as a PhD student at Leiden University, working in the Molecular Biotechnology group under the supervision of Prof. Dr. Gilles van Wezel. The work done as a PhD student is presented in this thesis.

LIST OF PUBLICATIONS

- Celler, K.**, van Wezel, G.P., Willemse, J. (2013) Single particle tracking of dynamically localizing TatA complexes in *Streptomyces coelicolor*. *Biochemical and Biophysical Research Communications*. Aug; 438(1):38-42.
- Celler, K.**, Koning, R.I., Koster, A.J., van Wezel, G.P. (2013) A multidimensional view of the bacterial cytoskeleton. *Journal of Bacteriology*. Apr; 195(8):1627-36.
- Willemse, J., Ruban-Ośmiałowska, B., Widdick, D., **Celler, K.**, Hitchings, M.I., van Wezel, G.P., Palmer, T. (2012) Dynamic localization of Tat protein transport machinery components in *Streptomyces coelicolor*. *Journal of Bacteriology*. Nov; 194(22):6272-81.
- Celler, K.**, Picioareanu, C., van Loosdrecht, M.C.M., van Wezel, G.P. (2012) Structural morphological modeling as a Framework for Rational Strain Design of *Streptomyces* species. *Antonie van Leeuwenhoek*. Oct; 102(3):409-23.