



Universiteit  
Leiden  
The Netherlands

## Explicit computations with modular Galois representations

Bosman, J.G.

### Citation

Bosman, J. G. (2008, December 15). *Explicit computations with modular Galois representations*. Retrieved from <https://hdl.handle.net/1887/13364>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/13364>

**Note:** To cite this publication please use the final published version (if applicable).

# Bibliography

- [1] D. Abramovich, *A linear lower bound on the gonality of modular curves*, *Internat. Math. Res. Notices* **30** (1996) 1005–1011.
- [2] T. Asai, *On the Fourier coefficients of at various cusps and some applications to Rankin’s involution*, *J. Math. Soc. Japan* **28** (1976) no.1, 48–61.
- [3] A. O. L. Atkin and W. W. Li, *Twists of newforms and pseudo-eigenvalues of  $W$ -operators*, *Invent. Math.* **48** (1978) 221–243.
- [4] E. Bach and D. Charles, *The hardness of computing an eigenform*, arXiv reference 0708.1192.
- [5] M. H. Baker, *Torsion points on modular curves*, Ph.D. thesis, University of California, Berkeley (1999).
- [6] W. Bosma, J. J. Cannon, C. E. Playoust, *The magma algebra system I: the user language*, *J. Symbolic Comput.* **24** (1997) no. 3/4, 235–265.
- [7] J. G. Bosman, *A polynomial with Galois group  $SL_2(\mathbb{F}_{16})$* , *LMS J. Comput. Math.* **10** (2007) 378–388.
- [8] J. G. Bosman, *Modulaire vormen en berekeningen in Galoistheorie*, *Nieuw Arch. Wiskd. (5)* **2** (2008) no. 3, 184–187.
- [9] N. Boston, H. W. Lenstra, K. A. Ribet, *Quotients of group rings arising from two-dimensional representations*, *C. R. Acad. Sci. Paris, Série I* **312** (1991) 323–328.
- [10] N. Bourbaki, *Algèbre, chapitre 8: modules et anneaux semi-simples*, *Actualités scientifiques et industrielles* **1261**, Hermann, Paris, 1958.
- [11] J. A. Buchmann and H. W. Lenstra, Jr., *Approximating rings of integers in number fields*, *J. Théor. Nombres Bordeaux* **6** (1994) no. 2, 221–260.
- [12] K. Buzzard, *On level-lowering for mod 2 representations*, *Math. Research Letters* **7** (2000) 95–110.
- [13] K. Buzzard, *A mod  $\ell$  multiplicity one result*, appendix to [62].

- [14] D. G. Cantor and D. M. Gordon, *Factoring polynomials over  $p$ -adic fields*, Proceedings of the 4th International Symposium on Algorithmic Number Theory, 2000, 185–208.
- [15] D. Casperson and J. McKay, *Symmetric functions,  $m$ -sets, and Galois groups*, Math. Comp. **63** (1994) 749–757.
- [16] H. Cohen and F. Diaz y Diaz, *A polynomial reduction algorithm*, Sém Th. Nombres Bordeaux (Série 2) **3** (1991) 351–360.
- [17] J.-M. Couveignes, *Linearizing torsion classes in the Picard group of algebraic curves over finite fields*, to appear in J. Algebra.
- [18] J. E. Cremona, *Algorithms for modular elliptic curves*, Cambridge University Press, 1992.
- [19] C. Curtis and I. Reiner, *Representation theory of finite groups and associative algebras*, Pure and applied mathematics **11**, Interscience, New York, 1962.
- [20] H. Darmon, *Serre’s conjectures*, Seminar on Fermat’s Last Theorem (Toronto, ON, 1993-1994) CMS Conf. Proc., **17**, Amer. Math. Soc., Providence, RI, 1995, 135–153.
- [21] P. Deligne, *Formes modulaires et représentations  $\ell$ -adiques*, Lecture Notes in Mathematics **179** (1971) 139–172.
- [22] P. Deligne and M. Rapoport, *Les schémas de modules de courbes elliptiques*, Lecture Notes in Mathematics **349** (1973) 143–316.
- [23] P. Deligne and J-P. Serre, *Formes modulaires de poids 1*, Ann. Sci. Ec. Norm. Sup. **7** (1974) 507–530.
- [24] F. Diamond and J. Im, *Modular forms and modular curves*, Seminar on Fermat’s Last Theorem (Toronto, ON, 1993-1994) CMS Conf. Proc., **17**, Amer. Math. Soc., Providence, RI, 1995, 39–133.
- [25] F. Diamond and J. Shurman, *A first course in modular forms*, Graduate Texts in Mathematics **228**, Springer-Verlag, New York, 2005.
- [26] V. G. Drinfel’d, *Two theorems on modular curves*, Functional Analysis and Its Applications **7** (1973) no. 2, 155–156.
- [27] S. J. Edixhoven, *The weight in Serre’s conjectures on modular forms*, Invent. Math. **109** (1992) no. 3, 563–594.
- [28] S. J. Edixhoven, J.-M. Couveignes, R. S. de Jong, F. Merkl, J. G. Bosman, *On the computation of coefficients of a modular form*, eprint, 2006, arXiv reference math.NT/0605244v1.
- [29] K. Geissler and J. Klüners, *Galois group computation for rational polynomials*, J. Symbolic Comput. **30** (2000) 653–674.

- [30] F. Hajir and C. Maire, *Tamely ramified towers and discriminant bounds for number fields II*, J. Symbolic Comput. **33** (2002) 415–423.
- [31] M. van Hoeij, *Factoring polynomials and the knapsack problem*, J. Number Theory **95** (2002) 167–189.
- [32] N. Jacobson, *Basic algebra I*, Freeman and Company, San Francisco, 1974.
- [33] J. W. Jones and D. P. Roberts, *Galois number fields with small root discriminant*, J. Number Theory **122** (2007) 379–407.
- [34] B. Jordan and B. Kelly, *The vanishing of the Ramanujan Tau function*, preprint, 1999.
- [35] N. M. Katz,  *$p$ -adic properties of modular schemes and modular forms*, Lecture Notes in Mathematics **350** (1973) 69–170.
- [36] N. M. Katz and B. Mazur *Arithmetic moduli of elliptic curves*, Ann. Math. Studies **108**, Princeton Univ. Press, Princeton, 1985.
- [37] C. Khare, *Serre’s modularity conjecture: a survey of the level one case*, to appear in *L-functions and Galois representations* (Durham, U.K., 2004).
- [38] C. Khare and J.-P. Wintenberger, *Serre’s modularity conjecture: the level one case*, to appear in *Duke Math. J.*
- [39] C. Khare and J.-P. Wintenberger, *Serre’s modularity conjecture: the odd conductor case (I, II)*, preprint, 2006, available at <http://www.math.utah.edu/shekhar/papers.html>
- [40] K. Khuri-Makdisi, *Asymptotically fast group operations on Jacobians of general curves*, Math. Comp. **76** (2007) 2213–2239.
- [41] L. J. P. Kilford and G. Wiese, *On the failure of the Gorenstein property for Hecke algebras of prime weight*, to appear in *Exp. Math.*
- [42] M. Kisin, *Modularity of 2-dimensional Galois representations*, *Current Developments in Mathematics 2005*, 191–230.
- [43] M. Kisin, *Modularity of 2-adic Barsotti-Tate representations*, preprint, 2007.
- [44] J. Klüners and G. Malle, *Explicit Galois realization of transitive groups of degree up to 15*, J. Symbolic Comput. **30** (2000) no. 6, 675–716.
- [45] S. Landau, *Factoring polynomials over algebraic number fields*, SIAM J. Comput **14** (1985) 184–195.
- [46] S. Lang, *Elliptic curves: Diophantine analysis*, Grundlehren der mathematischen Wissenschaften **231**, Springer-Verlag, New York, 1978.

- [47] D. H. Lehmer, *The vanishing of Ramanujan's function  $\tau(n)$* , Duke Math. J. **10** (1947) 429–433.
- [48] H. W. Lenstra, Jr., *Algorithms in algebraic number theory*, Bull. Amer. Math. Soc. (N.S.) **26** (1992) no. 2, 211–244.
- [49] A. K. Lenstra, H. W. Lenstra, Jr., L. Lovász, *Factoring polynomials with rational coefficients*, Math. Ann. **261** (1982) 515–534.
- [50] W. W. Li, *Newforms and functional equations*, Math. Ann. **212** (1975) 285–315.
- [51] Y. Manin, *Parabolic points and zeta functions of modular curves*, Math. USSR Izvestija **36** (1972) 19–66.
- [52] B. Mazur, *Modular curves and the Eisenstein ideal*, Publ. Math. I.H.E.S. **47** (1977) 33–186.
- [53] L. Merel, *Universal fourier expansions of modular forms*, On Artin's conjecture for odd 2-dimensional representations (Berlin), Springer, 1994, 59–94.
- [54] J. Milne, *Modular functions and modular forms*, course notes, <http://www.jmilne.org/math/CourseNotes/math678.html>
- [55] H. Moon and Y. Taguchi, *Refinement of Tate's discriminant bound and non-existence theorems for mod  $p$  Galois representations*, Documenta Math. Extra Volume Kato (2003) 641–654.
- [56] J. Neukirch, *Algebraic number theory*, Grundlehren der mathematischen Wissenschaften **322**, Springer-Verlag, Berlin and London, 1999.
- [57] A. M. Odlyzko, *Bounds for discriminants and related estimates for class numbers, regulators and zeros of zeta functions: a survey or recent results*, Sémin. Théor. Nombres, Bordeaux **2** (1990) 119–141.
- [58] A. Ogg, *On the eigenvalues of Hecke operators*, Math. Ann. **179** (1969) 101–108.
- [59] G. Poitou, *Minoration de discriminants (d'après A. M. Odlyzko)*, Lecture Notes in Mathematics **567** (1977) 136–153.
- [60] B. Poonen, *Gonality of modular curves in characteristic  $p$* , Math. Res. Lett. **14** (2007) no. 4, 691–701.
- [61] K. A. Ribet, *Report on mod  $\ell$  representations of  $\text{Gal}(\overline{\mathbb{Q}}/\mathbb{Q})$* , Motives (Seattle, WA, 1991), Amer. Math. Soc., Providence, RI, 1994, 639–676.
- [62] K. A. Ribet and W. A. Stein, *Lectures on Serre's conjectures*, Arithmetic algebraic geometry (Park City, UT, 1999), Amer. Math. Soc., Providence, RI, 2001, 143–232.
- [63] R. Schoof, *Elliptic curves over finite fields and the computation of square roots mod  $p$* , Math. Comp. **44** (1985) 483–494.

- [64] J-P. Serre, *Une interprétation des congruences relatives à la fonction  $\tau$  de Ramanujan*, Séminaire Delange-Pisot-Poitou, 1968, no. 14.
- [65] J-P. Serre, *Linear representations of finite groups*, Graduate Texts in Mathematics **42**, Springer-Verlag, New York, 1977.
- [66] J-P. Serre, *Modular forms of weight one and Galois representations*, Algebraic number fields:  $L$ -functions and Galois properties (A. Frölich, ed.), Academic Press, London, 1977, 193–268.
- [67] J-P. Serre, *Local fields*, Graduate Texts in Mathematics **67**, Springer-Verlag, New York, 1979.
- [68] J-P. Serre, *Sur la lacunarité des puissances de  $\eta$* , Glasgow Math. J. **27** (1985) 203–221.
- [69] J-P. Serre, *Minoration de discriminants*, note of October 1975, published in Œuvres, Vol. III (Springer, 1986) 240–243.
- [70] J-P. Serre, *Sur les représentations modulaires de degré 2 de  $\text{Gal}(\overline{\mathbb{Q}}/\mathbb{Q})$* , Duke Math. J. **54** (1987) no. 1, 179–230.
- [71] G. Shimura, *On the periods of modular forms*, Math. Ann. **229** (1977) no. 3, 211–221.
- [72] V. V. Shokurov, *Shimura integrals of cusp forms*, Math. USSR Izvestija **16** (1981) no. 3, 603–646.
- [73] V. Shoup, *A computational introduction to number theory and algebra*, 2nd edition, to appear in Cambridge University Press.
- [74] J. H. Silverman, *Advanced topics in the arithmetic of elliptic curves*, Graduate Texts in Mathematics **151**, Springer-Verlag, New York, 1994.
- [75] C. C. Sims, *Computational methods for permutation groups*, Computational problems in abstract algebra (J. Leech, ed.), (Pergamon, Elmsforth, N.Y., 1970) 169–184.
- [76] L. Soicher and J. McKay, *Computing Galois groups over the rationals*, J. Number Theory **20** (1985) 273–281.
- [77] R. P. Stauduhar, *The determination of Galois groups*, Math. Comp. **27** (1973) 981–996.
- [78] W. A. Stein, *Explicit approaches to modular abelian varieties*, Ph.D. thesis, University of California, Berkeley (2000).
- [79] W. A. Stein, *Modular forms, a computational approach*, Graduate Studies in Mathematics **79**, Amer. Math. Soc., Providence, RI, 2007.
- [80] W. A. Stein, *An introduction to computing modular forms using modular symbols*, Algorithmic Number Theory, MSRI Publications **44** (2008), 641–652.

- [81] J. Sturm, *On the congruence of modular forms*, Lecture Notes in Mathematics **1240** (1987) 275–280.
- [82] M. Suzuki, *Group Theory I*, Grundlehren der mathematischen Wissenschaften **247**, Springer-Verlag, New York, 1982.
- [83] H. P. F. Swinnerton-Dyer, *On  $\ell$ -adic representations and congruences for modular forms*, Lecture Notes in Mathematics **350** (1973) 1–55.
- [84] H. P. F. Swinnerton-Dyer, *On  $\ell$ -adic representations and congruences for modular forms (II)*, Lecture Notes in Mathematics **601** (1977) 64–90.
- [85] R. Taylor, *Galois representations*, Ann. Fac. Sci. Toulouse **13** (2004) 73–119.
- [86] R. Taylor and A. Wiles, *Ring-theoretic properties of certain Hecke algebras*, Ann. Math. **141** (1995) no. 3, 553–572.
- [87] G. Wiese, *Multiplicities of Galois representations of weight one*, Algebra and Number Theory **1** (2007) no. 1, 67–85.