



Universiteit
Leiden
The Netherlands

Approaches to structure and dynamics of biological systems by electron-paramagnetic-resonance spectroscopy
Scarpelli, F.

Citation

Scarpelli, F. (2009, October 28). *Approaches to structure and dynamics of biological systems by electron-paramagnetic-resonance spectroscopy*. *Casimir PhD Series*. Retrieved from <https://hdl.handle.net/1887/14261>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/14261>

Note: To cite this publication please use the final published version (if applicable).

Approaches to Structure and Dynamics of Biological Systems by Electron-Paramagnetic-Resonance Spectroscopy

PROEFSCHRIFT

ter verkrijging van
de graad van Doctor aan de Universiteit Leiden,
op gezag van de Rector Magnificus Prof. mr. P. F. van Heijden,
volgens besluit van het College voor Promoties
te verdedigen op woensdag 28 oktober 2009
klokke 13:45 uur

door

Francesco Scarpelli
geboren te Cosenza, Italië
in 1976

Promotiecommissie:

Promoter: Prof. dr. Edgar Groenen
Copromoter: Dr. Martina Huber
Overige leden: Prof. dr. Antoinette Killian (Utrecht University)
Prof. dr. Jan van Ruitenbeek
Prof. dr. Jan Schmidt
Prof. dr. Thomas Schmidt
Dr. Marcellus Ubbink

The present work was supported with financial aid by The Netherlands Organization for Scientific Research (NWO), Department Chemical Sciences (CW).

Casimir PhD Series, Delft-Leiden, 2009-06
ISBN/EAN: 978-90-8593-054-9

ai miei genitori, a mio fratello
to my parents, to my brother

Table of Contents

| | |
|--|----------------|
| Chapter 1. Introduction..... | 1 |
| 1.1 Background of EPR..... | 2 |
| 1.1.1 Spin Hamiltonian..... | 2 |
| 1.2 The anisotropy of the g-tensor of a metal center in a protein: single crystal EPR | 4 |
| 1.3 Averaging of the anisotropic spin interactions: spin-label mobility by EPR..... | 6 |
| 1.4 Electron dipole-dipole interaction: distance measurements for structure determination..... | 8 |
| 1.4.1 Structure of a disordered system by cw EPR..... | 9 |
| 1.4.2 Distance measurement by pulsed EPR..... | 12 |
| Chapter 2. A single-crystal study at 95 GHz of the type-2 copper site of the M150E mutant of the nitrite reductase of <i>Alcaligenes faecalis</i> | .17 |
| 2.1 Introduction..... | 17 |
| 2.2 Materials and Methods..... | 19 |
| 2.2.1 Sample preparation..... | 19 |
| 2.2.2 EPR experiments..... | 19 |
| 2.2.3 Calculation of the field of resonance..... | 19 |
| 2.2.4 Simulation..... | 20 |
| 2.3 Results..... | 20 |
| 2.4 Discussion..... | 23 |
| 2.4.1 Functional implications..... | 29 |
| Chapter 3. Dynamics of surface spin labels in cytochrome <i>c</i> peroxidase studied by EPR..... | 33 |
| 3.1 Introduction..... | 33 |
| 3.2 Materials and Methods..... | 34 |
| 3.2.1 Sample preparation..... | 34 |

| | | |
|--|--|-----------|
| 3.2.2 | <i>EPR experiments</i> | 35 |
| 3.2.3 | <i>Simulation of the EPR spectra</i> | 35 |
| 3.2.4 | <i>Second-moment analysis</i> | 36 |
| 3.2.5 | <i>Width of the central line</i> | 36 |
| 3.2.6 | <i>Conformational model</i> | 37 |
| 3.2.7 | <i>Solvent-accessible surface</i> | 37 |
| 3.2.8 | <i>Protein rotation-correlation time</i> | 37 |
| 3.3 | Results | 38 |
| 3.4 | Discussion | 45 |
| 3.5 | Summary and conclusions..... | 48 |
| Chapter 4. Aggregation of transmembrane peptides studied by spin-label EPR..... | | 53 |
| 4.1 | Introduction | 53 |
| 4.2 | Materials and Methods | 56 |
| 4.2.1 | <i>Sample preparation</i> | 56 |
| 4.2.2 | <i>EPR experiments</i> | 58 |
| 4.2.3 | <i>Simulation of the EPR spectra</i> | 58 |
| 4.2.4 | <i>Second-moment analysis</i> | 58 |
| 4.3 | Results | 59 |
| 4.4 | Discussion | 70 |
| 4.5 | Conclusion..... | 74 |
| Chapter 5. The RIDME pulse sequence as an effective tool for measurements of electron-electron distances involving paramagnetic centers with strong spectral anisotropy | | 79 |
| 5.1 | Introduction | 79 |
| 5.2 | Materials and Methods | 82 |
| 5.2.1 | <i>Sample preparation</i> | 82 |
| 5.2.2 | <i>EPR experiments</i> | 83 |
| 5.2.3 | <i>Numerical calculation</i> | 84 |

| | | |
|-------|---|------------|
| 5.3 | RESULTS AND DISCUSSION | 85 |
| 5.3.1 | <i>Background of the method, dipolar interaction between two electron spins</i> | 85 |
| 5.3.2 | <i>The standard RIDME sequence</i> | 87 |
| 5.3.3 | <i>Consequences of the dead time for systems with large g-anisotropy</i> | 88 |
| 5.3.4 | <i>Pulse sequence for dead-time free, five-pulse RIDME</i> | 89 |
| 5.3.5 | <i>Suppression of unwanted contribution to the RIDME trace</i> | 90 |
| 5.3.6 | <i>Results for the nitroxide biradical</i> | 91 |
| 5.3.7 | <i>Results for spin labelled Cytochrome f</i> | 92 |
| 5.4 | CONCLUSION | 96 |
| | Appendix A | 101 |
| | Appendix B | 107 |
| | Summary | 115 |
| | Samenvatting | 119 |
| | List of Publications | 123 |
| | Curriculum Vitae | 125 |
| | Nawoord | 127 |

