



Universiteit
Leiden
The Netherlands

Hypochondriasis. diagnostic issues and treatment.

Greeven, J.F.

Citation

Greeven, J. F. (2007, June 12). *Hypochondriasis. diagnostic issues and treatment*. Retrieved from <https://hdl.handle.net/1887/12082>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/12082>

Note: To cite this publication please use the final published version (if applicable).

Reference List

Reference List

- American Psychiatric Association (1994). *Diagnostic and Statistical Manual of the Mental Disorder*. (4 ed.) Washington DC.
- Amir, N., Foa, E. B., & Coles, M. E. (1997). Factor structure of the Yale-Brown Obsessive Compulsive Scale. *Psychological Assessment*, 9, 312-316.
- Andrews, G. & Peters, L. (1998). The psychometric properties of the Composite International Diagnostic Interview. *Social Psychiatry and Psychiatric Epidemiology*, 33.
- Arrindell, W. A. & Ettema, J. H. M. (1986). *Handleiding bij en multidimensionele psychopathologie indicator*. Lisse.
- Ashton, H. (2005). The diagnosis and management of benzodiazepine dependence. *Current Opinion in Psychiatry*, 18: 249-255
- Asmundson, G. J. G., Taylor, S., & Cox, B. J. (2001). *Health Anxiety: Clinical and Research Perspectives on Hypochondriasis and related Conditions*. Chichester: John Wiley & Sons, Ltd.
- Avia, M. D., Ruiz, M. A., Olivares, M. E., & Crespo, M. (1996). The meaning of psychological symptoms: Effectiveness of a group intervention with hypochondriacal patients. *Behaviour Research and Therapy*, 34, 23-31.

- Barsky, A. J., Wyshak, G., & Klerman, G. L. (1986). Hypochondriasis. An evaluation of the DSM-III criteria in medical outpatients. *Archives of General Psychiatry*, *43*, 493-500.
- Barsky, A. J., Geringer, E., & Wool, C. A. (1988). A Cognitive-Educational Treatment for Hypochondriasis. *General Hospital Psychiatry*, *10*, 322-327.
- Barsky, A. J., Wyshak, G., Klerman, G. L., & Latham, K. S. (1990). The Prevalence of Hypochondriasis in Medical Outpatients. *Social Psychiatry and Psychiatric Epidemiology*, *25*, 89-94.
- Barsky, A. J., Wyshak, G., & Klerman, G. L. (1992). Psychiatric Comorbidity in Dsm-III-R Hypochondriasis. *Archives of General Psychiatry*, *49*, 101-108.
- Barsky, A. J., Cleary, P. D., Wyshak, G., Spitzer, R. L., Williams, J. B., & Klerman, G. L. (1992). A structured diagnostic interview for hypochondriasis. A proposed criterion standard. *Journal of Nervous and Mental Disease*, *180*, 20-27.
- Barsky, A. J., Coeytaux, R. R., Sarnie, M. K., & Cleary, P. D. (1993). Hypochondriacal Patients Beliefs About Good Health. *American Journal of Psychiatry*, *150*, 1085-1089.
- Barsky, A. J., Klerman, G. L., Cleary, P. D., & Sarnie, M. K. (1993). The course of transient hypochondriasis. *American Journal of Psychiatry*, *150*, 484-488.

Reference List

- Barsky, A. J., Barnett, M. C., & Cleary, P. D. (1994). Hypochondriasis and panic disorder. Boundary and overlap. *Archives of General Psychiatry*, *51*, 918-925.
- Barsky, A. J. (2001). Clinical practice. The patient with hypochondriasis. *New England Journal of Medicine*, *345*, 1395-1399.
- Barsky, A. J., Bates, D. W., Ettner, S. L., & Horsky, J. (2001). Resource utilization of patients with hypochondriacal health anxiety and somatization. *Medical Care*, *39*, 705-715.
- Barsky, A. J. (1992). Hypochondriasis and obsessive compulsive disorder. *Psychiatric Clinics of North America*, *15*, 791-801.
- Barsky, A. J. & Ahern, D. K. (2004). Cognitive Behavior Therapy for Hypochondriasis: A Randomized Controlled Trial. *JAMA: The Journal of the American Medical Association*, *291*, 1464-1470.
- Bass, C. M. (1990). Functional and cardiorespiratory symptoms. In C.M.Bass (Ed.), *Somatization; Physiological and psychological illness* (pp. 171-206). London: Blackwell.
- Beck, A. T., Emmerly, G., & Greenberg, R. L. (1985). *Anxiety Disorders and Phobias: A Cognitive Perspective*. New York: Basic Books.
- Bienvenu, O. J., Samuels, J. F., Riddle, M. A., Hoehn-Saric, R., Liang, K. Y., Cullen, B. A. M. et al. (2000). The relationship of obsessive-compulsive disorder to possible spectrum disorders: Results from a family study. *Biological Psychiatry*, *48*, 287-293.

- Borkovec, T. D., DePree, J. A., Robinson, E., & Pruzinsky, T. (1983). Preliminary exploration of worry: some characteristics and processes. *Behaviour Research and Therapy*, *21*, 9-16.
- Bouman, T. K. (2002). A community-based psychoeducational group approach to hypochondriasis. *Psychotherapy and Psychosomatics*, *71*, 326-332.
- Browne, M. W. (1969). Fitting the factor analysis model. *Psychometrika*, *34*, 375-394.
- Butler, A. C., Beck, A. T., Chapman, J. E., & Forman, E. M. (2005). The empirical status of cognitive-behavioral therapy: a review of meta-analyses. *Clinical Psychology Review*, *26*, 17-31.
- Buwalda, F. M., Bouman, T. K., & van Duijn, M. A. J. Psycheducation for Hypochondriasis: A Comparison of a Cognitive-Behavioural Approach and a Problem-Solving Approach. *Behaviour Research and Therapy*, (in press).
- Cattell, R. B. (1966). The Scree test for the number of factors. *Multivariate Behavioral Research*, *1*, 245-276.
- Channer, K. S., Rees, J. R., Papouchado, M., & James, M. A. (1985). Anxiety and depression in patients with chest pain referred for exercise testing. *Lancet*, *2*, 820-823.

Reference List

- Cheng, C., Wong, W. m., Lai, K. c., Wong, B. C., Hu, W. H. C., Hui, W. m. et al. (2003). Psychosocial factors in patients with noncardiac chest pain. *Psychosomatic Medicine*, *65*, 443-449.
- Clark, D. A., Purdon, C., & Wang, A. (2003). The Meta-Cognitive Beliefs Questionnaire: Development of a measure of obsessional beliefs. *Behaviour Research and Therapy*, *41*, 655-669.
- Clark, D. A. (2004). *Cognitive Behavioral Therapy for OCD*. New York: The Guilford Press.
- Clark, D. M., Salkovskis, P. M., Hackmann, A., Wells, A., Fennell, M., Ludgate, J. et al. (1998). Two psychological treatments for hypochondriasis. A randomised controlled trial. *British Journal of Psychiatry*, *173*, 218-225.
- Clark, L. A. & Watson, D. (1991). Tripartite model of anxiety and depression: Psychometric evidence and taxonomic implications. *Journal of Abnormal Psychology*, *100*; 316-336.
- Cloninger, C. R., Svrakic, D. M., & Przybeck, T. R. (1993). A psychobiological model of temperament and character. *Archives of General Psychiatry*, *50*, 975-990.
- Costa, P. T., McCrae, R. R., Bagby, R. M., & Herbst, J. H. (2005). Personality self-reports are concurrently reliable and valid during acute depressive episodes. *Journal of Affective Disorders*, *89*, 45-55.

- Cote, G., O'Leary, T., Barlow, D. H., Strain, J. J., Salkovskis, P. M., Warwick, H. M. C. et al. (1996). Hypochondriasis. In T.A.Widiger, A. J. Frances, & H. A. Pincus (Eds.), *DSM-IV Sourcebook* (pp. 933-947). Washington, DC: American Psychiatric Association.
- Cox, B. J., Borger, S. C., Asmundson, G. J., & Taylor, S. (2000). Dimensions of hypochondriasis and the five-factor model of personality. *Personality and Individual Differences, 29*, 99-108.
- Creed, F. & Barsky, A. (2004). A systematic review of the epidemiology of somatisation disorder and hypochondriasis. *Journal of Psychosomatic Research, 56*, 391-408.
- De Fruyt, F., Van der. Wiele, L., van Heeringen, C. (2000). Cloninger's psychobiological model of temperament and character and the five-factor model of personality. *Personality and Individual Differences, 29*, 441-452.
- De Fruyt, F., Rolland, J. P., Rouillon, F., Van Leeuwen, K., & Bagby, R. M. (2006). Assessing and interpreting personality change and continuity in patients treated for major depression. *Psychological Assessment, 18*, 71-80.
- De Waal, M. W. M., Arnold, I. A., Eekhof, J. A. H., & Van Hemert, A. M. (2004). Somatoform disorders in general practice - Prevalence, functional impairment and comorbidity with anxiety and depressive disorders. *British Journal of Psychiatry, 184*, 470-476.

Reference List

- De Waal, M. W. M., Arnold, I. A., Spinhoven, P., Eekhof, J. A. H., & Van Hemert, A. M. The reporting of specific physical symptoms for mental distress in general practice. *Journal of Psychosomatic Research*, 59, 89-95.
- den Boer, P. C. A. M., Wiersma, D., & Van den Bosch, R. J. (2004). Why is self-help neglected in the treatment of emotional disorders? A meta-analysis. *Psychological Medicine*, 34, 959-971.
- Denys, D., Westenberg, H. G. M., de Geus, F., & van Megen, H. J. G. M. (2004). Symptom dimensions in obsessive-compulsive disorder: factor analysis on a clinician-rated scale and a self-report measure. *Psychopathology*, 37, 181-189.
- Duijsens, I. J., Spinhoven, Ph., Verschuur, M., & Eurelings-Bontekoe, E. H. M. (1999). De Nederlandse Verkorte Temperament en Karakterschaal (VTCl). *Nederlands Tijdschrift voor de Psychologie*, 54, 276-283.
- Duijsens, I. J., Spinhoven, P., Goekoop, J. G., Spermon, T., & Eurelings-Bontekoe, E. H. M. (2000). The Dutch Temperament and Character Inventory (TCI): Dimensional structure, reliability and validity in a normal and psychiatric outpatient sample. *Personality and Individual Differences*, 28, 487-499.
- Eifert, G. H. (1992). Cardiophobia: A paradigmatic behavioural model of heart-focused anxiety and non-anginal chest pain. *Behaviour Research and Therapy*, 30, 329-345.

- Eifert, G. H., Hodson, S. E., Tracey, D. R., & Seville, J. L. (1996). Heart-focused anxiety, illness beliefs, and behavioral impairment: Comparing healthy heart-anxious patients with cardiac and surgical inpatients. *Journal of Behavioral Medicine, 19*, 385-299.
- Eifert, G. H., Zvolensky, M. J., & Lejuez, C. W. (2000). Heart-focused anxiety and chest pain: A conceptual and clinical review. *Clinical Psychology: Science and Practice, 7*, 403-417.
- Esler, J. L. & Bock, B. C. (2004). Psychological treatments for noncardiac chest pain: Recommendations for a new approach. *Journal of Psychosomatic Research, 56*, 263-269.
- Eslick, G. D., Jones, M. P., & Talley, N. J. (2003). Non-cardiac chest pain: prevalence, risk factors, impact and consulting--a population-based study. *Alimentary Pharmacology & Therapeutics, 17*, 1115-1124.
- Fallon, B. A., Javitch, J. A., Hollander, E., & Liebowitz, M. R. (1991). Hypochondriasis and Obsessive-Compulsive Disorder - Overlaps in Diagnosis and Treatment. *Journal of Clinical Psychiatry, 52*, 457-460.
- Fallon, B. A., Liebowitz, M. R., Salman, E., Schneier, F. R., Jusino, C., Hollander, E. et al. (1993). Fluoxetine for Hypochondriacal Patients Without Major Depression. *Journal of Clinical Psychopharmacology, 13*, 438-441.
- Fallon, B. A., Schneier, F. R., Marshall, R., Campeas, R., Vermes, D., Goetz, D. et al. (1996). The pharmacotherapy of hypochondriasis. *Psychopharmacology Bulletin, 32*, 607-611.

Reference List

- Fallon, B. A. (2000). Hypochondriasis and its relationship to obsessive-compulsive disorder. *Psychiatric Clinics of North America*, 23, 605-616.
- Fallon, B. A., Qureshi, A. I., Schneier, F. R., Sanchez-Lacay, A., Vermes, D., Feinstein, R. et al. (2003). An open trial of fluvoxamine for hypochondriasis. *Psychosomatics*, 44, 298-303.
- Fallon, B. A. (2004). Pharmacotherapy of somatoform disorders. *Journal of Psychosomatic Research*, 56, 455-460.
- Fava, G. A., Savron, G., Saviotti, F. M., Raffi, A. R., Grandi, S., Belluardo, P. et al. (1994). Benzodiazepines and anxiety sensitivity in panic disorder. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, 18, 1163-1168.
- Fava, G. A., Ruini, C., Conti, S., Grandi, S., Rafanelli, C., & Belluardo, P. (2001). Long-term outcome of social phobia treated by exposure. *Psychological Medicine*, 31, 899-905.
- Fava, G. A., Conti, S., Belluardo, P., Ruini, C., Rafanelli, C., Grandi, S. et al. (2001). Long-term outcome of panic disorder with agoraphobia treated by exposure. *Psychological Medicine*, 31, 891-898.
- Fawcett, S. (1987). Symptoms, signs, side effects checklist. *Psychopharmacology Bulletin*, 23, 322-323.
- Ferguson, E. (2000). Hypochondriacal concerns and the five factor model of personality. *Journal of Personality*, 68, 705-724.

- First, M. B., Spitzer, R. L., Gibbon, M., & Williams, J. B. (1996). *Structured Clinical Interview for DSM-IV Axis I Disorders*. New York.
- First, M. B., Spitzer, R. L., Gibbon, M., & Williams, J. B. (1997). *Structured Clinical Interview for DSM-IV Personality Disorders, (SCID-II)*. Washington D.C..
- Fisher, P. L. & Wells, A. (2005). Experimental modification of beliefs in obsessive-compulsive disorder: a test of the metacognitive model. *Behaviour Research and Therapy*, 43, 821-829.
- Furer, P. & Walker, J. R. (2005). Treatment of Hypochondriasis with Exposure. *Journal of Contemporary Psychotherapy*, 35.
- Goekoop, J. G., Knoppert-van der Klein, E. A., Hoeksema, T., & Klinkhamer, R. A. (1991). The interrater reliability of a Dutch version of the Comprehensive Psychopathological Rating Scale. *Acta Psychiatrica Scandinavica*, 83, 202-205.
- Goekoop, J. G., Knoppert-van der Klein, E. A., Hoeksema, T., & Zwinderman, A. H. (1994). Onderzoek met de CPRS in Nederlandse vertaling. Betrouwbaarheid, factorstructuur en intensiteitsbeoordeling. / The Dutch version of the Comprehensive Psychopathology Rating Scale: Reliability, factor structure, and intensity rating scales. *Tijdschrift voor Psychiatrie*, 36, 520-526.
- Goodman, W. K., Price, L. H., Rasmussen, S. A., Mazure, C., Delgado, P., Heninger et al. (1989). The Yale-Brown Obsessive Compulsive Scale: II. Validity. *Archives of General Psychiatry*, 46, 1012-1016.

Reference List

- Goodman, W. K., Rasmussen, S. A., Mazure, C., Fleischmann, R. L., Hill, C. L., Heninger, G. R. et al. (1989). The Yale-Brown Obsessive Compulsive Scale: I. Development, use, and reliability. *Archives of General Psychiatry*, *46*, 1006-1011.
- Greeven, A., van Balkom, A. J. L. M., Visser, S., Merkelbach, J., van Rood, Y. R., van Dyck, R. et al. Cognitive Behavior Therapy and Paroxetine in the Treatment of Hypochondriasis: A Randomized Controlled Trial. *American Journal of Psychiatry*, *164*, 91-99.
- Greeven, A., van Balkom, A. J. L. M., van Rood, Y. R., van Oppen, P., & Spinhoven, P. The boundary between hypochondriasis and OCD. *Journal of Clinical Psychiatry*, *67*, 1682-1689.
- Griens, A. M. G. F., Blom, M. B. J., Jonker, K., & Spinhoven, P. (2002). The influence of depressive state features on trait measurement. *Journal of Affective Disorders*, *70*, 95-99.
- Gureje, O., Ustun, T. B., Simon, G. E., Ozturk, O., Rezaki, M., Stefanis, C. et al. (1997). The syndrome of hypochondriasis: a cross-national study in primary care. *Psychological Medicine*, *27*, 1001-1010.
- Haenen, M. A., Schmidt, A. J. M., Kroeze, S., & van den Hout, M. A. (1996). Hypochondriasis and symptom reporting - The effect of attention versus distraction. *Psychotherapy and Psychosomatics*, *65*, 43-48.
- Haenen, M. A., de Jong, P. J., Schmidt, A. J. M., Stevens, S., & Visser, L. (2000). Hypochondriacs' estimation of negative outcomes: domain-

specificity and responsiveness to reassuring and alarming information. *Behaviour Research and Therapy*, 38, 819-833.

Hayes, S. C. (2004). Acceptance and Commitment Therapy and the New Behavior Therapies. In S.C.Hayes, V. M. Follette, & M. M. Linehan (Eds.), *Mindfulness and Acceptance: Expanding the Cognitive-Behavioral Tradition* (pp. 1-29). New York: The Guilford press.

Hiller, W., Leibbrand, R., Rief, W., & Fichter, M. M. (2002). Predictors of course and outcome in hypochondriasis after cognitive-behavioral treatment. *Psychotherapy and Psychosomatics*, 71, 318-325.

Hollander, E. & Wong, C. M. (2000). Spectrum, Boundary, and Subtyping Issues: Implications for Treatment-Refractory Obsessive-Compulsive Disorder. In W.K.Goodman, M. V. Rudorfer, & J. D. Maser (Eds.), *Obsessive-Compulsive Disorder: Contemporary Issues in Treatment* (pp. 3-22). London: Lawrence Erlbaum Associates.

Hollander, E. (1993). *Obsessive-compulsive-related disorders*. Washington, DC: American Psychiatric Press.

Jacobson, N. S. & Truax, P. (1991). Clinical-Significance - A Statistical Approach to Defining Meaningful Change in Psychotherapy-Research. *Journal of Consulting and Clinical Psychology*, 59, 12-19.

Kabat-Zinn, L. (1994). *Mindfulness meditation for every day life*. New York: Hyperion.

Reference List

- Kellner, R. (1983). Prognosis of treated hypochondriasis: A clinical study. *Acta Psychiatrica Scandinavica*, 67, 69-79.
- Kellner, R., Abbott, P., Winslow, W. W., & Pathak, D. (1987). Fears, beliefs, and attitudes in DSM-III hypochondriasis. *Journal of Nervous and Mental Diseases*, 175, 20-25.
- Kellner, R. (1987). *Abridged Manual of the Illness Attitude Scales*, Unpublished Manual. Albuquerque: Department of Psychiatry; School of Medicine; University of New Mexico.
- Kiers, H. A. L. (1990). *User's Manual SCA: A program for Simultaneous Components Analysis of variable. Measured in two or more populations*. Groningen: ProGAMMA.
- Kim, S. W., Dysken, M. W., Pheley, A. M., & Hoover, K. M. (1994). The Yale-Brown Obsessive-Compulsive Scale - Measures of Internal Consistency. *Psychiatry Research*, 51, 203-211.
- Kirk, R. E. (1982). *Experimental design: Procedures for the behavioral sciences*. (second ed.) Belmont, Cal: Brooks/Cole Publishing Company.
- Kirmayer, L. J. & Robbins, J. M. (1991). Three forms of somatization in primary care: prevalence, co-occurrence, and sociodemographic characteristics. *Journal of Nervous and Mental Diseases*, 179, 647-655.
- Kirmayer, L. J., Robbins, J. M., & Paris, J. (1994). Somatoform disorders: personality and the social matrix of somatic distress. *Journal of Abnormal Psychology*, 103, 125-136.

- Kirsch, I. (2005). Placebo psychotherapy: synonym or oxymoron? *Journal of Clinical Psychology, 61*, 791-803.
- Koran L.M., Smith S.C. Chuong H.W., & Bullock K.D. (2003). Citalopram for compulsive shopping disorder: an open-label study followed by double-blind discontinuation. *Journal of Clinical Psychiatry, 64*, 793-798.
- Ladee, G. A. (1961). *Hypochondrische syndromen*. Naarden: Drukkerij Naarden.
- Langlois, F., Freeston, M. H., Ladouceur, R., & Patrick, G. (2004). Characteristics of illness intrusions in a non-clinical sample. *Behaviour Research and Therapy, 42*, 683-696.
- Leonoor Meijer (2006, June 21). Geen geld voor nieuwe patiënten. *Volkskrant*.
- Linden, D. E. J. (2006). How psychotherapy changes the brain--the contribution of functional neuroimaging. *Molecular Psychiatry, 11*, 528-538.
- Loranger, A. W., Janca, A., & Sartorius, N. (1997). *Assessment and diagnosis of personality disorders : the ICD-10 international personality disorder examination (IPDE)*. Cambridge, U.K.: Cambridge University Press.
- Lucock, M. P. & Morley, S. (1996). The health anxiety questionnaire. *British Journal of Health Psychology, 1*, 137-150.
- Lyketsos, C. G., Nestadt, G., Cwi, J., & Heithoff, K. (1994). The Life Chart Interview: A standardized method to describe the course of

Reference List

- psychopathology. *International Journal of Methods in Psychiatric Research*, 4, 143-155.
- Marcus, D. K. (1999). The cognitive-behavioral model of hypochondriasis: Misinformation and triggers. *Journal of Psychosomatic Research*, 47, 79-91.
- Marcus, D. K. & Church, S. E. (2003). Are dysfunctional beliefs about illness unique to hypochondriasis? *Journal of Psychosomatic Research*, 54, 543-547.
- Marks, I., Livanou, M., Thrasher, S., Lovell, K., & Noshirvani, H. (1998). Treatment of posttraumatic stress disorder by exposure and/or cognitive restructuring: a controlled study. *Archives of General Psychiatry*, 55, 317-325.
- Mataix-Cols, D., Menchn, J. M., Vallejo, J., Fullana, M. A., & Alonso, P. (2004). Convergent and discriminant validity of the Yale-Brown Obsessive-Compulsive Scale Symptom Checklist. *Psychotherapy and Psychosomatics*, 73, 190-196.
- Mataix-Cols, D. & Marks, I. M. (2006). Self-help with minimal therapist contact for obsessive-compulsive disorder: a review. *European Psychiatry*, 21, 75-80.
- Mayou, R. A., Bass, C., Klimes, I., Bryant, B. M., Sanders, D., & Forfar, C. (1997). A controlled trial of cognitive behavioural therapy for non-cardiac chest pain. *Psychological Medicine*, 27, 1021-1031.

- McCrae, R. R., Zonderman, A. B., Costa, P. T., Bond, M. H., & Paunonen, S. V. (1996). Evaluating replicability of factors in the NEO personality inventory: Confirmatory factor analysis versus Procrustes Rotation. *Journal of Personality and Social Psychology*, 552-566.
- McElroy S.L., Kotwal R., Hudson J.I., Nelson E.B., & Keck P.E. (2004). Zonisamide in the treatment of binge-eating disorder: an open-label, prospective trial. *Journal of Clinical Psychiatry*, 1, 50-56.
- McKay, D., Neziroglu, F., Stevens, K., & Yaryura-Tobias, J. A. (1998). The Yale-Brown obsessive-compulsive scale: Confirmatory factor analytic findings. *Journal of Psychopathology and Behavioral Assessment*, 20, 265-274.
- Mitte, K. (2005). A meta-analysis of the efficacy of psycho- and pharmacotherapy in panic disorder with and without agoraphobia. *Journal of Affective Disorders*, 88, 27-45.
- Mitte, K. (2005). Meta-analysis of cognitive-behavioral treatments for generalized anxiety disorder: a comparison with pharmacotherapy. *Psychological Bulletin*, 131, 785-795.
- Moses, L. J. & Baird, J. A. (1998). Metacognition. In R.A.Wilson & F. C. Keil (Eds.), *The MIT encyclopedia of the cognitive sciences*. Cambridge: MIT Press.
- Nash, J. M., Andrasik, F., McCrory, D., & Nicholson, R. A. (2005). Efficacy and effectiveness approaches in behavioral treatment trials. *Headache*, 45, 507-512.

Reference List

- Neziroglu, F., McKay, D., & Yaryura-Tobias, J. A. (2000). Overlapping and distinctive features of hypochondriasis and obsessive-compulsive disorder. *Journal of Anxiety Disorders, 14*, 603-614.
- Noyes, R. (1999). The relationship of hypochondriasis to anxiety disorders. *General Hospital Psychiatry, 21*, 8-17.
- Noyes, R. J. R., Stuart, S. J., Langbehn, D. R., Happel, R. L., Longley, S. L., & Yagla, S. J. (2002). Childhood antecedents of hypochondriasis. *Psychosomatics: Journal of Consultation Liaison Psychiatry, 43*, 282-289.
- Noyes, R., Kathol, R. G., Fisher, M. M., & Phillips, B. M. (1994). Psychiatric comorbidity among patients with hypochondriasis. *General Hospital Psychiatry, 16*, 78-87.
- Noyes, R., Langbehn, D. R., & Carney, C. P. (2004). Specific phobia of illness: search for a new subtype. *Journal of Anxiety Disorders, 18*, 531-545.
- Noyes, R. J., Kathol, R. G., Fisher, M. M., Phillips, B. M., Suelzer, M. T., & Holt, C. S. (1993). The validity of DSM-III-R hypochondriasis. *Archives of General Psychiatry, 50*, 961-970.
- Noyes, R. J., Langbehn, D. R., Happel, R. L., Stout, L. R., Muller, B. A., & Longley, S. L. (2001). Personality dysfunction among somatizing patients. *Psychosomatics, 42*, 320-329.
- Nunnally, J. C. (1978). *Psychometric Theory*. (Second ed.) New York: McGraw-Hill.

- O'Connor, K. P., Aardema, F., Robillard, S., Guay, S., Pelissier, M. C., Todorov, C. et al. (2006). Cognitive behaviour therapy and medication in the treatment of obsessive-compulsive disorder. *Acta Psychiatrica Scandinavica*, 113, 408-419.
- Oosterbaan, D. B., van Balkom, A. J. L. M., van Boeijen, C. A., de Meij, T. G. J., & van Dyck, R. (2001). An open study of paroxetine in hypochondriasis. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, 25, 1023-1033.
- Ormel, J., Houdiamont, P. P., Wilmink, F. W., Oldehinkel, A. J., Goldberg, D. P., & Bridges, K. (1995). The structure of common psychiatric symptoms: how many dimensions of neurosis? *Psychological Medicine*, 25, 521-530.
- Otto, M. W., Pollack, M. H., Fava, M., Demopulos, C. M., & McLean, N. E. (1998). Additional findings on the association between anxiety sensitivity and hypochondriacal concerns: examination of patients with major depression. *Journal of Anxiety Disorders*, 12, 225-232.
- Otto, M. W., Smits, J. A. J., & Reese, H. E. (2005). Combined Psychotherapy and Pharmacotherapy for Mood and Anxiety Disorders in Adults: Review and Analysis. *Clinical Psychology: Science and Practice*, 12, 72-86.
- Pallanti S., Hollander E., Baldini R.N. & Sood E. (2002). Nefazodone treatment of pathological gambling: a prospective open-label controlled trial. *Journal of Clinical Psychiatry*, 63, 1034-1039.

Reference List

- Paunovic, N. & Ost, L. G. (2001). Cognitive-behavior therapy vs exposure therapy in the treatment of PTSD in refugees. *Behaviour Research and Therapy*, 39.
- Pennebaker, J. W. (1980). Perceptual and environmental determinants of coughing. *Basic and Applied Psychology*, 1, 83-91.
- Pennebaker, J. W. & Watson, D. (1991). *Current concepts of somatization: Research and clinical perspectives*. Washington DC: American Psychiatric Press.
- Phillips, K.A., Najjar, F. (2003). An open-label study of citalopram in body dysmorphic disorder. *Journal of Clinical Psychiatry*, 64, 715-720.
- Pilowsky, I. (1967). Dimensions of hypochondriasis. *British Journal of Psychiatry*, 113, 89-93.
- Pilowsky, I. (1971). Diagnosis of Abnormal Illness Behaviour. *Australian and New Zealand Journal of Psychiatry*, 5, 136-138.
- Rasbash, J., Brown, W., Goldstein, H., Yang, M., Plewis, I., Healy, M. et al. (2002). *A user's guide to MLwiN*. (2.1d ed.) London: Centre for Multilevel Modelling, Institute of Education, University of London.
- Rasmussen, S. A. & Eisen, J. L. (1992). The Epidemiology and Clinical-Features of Obsessive-Compulsive Disorder. *Psychiatric Clinics of North America*, 15, 743-758.

- Rohde, P., Lewinsohn, P. M., & Seeley, J. R. (1997). Comparability of telephone and face-to-face interviews in assessing axis I and II disorders. *American Journal of Psychiatry*, *154*, 1593-1598.
- Salkovskis, P. M. (1985). Obsessional-Compulsive Problems - A Cognitive-Behavioral Analysis. *Behaviour Research and Therapy*, *23*, 571-583.
- Salkovskis, P. M. & Warwick, H. M. (1986). Morbid preoccupations, health anxiety and reassurance: a cognitive-behavioural approach to hypochondriasis. *Behaviour Research and Therapy*, *24*, 597-602.
- Salkovskis, P. M. (1989). Cognitive Behavioral-Factors and the Persistence of Intrusive Thoughts in Obsessional Problems. *Behaviour Research and Therapy*, *27*, 677-682.
- Salkovskis, P. M. (1992). Psychological Treatment of Noncardiac Chest Pain - the Cognitive Approach. *American Journal of Medicine*, *92*, S114-S121.
- Salkovskis, P. M. (1996). The Cognitive Approach to Anxiety: Threat Beliefs, Safety-Seeking Behavior, and the Special Case of Health Anxiety and Obsessions. In P.M.Salkovskis (Ed.), *Frontiers of Cognitive Therapy* (pp. 48-74). New York: Guilford.
- Salkovskis, P. M., Rimes, K. A., Warwick, H. M. C., & Clark, D. M. (2002). The Health Anxiety Inventory: development and validation of scales for the measurement of health anxiety and hypochondriasis. *Psychological Medicine*, *32*, 843-853.

Reference List

- Savron, G., Fava, G. A., Grandi, S., Rafanelli, C., Raffi, A. R., & Belluardo, P. (1996). Hypochondriacal fears and beliefs in obsessive-compulsive disorder. *Acta Psychiatrica Scandinavica*, 93, 345-348.
- Schmidt, A. J. M. & Lousberg, R. (1992). *De Maastrichtse eigen gezondheids - en hypochondrieschaal: MEGAH-schaal*. Lisse: Swets & Zeitlinger.
- Segal, D.L. Hersen, M. & van Hasselt, V.B. (1994). Reliability of the Structured Clinical Interview for DSM-III-R: an evaluative review. *Comprehensive Psychiatry*, 34, 316-327.
- Shader, R. I. & Greenblatt, D. J. (1993). Use of benzodiazepines in anxiety disorders. *New England Journal of Medicine*, 328, 1398-1405.
- Sheehan, D. V., Lecrubier, Y., Sheehan, K. H., Amorim, P., Janavs, J., Weiller, E. et al. (1998). The Mini-International Neuropsychiatric Interview (M.I.N.I): The development and validation of a structured diagnostic psychiatric interview for DSM-IV and ICD-10. *Journal of Clinical Psychiatry*, 59.
- Simon, G., Gater, R., Kisely, S., & Piccinelli, M. (1996). Somatic symptoms of distress: An international primary care study. *Psychosomatic Medicine*, 58, 481-488.
- Slobbe, L. C. J., Kommer, G. J., Smit, J. M., Groen, J., Meerding, W. J., & Polder, J. J. (2006). Kosten van ziekten in Nederland 2003. Zorg voor euro's - 1. Rijks Instituut voor Volksgezondheid en Milieu (RIVM): www.kostenvanziekten.nl

- Speckens, A. E., Hawton, K. E., Bolk, J. H., Van Hemert, A. M., Spinhoven, P., & Rooijmans, H. G. (1996). Cognitive behavioural therapy for medically unexplained physical symptoms: a randomised controlled trial. *British Medical Journal*, *311*, 1328-1332.
- Speckens, A. E. M., Spinhoven, P., Van Hemert, A. M., & Bolk, J. H. (2000). The Reassurance Questionnaire (RQ): psychometric properties of a self-report questionnaire to assess reassurability. *Psychological Medicine*, *30*, 841-847.
- Speckens, A. E. M., Spinhoven, P., Sloekers, P. P. A., & Bolk, J. H. (1996). A validation study of the Whitely Index, the Illness Attitude Scales, and the Somatosensory Amplification Scale in general medical and general practice patients. *Journal of Psychosomatic Research*, *40*, 95-104.
- Speckens, A. E. M., Van Hemert, A. M., Spinhoven, P., & Bolk, J. H. (1996). The diagnostic and prognostic significance of the Whitely Index, the Illness Attitudes Scales and the Somatosensory Amplification Scale. *Psychological Medicine*, *26*, 1085-1090.
- Spinhoven, P., Kempen, G. I., Speckens, A. E., Ormel, J., Sloekers, P. P., & Van Hemert, A. M. (1997). A validation study of the Hospital Anxiety and Depression Scale (HADS) in different groups of Dutch subjects. *Psychological Medicine*, *27*, 363-370.
- Starcevic, V. (1990). Role of reassurance and psychopathology in hypochondriasis. *Psychiatry: Journal for the Study of Interpersonal Processes*, *53*.

Reference List

- Starcevic, V. & Lipsitt, R. (2001). *Clinical features and diagnosis of hypochondriasis*. London: Oxford University Press.
- Starcevic, V. (1991). Reassurance and treatment of hypochondriasis. *General Hospital Psychiatry*, 13, 122-127.
- Stephenson, J. & Imrie, J. (1998). Why do we need randomised controlled trials to assess behavioural interventions? *British Medical Journal*, 316, 611-613.
- Stone, A. A., Bachrach, C. A., Jobe, J. B., & Kurtzman, H. S., Cane, V. S. (2000). *The Science of Self-report: Indications for research and Practice*. Mahwah, NJ: Erlbaum.
- Taylor, S. & Asmundson, G. J. G. (2004). Cognitive Interventions. In *Treating Health Anxiety: A Cognitive Behavioral Approach* (pp. 141-171). New York: The Guilford Press.
- Tyrer, P., Kelemen, A., Fowler-Dixon, R., & Ferguson, B. (1991). A plea for the diagnosis of hypochondriacal personality disorder. *Journal of Psychosomatic Research*, 34, 637-642.
- van Balkom, A. J., Lange, A., van Dyck, R., de Beurs, E., & Koele, P. (1996). Long-term benzodiazepine use is associated with smaller treatment gain in panic disorder with agoraphobia. *Journal Nervous and Mental Disease*, 184, 133-135.
- van Balkom, A. J., Spinhoven, P., Hoogduin, K. A., de Haan, E., van Oppen, P., & van Dyck, R. (1998). Cognitive and behavioral therapies alone

versus in combination with fluvoxamine in the treatment of obsessive compulsive disorder. *Journal of Nervous and Mental Disease*, 186, 492-499.

van Balkom, A. J. L. M., van Oppen, P., Vermeulen, A. W. A., van Dyck, R., Nauta, M. C. E., & Vorst, H. C. M. (1994). A meta-analysis on the treatment of obsessive compulsive disorder: a comparison of antidepressants, behavior and cognitive therapy. *Clinical Psychology Review*, 14, 359-381.

van Balkom, A. J. L. M., Bakker, A., Spinhoven, P., Blauw, B. M. J. W., Smeenk, S., & Ruesink, B. (1997). A meta-analysis on the treatment of panic disorder with or without agoraphoraphobia. *Journal of Nervous and Mental Disease*, 185, 510-516.

van Balkom, A. J. L. M. (2004). Naar een evidence-based diagnostiek in de psychiatrie. *Maandblad Geestelijke Gezondheidszorg*, 7/8, 610-617.

van den Heuvel, O. A., Merkelbach, J., van Dyck, R., Witter, M. P., van Balkom, A. J. L. M., Veltman, D. J. et al. (2005). Disorder-specific neuroanatomical correlates of attentional bias in obsessive-compulsive disorder, panic disorder, and hypochondriasis. *Archives of General Psychiatry*, 62, 922-933.

van der Does, A. J. W., van Dijk, E., van Rood, Y. R., & Spinhoven, P. (2006). Cognitive behavior therapy and paroxetine in the treatment of non-specific chest pain: Submitted for publication.

Reference List

- Van der Leeden, R. (1998). Multilevel Analysis of Repeated Measures Data. *Quality and Quantity*, 32, 15-29.
- van Oppen P., Emmelkamp P.M.G., van Balkom A.J.L.M., & van Dyck R. (1995). The sensitivity to change of measures for obsessive compulsive disorder. *Journal of Anxiety Disorders*, 9, 241-248.
- van Oppen, P., Hoekstra, R. J., & Emmelkamp, P. M. G. (1995). The structure of obsessive-compulsive symptoms. *Behaviour Research and Therapy*, 33, 15-23.
- van Oppen, P., van Dyck, R., van Balkom, A. J. L. M., & de Haan, E. (2006). Cognitive therapy and exposure in vivo alone and in combination with fluvoxamine in obsessive-compulsive disorder: a 5-year follow-up. *Journal of Clinical Psychiatry*, 66, 1415-1422.
- van Peski-Oosterbaan, A. S., van der Does, J. W., Bruschke, A. V., Spinhoven, P., van Rood, Y., & Rooijmans, H. G. (1999). Cognitive-behavioral therapy for noncardiac chest pain: a randomized trial. *American Journal of Medicine*, 106, 424-429.
- Visser, S. & Bouman, T. K. (2001). The treatment of hypochondriasis: Exposure plus response prevention vs cognitive therapy. *Behaviour Research and Therapy*, 39, 423-442.
- Walker, J., Vincent, N., Furer, P., Cox, B., & Kjernisted, K. (1999). Treatment preference in hypochondriasis. *Journal of Behavioral Therapy and Experimental Psychiatry*, 30, 251-258.

- Warwick, H. M. (1995). Assessment of hypochondriasis. *Behaviour Research and Therapy*, 33, 845-853.
- Warwick, H. M. C. & Salkovskis, P. M. (1990). Hypochondriasis. *Behaviour Research and Therapy*, 28, 105-117.
- Warwick, H. M. C., Clark, D. M., Cobb, A. M., & Salkovskis, P. M. (1996). A controlled trial of cognitive-behavioural treatment of hypochondriasis. *British Journal of Psychiatry*, 169, 189-195.
- Watson, D., Clark, L. A., & Harkness, A. R. (1994). Structures of personality and their relevance to psychopathology. *Journal of Abnormal Psychology*, 103, 18-31.
- Wells, A. (1995). Meta-cognition and worry: A cognitive model of generalized anxiety disorder. *Behavioural and Cognitive Psychotherapy*, 23, 301.
- Wells, A. (2002). GAD, metacognition, and mindfulness: An information processing analysis. *Clinical Psychology: Science and Practice*, 9, 95-100.
- Wells, A. & Sembi, S. (2004). Metacognitive therapy for PTSD: A preliminary investigation of a new brief treatment. *Journal of Behavior Therapy and Experimental Psychiatry*, 35, 307-318.
- Wessely, S., Nimnuan, C., & Sharpe, M. (1999). Functional somatic syndromes: one or many? *Lancet*, 354, 936-939.

Reference List

- Widiger, T. A. & Samuel, D. B. (2005). Diagnostic categories or dimensions? A question for the Diagnostic And Statistical Manual Of Mental Disorders--fifth edition. *Journal of Abnormal Psychology, 114*, 494-504.
- World Health Organization (1992). *The ICD-10 Classification of Mental and Behavioral Disorders. Clinical Descriptions and Diagnostic Guidelines*. Geneva.