



Universiteit
Leiden
The Netherlands

The human minor histocompatibility antigen HA-1 as target for stem cell based immunotherapy of cancer : pre-clinical and clinical studies

Hambach, L.W.H.

Citation

Hambach, L. W. H. (2012, October 16). *The human minor histocompatibility antigen HA-1 as target for stem cell based immunotherapy of cancer : pre-clinical and clinical studies*. Retrieved from <https://hdl.handle.net/1887/19981>

Version: Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/19981>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/19981> holds various files of this Leiden University dissertation.

Author: Hambach, Lothar Wolfgang Heinrich

Title: The human minor histocompatibility antigen HA-1 as target for stem cell based immunotherapy of cancer : pre-clinical and clinical studies

Issue Date: 2012-10-16

Publications

Publications

Bondanza A*, **Hambach L***, Aghai Z, Nijmeijer B, Kaneko S, Mastaglio S, Radtrizzani M, Fleischhauer K, Ciceri F, Bordignon C, Bonini C, Goulmy E. IL-7 receptor expression identifies suicide gene-modified human minor histocompatibility antigen-specific CD8+ T cells capable of self-renewal and differentiation into antileukemia effectors. **Blood.** 2011 Jun 16;117(24):6469-78. * equal contribution

Hambach L, Aghai Z, Pool J, Kroeger N, Goulmy E. Peptide length extension skews the minor HA-1 antigen presentation towards activated dendritic cells but reduces its presentation efficiency. **J Immunol.** 2010 Oct 15;185(8):4582-9.

Hambach L, Ling KW, Pool J, Aghai Z, Blokland E, Tanke HJ, Bruijn JA, Halfwerk H, van Boven H, Wieles B, Goulmy E. Hypomethylating drugs convert HA-1 negative solid tumors into targets for stem cell based immunotherapy. **Blood.** 2009; 113(12):2715-22. Epub 2008 Dec 18.

Hambach L, Vermeij M, Buser A, Aghai Z, van der Kwast T, Goulmy E. Targeting a single mismatched minor histocompatibility antigen with tumor-restricted expression eradicates human solid tumors. **Blood.** 2008; 112(5):1844-52. Epub 2008 Jun 10.

Hambach L, Spierings E, Goulmy E. Risk assessment in haematopoietic stem cell transplantation: minor histocompatibility antigens. **Best Pract Res Clin Haematol.** 2007;20(2):171-87.

Hambach L, Nijmeijer BA, Drabbels JJ, Falkenburg JH, Goulmy E. Chromosomal aberrations in leukaemia cells may delete tumour target antigens of stem cell-based immunotherapy. **Leukemia.** 2006;20(7):1298-300.

Hambach L, Nijmeijer BA, Aghai Z, Schie ML, Wauben MH, Falkenburg JH, Goulmy E. Human cytotoxic T lymphocytes specific for a single minor histocompatibility antigen HA-1 are effective against human lymphoblastic leukaemia in NOD/scid mice. **Leukemia.** 2006;20(2):371-4.

Hertenstein B, **Hambach L**, Bacigalupo A, Schmitz N, McCann S, Slavin S, Gratwohl A, Ferrant A, Elmaagacli A, Schwertfeger R, Locasciulli A, Zander A, Bornhäuser M, Niederwieser D, Ruutu T; Chronic Leukaemia Working Party of the European Group for Blood and Marrow Transplantation. Development of leukemia in donor cells after allogeneic stem cell transplantation--a survey of the European Group for Blood and Marrow Transplantation (EBMT). **Haematologica.** 2005;90(7):969-75.

Hambach L, Goulmy E. Immunotherapy of cancer through targeting of minor histocompatibility antigens. **Curr Opin Immunol.** 2005;17(2):202-10.

Woywodt A, Scheer J, **Hambach L**, Buchholz S, Ganser A, Haller H, Hertenstein B, Haubitz M. Circulating endothelial cells as a marker of endothelial damage in allogeneic hematopoietic stem cell transplantation. **Blood.** 2004;103(9):3603-3605

Hambach L, Heil G, Hertenstein B, Ganser A. Persistent aplasia after chemotherapy for acute myeloid leukaemia treated with stem cell transplantation from a matched unrelated donor after dose-reduced conditioning. **Br J Haematol.** 2002;118(2):442-4.

Hambach L, Stadler M, Dammann E, Ganser A, Hertenstein B. Increased risk of complicated CMV infection with the use of mycophenolate mofetil in allogeneic stem cell transplantation. **Bone Marrow Transplant.** 2002;29(11):903-906.

Söder S*, **Hambach L***, Lissner R, Kirchner T, Aigner T. Ultrastructural localization of type VI collagen in normal adult and osteoarthritic human articular cartilage. **Osteoarthritis Cartilage.** 2002;10(6):464-470. * equal contribution

Hambach L, Eder M, Dammann E, Schrauder A, Sykora KW, Dieterich C, Kirschner P, Novotny J, Ganser A, Hertenstein B. Diagnostic value of procalcitonin serum levels in comparison with C-reactive protein in allogeneic stem cell transplantation. **Haematologica.** 2002;87(6):643-651.

Nagel S, **Hambach L**, Krauter J, Venturini L, Heidenreich O, Ganser A, Heil G. Analysis of the nuclear distribution of the translocation t(8;21)-derived fusion protein AML1/ETO by confocal laser scanning microscopy. **J Hematother Stem Cell Res.** 2002;11(2):401-8.

Krauter J, Hartl M, **Hambach L**, Kohlenberg A, Gunsilius E, Ganser A, Heil G. Receptor-mediated endocytosis of CD34 on hematopoietic cells after stimulation with the monoclonal antibody anti-HPCA-1. **J Hematother Stem Cell Res.** 2001;10(6):863-71.

Aigner T, **Hambach L**, Söder S, Schlötzer-Schrehardt U, Pöschl E. The C5 domain of Col6A3 is cleaved off from the Col6 fibrils immediately after secretion. **Biochem Biophys Res Commun.** 2002;290(2):743-8.

Hambach L, Eder M, Dammann E, Battmer K, Stucki A, Heil G, Ganser A, Hertenstein B. Donor cell-derived acute myeloid leukemia developing 14 months after matched unrelated bone marrow transplantation for chronic myeloid leukemia. **Bone Marrow Transplant.** 2001;28(7):705-7.

Hambach L, Neureiter D, Zeiler G, Kirchner T, Aigner T. Severe disturbance of the distribution and expression of type VI collagen chains in osteoarthritic articular cartilage. **Arthritis Rheum.** 1998;41(6):986-96.