Cover Page



Universiteit Leiden



The handle http://hdl.handle.net/1887/19981 holds various files of this Leiden University dissertation.

Author: Hambach, Lothar Wolfgang Heinrich

Title: The human minor histocompatibility antigen HA-1 as target for stem cell based

immunotherapy of cancer: pre-clinical and clinical studies

Issue Date: 2012-10-16

- 1 The success of cancer immunotherapy is dependent on the expression of the target antigen on the malignancy. *Dit proefschrift*
- Not matching of mHags but intended mismatching for tumor restricted mHags may improve the survival of patients after allogeneic SCT. *Dit proefschrift*
- 3 Minimal residual disease is a preclinical prerequisite for successful mHag specific cancer immunotherapy. *Dit proefschrift*
- 4 Determination of the stem cell donor immunization status against mHags might be important for the prediction of mHag specific immune responses after allogeneic SCT. *Dit proefschrift*
- Vaccination with mHags is a more feasible approach of mHag specific immunotherapy after allogeneic SCT than adoptive transfer of in vitro generated mHag specific CTLs. *Dit proefschrift*
- Moderate GvHD is a requirement for an optimal GvT response mediated by tumor mHag specific CTLs. *Dit proefschrift*
- 7 The tissue distribution of minor histocompatibility antigens dissects graft-versus-host disease from graft versus leukemia effects. *de Bueger M, et al., J Immunol 1992; 149 (5): 1788-1794*
- 8 Stroma is critical for preventing or permitting immunological destruction of antigenic cancer cells. Singh S, et al., *J Exp Med 1992;175:139-146*.
- The high dissociation rate of one of two HA-1 alleles from HLA is the reason for the high immunogenicity of the minor histocompatibility antigen. *Nicholls, S. et al., Proc. Natl. Acad. Sci. U.S.A* 2009; 106: 3889–3894.
- Acquisition of full effector function in vitro paradoxically impairs the in vivo antitumor efficacy of adoptively transferred CD8+ T cells. *Gattinoni L et al*, *J Clin Invest.* 2005 Jun;115(6):1616-26.
- Science based medical approaches are more cumbersome to implement than alternative medical ones
- 12 The hierarchic structures in Germany and in the Netherlands differ only by their visibility
- Bicycling is more difficult than car driving
- Grundsätzliche Zustimmung ist die höflichste Form der Ablehnung (Robert Lembke)