



Universiteit
Leiden
The Netherlands

Impact of age, tumor characteristics, and treatment on local control and disease outcome in early stage breast cancer : an EORTC translational research project

Hage, J.A. van der

Citation

Hage, J. A. van der. (2006, May 22). *Impact of age, tumor characteristics, and treatment on local control and disease outcome in early stage breast cancer : an EORTC translational research project*. Retrieved from <https://hdl.handle.net/1887/4399>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/4399>

Note: To cite this publication please use the final published version (if applicable).

Chapter 2

Improved survival after one course of perioperative chemotherapy in early breast cancer patients. long-term results from the European Organization for Research and Treatment of Cancer (EORTC) Trial 10854.

van der Hage JA, van de Velde CJ, Julien JP, Floiras JL, Delozier T, Vandervelden C, Duchateau L.

Eur J Cancer. 2001 Nov;37(17):2184-93.

[http://dx.doi.org/10.1016/S0959-8049\(01\)00294-5](http://dx.doi.org/10.1016/S0959-8049(01)00294-5)

Chapter 3

Preoperative chemotherapy in primary operable breast cancer: results from the European Organization for Research and Treatment of Cancer trial 10902.

van der Hage J.A., van de Velde C.J., Julien J.P., Tubiana-Hulin M, Vandervelden C., Duchateau L.

J Clin Oncol. 2001 Nov 15;19(22):4224-37.

<http://www.jco.org/cgi/content/full/19/22/4224>

Chapter 4

Clinical Tumor Response to Anthracycline Containing Preoperative Chemotherapy in Women with Early Stage Breast Cancer: the Predictive Role of P53 Expression.

Mieog SJD, van der Hage JA, van de Vijver MJ, van Slooten H-J, Elkhuizen P, Putter H, van de Velde CJH, and Cooperating Investigators of the EORTC.

Accepted for publication in the European Journal of Cancer

Chapter 5

Overexpression of P70 S6 kinase protein is associated with increased risk of locoregional recurrence in node-negative premenopausal early breast cancer patients.

van der Hage JA, van den Broek LJ, Legrand C, Clahsen PC, Bosch CJ, Robanus-Maandag EC, van de Velde CJ, van de Vijver MJ.

Br J Cancer. 2004 Apr 19;90(8):1543-50.

<http://dx.doi.org/10.1038/sj.bjc.6601741>

Chapter 6

Impact of locoregional treatment on the early-stage breast cancer patients: a retrospective analysis.

van der Hage JA, Putter H, Bonnema J, Bartelink H, Therasse P, van de Velde CJ; EORTC Breast Cancer Group.

Eur J Cancer. 2003 Oct;39(15):2192-9.

[http://dx.doi.org/10.1016/S0959-8049\(03\)00572-0](http://dx.doi.org/10.1016/S0959-8049(03)00572-0)

Chapter 7

Breast conserving therapy and young age are both independent prognostic factors associated with isolated loco-regional recurrences in early stage breast cancer.

de Bock GH, van der Hage JA, Putter H, Bonnema J, Bartelink H, van de Velde CJH.

Eur J Cancer. 2006 Feb 42(3); 351-6.

<http://dx.doi.org/10.1016/j.ejca.2005.10.006>