



Universiteit
Leiden
The Netherlands

Warm and cold gas in low-mass protostars : Herschel Space Observatory and ground-based surveys

Yildiz, U

Citation

Yildiz, U. (2013, May 1). *Warm and cold gas in low-mass protostars : Herschel Space Observatory and ground-based surveys*. Retrieved from <https://hdl.handle.net/1887/20855>

Version: Not Applicable (or Unknown)

License: [Leiden University Non-exclusive license](#)

Downloaded from: <https://hdl.handle.net/1887/20855>

Note: To cite this publication please use the final published version (if applicable).

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/20855> holds various files of this Leiden University dissertation.

Author: Yildiz, Umut

Title: Warm and cold gas in low-mass protostars : Herschel Space Observatory and ground-based surveys

Issue Date: 2013-05-01

*W*ARM AND COLD GAS IN *L*OW-MASS PROTOSTARS

*H*ERSCHEL SPACE OBSERVATORY AND *G*ROUND-BASED SURVEYS



Universiteit Leiden

*W*ARM AND COLD GAS IN *L*OW-MASS PROTOSTARS

*H*ERSCHEL SPACE OBSERVATORY AND *G*ROUND-BASED SURVEYS

PROEFSCHRIFT

ter verkrijging van
de graad van Doctor aan de Universiteit Leiden,
op gezag van de Rector Magnificus prof. mr. C. J. J. M. Stolker,
volgens besluit van het College voor Promoties
te verdedigen op woensdag 1 mei 2013
klokke 16.15 uur

door

Umut Yıldız
geboren te Istanbul, Turkije
op 28 februari 1980

Promotiecommisie

Promotor:	Prof. dr. E. F. van Dishoeck	
Co-promotor	Dr. L. E. Kristensen	(Harvard-Smithsonian Center for Astrophysics)
Overige leden:	Prof. dr. P. F. Goldsmith	(NASA Jet Propulsion Laboratory; California Institute of Technology)
	Prof. dr. P. Caselli	(University of Leeds)
	Prof. dr. A. G. G. M. Tielens	
	Prof. dr. H. Röttgering	
	Dr. M. R. Hogerheijde	
	Dr. F. P. Helmich	(SRON Netherlands Institute for Space Research; Kapteyn Institute, University of Groningen)

for Fatime, Durn, Annem & Babam





Front Cover: Image of the dark cloud Barnard 86 in the neighbourhood of the bright star cluster NGC 6520. The image is taken by MPG/ESO 2.2-metre telescope at ESO's La Silla Observatory in Chile. The image is modified and a forming baby as displayed in a womb with an echo is put inside. The analogy resembles that stars are born in those dark molecular clouds and can be observed at long wavelengths. The displayed spectrum is the HIFI spectrum centered at O₂ 487 GHz toward NGC1333 IRAS 4A from Chapter 6.

Back Cover: Contour map of bipolar outflows driven by two protostars, NGC1333 IRAS 4A and IRAS 4B from Chapter 4. Solid contours represent the red outflow lobe whereas dashed contours represent the blue outflow lobe.

Wordle: Each chapter begins with a *Wordle* image showing 150 words proportional to the frequency of their usage in each of the chapters, which indirectly acts as summary of that chapter (www.wordle.net).


Warm and Cold Gas in Low-Mass Protostars: *Herschel* Space Observatory and Ground-Based Surveys

Copyright © 2013 Umut Yıldız

ISBN 978-90-8891-607-6

Printed by Proefscriptmaken.nl || Uitgeverij BOXPress, 's-Hertogenbosch, the Netherlands

ISBN 978-90-8891-607-6



9 789088 916076 >

“Staying steady is going back.”
– Anonymous

Contents

1	<i>Introduction</i>	1
1.1	Low-mass star formation	2
1.1.1	Molecular clouds	2
1.1.2	Stages of young stellar objects	3
1.2	Molecules	5
1.2.1	Molecular transitions	6
1.2.2	Carbon monoxide - CO	8
1.2.3	Molecular oxygen - O ₂	8
1.3	Observations	9
1.3.1	<i>Herschel</i> Space Observatory	9
1.3.2	Heterodyne Instrument for the Far-Infrared (HIFI)	10
1.3.3	Ground-based telescopes	14
1.4	WISH	15
1.5	WISH live data show	16
1.6	This thesis	18
1.7	Future outlook	20
2	<i>Herschel</i>-HIFI observations of high-<i>J</i> CO lines in the NGC 1333 low-mass star-forming region	23
2.1	Introduction	25
2.2	Observations and results	25
2.3	Analysis and discussion	29
2.3.1	Broad and medium components: shocked gas	29
2.3.2	Narrow component: bulk warm envelope	31
2.4	Conclusions	32
2.5	Additional materials	33
2.5.1	Radex model	33
2.5.2	Abundance profiles for IRAS 2A	33
3	<i>High-<i>J</i></i> CO survey of low-mass protostars observed with <i>Herschel</i>-HIFI	41
3.1	Introduction	43
3.2	Observations and complementary data	45
3.3	Results	48
3.3.1	CO line gallery	48
3.3.2	¹² CO lines	48
3.3.3	¹³ CO lines	53
3.3.4	C ¹⁸ O lines	53
3.4	Rotational diagrams	55
3.4.1	Rotational diagram results	56
3.4.2	CO ladders	59
3.4.3	Two temperature components?	60
3.4.4	Velocity resolved diagrams	61

3.4.5	Kinetic temperature	62
3.5	Correlations with physical properties	64
3.5.1	Integrated intensities	64
3.5.2	Excitation temperature and comparison with evolutionary models	65
3.5.3	High- J CO vs. water	66
3.6	CO abundance and warm inner envelope	68
3.6.1	CO abundance profiles	68
3.6.2	Warm inner envelope	70
3.7	Conclusions	72
3.8	Additional materials	75
4	<i>APEX-CHAMP</i>⁺ high-J CO observations of low-mass young stellar objects:	
	III. NGC 1333 IRAS 4A/4B envelope, outflow, and ultraviolet heating	79
4.1	Introduction	81
4.2	Observations	83
4.3	Results	88
4.3.1	The CO line gallery	88
4.3.2	Maps	91
4.3.3	Morphology	95
4.4	Analysis: Outflow	97
4.4.1	Rotational temperatures and CO ladder	97
4.4.2	Observed outflow parameters	99
4.4.3	Outflow energetics	103
4.5	Analysis: Envelope properties and CO abundance	105
4.5.1	Envelope model	105
4.5.2	CO abundance profile	106
4.6	Analysis: UV-heated gas	110
4.7	Conclusions	113
4.8	Auxillary figures	115
5	<i>APEX-CHAMP</i>⁺ high-J CO observations of low-mass young stellar objects:	
	IV. Mapping survey of low-mass protostars	119
5.1	Introduction	121
5.2	Sample and observations	123
5.2.1	Sample	123
5.2.2	Observations	124
5.2.3	^{12}CO maps	125
5.2.4	^{13}CO maps	125
5.3	Results	128
5.3.1	Outflow morphology	128
5.3.2	Outflow parameters	128
5.3.3	Other outflow parameters	135
5.3.4	Correlations	136
5.4	Discussion	138
5.5	Conclusions	139
5.6	Additional materials	140

6	<i>Deep observations of O₂ toward a low-mass protostar with <i>Herschel</i></i>	149
6.1	Introduction	151
6.2	Observations	154
6.3	Results	156
6.3.1	O ₂	157
6.3.2	NO	157
6.3.3	C ¹⁸ O	158
6.3.4	Column densities and abundances	159
6.4	Gas-grain models for the protostellar envelope	162
6.4.1	Gas phase O ₂ and NO formation	162
6.4.2	Grain chemistry specific to O ₂ and NO	163
6.4.3	Model results	165
6.5	Tentative detection of O ₂ in the 8 km s ⁻¹ cloud	167
6.6	Conclusions	169
6.7	Additional materials	171
A	<i>Central source spectra</i>	175
A.1	L1448MM	176
A.2	IRAS2A	177
A.3	IRAS4A	178
A.4	IRAS4B	179
A.5	L1527	180
A.6	Ced110IRS4	181
A.7	BHR71	182
A.8	IRAS153981	183
A.9	L483mm	184
A.10	SMM1	185
A.11	SMM4	186
A.12	SMM3	187
A.13	L723mm	188
A.14	B335	189
A.15	L1157	190
A.16	L1489	191
A.17	L1551IRS5	192
A.18	TMR1	193
A.19	TMC1A	194
A.20	TMC1	195
A.21	HH46	196
A.22	DK Cha	197
A.23	GSS30IRS1	198
A.24	Elias29	199
A.25	Oph IRS63	200
A.26	RNO91	201
	Nederlandse samenvatting	203
	Türkçe özet	213

Contents

<i>Bibliography</i>	222
<i>Publications</i>	229
<i>Curriculum Vitae</i>	239
<i>Acknowledgments</i>	241