



**Universiteit
Leiden**
The Netherlands

Interference effects with surface plasmons

Kuzmin, N.V.

Citation

Kuzmin, N. V. (2008, January 10). *Interference effects with surface plasmons. Casimir PhD Series*. LION, Quantum Optics Group, Faculty of Science, Leiden University. Retrieved from <https://hdl.handle.net/1887/12551>

Version: Corrected Publisher's Version

License: [Licence agreement concerning inclusion of doctoral thesis in the Institutional Repository of the University of Leiden](#)

Downloaded from: <https://hdl.handle.net/1887/12551>

Note: To cite this publication please use the final published version (if applicable).

Bibliography

- [1] D. L. Simms, *Archimedes and the burning mirrors*, Phys. Educ. **10**, 517 (1975).
- [2] D. L. Simms, *Archimedes and the burning mirrors of syracuse*, Technology and Culture **18**, 1 (1977).
- [3] http://www.thebritishmuseum.ac.uk/explore/highlights/highlight_objects/pe_mla/t/the_lycurgus_cup.aspx.
- [4] N. W. Ashcroft and N. D. Mermin, *Solid state physics*, Holt, Rinehart and Winston, USA, 1976.
- [5] C. Kittel, *Introduction to solid state physics*, Wiley, USA, 7 edition, 1995.
- [6] R. H. Ritchie, *Plasma losses by fast electrons in thin films*, Phys. Rev. **106**, 874 (1957).
- [7] C. J. Powell and J. B. Swan, *Origin of the characteristic electron energy losses in aluminum*, Phys. Rev. **115**, 869 (1959).
- [8] H. Raether, *Surface plasmons on smooth and rough surfaces and on gratings*, Springer, Berlin, 1988.
- [9] W. L. Barnes, A. Dereux, and T. W. Ebbesen, *Surface plasmon sub-wavelength optics*, Nature **424**, 824 (2003).
- [10] R. D. Averitt, S. L. Westcott, and N. Halas, *Linear optical properties of gold nanoshells*, JOSA B **16**, 1824 (1999).
- [11] M. Moskovits, *Surface-enhanced spectroscopy*, Rev. Mod. Phys. **57**, 783 (1985).
- [12] A. Zangwill, *Physics at surfaces*, Cambridge Univ. Press, Cambridge, UK, 1988.
- [13] T. Neumann, M. L. Johansson, D. Kambhampati, and W. Knoll, *Surface-plasmon fluorescence spectroscopy*, Adv. Funct. Mater. **12**, 575 (2002).

- [14] G. A. Farias and A. A. Maradudin, *Surface plasmon on a randomly rough surface*, Phys. Rev. B **28**, 5675 (1983).
- [15] K. R. Welford and J. R. Sambles, *Coupled surface plasmons in a symmetric system*, J. Mod. Opt. **35**, 1467 (1988).
- [16] J. J. Burke, G. I. Stegeman, and T. Tamir, *Surface-polariton-like waves guided by thin, lossy metal films*, Phys. Rev. B **33**, 5186 (1986).
- [17] I. Breukelaar, R. Charbonneau, and P. Berinia, *Long-range surface plasmon-polariton mode cutoff and radiation*, Appl. Phys. Lett. **88**, 051119 (2006).
- [18] E. D. Palik, editor, *Handbook of optical constants of solids II*, Academic Press, Boston, USA, 1991.
- [19] V. M. Agranovich, Y. R. Shen, R. H. Baughman, and A. A. Zakhidov, *Optical bulk and surface waves with negative refraction*, Journal of Luminescence **110**, 167 (2004).
- [20] P. Tournois and V. Laude, *Negative group velocities in metal-film optical waveguides*, Opt. Comm. **137**, 41 (1997).
- [21] Y. Liu, D. Pile, Z. Liu, D. Wu, C. Sun, and X. Zhang, *Negative group velocity of surface plasmons on thin metallic films*, SPIE **6323**, 63231M (2006).
- [22] P. B. Johnson and R. W. Christy, *Optical constants of the noble metals*, Phys. Rev. B **6**, 4370 (1972).
- [23] M. D. McMahon, R. Lopez, H. M. Meyer, L. C. Feldman, and R. F. Haglund, *Rapid tarnishing of silver nanoparticles in ambient laboratory air*, Appl. Phys. B **80**, 915 (2005).
- [24] A. V. Zayats, I. I. Smolyaninov, and A. A. Maradudin, *Nano-optics of surface-plasmon polaritons*, Phys. Rep. **408**, 131 (2005).
- [25] E. Kretschmann and H. Raether, Z. Naturforsch. A **23**, 2135 (1968).
- [26] A. Otto, Z. Physik **216**, 398 (1968).
- [27] T. López-Ríos and G. Vuye, *In situ investigation of metallic surfaces by surface plasmon ATR spectroscopy, electrical resistance measurements and Auger spectroscopy*, J. Phys. E: Sci. Instrum. **15**, 456 (1982).
- [28] N. Zhang, R. Schweiss, Y. Zong, and W. Knoll, *Electrochemical surface plasmon spectroscopy — recent developments and applications*, Electrochimica Acta **52**, 2869 (2007).
- [29] R. C. Reddick, R. J. Warmack, and T. L. Ferrell, *New form of scanning optical microscopy*, Phys. Rev. B **39**, 767 (1989).
- [30] P. Dawson, F. de Fornel, and J.-P. Goudonnet, *Imaging of surface plasmon propagation and edge interaction using a photon scanning tunneling microscope*, Phys. Rev. Lett. **72**, 2927 (1994).

- [31] S. I. Bozhevolnyi, I. I. Smolyaninov, and A. V. Zayats, *Near-field microscopy of surface-plasmon polaritons: localization and internal interface imaging*, Phys. Rev. B **51**, 17916 (1995).
- [32] H. Gersen, J. P. Korterik, N. F. van Hulst, and L. Kuipers, *Tracking ultrashort pulses through dispersive media: experiment and theory*, Phys. Rev. E **68**, 026604 (2003).
- [33] H. Gersen, T. J. Karle, R. J. P. Engelen, W. Bogaerts, J. P. Korterik, N. F. van Hulst, T. F. Krauss, and L. Kuipers, *Real-space observation of ultraslow light in photonic crystal waveguides*, Phys. Rev. Lett. **94**, 073903 (2005).
- [34] P. Lalanne, J. P. Hugonin, and J. C. Rodier, *Theory of surface plasmon generation at nanoslit apertures*, Phys. Rev. Lett. **95**, 263902 (2005).
- [35] P. Lalanne, J. P. Hugonin, and J. C. Rodier, *Approximate model for surface-plasmon generation at slit apertures*, J. Opt. Soc. Am. A **23**, 1608 (2006).
- [36] T. W. Ebbesen, H. J. Lezec, H. F. Ghaemi, T. Thio, and P. A. Wolff, *Extraordinary optical transmission through sub-wavelength hole arrays*, Nature **391**, 667 (1998).
- [37] H. A. Bethe, *Theory of diffraction by small holes*, Phys. Rev. **66**, 163 (1944).
- [38] U. Schröter and D. Heitmann, *Surface-plasmon-enhanced transmission through metallic gratings*, Phys. Rev. B **58**, 15419 (1998).
- [39] M. B. Sobnack, W. C. Tan, N. P. Wanstall, T. W. Preist, and J. R. Sambles, *Stationary surface plasmons on a zero-order metal grating*, Phys. Rev. Lett. **80**, 5667 (1998).
- [40] J. A. Porto, F. J. García-Vidal, and J. B. Pendry, *Transmission resonances on metallic gratings with very narrow slits*, Phys. Rev. Lett. **83**, 2845 (1999).
- [41] S. Astilean, P. Lalanne, and M. Palamaru, *Light transmission through metallic channels much smaller than the wavelength*, Opt. Comm. **175**, 265 (2000).
- [42] H. E. Went, A. P. Hibbins, J. R. Sambles, C. R. Lawrence, and A. P. Crick, *Selective transmission through very deep zero-order metallic gratings at microwave frequencies*, Appl. Phys. Lett. **77**, 2789 (2000).
- [43] Y. Takakura, *Optical resonance in a narrow slit in a thick metallic screen*, Phys. Rev. Lett. **86**, 5601 (2001).
- [44] M. M. J. Treacy, *Dynamical diffraction explanation of the anomalous transmission of light through metallic gratings*, Phys. Rev. B **66**, 195105 (2002).

- [45] Q. Cao and P. Lalanne, *Negative role of surface plasmons in the transmission of metallic gratings with very narrow slits*, Phys. Rev. Lett. **88**, 057403 (2002).
- [46] P. Lalanne, C. Sauvan, J. P. Hugonin, J. C. Rodier, and P. Chavel, *Perturbative approach for surface plasmon effects on flat interfaces periodically corrugated by subwavelength apertures*, Phys. Rev. B **68**, 125404 (2003).
- [47] A. Barbara, P. Quemerais, E. Bustarret, T. López-Ríos, and T. Fournier, *Electromagnetic resonances of sub-wavelength rectangular metallic gratings*, Eur. Phys. J. D **23**, 143 (2003).
- [48] J. R. Suckling, A. P. Hibbins, M. J. Lockyear, T. W. Preist, J. R. Sambles, and C. R. Lawrence, *Finite conductance governs the resonance transmission of thin metal slits at microwave frequencies*, Phys. Rev. Lett. **92**, 147401 (2004).
- [49] F. J. García-Vidal, H. J. Lezec, T. W. Ebbesen, and L. Martín-Moreno, *Multiple paths to enhance optical transmission through a single sub-wavelength slit*, Phys. Rev. Lett. **90**, 213901 (2003).
- [50] A. P. Hibbins, J. R. Sambles, C. R. Lawrence, and J. R. Brown, *Squeezing millimeter waves into microns*, Phys. Rev. Lett. **92**, 143904 (2004).
- [51] H. Lezec and T. Thio, *Diffraction evanescent wave model for enhanced and suppressed optical transmission through subwavelength hole arrays*, Opt. Exp. **12**, 3629 (2004).
- [52] L. A. Giannuzzi and F. A. Stevie, editors, *Introduction to focused ion beams: instrumentation, theory, techniques and practice*, Springer, USA, 2005.
- [53] E. D. Palik, editor, *Handbook of optical constants of solids*, Academic Press, Boston, USA, 1985.
- [54] P. B. Johnson and R. W. Christy, *Optical constants of transition metals: Ti, V, Cr, Mn, Fe, Co, Ni, and Pd*, Phys. Rev. B **9**, 5056 (1974).
- [55] T. D. Visser, H. Blok, and D. Lenstra, *Theory of polarization-dependent amplification in a slab waveguide with anisotropic gain and losses*, IEEE J. Quantum Electron. **35**, 240 (1999).
- [56] H. F. Schouten, T. D. Visser, D. Lenstra, and H. Blok, *Light transmission through a subwavelength slit: waveguiding and optical vortices*, Phys. Rev. E **67**, 036608 (2003).
- [57] K. E. Atkinson, *A survey of numerical methods of Fredholm equations of the second kind*, SIAM, Philadelphia, 1976, Chap. 2.
- [58] L. Mandel and E. Wolf, *Optical coherence and quantum optics*, Cambridge University Press, Cambridge, UK, 1995.

- [59] M. Born and E. Wolf, *Principles of optics*, Cambridge University Press, Cambridge, UK, seventh edition, 1999.
- [60] E. Wolf, *Young's interference fringes with narrow-band light*, Opt. Lett. **8**, 250 (1983).
- [61] H. F. Schouten, N. V. Kuzmin, G. Dubois, T. D. Visser, G. Gbur, P. F. A. Alkemade, H. Blok, G. W. 't Hooft, D. Lenstra, and E. R. Eliel, *Plasmon-assisted two-slit transmission: Young's experiment revisited*, Phys. Rev. Lett. **94**, 053901 (2005).
- [62] R. Carminati and J. Greffet, *Near-field effects in spatial coherence of thermal sources*, Phys. Rev. Lett. **82**, 1660 (1999).
- [63] P. Lalanne and J. P. Hugonin, *Interaction between optical nano-objects at metallo-dielectric interfaces*, Nature Phys. **2**, 551 (2006).
- [64] W. L. Barnes, A. Dereux, and T. W. Ebbesen, *Surface plasmon sub-wavelength optics*, Nature **424**, 824 (2003).
- [65] I. I. Smolyaninov, J. Elliott, G. Wurtz, A. V. Zayats, and C. C. Davis, *Digital resolution enhancement in surface plasmon microscopy*, Appl. Phys. B **84**, 253 (2006).
- [66] B. Liedberg, C. Nylander, and I. Lundström, *Biosensing with surface plasmon resonance — how it all started*, Biosensors and Bioelectronics **10**, i (1995).
- [67] F. Yu, S. Tian, D. Yao, and W. Knoll, *Surface plasmon enhanced diffraction for label-free biosensing*, Analytical Chemistry **76**, 3530 (2004).
- [68] V. Shalaev and S. Kawata, *Nanophotonics with surface plasmons*, Elsevier, Amsterdam, 2006.
- [69] M. L. Brongersma and P. G. Kik, *Surface plasmon nanophotonics*, Springer, The Netherlands, 2007.
- [70] L. Cao, N. C. Panoiu, and R. M. Osgood, *Surface second-harmonic generation from surface plasmon waves scattered by metallic nanostructures*, Phys. Rev. B **75**, 205401 (2007).
- [71] D. E. Chang, A. S. Sorensen, P. R. Hemmer, and M. D. Lukin, *Quantum optics with surface plasmons*, Phys. Rev. Lett. **97**, 053002 (2006).
- [72] C. Genet and T. W. Ebbesen, *Light in tiny holes*, Nature **445**, 39 (2007).
- [73] V. V. Temnov, U. Woggon, J. Dintinger, E. Devaux, and T. W. Ebbesen, *Surface plasmon interferometry: measuring group velocity of surface plasmons*, Opt. Lett. **32**, 1235 (2007).
- [74] C. H. Gan, G. Gbur, and T. D. Visser, *Surface plasmons modulate the spatial coherence of light in Young's interference experiment*, Phys. Rev. Lett. **98**, 043908 (2007).

- [75] N. V. Kuzmin, H. F. Schouten, G. Gbur, G. W. 't Hooft, E. R. Eliel, and T. D. Visser, *Enhancement of spatial coherence by surface plasmons*, Opt. Lett. **32**, 445 (2007).
- [76] H. Ditlbacher, A. Hohenau, D. Wagner, U. Kreibig, M. Rogers, F. Hofer, F. R. Aussenegg, and J. R. Krenn, *Silver nanowires as surface plasmon resonators*, Phys. Rev. Lett. **95**, 257403 (2005).
- [77] C. F. Bohren and F. R. Huffman, *Absorption and scattering of light by small particles*, Wiley, New York, 1983.
- [78] A. E. Siegman, *Lasers*, University Science Books, USA, 1986.
- [79] J. J. Scherer, J. B. Paul, A. O'Keefe, and R. J. Saykally, *Cavity ringdown laser absorption spectroscopy: history, development, and application to pulsed molecular beams*, Chem. Rev. **97**, 25 (1997).
- [80] M. Z. Alam, J. Meier, J. S. Aitchison, and M. Mojahedi, *Gain assisted surface plasmon polariton in quantum wells structures*, Opt. Exp. **15**, 176 (2007).
- [81] J. C. Diels and W. Rudolph, *Ultrashort laser pulse phenomena*, Academic Press, California, 1996.
- [82] M. Galli, F. Marabelli, and G. Guizzetti, *Direct measurement of refractive-index dispersion of transparent media by white-light interferometry*, Appl. Opt. **42**, 3910 (2003).
- [83] M. Bai, C. Guerrero, S. Ioanid, E. Paz, M. Sanz, and N. García, *Measuring the speed of a surface plasmon*, Phys. Rev. B **69**, 115416 (2004).
- [84] R. F. Wallis, A. A. Maradudin, and G. I. Stegeman, *Surface polariton reflection and radiation at end faces*, Appl. Phys. Lett. **42**, 764 (1983).
- [85] A. Bouhelier, T. Huser, H. Tamaru, H. J. Güntherodt, D. W. Pohl, F. I. Baida, and D. V. Labeke, *Plasmon optics of structured silver films*, Phys. Rev. B **63**, 155404 (2001).
- [86] J. Seidel, S. Grafström, L. Eng, and L. Bischoff, *Surface plasmon transmission across narrow grooves in thin silver films*, Appl. Phys. Lett. **82**, 1368 (2003).
- [87] T. Okamoto, K. Kakutani, T. Yoshizaki, M. Haraguchi, and M. Fukui, *Experimental evaluation of reflectance of surface plasmon polariton at metal step barrier*, Surface Science **544**, 67 (2003).
- [88] F. López-Tejiera, F. J. García-Vidal, and L. Martín-Moreno, *Scattering of surface plasmons by one-dimensional periodic nanoindented surfaces*, Phys. Rev. B **72**, 161405(R) (2005).
- [89] M. U. González, J. C. Weeber, A. L. Baudrion, A. Dereux, A. L. Stepanov, J. R. K. E. Devaux, and T. W. Ebbesen, *Design, near-field*

- characterization, and modeling of 45° surface-plasmon Bragg mirrors, *Phys. Rev. B* **73**, 155416 (2006).
- [90] O. T. A. Janssen, H. P. Urbach, and G. W. 't Hooft, *On the phase of plasmons excited by slits in a metal film*, *Opt. Exp.* **14**, 11823 (2006).
- [91] U. Fano, *Effects of configuration interaction on intensities and phase shifts*, *Phys. Rev.* **124**, 1866 (1961).
- [92] R. H. J. Kop and R. Sprik, *Phase-sensitive interferometry with ultrashort optical pulses*, *Rev. Sci. Instr.* **66**, 5459 (1995).
- [93] V. M. Agranovich, *Crystal optics of surface polaritons and the properties of surfaces*, *Sov. Phys.-Usp.* **18**, 99 (1975).
- [94] V. M. Agranovich and D. L. Mills, editors, *Surface polaritons: electromagnetic waves of surfaces and interfaces*, North-Holland, Amsterdam, 1982.
- [95] J. A. Sánchez-Gil, *Surface defect scattering of surface plasmon polaritons: mirrors and light emitters*, *Appl. Phys. Lett.* **73**, 3509 (1998).
- [96] A. V. Shchegrov, I. V. Novikov, and A. A. Maradudin, *Scattering of surface plasmon polaritons by a circularly symmetric surface defect*, *Phys. Rev. Lett.* **78**, 4269 (1997).
- [97] J. A. Sánchez-Gil and A. A. Maradudin, *Resonant scattering of surface-plasmon polariton pulses by nanoscale metal defects*, *Opt. Lett.* **28**, 2255 (2003).
- [98] J. A. Sánchez-Gil and A. A. Maradudin, *Surface-plasmon polariton scattering from a finite array of nanogrooves/ridges: efficient mirrors*, *Appl. Phys. Lett.* **86**, 251106 (2005).
- [99] G. Gay, O. Alloschery, J. Weiner, H. J. Lezec, C. O. Dwyer, M. Sukharev, and T. Seideman, *The response of nanostructured surfaces in the near field*, *Nature Phys.* **2**, 792 (2006).
- [100] G. Gay, O. Alloschery, B. V. de Lesegno, J. Weiner, and H. J. Lezec, *Surface wave generation and propagation on metallic subwavelength structures measured by far-field interferometry*, *Phys. Rev. Lett.* **96**, 123901 (2006).
- [101] L. Aigouy, P. Lalanne, J. P. Hugonin, G. Julie, V. Mathet, and M. Mortier, *Near-field analysis of surface waves launched at nanoslit apertures*, *Phys. Rev. Lett.* **98**, 153902 (2007).
- [102] F. Kalkum, G. Gay, O. Alloschery, J. Weiner, H. J. Lezec, Y. Xie, and M. Mansuripur, *Surface-wave interferometry on single subwavelength slit-groove structures fabricated on gold films*, *Opt. Exp.* **15**, 2613 (2007).

- [103] T. D. Visser, *Plasmonics – surface plasmons at work?*, Nature Phys. **2**, 509 (2006).
- [104] M. H. Fizeau, *Recherches sur plusieurs phénomènes relatifs à la polarisation de la lumière*, Ann. Chim. (Phys.) **63**, 385 (1861).
- [105] J. C. Slater, *Microwave transmission*, McGraw-Hill, New York, 1942.
- [106] G. Thiessen, *Polarisation des Lichtes beim Durchgang durch Metallspalte*, Die Himmelswelt **55**, 72 (1948).
- [107] R. V. Jones and J. C. S. Richards, *The polarization of light by narrow slits*, Proc. Roy. Soc. London A **225**, 122 (1954).
- [108] M. A. Ismail, *Transmission of light by slit designed for astronomical spectrograph*, Astrophysics and Space Science **122**, 1 (1986).
- [109] C. J. Bouwkamp, *Diffraction theory*, Rep. Progr. Phys. **18**, 35 (1954).
- [110] G. Bouwhuis, J. Braat, A. Huijser, J. Pasman, G. van Rosmalen, and K. S. Immink, *Principles of optical disk systems*, Adam Hilger Ltd, Bristol, UK, 1985.
- [111] H. J. Lezec, A. Degiron, E. Devaux, R. A. Linke, L. Martín-Moreno, F. J. García-Vidal, and T. W. Ebbesen, *Beaming light from a subwavelength aperture*, Science **297**, 820 (2002).
- [112] C. Genet, M. P. van Exter, and J. P. Woerdman, *Fano-type interpretation of red shifts and red tails in hole array transmission spectra*, Opt. Comm. **225**, 331 (2003).
- [113] R. C. McPhedran, *On the theory and solar application of inductive grids*, Appl. Phys. **14**, 1 (1977).
- [114] F. Yang and J. R. Sambles, *Resonant transmission of microwaves through a narrow metallic slit*, Phys. Rev. Lett. **89**, 063901 (2002).
- [115] H. F. Schouten, T. Visser, G. Gbur, D. Lenstra, and H. Blok, *The diffraction of light by narrow slits in plates of different materials*, J. Opt. A **6**, s277 (2004).
- [116] R. Wannemacher, *Plasmon-supported transmission of light through nanometric holes in metallic thin films*, Opt. Comm. **195**, 107 (2001).
- [117] F. G. de Abajo, *Light transmission through a single cylindrical hole in a metallic film*, Opt. Exp. **10**, 1475 (2002).
- [118] Y. Xie, A. Zakharian, J. Moloney, and M. Mansuripur, *Transmission of light through slit apertures in metallic films*, Opt. Exp. **12**, 6106 (2004).
- [119] J. Lindberg, K. Lindfors, T. Setälä, M. Kaivola, and A. Friberg, *Spectral analysis of resonant transmission of light through a single sub-wavelength slit*, Opt. Exp. **12**, 623 (2004).

- [120] F. J. García-Vidal, E. Moreno, J. A. Porto, and L. Martín-Moreno, *Transmission of light through a single rectangular hole*, Phys. Rev. Lett. **95**, 103901 (2005).
- [121] S. V. Kukhlevsky, M. Mechler, L. Csapo, K. Janssens, and O. Samek, *Resonant backward scattering of light by a subwavelength metallic slit with two open sides*, Phys. Rev. B **72**, 165421 (2005).
- [122] F. J. García-Vidal, L. Martín-Moreno, E. Moreno, L. K. S. Kumar, and R. Gordon, *Transmission of light through a single rectangular hole in a real metal*, Phys. Rev. B **74**, 153411 (2006).
- [123] B. E. A. Saleh and M. C. Teich, *Fundamentals of photonics*, John Wiley & Sons, Inc., USA, Hoboken, New Jersey, 2007.
- [124] W. Moorhoff, Laseroptik GmbH, Garbsen, Germany, private communication.
- [125] http://www.uqgoptics.com/materials_commercial_schott_D263T.asp.
- [126] M. Sandtke and L. Kuipers, *Slow guided surface plasmons at telecom frequencies*, Nature Photon. **1**, 573 (2007).

